



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 2, 2026 – 02:52 AM UTC

PDB ID : 4LUE / pdb_00004lue
Title : Crystal Structure of HCK in complex with 7-[trans-4-(4-methylpiperazin-1-yl)cyclohexyl]-5-(4-phenoxyphenyl)-7H-pyrrolo[2,3-d]pyrimidin-4-amine (resulting from displacement of SKF86002)
Authors : Parker, L.J.; Tanaka, A.; Handa, N.; Honda, K.; Tomabeche, Y.; Shirouzu, M.; Yokoyama, S.
Deposited on : 2013-07-25
Resolution : 3.04 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.04 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3685 (3.08-3.00)
Clashscore	190562	4007 (3.08-3.00)
Ramachandran outliers	187476	3834 (3.08-3.00)
Sidechain outliers	187428	3836 (3.08-3.00)
RSRZ outliers	180081	3684 (3.08-3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	454	% 83% 9% 7%
1	B	454	% 77% 14% 8%

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 6814 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Tyrosine-protein kinase HCK.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	423	Total	C	N	O	P	S	0	0	0
			3376	2162	566	628	1	19			
1	B	418	Total	C	N	O	P	S	0	0	0
			3318	2129	560	610	1	18			


There are 22 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	78	GLY	-	expression tag	UNP P08631
A	79	ALA	-	expression tag	UNP P08631
A	80	MET	-	expression tag	UNP P08631
A	81	GLY	-	expression tag	UNP P08631
A	82	SER	-	expression tag	UNP P08631
A	83	GLY	-	expression tag	UNP P08631
A	84	ILE	-	expression tag	UNP P08631
A	85	ARG	-	expression tag	UNP P08631
A	528	GLU	GLN	engineered mutation	UNP P08631
A	529	GLU	GLN	engineered mutation	UNP P08631
A	530	ILE	GLN	engineered mutation	UNP P08631
B	78	GLY	-	expression tag	UNP P08631
B	79	ALA	-	expression tag	UNP P08631
B	80	MET	-	expression tag	UNP P08631
B	81	GLY	-	expression tag	UNP P08631
B	82	SER	-	expression tag	UNP P08631
B	83	GLY	-	expression tag	UNP P08631
B	84	ILE	-	expression tag	UNP P08631
B	85	ARG	-	expression tag	UNP P08631
B	528	GLU	GLN	engineered mutation	UNP P08631
B	529	GLU	GLN	engineered mutation	UNP P08631
B	530	ILE	GLN	engineered mutation	UNP P08631

- Molecule 2 is CALCIUM ION (CCD ID: CA) (formula: Ca).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total Ca 1 1	0	0
2	B	1	Total Ca 1 1	0	0

- Molecule 3 is 7-[trans-4-(4-methylpiperazin-1-yl)cyclohexyl]-5-(4-phenoxyphenyl)-7H-pyrrolo[2,3-d]pyrimidin-4-amine (CCD ID: VSE) (formula: C₂₉H₃₄N₆O).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total 36	C 29	N 6	O 1	0	0
3	B	1	Total 36	C 29	N 6	O 1	0	0

- Molecule 4 is CHLORIDE ION (CCD ID: CL) (formula: Cl).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total Cl 1 1	0	0
4	B	1	Total Cl 1 1	0	0

- Molecule 5 is GLYCEROL (CCD ID: GOL) (formula: $\text{C}_3\text{H}_8\text{O}_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			6	3	3		
5	A	1	Total	C	O	0	0
			6	3	3		
5	B	1	Total	C	O	0	0
			6	3	3		
5	B	1	Total	C	O	0	0
			6	3	3		

- Molecule 6 is IMIDAZOLE (CCD ID: IMD) (formula: $C_3H_5N_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	B	1	Total	C	N	0	0
			5	3	2		


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	9	Total	O	0	0
			9	9		
7	B	6	Total	O	0	0
			6	6		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Tyrosine-protein kinase HCK



• Molecule 1: Tyrosine-protein kinase HCK



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	73.40Å 93.53Å 181.49Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	46.77 – 3.04 46.77 – 3.04	Depositor EDS
% Data completeness (in resolution range)	99.8 (46.77-3.04) 99.9 (46.77-3.04)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.11	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.71 (at 3.07Å)	Xtriage
Refinement program	PHENIX 1.8.2_1309	Depositor
R, R_{free}	0.205 , 0.256 0.207 , 0.256	Depositor DCC
R_{free} test set	1261 reflections (5.09%)	wwPDB-VP
Wilson B-factor (Å ²)	54.4	Xtriage
Anisotropy	0.923	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 61.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	6814	wwPDB-VP
Average B, all atoms (Å ²)	71.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 35.46 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 5.8183e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: VSE, PTR, CL, IMD, GOL, CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.27	0/3438	0.69	0/4646
1	B	0.26	0/3378	0.68	1/4570 (0.0%)
All	All	0.27	0/6816	0.69	1/9216 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	215	ILE	N-CA-C	-5.12	107.41	111.81

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3376	0	3303	20	0
1	B	3318	0	3241	38	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
3	A	36	0	34	0	0
3	B	36	0	33	2	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	A	12	0	16	0	0
5	B	12	0	16	0	0
6	B	5	0	5	0	0
7	A	9	0	0	0	0
7	B	6	0	0	0	0
All	All	6814	0	6648	56	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (56) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:269:LEU:HD22	1:A:294:VAL:HG11	1.71	0.73
1:A:319:HIS:HB3	1:A:322:LEU:HD13	1.73	0.71
1:B:352:SER:O	1:B:355:GLY:N	2.26	0.67
1:B:377:ILE:HG23	1:B:382:TYR:HB3	1.77	0.65
1:A:377:ILE:HG23	1:A:382:TYR:HB3	1.79	0.65
1:A:235:ASN:OD1	1:A:235:ASN:N	2.29	0.60
1:B:215:ILE:HG22	1:B:530:ILE:HG21	1.83	0.59
1:A:452:LEU:HG	1:A:495:MET:HE2	1.85	0.59
1:B:360:LEU:HD21	1:B:488:PRO:HD3	1.87	0.57
1:B:452:LEU:HG	1:B:495:MET:HE2	1.88	0.54
1:B:264:ARG:NH2	1:B:331:LYS:O	2.40	0.54
1:A:191:ASP:OD1	1:A:192:TYR:N	2.38	0.54
1:B:237:GLY:HA3	1:B:530:ILE:HD11	1.92	0.51
1:B:432:GLU:OE1	1:B:506:ARG:NH1	2.29	0.51
1:A:452:LEU:HD11	1:A:491:LEU:HD11	1.94	0.49
1:B:191:ASP:OD2	1:B:192:TYR:N	2.42	0.49
1:B:355:GLY:HA2	1:B:358:GLN:HG2	1.95	0.48
1:B:180:THR:OG1	1:B:204:LYS:NZ	2.47	0.48
1:A:310:GLU:O	1:A:314:MET:HG3	2.14	0.48
1:A:384:HIS:O	1:A:385:ARG:HB2	2.13	0.47
1:A:523:THR:O	1:B:490:GLU:HG2	2.13	0.47
1:B:310:GLU:O	1:B:314:MET:HG3	2.13	0.47
1:A:225:GLN:NE2	1:A:229:ASP:OD2	2.42	0.47
1:B:232:LYS:HA	1:B:242:LEU:HB2	1.96	0.47
1:A:490:GLU:HG2	1:B:523:THR:O	2.15	0.46
1:B:483:ARG:NH1	1:B:487:CYS:O	2.47	0.46
1:B:143:SER:OG	1:B:144:LEU:N	2.48	0.45
1:A:224:LEU:O	1:A:228:VAL:HG12	2.17	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:374:MET:HE1	1:B:384:HIS:HD2	1.80	0.45
1:A:428:TRP:NE1	1:A:454:GLU:OE1	2.33	0.44
1:B:441:ILE:O	1:B:445:VAL:HG23	2.17	0.44
1:B:253:LYS:HE2	1:B:253:LYS:HB2	1.79	0.44
1:B:273:LEU:HB3	3:B:603:VSE:H22	1.99	0.44
1:A:430:ALA:O	1:A:434:ILE:HG13	2.18	0.44
1:B:163:LEU:HG	1:B:174:MET:HE3	1.99	0.44
1:B:374:MET:HE2	1:B:402:ILE:HG12	2.01	0.43
1:B:110:MET:HG2	1:B:124:SER:HA	2.00	0.43
1:B:452:LEU:HD11	1:B:491:LEU:HD11	2.01	0.43
1:B:191:ASP:OD1	1:B:239:CYS:HB3	2.19	0.42
1:B:268:LYS:HZ1	1:B:288:LYS:HG2	1.85	0.42
1:B:294:VAL:HG22	1:B:337:ILE:HG13	2.00	0.42
1:A:298:LYS:HA	1:A:299:PRO:HD3	1.91	0.42
1:B:298:LYS:HA	1:B:299:PRO:HD3	1.94	0.42
1:B:374:MET:HE3	1:B:387:LEU:HD21	2.01	0.42
1:B:157:LYS:HA	1:B:157:LYS:HD2	1.86	0.42
1:B:405:PHE:CE1	3:B:603:VSE:H6	2.54	0.42
1:B:191:ASP:CG	1:B:192:TYR:H	2.26	0.41
1:A:431:PRO:HG3	1:A:475:LEU:HD13	2.02	0.41
1:A:360:LEU:HB3	1:A:361:PRO:HD3	2.03	0.41
1:B:374:MET:HE1	1:B:384:HIS:CD2	2.56	0.41
1:B:320:ASP:O	1:B:401:LYS:HE2	2.21	0.41
1:A:347:LEU:O	1:A:351:LYS:HG3	2.20	0.41
1:B:434:ILE:HG22	1:B:435:ASN:H	1.86	0.41
1:A:308:LEU:HD21	1:A:330:THR:HG22	2.02	0.40
1:B:193:ASP:O	1:B:197:GLY:N	2.36	0.40
1:B:322:LEU:HD22	1:B:402:ILE:HB	2.02	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	414/454 (91%)	401 (97%)	12 (3%)	1 (0%)	43	73
1	B	407/454 (90%)	393 (97%)	13 (3%)	1 (0%)	43	73
All	All	821/908 (90%)	794 (97%)	25 (3%)	2 (0%)	43	73

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	353	ASP
1	A	236	ASP

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	357/393 (91%)	343 (96%)	14 (4%)	28	59
1	B	347/393 (88%)	340 (98%)	7 (2%)	48	73
All	All	704/786 (90%)	683 (97%)	21 (3%)	36	66

All (21) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	141	VAL
1	A	157	LYS
1	A	180	THR
1	A	228	VAL
1	A	235	ASN
1	A	269	LEU
1	A	294	VAL
1	A	308	LEU
1	A	343	LYS
1	A	387	LEU
1	A	402	ILE
1	A	432	GLU
1	A	500	LYS
1	A	502	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	141	VAL
1	B	145	GLU
1	B	285	THR
1	B	308	LEU
1	B	343	LYS
1	B	364	ILE
1	B	402	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	162	GLN
1	A	240	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
1	PTR	A	527	2,1	15,16,17	1.25	1 (6%)	17,22,24	0.60	0
1	PTR	B	527	2,1	15,16,17	1.35	1 (6%)	17,22,24	0.52	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	PTR	A	527	2,1	-	0/10/11/13	0/1/1/1
1	PTR	B	527	2,1	-	1/10/11/13	0/1/1/1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	527	PTR	OH-CZ	-4.59	1.30	1.40
1	B	527	PTR	OH-CZ	-4.54	1.30	1.40

There are no bond angle outliers.

There are no chirality outliers.

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	B	527	PTR	C-CA-CB-CG

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 11 ligands modelled in this entry, 4 are monoatomic - leaving 7 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	GOL	B	606	-	5,5,5	0.38	0	5,5,5	0.29	0
3	VSE	A	602	-	41,41,41	1.32	5 (12%)	55,58,58	3.19	19 (34%)
5	GOL	B	602	-	5,5,5	0.38	0	5,5,5	0.30	0
5	GOL	A	604	-	5,5,5	0.38	0	5,5,5	0.28	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	GOL	A	605	-	5,5,5	0.38	0	5,5,5	0.31	0
3	VSE	B	603	-	41,41,41	1.50	6 (14%)	55,58,58	3.29	21 (38%)
6	IMD	B	605	-	5,5,5	0.64	0	5,5,5	0.42	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	GOL	B	606	-	-	4/4/4/4	-
3	VSE	A	602	-	-	5/16/36/36	0/6/6/6
5	GOL	B	602	-	-	2/4/4/4	-
5	GOL	A	604	-	-	2/4/4/4	-
5	GOL	A	605	-	-	2/4/4/4	-
3	VSE	B	603	-	-	4/16/36/36	0/6/6/6
6	IMD	B	605	-	-	-	0/1/1/1

All (11) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	603	VSE	CAQ-NAG	4.77	1.54	1.46
3	A	602	VSE	CAQ-NAG	3.64	1.52	1.46
3	B	603	VSE	C4-N3	3.03	1.40	1.34
3	A	602	VSE	C4-N3	2.90	1.39	1.34
3	B	603	VSE	CAH-CAI	2.81	1.40	1.37
3	B	603	VSE	CAR-CAQ	2.77	1.59	1.52
3	B	603	VSE	CAV-CAQ	2.53	1.58	1.52
3	A	602	VSE	CBB-NAW	2.50	1.51	1.47
3	A	602	VSE	CAX-NAW	2.44	1.51	1.47
3	A	602	VSE	CAH-CAI	2.43	1.39	1.37
3	B	603	VSE	CAH-NAG	2.30	1.42	1.38

All (40) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	603	VSE	CAV-CAQ-NAG	15.27	128.31	111.40
3	A	602	VSE	CAV-CAQ-NAG	14.48	127.44	111.40
3	B	603	VSE	C4-NAG-CAQ	-7.82	108.06	125.82
3	A	602	VSE	C4-NAG-CAQ	-7.45	108.91	125.82

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	602	VSE	CAR-CAQ-NAG	-6.90	103.76	111.40
3	B	603	VSE	CAR-CAQ-NAG	-6.79	103.88	111.40
3	B	603	VSE	C4-NAG-CAH	-6.57	105.36	108.08
3	A	602	VSE	C4-NAG-CAH	-6.52	105.38	108.08
3	B	603	VSE	C5-C6-N1	5.51	123.59	118.64
3	A	602	VSE	C5-C6-N1	5.39	123.48	118.64
3	A	602	VSE	CAI-CAH-NAG	4.57	112.45	110.54
3	B	603	VSE	C6-C5-C4	-4.29	112.53	115.74
3	A	602	VSE	C6-C5-C4	-4.14	112.64	115.74
3	B	603	VSE	CAP-CAJ-CAL	-4.12	113.33	118.57
3	A	602	VSE	CAP-CAJ-CAL	-4.06	113.40	118.57
3	B	603	VSE	CAJ-CAI-CAH	4.03	132.20	124.37
3	B	603	VSE	CAI-CAH-NAG	3.88	112.16	110.54
3	A	602	VSE	CAJ-CAI-CAH	3.59	131.36	124.37
3	B	603	VSE	CAO-CAN-CAM	-3.08	115.67	120.16
3	B	603	VSE	CAM-CAL-CAJ	3.01	124.02	120.80
3	A	602	VSE	CAO-CAN-CAM	-3.01	115.78	120.16
3	A	602	VSE	CAO-CAP-CAJ	2.80	123.79	120.80
3	A	602	VSE	CAX-NAW-CAT	-2.73	105.85	112.79
3	A	602	VSE	CAM-CAL-CAJ	2.71	123.69	120.80
3	B	603	VSE	C5-CAI-CAJ	-2.67	123.03	129.60
3	B	603	VSE	CAO-CAP-CAJ	2.64	123.62	120.80
3	B	603	VSE	CBB-NAW-CAT	-2.56	106.28	112.79
3	B	603	VSE	CAR-CAQ-CAV	2.49	116.80	111.17
3	B	603	VSE	C2-N1-C6	-2.36	114.85	118.73
3	A	602	VSE	C2-N1-C6	-2.35	114.86	118.73
3	A	602	VSE	C5-CAI-CAJ	-2.34	123.84	129.60
3	A	602	VSE	CAL-CAJ-CAI	2.34	123.92	120.98
3	B	603	VSE	N3-C4-NAG	-2.28	123.28	127.17
3	B	603	VSE	CBE-OB-D-CAN	2.26	123.94	118.78
3	A	602	VSE	CAV-CAU-CAT	2.24	114.31	109.98
3	B	603	VSE	C5-CAI-CAH	-2.21	104.74	106.03
3	A	602	VSE	C5-CAI-CAH	-2.13	104.79	106.03
3	A	602	VSE	N3-C4-NAG	-2.13	123.55	127.17
3	B	603	VSE	CAL-CAJ-CAI	2.10	123.62	120.98
3	B	603	VSE	CAS-CAR-CAQ	2.04	113.91	109.98

There are no chirality outliers.

All (19) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	A	604	GOL	O1-C1-C2-C3

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
5	A	605	GOL	O1-C1-C2-C3
3	A	602	VSE	CAU-CAT-NAW-CBB
3	B	603	VSE	CAU-CAT-NAW-CAX
5	B	602	GOL	O1-C1-C2-C3
5	B	606	GOL	O1-C1-C2-C3
5	B	606	GOL	C1-C2-C3-O3
5	A	604	GOL	O1-C1-C2-O2
5	B	602	GOL	O1-C1-C2-O2
5	A	605	GOL	O1-C1-C2-O2
5	B	606	GOL	O1-C1-C2-O2
5	B	606	GOL	O2-C2-C3-O3
3	A	602	VSE	CAS-CAT-NAW-CAX
3	B	603	VSE	CAU-CAT-NAW-CBB
3	B	603	VSE	CAS-CAT-NAW-CAX
3	A	602	VSE	CAU-CAT-NAW-CAX
3	B	603	VSE	CAS-CAT-NAW-CBB
3	A	602	VSE	CAS-CAT-NAW-CBB
3	A	602	VSE	CAH-CAI-CAJ-CAL

There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	603	VSE	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	422/454 (92%)	0.03	5 (1%) 76 54	41, 68, 102, 123	0
1	B	417/454 (91%)	0.01	6 (1%) 73 50	44, 70, 103, 126	0
All	All	839/908 (92%)	0.02	11 (1%) 75 52	41, 69, 103, 126	0

All (11) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	301	SER	4.7
1	B	308	LEU	3.9
1	A	438	SER	3.1
1	B	530	ILE	2.9
1	A	308	LEU	2.9
1	A	530	ILE	2.9
1	B	353	ASP	2.8
1	B	435	ASN	2.5
1	A	236	ASP	2.5
1	B	207	THR	2.2
1	B	248	SER	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	PTR	B	527	16/17	0.94	0.11	50,62,87,94	0
1	PTR	A	527	16/17	0.96	0.10	49,62,78,89	0

6.3 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

6.4 Ligands ⓘ




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	GOL	B	602	6/6	0.82	0.18	52,69,87,89	0
5	GOL	A	605	6/6	0.83	0.21	59,98,113,130	0
6	IMD	B	605	5/5	0.89	0.22	83,85,90,96	0
5	GOL	A	604	6/6	0.90	0.12	70,78,89,92	0
5	GOL	B	606	6/6	0.91	0.16	47,64,76,84	6
4	CL	B	604	1/1	0.93	0.12	94,94,94,94	0
3	VSE	A	602	36/36	0.95	0.11	27,47,77,80	0
3	VSE	B	603	36/36	0.96	0.10	30,51,79,82	0
4	CL	A	603	1/1	0.96	0.08	79,79,79,79	0
2	CA	B	601	1/1	0.98	0.10	66,66,66,66	0
2	CA	A	601	1/1	0.98	0.10	54,54,54,54	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around VSE A 602:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around VSE B 603:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.