



Full wwPDB EM Validation Report ⓘ

Mar 9, 2026 – 03:08 PM UTC

PDB ID : 9LUB / pdb_00009lub
EMDB ID : EMD-63393
Title : The chimeric flagellar motor complex between MotA1B1 from *Paenibacillus* sp. TCA20 and MotAB from *E.coli*, state 2
Authors : Onoe, S.; Nishikino, T.; Kinoshita, M.; Kishikawa, J.; Kato, T.
Deposited on : 2025-02-08
Resolution : 3.30 Å(reported)
Based on initial model : .

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:



EMDB validation analysis : 0.0.1.dev132
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDb archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	15087 (2.80 - 3.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	264	18% 80% 12% 7%
1	B	264	14% 70% 19% 7%
1	C	264	12% 77% 15% 7%
1	D	264	8% 78% 13% 7%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	E	264	6% 77% 13% 7%
2	F	319	6% 5% 6% 85%
2	G	319	8% 8% 8% 85%

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 10113 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Flagellar motor protein MotA.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	246	Total	C	N	O	S	0	0
			1865	1202	310	344	9		
1	B	246	Total	C	N	O	S	0	0
			1865	1202	310	344	9		
1	C	246	Total	C	N	O	S	0	0
			1865	1202	310	344	9		
1	D	246	Total	C	N	O	S	0	0
			1865	1202	310	344	9		
1	E	246	Total	C	N	O	S	0	0
			1865	1202	310	344	9		

- Molecule 2 is a protein called Chimeric B subunit of MotA1B1 from Paenibacillus sp. TCA20 and MotAB from E. coli, Motility protein B.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	F	47	Total	C	N	O	S	0	0
			389	254	59	72	4		
2	G	49	Total	C	N	O	S	0	0
			399	259	61	75	4		

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
F	308	HIS	-	expression tag	UNP P0AF06
F	309	HIS	-	expression tag	UNP P0AF06
F	310	HIS	-	expression tag	UNP P0AF06
F	311	HIS	-	expression tag	UNP P0AF06
F	312	HIS	-	expression tag	UNP P0AF06
F	313	HIS	-	expression tag	UNP P0AF06
G	308	HIS	-	expression tag	UNP P0AF06
G	309	HIS	-	expression tag	UNP P0AF06
G	310	HIS	-	expression tag	UNP P0AF06
G	311	HIS	-	expression tag	UNP P0AF06

Continued on next page...


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
G	312	HIS	-	expression tag	UNP P0AF06
G	313	HIS	-	expression tag	UNP P0AF06


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Flagellar motor protein MotA



- Molecule 1: Flagellar motor protein MotA




- Molecule 1: Flagellar motor protein MotA



ASP
VAL
THR
HIS
GLU
THR
ALA
GLU


• Molecule 1: Flagellar motor protein MotA

Chain D: 8% 78% 13% 7%




• Molecule 1: Flagellar motor protein MotA

Chain E: 6% 77% 13% 7%



• Molecule 2: Chimeric B subunit of MotA1B1 from Paenibacillus sp. TCA20 and MotAB from E. coli, Motility protein B

Chain F: 6% 5% 6% 85%



• Molecule 2: Chimeric B subunit of MotA1B1 from Paenibacillus sp. TCA20 and MotAB from E. coli, Motility protein B

Chain G: 8% 85%

[illegible]

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	69957	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50	Depositor
Minimum defocus (nm)	175	Depositor
Maximum defocus (nm)	3295	Depositor
Magnification	56818	Depositor
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	1.014	Depositor
Minimum map value	-0.586	Depositor
Average map value	0.001	Depositor
Map value standard deviation	0.035	Depositor
Recommended contour level	0.21	Depositor
Map size ($\text{\AA}$)	225.28, 225.28, 225.28	wwPDB
Map dimensions	256, 256, 256	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing ($\text{\AA}$)	0.88, 0.88, 0.88	Depositor

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.65	0/1894	1.01	1/2569 (0.0%)
1	B	0.61	0/1894	0.97	1/2569 (0.0%)
1	C	0.61	0/1894	0.95	0/2569
1	D	0.60	0/1894	0.95	1/2569 (0.0%)
1	E	0.63	0/1894	0.96	2/2569 (0.1%)
2	F	0.53	0/398	1.04	3/538 (0.6%)
2	G	0.51	0/408	1.00	0/552
All	All	0.61	0/10276	0.97	8/13935 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	C	0	1
1	D	0	2
1	E	0	2
2	F	0	3
2	G	0	1
All	All	0	10

There are no bond length outliers.

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	2	ASP	CA-CB-CG	6.71	119.31	112.60
1	A	2	ASP	CA-CB-CG	6.37	118.97	112.60
2	F	41	ARG	NE-CZ-NH2	6.07	124.67	119.20
2	F	58	PHE	O-C-N	-5.72	114.57	122.46
1	D	208	ARG	NE-CZ-NH1	-5.67	115.83	121.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	F	41	ARG	NE-CZ-NH1	-5.59	115.91	121.50
1	E	197	ASN	CA-C-O	-5.37	114.80	120.55
1	E	133	ASP	CB-CA-C	5.06	120.39	110.67

There are no chirality outliers.

All (10) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	90	ARG	Sidechain
1	C	109	ARG	Sidechain
1	D	208	ARG	Sidechain
1	D	89	ARG	Sidechain
1	E	109	ARG	Sidechain
1	E	238	ARG	Sidechain
2	F	17	ARG	Sidechain
2	F	41	ARG	Sidechain
2	F	58	PHE	Mainchain
2	G	41	ARG	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1865	0	1940	22	0
1	B	1865	0	1940	49	0
1	C	1865	0	1940	32	0
1	D	1865	0	1940	34	0
1	E	1865	0	1940	26	0
2	F	389	0	385	43	0
2	G	399	0	392	52	0
All	All	10113	0	10477	192	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (192) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:168:VAL:HG11	1:C:182:ILE:HG13	1.38	1.06
1:B:165:LEU:HD12	2:G:31:ILE:HG12	1.42	1.00
1:C:100:VAL:HG11	1:C:112:ILE:HG21	1.49	0.93
1:B:185:ALA:HB1	2:G:28:LEU:HD21	1.57	0.85
1:D:197:ASN:OD1	2:F:17:ARG:NH1	2.12	0.82
2:G:46:LYS:O	2:G:50:VAL:HG23	1.79	0.81
1:E:26:GLN:HB3	1:E:28:THR:HG23	1.62	0.80
1:B:178:LEU:HB3	2:F:50:VAL:HG13	1.64	0.79
1:A:161:THR:HG21	2:G:25:LEU:HD21	1.62	0.79
2:G:23:ALA:O	2:G:27:THR:HG23	1.84	0.77
2:F:40:SER:HA	2:G:42:LEU:HA	1.68	0.75
1:A:90:ARG:HG2	1:A:91:GLU:HG3	1.70	0.74
1:B:178:LEU:HD11	2:G:35:MET:SD	2.29	0.73
2:F:22:TYR:HA	2:F:25:LEU:HD23	1.70	0.72
1:B:165:LEU:HD12	2:G:31:ILE:CG1	2.19	0.71
1:A:158:ILE:HG21	2:G:21:THR:CG2	2.20	0.71
1:A:158:ILE:HG21	2:G:21:THR:HG22	1.72	0.71
1:B:185:ALA:CB	2:G:28:LEU:HD21	2.19	0.71
1:C:168:VAL:HG22	1:C:181:SER:HB3	1.72	0.71
1:E:100:VAL:HG21	1:E:112:ILE:HB	1.71	0.70
2:F:19:MET:CE	2:G:20:ILE:HG12	2.21	0.70
1:C:169:LEU:HD22	1:D:182:ILE:CD1	2.21	0.70
1:D:167:GLN:HG3	1:E:23:GLU:HG3	1.73	0.69
1:D:172:LEU:HB3	2:G:51:THR:HB	1.76	0.68
2:G:45:SER:O	2:G:49:GLU:HB3	1.95	0.67
1:C:169:LEU:HD22	1:D:182:ILE:HD11	1.76	0.67
1:B:168:VAL:HG13	1:B:169:LEU:HD23	1.77	0.67
1:E:165:LEU:HA	1:E:168:VAL:HG12	1.77	0.66
2:F:25:LEU:HG	2:F:26:ILE:N	2.10	0.65
1:C:168:VAL:HG11	1:C:182:ILE:CG1	2.20	0.64
1:B:179:GLY:HA2	2:F:54:LEU:CD2	2.28	0.64
1:C:100:VAL:HG11	1:C:112:ILE:CG2	2.24	0.63
1:B:100:VAL:HG11	1:B:112:ILE:HG21	1.81	0.62
2:F:47:TYR:O	2:F:51:THR:HG23	1.99	0.62
1:B:165:LEU:HD23	1:B:166:ILE:N	2.15	0.62
1:B:178:LEU:HD22	2:F:50:VAL:HG11	1.81	0.61
2:F:35:MET:HG3	2:F:39:MET:SD	2.41	0.61
2:F:59:GLN:O	2:F:60:SER:C	2.43	0.61
1:E:32:GLN:HG2	1:E:184:VAL:HG22	1.83	0.60
2:F:35:MET:O	2:F:39:MET:HE3	2.01	0.59
1:D:196:ALA:O	1:D:201:LEU:HB2	2.01	0.59
1:B:161:THR:HG23	2:G:28:LEU:HG	1.85	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:F:41:ARG:O	2:G:40:SER:HB2	2.02	0.59
1:B:178:LEU:HD22	2:F:50:VAL:CG1	2.33	0.58
1:C:84:MET:HG2	1:C:99:LYS:HD2	1.84	0.58
2:F:34:VAL:HA	2:G:33:PHE:CE2	2.39	0.58
1:C:158:ILE:HD11	2:F:22:TYR:HB2	1.86	0.58
2:F:30:LEU:HD11	2:G:29:LEU:HB3	1.85	0.58
2:F:35:MET:O	2:F:39:MET:HG2	2.05	0.56
1:B:197:ASN:OD1	2:G:17:ARG:NH1	2.39	0.56
2:F:39:MET:HE1	2:G:50:VAL:HG11	1.86	0.56
2:G:47:TYR:O	2:G:50:VAL:N	2.39	0.56
2:F:34:VAL:HA	2:G:33:PHE:CD2	2.41	0.55
1:C:169:LEU:HD13	1:D:182:ILE:CD1	2.36	0.55
2:G:35:MET:HG2	2:G:36:MET:N	2.21	0.54
1:D:37:LEU:HD21	1:E:15:ALA:HA	1.89	0.54
2:F:39:MET:SD	2:G:50:VAL:HG11	2.48	0.54
1:E:31:PHE:HA	1:E:191:TYR:OH	2.07	0.54
1:C:48:LEU:HD23	1:C:56:ILE:HD13	1.90	0.54
2:F:48:GLU:HA	2:F:51:THR:OG1	2.08	0.53
1:B:171:HIS:NE2	1:B:174:ASP:HB3	2.23	0.53
2:F:34:VAL:HG22	2:G:33:PHE:CE2	2.43	0.53
1:B:173:THR:O	1:B:175:PRO:HD3	2.08	0.53
1:B:193:VAL:HG22	2:G:21:THR:OG1	2.10	0.52
1:B:127:ILE:HD13	1:C:236:LEU:HD11	1.92	0.52
1:E:177:GLN:O	1:E:180:PRO:HD2	2.10	0.52
1:D:163:MET:HE2	1:E:20:PHE:HB2	1.92	0.51
2:F:52:SER:O	2:F:56:THR:HG23	2.10	0.51
1:A:182:ILE:HG23	1:E:169:LEU:HD23	1.93	0.51
1:C:169:LEU:HD13	1:D:182:ILE:HD12	1.92	0.51
1:C:48:LEU:HD23	1:C:56:ILE:CD1	2.41	0.51
2:G:22:TYR:CE1	2:G:26:ILE:HD11	2.46	0.51
2:F:22:TYR:OH	2:G:27:THR:HG22	2.11	0.50
1:C:96:LEU:HG	1:C:112:ILE:HG21	1.93	0.50
2:G:22:TYR:O	2:G:23:ALA:C	2.53	0.50
2:F:19:MET:HE1	2:G:20:ILE:HG12	1.92	0.50
1:B:86:MET:O	1:B:90:ARG:HG2	2.11	0.50
1:B:165:LEU:CD2	1:B:166:ILE:HD12	2.42	0.49
1:B:171:HIS:CD2	1:B:174:ASP:HB3	2.47	0.49
1:B:185:ALA:HB1	2:G:28:LEU:HD11	1.94	0.49
1:A:193:VAL:HG12	1:A:193:VAL:O	2.13	0.49
1:D:169:LEU:HD21	2:F:35:MET:HE1	1.95	0.49
1:A:153:ALA:HB3	1:A:154:PRO:HD3	1.94	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:156:MET:HE1	1:B:198:LEU:HG	1.94	0.48
1:B:61:ALA:HA	1:B:64:LYS:HD2	1.94	0.48
1:A:165:LEU:HA	1:A:168:VAL:HG12	1.94	0.48
1:B:198:LEU:C	1:B:202:PRO:HG2	2.37	0.48
1:B:49:ILE:O	1:C:206:LYS:HD2	2.13	0.48
1:C:88:ALA:HB2	1:C:96:LEU:HD22	1.96	0.48
2:F:39:MET:CE	2:G:50:VAL:HG11	2.42	0.48
1:E:100:VAL:HB	1:E:112:ILE:HG21	1.94	0.48
2:F:16:ASP:HB3	2:F:19:MET:SD	2.54	0.48
1:B:32:GLN:HB2	1:B:187:ILE:HD13	1.95	0.48
1:B:65:LEU:HD23	1:B:207:ILE:HG23	1.95	0.48
1:A:165:LEU:HA	1:A:168:VAL:CG1	2.44	0.48
1:A:88:ALA:HA	1:A:92:GLY:HA2	1.96	0.47
1:E:20:PHE:O	1:E:23:GLU:HG2	2.15	0.47
1:E:174:ASP:CG	1:E:177:GLN:HG3	2.39	0.47
1:B:101:LEU:HG	1:B:102:ASP:N	2.28	0.47
1:A:156:MET:HA	1:A:159:ILE:HD12	1.97	0.47
1:C:83:GLU:HG3	1:C:84:MET:N	2.26	0.47
1:C:100:VAL:CG1	1:C:112:ILE:HG21	2.34	0.46
1:A:87:VAL:CG1	1:A:95:ALA:HB3	2.44	0.46
1:D:98:GLN:HA	1:D:101:LEU:HG	1.97	0.46
1:E:162:VAL:O	1:E:166:ILE:HD12	2.16	0.46
1:B:185:ALA:C	2:G:28:LEU:HD11	2.41	0.46
1:D:48:LEU:HD23	1:D:56:ILE:CD1	2.45	0.46
1:E:20:PHE:HD1	1:E:21:LEU:HD12	1.81	0.46
1:B:186:PHE:CD1	2:G:28:LEU:HD13	2.50	0.46
1:D:48:LEU:HD23	1:D:56:ILE:HD13	1.98	0.46
1:D:188:ALA:O	1:D:189:THR:C	2.57	0.46
1:B:99:LYS:HB3	1:B:99:LYS:HE3	1.55	0.45
1:B:171:HIS:CD2	1:B:177:GLN:HB3	2.51	0.45
1:B:201:LEU:N	1:B:202:PRO:CD	2.80	0.45
1:A:190:LEU:HD11	1:E:163:MET:HE3	1.98	0.45
1:D:201:LEU:N	1:D:202:PRO:CD	2.80	0.45
1:C:152:TYR:O	1:C:156:MET:HG2	2.17	0.45
1:D:66:ALA:HB2	1:D:207:ILE:HG12	1.98	0.45
1:C:201:LEU:N	1:C:202:PRO:CD	2.79	0.45
2:G:28:LEU:O	2:G:31:ILE:HG22	2.17	0.45
1:A:84:MET:O	1:A:96:LEU:HD11	2.17	0.45
1:B:64:LYS:O	1:B:68:LYS:HB3	2.15	0.45
2:F:53:SER:O	2:F:57:THR:HG23	2.17	0.45
1:C:156:MET:HA	1:C:159:ILE:HD12	1.99	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:173:THR:O	1:E:175:PRO:HD3	2.17	0.45
2:F:39:MET:HE2	2:G:50:VAL:HG21	1.99	0.45
1:B:179:GLY:HA2	2:F:54:LEU:HD23	1.99	0.45
1:A:94:LEU:HG	1:A:95:ALA:N	2.31	0.44
2:F:46:LYS:HA	2:F:49:GLU:CD	2.41	0.44
1:A:198:LEU:HG	1:E:156:MET:HE1	2.00	0.44
1:E:197:ASN:O	1:E:202:PRO:HD3	2.18	0.44
1:E:94:LEU:HD22	1:E:94:LEU:H	1.82	0.44
1:D:172:LEU:HB3	2:G:51:THR:CB	2.46	0.44
1:B:177:GLN:O	1:B:180:PRO:HD2	2.18	0.44
1:D:106:ILE:O	1:D:110:GLU:HG2	2.18	0.44
1:B:165:LEU:HD23	1:B:166:ILE:HD12	2.00	0.43
2:F:22:TYR:OH	2:G:27:THR:CG2	2.66	0.43
1:E:197:ASN:O	1:E:202:PRO:CD	2.66	0.43
2:G:47:TYR:CD1	2:G:47:TYR:C	2.96	0.43
1:D:175:PRO:HB3	2:G:47:TYR:CD1	2.53	0.43
2:F:30:LEU:HD11	2:G:29:LEU:CB	2.49	0.43
1:B:66:ALA:HB2	1:B:207:ILE:HG12	1.99	0.43
1:C:201:LEU:HD23	1:C:201:LEU:HA	1.74	0.43
1:D:178:LEU:O	1:D:182:ILE:HG13	2.18	0.43
1:C:155:THR:HG21	1:D:197:ASN:OD1	2.19	0.43
1:B:152:TYR:O	1:B:156:MET:HG2	2.19	0.43
1:B:185:ALA:HB1	2:G:28:LEU:CD2	2.39	0.43
1:C:169:LEU:HD22	1:D:182:ILE:HD13	1.99	0.43
1:B:178:LEU:HD13	2:F:50:VAL:HG21	2.00	0.43
2:G:47:TYR:CD1	2:G:48:GLU:N	2.87	0.43
1:A:201:LEU:N	1:A:202:PRO:CD	2.82	0.42
1:B:185:ALA:CB	2:G:28:LEU:HD11	2.49	0.42
1:E:181:SER:O	1:E:184:VAL:N	2.52	0.42
2:F:29:LEU:HB3	2:G:30:LEU:HD21	2.01	0.42
1:C:96:LEU:O	1:C:100:VAL:HG13	2.20	0.42
1:C:99:LYS:HB2	1:C:99:LYS:HE2	1.64	0.42
2:G:35:MET:O	2:G:38:ALA:HB3	2.19	0.42
1:B:26:GLN:HG3	1:B:28:THR:H	1.84	0.42
1:A:178:LEU:C	1:A:178:LEU:HD23	2.43	0.42
1:D:167:GLN:CD	1:D:167:GLN:C	2.87	0.42
2:F:19:MET:HB3	2:F:19:MET:HE2	1.77	0.42
1:A:159:ILE:O	1:A:163:MET:HG3	2.20	0.42
1:C:199:ILE:C	1:C:202:PRO:HD2	2.45	0.42
1:D:99:LYS:HD2	1:D:99:LYS:HA	1.68	0.42
1:D:198:LEU:C	1:D:202:PRO:HG2	2.44	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:F:41:ARG:NH2	2:F:41:ARG:HG2	2.35	0.42
1:C:34:THR:HG21	1:D:23:GLU:HB3	2.02	0.42
1:E:181:SER:O	1:E:182:ILE:C	2.61	0.42
2:G:56:THR:O	2:G:59:GLN:HG3	2.20	0.42
1:E:94:LEU:O	1:E:97:GLU:HB3	2.19	0.42
2:F:39:MET:CE	2:G:50:VAL:HG21	2.50	0.41
1:A:202:PRO:O	1:A:205:SER:N	2.53	0.41
1:C:127:ILE:CD1	1:D:236:LEU:HD11	2.50	0.41
1:D:182:ILE:HG13	1:D:182:ILE:H	1.64	0.41
2:G:47:TYR:C	2:G:49:GLU:N	2.77	0.41
1:D:165:LEU:HD22	1:D:182:ILE:HG22	2.02	0.41
1:B:84:MET:O	1:B:96:LEU:HD11	2.20	0.41
1:B:95:ALA:O	1:B:98:GLN:HG2	2.21	0.41
1:B:110:GLU:O	1:B:113:GLN:N	2.54	0.41
1:D:177:GLN:C	1:D:180:PRO:HD2	2.46	0.41
1:C:108:LEU:O	1:C:112:ILE:HG12	2.21	0.40
1:E:177:GLN:C	1:E:180:PRO:HD2	2.46	0.40
1:A:163:MET:HE1	1:B:30:LEU:HD11	2.03	0.40
1:D:198:LEU:HD23	1:D:198:LEU:HA	1.82	0.40
2:F:30:LEU:HD12	2:G:30:LEU:N	2.36	0.40
1:D:37:LEU:CD2	1:E:15:ALA:HA	2.51	0.40
2:F:41:ARG:HG2	2:F:41:ARG:HH21	1.87	0.40
2:G:19:MET:HE2	2:G:19:MET:HB3	1.95	0.40
2:G:28:LEU:HD23	2:G:28:LEU:HA	1.89	0.40
1:B:201:LEU:HD23	1:B:201:LEU:HA	1.82	0.40
1:C:155:THR:HG21	2:F:17:ARG:NH1	2.36	0.40
1:D:168:VAL:O	1:D:169:LEU:C	2.64	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	244/264 (92%)	238 (98%)	6 (2%)	0	100	100
1	B	244/264 (92%)	237 (97%)	7 (3%)	0	100	100
1	C	244/264 (92%)	242 (99%)	2 (1%)	0	100	100
1	D	244/264 (92%)	241 (99%)	3 (1%)	0	100	100
1	E	244/264 (92%)	240 (98%)	4 (2%)	0	100	100
2	F	45/319 (14%)	45 (100%)	0	0	100	100
2	G	47/319 (15%)	42 (89%)	5 (11%)	0	100	100
All	All	1312/1958 (67%)	1285 (98%)	27 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	198/215 (92%)	184 (93%)	14 (7%)	13	40
1	B	198/215 (92%)	176 (89%)	22 (11%)	6	22
1	C	198/215 (92%)	180 (91%)	18 (9%)	9	31
1	D	198/215 (92%)	184 (93%)	14 (7%)	13	40
1	E	198/215 (92%)	183 (92%)	15 (8%)	12	37
2	F	44/271 (16%)	29 (66%)	15 (34%)	0	1
2	G	45/271 (17%)	27 (60%)	18 (40%)	0	0
All	All	1079/1617 (67%)	963 (89%)	116 (11%)	8	23

All (116) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	57	ARG
1	A	63	ILE
1	A	86	MET
1	A	90	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	91	GLU
1	A	165	LEU
1	A	167	GLN
1	A	168	VAL
1	A	169	LEU
1	A	172	LEU
1	A	173	THR
1	A	187	ILE
1	A	190	LEU
1	A	236	LEU
1	B	26	GLN
1	B	27	ILE
1	B	28	THR
1	B	37	LEU
1	B	39	VAL
1	B	60	PRO
1	B	63	ILE
1	B	68	LYS
1	B	86	MET
1	B	90	ARG
1	B	94	LEU
1	B	96	LEU
1	B	99	LYS
1	B	101	LEU
1	B	145	LEU
1	B	151	SER
1	B	155	THR
1	B	165	LEU
1	B	166	ILE
1	B	173	THR
1	B	182	ILE
1	B	189	THR
1	C	44	ILE
1	C	60	PRO
1	C	63	ILE
1	C	68	LYS
1	C	83	GLU
1	C	96	LEU
1	C	101	LEU
1	C	102	ASP
1	C	113	GLN
1	C	147	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	148	SER
1	C	151	SER
1	C	155	THR
1	C	165	LEU
1	C	172	LEU
1	C	173	THR
1	C	189	THR
1	C	221	ILE
1	D	27	ILE
1	D	60	PRO
1	D	63	ILE
1	D	68	LYS
1	D	99	LYS
1	D	101	LEU
1	D	145	LEU
1	D	169	LEU
1	D	171	HIS
1	D	176	SER
1	D	182	ILE
1	D	184	VAL
1	D	201	LEU
1	D	213	GLU
1	E	26	GLN
1	E	27	ILE
1	E	28	THR
1	E	32	GLN
1	E	99	LYS
1	E	101	LEU
1	E	102	ASP
1	E	110	GLU
1	E	135	LYS
1	E	165	LEU
1	E	166	ILE
1	E	172	LEU
1	E	176	SER
1	E	178	LEU
1	E	202	PRO
2	F	20	ILE
2	F	25	LEU
2	F	26	ILE
2	F	28	LEU
2	F	29	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	F	31	ILE
2	F	35	MET
2	F	39	MET
2	F	40	SER
2	F	41	ARG
2	F	42	LEU
2	F	48	GLU
2	F	58	PHE
2	F	59	GLN
2	F	60	SER
2	G	13	SER
2	G	19	MET
2	G	29	LEU
2	G	31	ILE
2	G	34	VAL
2	G	35	MET
2	G	36	MET
2	G	39	MET
2	G	41	ARG
2	G	42	LEU
2	G	43	ASP
2	G	48	GLU
2	G	49	GLU
2	G	51	THR
2	G	54	LEU
2	G	55	GLN
2	G	56	THR
2	G	57	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	121	GLN
1	A	242	ASN
1	B	113	GLN
1	B	121	GLN
1	C	75	ASN
1	C	121	GLN
1	C	126	GLN
1	C	197	ASN
1	C	230	ASN
1	D	98	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	121	GLN
1	D	230	ASN
1	E	137	GLN
1	E	141	ASN
1	E	229	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-63393. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 128




Y Index: 128




Z Index: 128


6.2.2 Raw map



X Index: 128



Y Index: 128




Z Index: 128


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 142




Y Index: 140




Z Index: 128


6.3.2 Raw map



X Index: 0



Y Index: 0




Z Index: 0


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)

6.4.1 Primary map



6.4.2 Raw map



The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

This section was not generated.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 44 nm³; this corresponds to an approximate mass of 39 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.303 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.303 $\text{\AA}^{-1}$

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.30	-	-
Author-provided FSC curve	3.34	3.77	3.39
Unmasked-calculated*	4.22	6.75	4.29

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 4.22 differs from the reported value 3.3 by more than 10 %


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-63393 and PDB model 9LUB. Per-residue inclusion information can be found in section 3 on page 6.


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.21 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.21).

9.4 Atom inclusion [i](#)



At the recommended contour level, 72% of all backbone atoms, 63% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.21) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.6260	0.4960
A	0.6170	0.4900
B	0.6280	0.4980
C	0.6440	0.5010
D	0.6540	0.5060
E	0.6660	0.4990
F	0.4330	0.4670
G	0.4350	0.4550

1.0

0.0

<0.0