



Full wwPDB EM Validation Report ⓘ

Mar 12, 2026 – 10:35 PM UTC

PDB ID : 7LVQ / pdb_00007lvq
EMDB ID : EMD-23540
Title : KIF14[391-743] - AMP-PNP closed state class in complex with a microtubule
Authors : Benoit, M.P.M.H.; Asenjo, A.B.; Paydar, M.; Dhakal, S.; Kwok, B.; Sosa, H.
Deposited on : 2021-02-26
Resolution : 2.90 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev132
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49



1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 2.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	13054 (2.40 - 3.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	451	 86% 12% .
2	B	445	 84% 11% . .
3	K	358	 25% 88% 11% ..

2 Entry composition

There are 8 unique types of molecules in this entry. The entry contains 9767 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Tubulin alpha-1B chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	441	Total	C	N	O	S	1	0
			3458	2189	586	661	22		

- Molecule 2 is a protein called Tubulin beta-2B chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	B	429	Total	C	N	O	S	0	0
			3376	2119	578	652	27		


- Molecule 3 is a protein called Kinesin-like protein KIF14.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	K	356	Total	C	N	O	S	0	0
			2778	1738	482	545	13		

There are 5 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
K	-4	GLY	-	expression tag	UNP L0N7N1
K	-3	PRO	-	expression tag	UNP L0N7N1
K	-2	LEU	-	expression tag	UNP L0N7N1
K	-1	GLY	-	expression tag	UNP L0N7N1
K	0	SER	-	expression tag	UNP L0N7N1

- Molecule 4 is GUANOSINE-5'-TRIPHOSPHATE (CCD ID: GTP) (formula: C₁₀H₁₆N₅O₁₄P₃).




Mol	Chain	Residues	Atoms					AltConf
4	A	1	Total	C	N	O	P	0
			32	10	5	14	3	

- Molecule 5 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).


Mol	Chain	Residues	Atoms		AltConf
5	A	1	Total	Mg	0
			1	1	
5	K	1	Total	Mg	0
			1	1	

- Molecule 6 is GUANOSINE-5'-DIPHOSPHATE (CCD ID: GDP) (formula: C₁₀H₁₅N₅O₁₁P₂).




Mol	Chain	Residues	Atoms					AltConf
6	B	1	Total	C	N	O	P	0
			28	10	5	11	2	

- Molecule 7 is TAXOL (CCD ID: TA1) (formula: $C_{47}H_{51}NO_{14}$).



Mol	Chain	Residues	Atoms				AltConf
7	B	1	Total	C	N	O	0
			62	47	1	14	

- Molecule 8 is PHOSPHOAMINOPHOSPHONIC ACID-ADENYLATE ESTER (CCD ID: ANP) (formula: $C_{10}H_{17}N_6O_{12}P_3$).




Mol	Chain	Residues	Atoms					AltConf
8	K	1	Total	C	N	O	P	0
			31	10	6	12	3	


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Tubulin alpha-1B chain




- Molecule 2: Tubulin beta-2B chain



- Molecule 3: Kinesin-like protein KIF14





4 Experimental information

Property	Value	Source
EM reconstruction method	HELICAL	Depositor
Imposed symmetry	HELICAL, twist=168.09°, rise=5.45 Å, axial sym=C1	Depositor
Number of segments used	136802	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{Å}^2$)	63.0	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	58893	Depositor
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	0.266	Depositor
Minimum map value	0.000	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.004	Depositor
Recommended contour level	0.027	Depositor
Map size (Å)	353.184, 353.184, 353.184	wwPDB
Map dimensions	416, 416, 416	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.849, 0.849, 0.849	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GDP, MG, ANP, TA1, GTP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.06	0/3537	0.73	3/4802 (0.1%)
2	B	1.07	1/3451 (0.0%)	0.80	2/4674 (0.0%)
3	K	0.68	1/2829 (0.0%)	0.70	1/3825 (0.0%)
All	All	0.97	2/9817 (0.0%)	0.75	6/13301 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
3	K	0	3

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	169	VAL	C-N	-11.99	1.15	1.33
3	K	427	HIS	C-N	6.42	1.41	1.34

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	357	PRO	CA-C-N	6.47	126.43	120.03
2	B	357	PRO	C-N-CA	6.47	126.43	120.03
1	A	103	TYR	N-CA-C	-6.19	104.64	111.82
1	A	112	LYS	CA-C-N	5.41	136.03	126.45
1	A	112	LYS	C-N-CA	5.41	136.03	126.45
3	K	427	HIS	CA-C-O	-5.39	114.60	120.69

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
3	K	401	ARG	Sidechain
3	K	427	HIS	Mainchain
3	K	706	LYS	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3458	0	3363	32	0
2	B	3376	0	3257	32	0
3	K	2778	0	2746	26	0
4	A	32	0	12	1	0
5	A	1	0	0	0	0
5	K	1	0	0	0	0
6	B	28	0	12	0	0
7	B	62	0	51	17	0
8	K	31	0	13	0	0
All	All	9767	0	9454	103	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (103) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
7:B:502:TA1:H142	7:B:502:TA1:H192	1.47	0.96
2:B:73:MET:HA	2:B:73:MET:HE2	1.60	0.83
1:A:90:GLU:O	1:A:121:ARG:NH1	2.14	0.79
1:A:75:ILE:HB	1:A:93:ILE:HD11	1.64	0.78
3:K:528:SER:OG	3:K:610:THR:OG1	2.00	0.77
7:B:502:TA1:H441	7:B:502:TA1:C27	2.18	0.74
2:B:19:LYS:O	2:B:23:VAL:HG23	1.90	0.71
7:B:502:TA1:C20	7:B:502:TA1:H472	2.20	0.70
3:K:392:SER:OG	3:K:706:LYS:NZ	2.24	0.69
2:B:31:ASP:OD1	2:B:35:SER:N	2.25	0.69

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
7:B:502:TA1:C24	7:B:502:TA1:H101	2.24	0.68
3:K:655:LEU:HD12	3:K:655:LEU:O	1.95	0.67
2:B:165:ASN:ND2	2:B:198:GLU:OE1	2.29	0.65
2:B:275:SER:O	2:B:275:SER:OG	2.11	0.65
2:B:73:MET:HA	2:B:73:MET:CE	2.26	0.64
7:B:502:TA1:H441	7:B:502:TA1:O12	1.96	0.64
7:B:502:TA1:H472	7:B:502:TA1:H193	1.79	0.64
7:B:502:TA1:O06	7:B:502:TA1:O07	2.06	0.63
3:K:476:THR:O	3:K:635:ASN:N	2.32	0.63
1:A:273:ALA:HB3	1:A:291:ILE:HG23	1.80	0.62
1:A:27:GLU:OE1	1:A:243:ARG:NH1	2.33	0.61
7:B:502:TA1:H463	7:B:502:TA1:H261	1.81	0.61
2:B:105:HIS:NE2	2:B:191:GLN:OE1	2.27	0.61
2:B:21:TRP:CZ3	2:B:24:ILE:HD11	2.36	0.59
7:B:502:TA1:H101	7:B:502:TA1:C25	2.32	0.59
2:B:22:GLU:O	2:B:22:GLU:HG3	2.01	0.59
2:B:3:GLU:OE1	2:B:62:ARG:NH2	2.36	0.58
2:B:141:GLY:O	2:B:145:SER:OG	2.20	0.58
7:B:502:TA1:H463	7:B:502:TA1:C26	2.33	0.58
1:A:90:GLU:OE1	1:A:124:LYS:NZ	2.35	0.58
2:B:36:TYR:OH	2:B:40:SER:O	2.22	0.57
7:B:502:TA1:H151	7:B:502:TA1:O05	2.04	0.57
1:A:180:ALA:HB3	1:A:183:GLU:HG3	1.86	0.57
1:A:273:ALA:HB2	1:A:295:CYS:SG	2.44	0.57
3:K:449:HIS:ND1	3:K:450:PRO:O	2.37	0.57
1:A:143:GLY:O	1:A:147:SER:OG	2.15	0.57
3:K:422:GLU:OE2	3:K:435:SER:OG	2.22	0.57
2:B:10:GLY:O	2:B:14:ASN:ND2	2.38	0.56
1:A:296:PHE:CE1	1:A:377:MET:HE1	2.41	0.56
2:B:11:GLN:HA	2:B:72:THR:HG21	1.89	0.55
7:B:502:TA1:C24	7:B:502:TA1:C10	2.83	0.55
7:B:502:TA1:C20	7:B:502:TA1:C47	2.85	0.54
3:K:394:VAL:HG13	3:K:707:THR:HB	1.88	0.54
3:K:492:MET:O	3:K:501:ILE:N	2.41	0.53
1:A:277:SER:O	1:A:281:ALA:N	2.42	0.52
1:A:212:ILE:HD11	1:A:300:ASN:HA	1.91	0.52
1:A:64:ARG:NH1	1:A:129:CYS:SG	2.83	0.52
1:A:172:TYR:N	1:A:204:VAL:O	2.43	0.51
7:B:502:TA1:H471	7:B:502:TA1:O09	2.11	0.51
1:A:203:MET:HE2	1:A:267:PHE:HB3	1.94	0.50
2:B:406:MET:HE1	3:K:565:TYR:CE2	2.46	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:357:PRO:HB2	2:B:358:PRO:CD	2.42	0.50
2:B:55:THR:OG1	2:B:56:GLY:N	2.45	0.49
2:B:6:HIS:NE2	2:B:8:GLN:OE1	2.44	0.49
1:A:139:HIS:NE2	1:A:170:SER:OG	2.46	0.49
1:A:79:ARG:NH2	1:A:93:ILE:HD12	2.28	0.49
2:B:68:LEU:HG	2:B:143:THR:HG23	1.95	0.49
3:K:394:VAL:HG21	3:K:736:ILE:CD1	2.42	0.48
1:A:203:MET:HE1	1:A:384:ILE:HG12	1.95	0.48
1:A:181:VAL:HG12	2:B:347:ASN:O	2.14	0.48
3:K:610:THR:HG22	3:K:634:ILE:O	2.13	0.48
1:A:167:LEU:HD22	1:A:200:CYS:HB3	1.94	0.48
2:B:21:TRP:O	2:B:25:SER:OG	2.20	0.48
3:K:509:LEU:HD23	3:K:513:ILE:HD12	1.95	0.48
2:B:267:MET:HE1	2:B:373:ALA:HB3	1.96	0.47
1:A:79:ARG:CZ	1:A:93:ILE:HD12	2.44	0.47
2:B:354:CYS:SG	2:B:355:ASP:N	2.87	0.47
3:K:433:VAL:O	3:K:433:VAL:HG13	2.15	0.47
2:B:156:ARG:NH2	2:B:197:ASP:OD2	2.46	0.47
3:K:518:THR:HG23	3:K:520:GLU:H	1.79	0.46
1:A:133:GLN:O	1:A:165:SER:OG	2.33	0.46
3:K:447:GLU:OE1	3:K:447:GLU:N	2.44	0.46
1:A:432:TYR:O	1:A:435:VAL:HG22	2.15	0.46
3:K:549:GLN:O	3:K:549:GLN:NE2	2.48	0.45
1:A:30:ILE:HG22	1:A:31:GLN:O	2.16	0.45
7:B:502:TA1:H472	7:B:502:TA1:C19	2.45	0.45
2:B:227:HIS:CE1	7:B:502:TA1:H321	2.52	0.44
3:K:691:SER:OG	3:K:694:THR:OG1	2.18	0.44
2:B:227:HIS:O	2:B:227:HIS:CD2	2.70	0.44
3:K:406:ARG:O	3:K:409:THR:OG1	2.27	0.44
1:A:209:ILE:HG21	1:A:227:LEU:HG	1.98	0.44
1:A:227:LEU:HD22	4:A:501:GTP:HN21	1.83	0.44
2:B:92:PHE:CD1	2:B:92:PHE:O	2.70	0.44
2:B:357:PRO:HB2	2:B:358:PRO:HD2	1.99	0.43
3:K:599:ASN:N	3:K:599:ASN:OD1	2.51	0.43
7:B:502:TA1:H193	7:B:502:TA1:H021	1.43	0.43
1:A:93:ILE:HG22	1:A:95:GLY:H	1.84	0.43
2:B:270:PHE:HD2	2:B:273:LEU:HD21	1.84	0.43
2:B:313:VAL:HG23	2:B:349:VAL:HG22	1.99	0.43
1:A:316:CYS:C	1:A:317:LEU:HD12	2.43	0.43
2:B:409:THR:HG21	3:K:560:PRO:HG3	2.01	0.42
3:K:424:THR:HG22	3:K:435:SER:CB	2.49	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:174:ALA:HB3	1:A:177:VAL:O	2.20	0.42
1:A:257:THR:O	1:A:257:THR:HG22	2.19	0.42
3:K:549:GLN:O	3:K:551:LYS:N	2.51	0.42
3:K:415:VAL:HG23	3:K:416:VAL:HG23	2.01	0.42
1:A:271:THR:OG1	1:A:300:ASN:O	2.35	0.41
1:A:424:ASP:O	1:A:427:ALA:HB3	2.20	0.41
3:K:397:ALA:HB2	3:K:462:LEU:HD21	2.02	0.41
1:A:418:PHE:O	1:A:421:ALA:HB3	2.21	0.40
2:B:102:ALA:HB2	2:B:403:MET:SD	2.61	0.40
3:K:418:THR:HG22	3:K:443:TRP:CE3	2.57	0.40
3:K:490:TYR:CD2	3:K:490:TYR:C	2.98	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	440/451 (98%)	411 (93%)	29 (7%)	0	100	100
2	B	427/445 (96%)	398 (93%)	28 (7%)	1 (0%)	43	72
3	K	354/358 (99%)	332 (94%)	22 (6%)	0	100	100
All	All	1221/1254 (97%)	1141 (93%)	79 (6%)	1 (0%)	49	77

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	272	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	373/379 (98%)	373 (100%)	0	100	100
2	B	371/383 (97%)	365 (98%)	6 (2%)	55	83
3	K	309/310 (100%)	308 (100%)	1 (0%)	86	96
All	All	1053/1072 (98%)	1046 (99%)	7 (1%)	73	92

All (7) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	B	22	GLU
2	B	69	GLU
2	B	73	MET
2	B	196	THR
2	B	272	PRO
2	B	361	LEU
3	K	655	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	28	HIS
1	A	61	HIS
1	A	91	GLN
1	A	107	HIS
1	A	133	GLN
1	A	258	ASN
2	B	37	HIS
2	B	227	HIS
3	K	427	HIS
3	K	483	GLN
3	K	549	GLN
3	K	581	GLN
3	K	649	HIS
3	K	719	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 6 ligands modelled in this entry, 2 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
7	TA1	B	502	-	68,68,68	1.72	11 (16%)	105,105,105	1.98	27 (25%)
8	ANP	K	802	5	33,33,33	1.74	12 (36%)	45,52,52	2.58	15 (33%)
6	GDP	B	501	-	29,30,30	1.50	6 (20%)	45,47,47	1.67	6 (13%)
4	GTP	A	501	5	33,34,34	1.36	4 (12%)	50,54,54	1.52	9 (18%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	TA1	B	502	-	-	10/41/127/127	0/7/7/7
8	ANP	K	802	5	-	5/18/38/38	0/3/3/3
6	GDP	B	501	-	-	3/16/32/32	0/3/3/3
4	GTP	A	501	5	-	4/22/38/38	0/3/3/3

All (33) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	B	502	TA1	O09-C22	4.94	1.46	1.35
7	B	502	TA1	O04-C12	4.90	1.45	1.35
7	B	502	TA1	O02-C03	4.90	1.44	1.34
7	B	502	TA1	O11-C27	4.68	1.45	1.34
6	B	501	GDP	C6-N1	-4.22	1.31	1.38
7	B	502	TA1	C45-C24	-4.05	1.47	1.54
8	K	802	ANP	C5-C4	3.96	1.46	1.39
7	B	502	TA1	C37-C29	-3.54	1.47	1.52
8	K	802	ANP	PB-N3B	3.52	1.72	1.63
8	K	802	ANP	PG-N3B	3.17	1.71	1.63
6	B	501	GDP	C5-N7	-3.06	1.32	1.39
4	A	501	GTP	C5-N7	-2.95	1.33	1.39
6	B	501	GDP	C4-N9	-2.84	1.30	1.38
7	B	502	TA1	C11-C15	-2.79	1.49	1.55
8	K	802	ANP	PG-O3G	-2.79	1.49	1.56
4	A	501	GTP	O4'-C4'	-2.71	1.39	1.45
8	K	802	ANP	PG-O2G	-2.69	1.49	1.56
8	K	802	ANP	C8-N9	-2.62	1.33	1.37
7	B	502	TA1	C25-C24	-2.54	1.30	1.34
8	K	802	ANP	C4-N9	-2.52	1.32	1.37
8	K	802	ANP	C5-N7	-2.49	1.34	1.39
8	K	802	ANP	PB-O2B	-2.42	1.50	1.56
8	K	802	ANP	C5-C6	2.27	1.47	1.41
7	B	502	TA1	O06-C15	-2.25	1.42	1.46
8	K	802	ANP	PG-O1G	2.24	1.49	1.46
6	B	501	GDP	C2-N1	-2.21	1.32	1.37
4	A	501	GTP	C5-C6	-2.18	1.36	1.44
6	B	501	GDP	C5-C4	2.18	1.44	1.38
7	B	502	TA1	O11-C26	-2.15	1.41	1.45
6	B	501	GDP	C8-N9	-2.10	1.32	1.37
4	A	501	GTP	C6-N1	-2.04	1.35	1.38
7	B	502	TA1	C18-C20	-2.02	1.50	1.55
8	K	802	ANP	C8-N7	2.01	1.35	1.31

All (57) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	K	802	ANP	O1G-PG-N3B	-7.89	100.14	111.77
8	K	802	ANP	O1B-PB-N3B	-7.19	101.18	111.77
7	B	502	TA1	C16-C15-C11	-6.71	110.50	119.63
7	B	502	TA1	C14-C11-C10	-6.04	110.98	120.32
6	B	501	GDP	C5-C4-N3	-5.67	119.37	128.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	K	802	ANP	C5-C4-N3	-5.46	119.19	126.72
8	K	802	ANP	N3-C4-N9	5.02	135.71	127.17
7	B	502	TA1	O11-C27-C28	4.87	118.86	111.13
7	B	502	TA1	O04-C12-C13	4.81	118.83	110.67
8	K	802	ANP	C4-N9-C8	4.56	110.52	105.74
6	B	501	GDP	C2-N3-C4	4.55	120.13	112.30
7	B	502	TA1	O02-C03-C04	4.52	119.16	111.90
7	B	502	TA1	O09-C22-C23	4.39	118.91	111.09
4	A	501	GTP	C2-N3-C4	4.33	119.77	112.30
4	A	501	GTP	C5-C4-N3	-4.28	121.58	128.39
7	B	502	TA1	O06-C14-C11	-4.20	87.35	91.94
7	B	502	TA1	C44-C25-C24	-4.00	120.56	125.32
7	B	502	TA1	C01-C02-C10	-3.81	112.50	118.19
6	B	501	GDP	N9-C4-N3	3.78	133.51	125.95
8	K	802	ANP	N3-C2-N1	-3.73	122.94	128.58
8	K	802	ANP	O2B-PB-O1B	3.72	117.86	109.87
8	K	802	ANP	C2-N3-C4	3.69	120.85	111.83
7	B	502	TA1	C14-O06-C15	3.65	95.49	91.42
7	B	502	TA1	C14-C11-C15	3.61	89.10	85.38
7	B	502	TA1	C10-C18-C17	3.60	113.38	106.55
6	B	501	GDP	C6-C5-N7	3.44	136.56	130.29
7	B	502	TA1	C18-C20-C21	3.36	128.58	121.38
8	K	802	ANP	C4-C5-N7	-3.17	106.95	110.58
4	A	501	GTP	C2-N1-C6	-2.91	119.83	125.11
8	K	802	ANP	O3A-PB-N3B	2.84	114.48	106.59
8	K	802	ANP	N9-C8-N7	-2.84	109.91	113.94
7	B	502	TA1	C18-C10-C02	-2.77	109.49	115.62
4	A	501	GTP	N9-C8-N7	-2.75	108.30	113.40
7	B	502	TA1	O04-C11-C10	2.70	113.42	109.24
6	B	501	GDP	C4-C5-N7	-2.67	106.44	110.67
8	K	802	ANP	C5-N7-C8	2.58	107.51	103.45
7	B	502	TA1	C26-O11-C27	-2.58	111.95	116.58
7	B	502	TA1	O04-C12-O05	-2.56	119.14	123.61
4	A	501	GTP	C5-C6-N1	2.56	119.77	113.25
7	B	502	TA1	O11-C27-O12	-2.53	119.39	123.95
4	A	501	GTP	C8-N7-C5	2.52	108.75	104.26
7	B	502	TA1	O02-C03-O03	-2.52	119.46	123.55
7	B	502	TA1	O06-C15-C11	-2.42	87.93	90.58
7	B	502	TA1	O08-C20-C18	-2.42	113.90	119.22
7	B	502	TA1	O09-C21-C24	-2.41	106.02	110.02
7	B	502	TA1	C01-C45-C24	2.41	107.52	105.26
4	A	501	GTP	C4-C5-N7	-2.33	106.97	110.67

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	501	GTP	C6-C5-N7	2.25	134.38	130.29
6	B	501	GDP	C2'-C3'-C4'	2.21	106.88	102.61
7	B	502	TA1	C15-C16-C17	-2.18	107.37	113.52
7	B	502	TA1	O09-C22-O10	-2.16	118.83	122.99
7	B	502	TA1	C11-O04-C12	2.10	124.50	119.17
8	K	802	ANP	C2-N1-C6	2.09	122.17	118.73
7	B	502	TA1	C44-C25-C26	2.08	119.82	116.11
4	A	501	GTP	N2-C2-N1	2.07	121.14	116.76
8	K	802	ANP	C6-C5-N7	2.07	136.08	132.09
8	K	802	ANP	C1'-N9-C8	-2.06	122.52	127.09

There are no chirality outliers.

All (22) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
4	A	501	GTP	C5'-O5'-PA-O3A
4	A	501	GTP	C5'-O5'-PA-O1A
4	A	501	GTP	C5'-O5'-PA-O2A
6	B	501	GDP	C5'-O5'-PA-O3A
6	B	501	GDP	C5'-O5'-PA-O1A
6	B	501	GDP	C5'-O5'-PA-O2A
7	B	502	TA1	C10-C11-O04-C12
7	B	502	TA1	C14-C11-O04-C12
8	K	802	ANP	PB-N3B-PG-O1G
8	K	802	ANP	PG-N3B-PB-O1B
8	K	802	ANP	C5'-O5'-PA-O1A
8	K	802	ANP	C5'-O5'-PA-O2A
8	K	802	ANP	C5'-O5'-PA-O3A
7	B	502	TA1	C13-C12-O04-C11
7	B	502	TA1	O05-C12-O04-C11
7	B	502	TA1	C15-C11-O04-C12
7	B	502	TA1	C27-C28-C29-N01
7	B	502	TA1	O12-C27-O11-C26
7	B	502	TA1	C28-C27-O11-C26
7	B	502	TA1	O13-C28-C29-N01
7	B	502	TA1	O02-C03-C04-C09
4	A	501	GTP	PB-O3A-PA-O1A


There are no ring outliers.


2 monomers are involved in 18 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
7	B	502	TA1	17	0
4	A	501	GTP	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

The following chains have linkage breaks:

Mol	Chain	Number of breaks
2	B	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	B	169:VAL	C	170:MET	N	1.15


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-23540. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y



Z

The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)

6.2.1 Primary map



X Index: 208




Y Index: 208




Z Index: 208


6.2.2 Raw map



X Index: 208



Y Index: 208



Z Index: 208

The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)

6.3.1 Primary map



X Index: 210




Y Index: 201




Z Index: 226


6.3.2 Raw map



X Index: 210



Y Index: 198




Z Index: 214


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) ⓘ


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.027. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


6.6.1 emd_23540_msk_1.map [i](#)



X




Y




Z


6.6.2 emd_23540_msk_2.map [i](#)



X




Y




Z


6.6.3 emd_23540_msk_3.map [i](#)



X




Y




Z


6.6.4 emd_23540_msk_4.map [i](#)



X




Y




Z


6.6.5 emd_23540_msk_5.map [i](#)



X



Y




Z

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 130 nm³; this corresponds to an approximate mass of 118 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.345 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.345 $\text{\AA}^{-1}$

8.2 Resolution estimates


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.90	-	-
Author-provided FSC curve	2.87	3.20	2.90
Unmasked-calculated*	3.54	4.17	3.60

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.54 differs from the reported value 2.9 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-23540 and PDB model 7LVQ. Per-residue inclusion information can be found in [section 3](#) on [page 7](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.027 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.027).

9.4 Atom inclusion [i](#)



At the recommended contour level, 71% of all backbone atoms, 70% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.027) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.6990	0.5000
A	0.7510	0.5260
B	0.7660	0.5400
K	0.5530	0.4180

