



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 20, 2026 – 05:49 PM UTC

PDB ID : 1LXM / pdb_00001lxm
Title : Crystal Structure of Streptococcus agalactiae Hyaluronate Lyase Complexed with Hexasaccharide Unit of Hyaluronan
Authors : Mello, L.V.; de Groot, B.L.; Li, S.; Jedrzejewski, M.J.
Deposited on : 2002-06-05
Resolution : 2.20 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6164 (2.20-2.20)
Clashscore	190562	6851 (2.20-2.20)
Ramachandran outliers	187476	6768 (2.20-2.20)
Sidechain outliers	187428	6769 (2.20-2.20)
RSRZ outliers	180081	6166 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	814	2% 53% 36% 8% ..
2	B	6	33% 67%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	BDP	B	6	X	-	-	-

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 6628 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called HYALURONATE Lyase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	794	6358	4008	1080	1253	17	309	0	0

There are 9 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	246	ALA	GLY	SEE REMARK 999	UNP q53591
A	248	THR	PRO	SEE REMARK 999	UNP q53591
A	280	ASN	THR	SEE REMARK 999	UNP q53591
A	288	ALA	GLY	SEE REMARK 999	UNP q53591
A	583	THR	ALA	SEE REMARK 999	UNP q53591
A	688	PHE	LEU	SEE REMARK 999	UNP q53591
A	689	TRP	GLY	SEE REMARK 999	UNP q53591
A	882	GLN	LEU	SEE REMARK 999	UNP q53591
A	894	MET	LEU	SEE REMARK 999	UNP q53591

- Molecule 2 is an oligosaccharide called beta-D-glucopyranuronic acid-(1-3)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-beta-D-glucopyranuronic acid-(1-3)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-beta-D-glucopyranuronic acid-(1-3)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
2	B	6	79	42	3	34	0	0	0

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	191	Total 191	O 191	0	0

- Molecule 2: beta-D-glucopyranuronic acid-(1-3)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-beta-D-glucopyranuronic acid-(1-3)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-beta-D-glucopyranuronic acid-(1-3)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain B:  33% 67%

MAG1
BDP2
MAG3
BDP4
MAG5
BDP6

4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	51.11Å 155.04Å 238.14Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	50.00 – 2.20 50.00 – 2.20	Depositor EDS
% Data completeness (in resolution range)	(Not available) (50.00-2.20) 93.3 (50.00-2.20)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.14	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.29 (at 2.20Å)	Xtriage
Refinement program	X-PLOR 3.851	Depositor
R, R_{free}	0.218 , 0.271 0.228 , 0.245	Depositor DCC
R_{free} test set	2269 reflections (5.02%)	wwPDB-VP
Wilson B-factor (Å ²)	34.9	Xtriage
Anisotropy	0.375	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 73.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	6628	wwPDB-VP
Average B, all atoms (Å ²)	36.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.17% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: BDP, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.47	0/6480	0.93	25/8771 (0.3%)

There are no bond length outliers.

All (25) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	484	TYR	N-CA-C	7.52	120.01	110.61
1	A	727	GLY	N-CA-C	6.27	123.57	114.10
1	A	741	LEU	N-CA-C	-6.21	103.83	111.40
1	A	437	LYS	N-CA-C	6.07	117.98	111.36
1	A	801	THR	CA-C-N	6.05	126.39	119.92
1	A	801	THR	C-N-CA	6.05	126.39	119.92
1	A	598	LYS	N-CA-C	6.00	119.56	112.72
1	A	311	ASN	N-CA-C	-5.96	105.78	113.16
1	A	183	LYS	N-CA-C	-5.93	105.87	113.23
1	A	752	PHE	N-CA-C	5.93	118.91	109.24
1	A	935	VAL	N-CA-C	5.78	116.45	108.12
1	A	698	ALA	N-CA-C	5.72	118.88	110.30
1	A	357	ASN	N-CA-C	5.69	120.50	113.50
1	A	523	ASN	N-CA-C	5.45	117.08	111.03
1	A	394	THR	N-CA-C	-5.40	103.27	110.55
1	A	826	LYS	N-CA-C	-5.33	105.59	112.68
1	A	555	ALA	N-CA-C	-5.29	105.60	111.36
1	A	431	VAL	N-CA-C	-5.25	105.21	110.30
1	A	181	ILE	N-CA-C	-5.23	102.10	109.63
1	A	793	ASP	N-CA-C	5.19	116.41	108.52
1	A	341	GLU	N-CA-C	5.13	116.87	111.28
1	A	564	ARG	N-CA-C	-5.10	105.61	111.07
1	A	307	LEU	N-CA-C	-5.08	101.95	109.83
1	A	657	GLU	N-CA-C	5.05	116.62	108.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	185	VAL	N-CA-C	5.03	115.22	107.77

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	6358	0	6254	244	0
2	B	79	0	51	7	0
3	A	191	0	0	4	0
All	All	6628	0	6305	246	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 21.

All (246) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:416:ARG:HH12	2:B:1:NAG:H2	1.25	1.02
1:A:188:ALA:HB3	1:A:191:LYS:HG3	1.42	1.01
1:A:628:ASN:HD21	1:A:738:SER:H	1.08	0.97
1:A:952:ASN:HD22	1:A:953:LYS:H	0.99	0.96
1:A:312:ASN:C	1:A:312:ASN:HD22	1.74	0.96
1:A:421:ASN:HD22	1:A:421:ASN:H	1.01	0.94
1:A:946:ASN:HD22	1:A:948:GLN:HE21	1.16	0.93
1:A:421:ASN:HD22	1:A:421:ASN:N	1.66	0.90
1:A:782:THR:O	1:A:783:ASN:HB3	1.71	0.89
1:A:952:ASN:HD22	1:A:953:LYS:N	1.70	0.89
1:A:504:GLN:HE22	1:A:510:ILE:H	1.22	0.83
1:A:952:ASN:ND2	1:A:953:LYS:H	1.77	0.82
1:A:754:ASN:HD21	1:A:758:THR:H	1.25	0.81
1:A:946:ASN:ND2	1:A:948:GLN:HE21	1.80	0.80
1:A:946:ASN:HD22	1:A:948:GLN:NE2	1.79	0.78
1:A:190:ASN:HD21	1:A:248:THR:H	1.32	0.77

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:756:ASP:O	1:A:758:THR:HG23	1.85	0.76
1:A:258:LYS:HE3	1:A:505:GLU:HG3	1.66	0.76
1:A:421:ASN:H	1:A:421:ASN:ND2	1.83	0.74
1:A:394:THR:OG1	1:A:397:GLU:HG2	1.86	0.74
1:A:190:ASN:ND2	1:A:248:THR:H	1.87	0.72
1:A:416:ARG:NH1	2:B:1:NAG:H2	2.04	0.71
1:A:628:ASN:HD21	1:A:738:SER:N	1.85	0.71
1:A:190:ASN:H	1:A:190:ASN:HD22	1.40	0.69
1:A:773:VAL:HG11	1:A:925:ILE:HD12	1.72	0.69
1:A:258:LYS:O	1:A:262:VAL:HG23	1.92	0.69
1:A:683:HIS:CE1	1:A:796:LYS:H	2.12	0.68
1:A:949:PHE:HB3	1:A:984:ILE:HG12	1.76	0.68
1:A:312:ASN:C	1:A:312:ASN:ND2	2.49	0.68
1:A:547:GLU:HG3	1:A:860:TRP:CE2	2.30	0.67
1:A:538:MET:HG3	3:A:1017:HOH:O	1.95	0.66
1:A:421:ASN:N	1:A:421:ASN:ND2	2.33	0.65
1:A:458:LYS:HE2	1:A:510:ILE:HA	1.77	0.65
1:A:582:LYS:NZ	1:A:612:ASP:O	2.30	0.64
1:A:754:ASN:HD21	1:A:758:THR:N	1.94	0.64
1:A:773:VAL:HG11	1:A:925:ILE:CD1	2.27	0.64
1:A:693:ASN:H	1:A:794:GLN:HE22	1.45	0.64
1:A:365:ILE:HD13	1:A:371:TRP:HA	1.81	0.62
1:A:504:GLN:HE22	1:A:510:ILE:N	1.96	0.62
1:A:693:ASN:C	1:A:693:ASN:HD22	2.06	0.62
1:A:829:PHE:CE2	1:A:831:GLU:HB2	2.35	0.61
1:A:683:HIS:HE1	1:A:796:LYS:H	1.48	0.60
1:A:967:GLN:HA	1:A:981:GLN:NE2	2.15	0.60
1:A:492:LEU:C	1:A:492:LEU:HD12	2.27	0.60
1:A:297:ASP:O	1:A:300:ARG:HD2	2.02	0.60
1:A:587:SER:O	1:A:589:LYS:HG2	2.01	0.60
1:A:946:ASN:O	1:A:948:GLN:HG2	2.02	0.60
1:A:325:ASP:HA	1:A:328:LYS:HD2	1.84	0.59
1:A:673:MET:HE3	1:A:697:MET:HE3	1.85	0.59
1:A:376:ILE:O	1:A:380:ARG:HB2	2.03	0.59
1:A:504:GLN:HA	1:A:509:LYS:HB3	1.85	0.59
1:A:916:LEU:HB2	1:A:924:VAL:HG22	1.84	0.59
1:A:861:ASN:HA	1:A:864:ASN:O	2.03	0.59
1:A:313:SER:HB3	1:A:373:ASP:OD2	2.03	0.58
1:A:952:ASN:ND2	1:A:953:LYS:N	2.45	0.58
1:A:656:TYR:CE1	1:A:667:TRP:HA	2.39	0.57
1:A:484:TYR:CD1	1:A:487:ALA:HB3	2.39	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:552:HIS:O	1:A:556:VAL:HG23	2.04	0.57
1:A:520:LYS:HE2	3:A:1117:HOH:O	2.03	0.57
1:A:829:PHE:HE2	1:A:831:GLU:HB2	1.68	0.57
1:A:900:ASP:OD2	1:A:903:SER:HB2	2.03	0.57
1:A:942:GLU:HA	1:A:952:ASN:HA	1.87	0.57
1:A:949:PHE:HB3	1:A:984:ILE:CG1	2.34	0.57
1:A:312:ASN:HD22	1:A:313:SER:N	2.02	0.57
1:A:503:ILE:HG22	1:A:504:GLN:HE21	1.69	0.57
1:A:673:MET:CE	1:A:697:MET:HE3	2.35	0.56
1:A:566:ALA:HB2	1:A:577:LEU:HD23	1.88	0.56
1:A:582:LYS:HD3	1:A:615:VAL:HG12	1.88	0.56
1:A:766:VAL:HB	1:A:773:VAL:HB	1.88	0.55
1:A:967:GLN:HA	1:A:981:GLN:HE22	1.70	0.55
1:A:563:LEU:HD13	1:A:605:ASN:HB3	1.87	0.55
1:A:403:ASP:N	1:A:404:PRO:HD2	2.21	0.55
1:A:527:LEU:HB2	1:A:528:PRO:HD3	1.89	0.55
1:A:447:ASN:O	1:A:451:GLU:HB3	2.08	0.54
1:A:917:GLU:HB3	1:A:924:VAL:HG13	1.89	0.54
1:A:693:ASN:ND2	1:A:695:TYR:H	2.06	0.54
1:A:250:ASP:O	1:A:254:LYS:HG2	2.07	0.54
1:A:690:PRO:HG3	1:A:860:TRP:CE2	2.42	0.54
1:A:599:SER:O	1:A:603:ILE:HG13	2.07	0.54
1:A:687:HIS:C	1:A:690:PRO:HD2	2.33	0.53
1:A:906:LYS:O	1:A:910:SER:HB3	2.09	0.53
1:A:202:TYR:CE2	1:A:229:ILE:HG12	2.44	0.53
1:A:380:ARG:NH1	1:A:380:ARG:HG2	2.24	0.53
1:A:939:ASP:C	1:A:940:ASN:HD22	2.16	0.53
1:A:519:TYR:CE1	1:A:573:ARG:HD2	2.44	0.53
1:A:504:GLN:NE2	1:A:510:ILE:H	2.00	0.52
1:A:371:TRP:O	1:A:375:GLU:HG3	2.10	0.52
1:A:624:LEU:HG	1:A:635:TYR:CD1	2.45	0.52
1:A:522:ILE:HG12	1:A:562:PHE:CE1	2.45	0.52
1:A:918:ASN:HA	1:A:923:GLN:HG3	1.91	0.52
1:A:415:PHE:HE2	1:A:429:ASN:HB3	1.75	0.51
1:A:633:LEU:HB3	1:A:646:LEU:HB2	1.92	0.51
1:A:190:ASN:ND2	1:A:190:ASN:H	2.06	0.51
1:A:783:ASN:O	1:A:785:ILE:N	2.44	0.51
1:A:475:SER:OG	1:A:627:PHE:HB3	2.11	0.51
1:A:479:HIS:O	1:A:480:THR:HB	2.11	0.51
1:A:323:LEU:O	1:A:326:LEU:HB2	2.11	0.51
1:A:531:VAL:HG22	1:A:532:LYS:HG3	1.91	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:364:ASP:HA	1:A:408:PHE:HE1	1.75	0.50
1:A:484:TYR:CE1	1:A:541:GLY:HA3	2.47	0.50
1:A:547:GLU:HG3	1:A:860:TRP:NE1	2.26	0.50
1:A:683:HIS:HE1	1:A:796:LYS:N	2.10	0.50
1:A:924:VAL:HB	1:A:935:VAL:HG22	1.93	0.50
1:A:372:TRP:CD1	1:A:376:ILE:HD12	2.47	0.50
1:A:380:ARG:HG2	1:A:380:ARG:HH11	1.77	0.50
1:A:502:ILE:HD12	1:A:502:ILE:N	2.27	0.49
1:A:440:GLU:O	1:A:444:ARG:HG3	2.12	0.49
1:A:704:ASP:CG	1:A:787:ASN:HD22	2.20	0.49
1:A:304:TRP:CG	1:A:322:ARG:HH11	2.30	0.49
1:A:380:ARG:HH12	2:B:5:NAG:C8	2.25	0.49
1:A:979:THR:HG21	1:A:982:LEU:HB2	1.94	0.49
1:A:725:LYS:C	1:A:727:GLY:H	2.19	0.49
1:A:776:GLY:HA3	1:A:891:TYR:CE2	2.48	0.49
1:A:902:THR:O	1:A:906:LYS:HG3	2.12	0.49
1:A:783:ASN:C	1:A:783:ASN:ND2	2.71	0.49
1:A:500:LEU:HB2	1:A:501:PRO:HD3	1.93	0.49
1:A:504:GLN:NE2	1:A:509:LYS:HB3	2.28	0.49
1:A:468:GLU:HG2	1:A:478:ASP:HA	1.95	0.48
1:A:635:TYR:O	1:A:643:GLY:HA2	2.12	0.48
1:A:173:HIS:N	1:A:174:PRO:CD	2.77	0.48
1:A:631:ASP:O	1:A:632:ARG:HD3	2.13	0.48
3:A:1026:HOH:O	2:B:4:BDP:H4	2.13	0.48
1:A:182:GLU:HG3	1:A:196:ASN:ND2	2.29	0.48
1:A:581:ILE:O	1:A:585:ILE:HG12	2.13	0.48
1:A:918:ASN:OD1	1:A:923:GLN:CG	2.62	0.48
1:A:979:THR:CG2	1:A:982:LEU:HB2	2.44	0.48
1:A:310:LEU:HB2	1:A:358:PHE:CZ	2.49	0.48
1:A:402:THR:CB	1:A:444:ARG:HH11	2.27	0.47
1:A:757:ARG:H	1:A:757:ARG:HD3	1.79	0.47
1:A:563:LEU:HD22	1:A:567:ASN:ND2	2.29	0.47
1:A:971:TYR:OH	1:A:976:MET:HG2	2.15	0.47
1:A:693:ASN:HD22	1:A:695:TYR:H	1.61	0.47
1:A:359:TYR:OH	1:A:379:PRO:HG3	2.14	0.47
1:A:359:TYR:CE2	1:A:404:PRO:HB2	2.50	0.47
1:A:723:LYS:O	1:A:724:GLU:C	2.58	0.47
1:A:297:ASP:O	1:A:300:ARG:HB3	2.15	0.47
1:A:380:ARG:HH12	2:B:5:NAG:H82	1.80	0.47
1:A:946:ASN:ND2	1:A:948:GLN:NE2	2.51	0.47
1:A:664:THR:HB	1:A:709:ASP:HB3	1.97	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:182:GLU:O	1:A:240:VAL:HG21	2.15	0.46
1:A:475:SER:HB2	1:A:629:SER:HB2	1.96	0.46
1:A:950:LYS:N	1:A:984:ILE:OXT	2.39	0.46
1:A:592:ASN:O	1:A:593:VAL:C	2.58	0.46
1:A:415:PHE:CE2	1:A:429:ASN:HB3	2.51	0.46
1:A:783:ASN:O	1:A:783:ASN:CG	2.59	0.46
1:A:940:ASN:HD21	1:A:954:ALA:H	1.62	0.46
1:A:466:LYS:HG3	1:A:467:ALA:N	2.30	0.46
1:A:485:THR:HG22	1:A:526:PHE:CE1	2.51	0.46
1:A:798:ASP:OD1	1:A:837:ARG:NH2	2.45	0.46
1:A:969:VAL:HG12	1:A:980:ASP:OD2	2.16	0.46
1:A:510:ILE:HD11	1:A:515:LEU:HG	1.97	0.45
1:A:645:ALA:HB3	1:A:675:TYR:HB2	1.98	0.45
1:A:693:ASN:C	1:A:693:ASN:ND2	2.74	0.45
1:A:338:TYR:O	1:A:339:LYS:HB2	2.16	0.45
1:A:593:VAL:HG13	1:A:594:PHE:N	2.30	0.45
1:A:972:GLN:OE1	1:A:975:THR:N	2.36	0.45
1:A:309:ASN:N	1:A:315:GLN:OE1	2.48	0.45
1:A:399:LYS:HD3	1:A:444:ARG:NH2	2.32	0.45
1:A:329:GLN:HB2	1:A:337:ILE:HD11	1.97	0.45
1:A:436:VAL:O	1:A:440:GLU:HB2	2.17	0.45
1:A:380:ARG:HH22	2:B:5:NAG:H82	1.82	0.45
1:A:939:ASP:O	1:A:940:ASN:ND2	2.49	0.45
1:A:435:ARG:O	1:A:439:ILE:HG12	2.16	0.44
1:A:493:ILE:CG2	1:A:558:VAL:HG12	2.47	0.44
1:A:594:PHE:CZ	1:A:607:ASN:ND2	2.86	0.44
1:A:767:ILE:HG12	1:A:772:ILE:CD1	2.48	0.44
1:A:309:ASN:C	1:A:311:ASN:H	2.25	0.44
1:A:594:PHE:HZ	1:A:607:ASN:ND2	2.15	0.44
1:A:425:ALA:O	1:A:426:LEU:HD23	2.18	0.44
1:A:895:MET:HE2	1:A:895:MET:HB3	1.75	0.44
1:A:370:ASN:C	1:A:372:TRP:N	2.75	0.44
1:A:523:ASN:O	1:A:528:PRO:HD3	2.17	0.44
1:A:692:VAL:O	1:A:694:PRO:HD3	2.18	0.44
1:A:806:TYR:HE1	1:A:831:GLU:HB3	1.82	0.44
1:A:519:TYR:CZ	1:A:573:ARG:HD2	2.53	0.43
1:A:620:LEU:H	1:A:620:LEU:HG	1.47	0.43
1:A:676:ILE:HD13	1:A:676:ILE:HA	1.90	0.43
1:A:197:LYS:HB2	1:A:200:TYR:CD2	2.53	0.43
1:A:300:ARG:HG3	1:A:302:PHE:O	2.19	0.43
1:A:304:TRP:CG	1:A:322:ARG:NH1	2.87	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:490:ASN:HD21	1:A:535:LEU:CD1	2.31	0.43
1:A:725:LYS:C	1:A:727:GLY:N	2.76	0.43
1:A:378:VAL:HB	1:A:379:PRO:HD3	2.00	0.43
1:A:566:ALA:HA	1:A:574:ASN:OD1	2.19	0.43
1:A:608:LYS:O	1:A:612:ASP:HB2	2.19	0.43
1:A:261:ASP:HB3	1:A:267:TYR:CE1	2.53	0.43
1:A:208:SER:O	1:A:210:GLY:N	2.52	0.43
1:A:397:GLU:HG2	1:A:397:GLU:H	1.68	0.43
1:A:361:VAL:C	1:A:363:LYS:H	2.27	0.43
1:A:940:ASN:HA	1:A:952:ASN:O	2.19	0.43
1:A:435:ARG:HA	1:A:499:LEU:HD21	2.01	0.42
1:A:453:THR:O	1:A:457:LEU:HB2	2.19	0.42
1:A:531:VAL:HG21	1:A:643:GLY:HA3	2.00	0.42
1:A:704:ASP:OD2	1:A:787:ASN:ND2	2.50	0.42
1:A:329:GLN:HA	1:A:329:GLN:OE1	2.19	0.42
1:A:380:ARG:HH11	1:A:380:ARG:CG	2.32	0.42
1:A:754:ASN:C	1:A:754:ASN:ND2	2.77	0.42
1:A:781:ASN:O	1:A:783:ASN:N	2.53	0.42
1:A:850:ASP:O	1:A:880:ILE:HA	2.18	0.42
1:A:632:ARG:CD	1:A:647:SER:HA	2.49	0.42
1:A:703:LYS:HE3	1:A:759:LEU:HB2	2.01	0.42
2:B:5:NAG:H4	2:B:6:BDP:O5	2.20	0.42
1:A:448:THR:O	1:A:452:LYS:HB2	2.20	0.42
1:A:774:PHE:O	1:A:892:GLY:HA2	2.20	0.42
1:A:461:PHE:CD2	1:A:514:GLU:HG2	2.54	0.42
1:A:650:SER:OG	1:A:652:ARG:HG3	2.20	0.42
1:A:971:TYR:O	1:A:973:PRO:HD3	2.19	0.42
1:A:348:LYS:HE2	1:A:348:LYS:HB3	1.92	0.42
1:A:517:MET:HE3	3:A:1161:HOH:O	2.20	0.42
1:A:633:LEU:O	1:A:645:ALA:HA	2.20	0.42
1:A:665:ARG:C	1:A:667:TRP:H	2.28	0.42
1:A:674:PHE:CD2	1:A:674:PHE:C	2.97	0.42
1:A:222:THR:HA	1:A:244:VAL:HB	2.01	0.41
1:A:895:MET:HE3	1:A:897:PRO:HG3	2.02	0.41
1:A:542:ARG:HD3	1:A:657:GLU:OE1	2.20	0.41
1:A:958:LEU:O	1:A:968:ASN:HA	2.19	0.41
1:A:635:TYR:O	1:A:644:PHE:N	2.52	0.41
1:A:775:LEU:HD12	1:A:775:LEU:HA	1.90	0.41
1:A:455:HIS:CD2	1:A:455:HIS:C	2.98	0.41
1:A:849:ILE:HD13	1:A:849:ILE:HA	1.86	0.41
1:A:968:ASN:OD1	1:A:968:ASN:C	2.62	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:663:ASN:HD22	1:A:663:ASN:HA	1.65	0.41
1:A:296:LEU:O	1:A:297:ASP:C	2.64	0.41
1:A:498:GLN:HG3	1:A:564:ARG:NH2	2.36	0.41
1:A:331:THR:O	1:A:333:PRO:HD3	2.21	0.41
1:A:364:ASP:HA	1:A:408:PHE:CE1	2.55	0.41
1:A:458:LYS:C	1:A:460:LEU:H	2.29	0.41
1:A:689:TRP:N	1:A:690:PRO:CD	2.83	0.41
1:A:801:THR:HA	1:A:802:PRO:HD2	1.85	0.41
1:A:651:LYS:HD3	1:A:732:THR:C	2.45	0.41
1:A:723:LYS:O	1:A:725:LYS:O	2.39	0.41
1:A:820:GLN:HA	1:A:851:ILE:O	2.21	0.41
1:A:256:LEU:HD23	1:A:256:LEU:HA	1.90	0.41
1:A:754:ASN:O	1:A:757:ARG:HD3	2.20	0.41
1:A:514:GLU:O	1:A:517:MET:HB2	2.21	0.40
1:A:633:LEU:HD23	1:A:633:LEU:C	2.46	0.40
1:A:939:ASP:CG	1:A:941:GLN:H	2.29	0.40
1:A:613:SER:C	1:A:615:VAL:N	2.79	0.40
1:A:803:TYR:OH	1:A:837:ARG:O	2.35	0.40
1:A:923:GLN:HB2	1:A:936:ILE:HB	2.03	0.40
1:A:197:LYS:HB2	1:A:200:TYR:HD2	1.87	0.40
1:A:664:THR:HG23	1:A:863:ILE:O	2.21	0.40
1:A:333:PRO:HA	1:A:338:TYR:CD2	2.56	0.40
1:A:504:GLN:HA	1:A:504:GLN:NE2	2.37	0.40
1:A:540:ARG:HH11	1:A:540:ARG:HD2	1.74	0.40
1:A:612:ASP:OD2	1:A:614:THR:N	2.54	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	786/814 (97%)	726 (92%)	50 (6%)	10 (1%)	9 8

All (10) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	782	THR
1	A	783	ASN
1	A	784	GLY
1	A	209	LEU
1	A	800	LYS
1	A	368	SER
1	A	467	ALA
1	A	571	GLU
1	A	769	ASN
1	A	593	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	711/729 (98%)	586 (82%)	125 (18%)	2 1

All (125) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	173	HIS
1	A	180	GLN
1	A	184	SER
1	A	190	ASN
1	A	208	SER
1	A	212	ILE
1	A	217	LEU
1	A	231	ASP
1	A	232	LYS
1	A	233	SER
1	A	239	GLU
1	A	240	VAL
1	A	245	THR
1	A	254	LYS
1	A	271	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	274	SER
1	A	278	LYS
1	A	279	LEU
1	A	281	GLN
1	A	296	LEU
1	A	299	ASN
1	A	300	ARG
1	A	305	LYS
1	A	311	ASN
1	A	312	ASN
1	A	313	SER
1	A	321	ARG
1	A	363	LYS
1	A	365	ILE
1	A	380	ARG
1	A	399	LYS
1	A	409	VAL
1	A	417	LYS
1	A	419	LEU
1	A	421	ASN
1	A	424	LYS
1	A	435	ARG
1	A	447	ASN
1	A	451	GLU
1	A	452	LYS
1	A	457	LEU
1	A	466	LYS
1	A	484	TYR
1	A	485	THR
1	A	492	LEU
1	A	507	ASP
1	A	509	LYS
1	A	515	LEU
1	A	517	MET
1	A	535	LEU
1	A	538	MET
1	A	558	VAL
1	A	563	LEU
1	A	569	SER
1	A	570	ASN
1	A	587	SER
1	A	596	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	599	SER
1	A	609	LEU
1	A	620	LEU
1	A	625	SER
1	A	640	LYS
1	A	648	LEU
1	A	651	LYS
1	A	652	ARG
1	A	659	MET
1	A	663	ASN
1	A	665	ARG
1	A	676	ILE
1	A	696	LYS
1	A	697	MET
1	A	706	LYS
1	A	709	ASP
1	A	713	GLU
1	A	724	GLU
1	A	725	LYS
1	A	741	LEU
1	A	754	ASN
1	A	760	THR
1	A	763	LYS
1	A	771	LYS
1	A	775	LEU
1	A	782	THR
1	A	783	ASN
1	A	785	ILE
1	A	787	ASN
1	A	792	ILE
1	A	799	SER
1	A	801	THR
1	A	810	LYS
1	A	812	ILE
1	A	823	THR
1	A	837	ARG
1	A	847	SER
1	A	849	ILE
1	A	852	GLU
1	A	854	LYS
1	A	857	THR
1	A	868	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	873	VAL
1	A	874	SER
1	A	875	ASN
1	A	885	ASP
1	A	899	ILE
1	A	900	ASP
1	A	902	THR
1	A	903	SER
1	A	910	SER
1	A	912	GLU
1	A	916	LEU
1	A	920	SER
1	A	923	GLN
1	A	924	VAL
1	A	925	ILE
1	A	937	LYS
1	A	940	ASN
1	A	941	GLN
1	A	943	SER
1	A	947	ASN
1	A	951	MET
1	A	952	ASN
1	A	965	ASP
1	A	977	THR
1	A	978	LYS
1	A	982	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (37) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	190	ASN
1	A	206	ASN
1	A	266	ASN
1	A	281	GLN
1	A	311	ASN
1	A	312	ASN
1	A	332	ASN
1	A	355	HIS
1	A	356	GLN
1	A	357	ASN
1	A	370	ASN
1	A	390	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	391	ASN
1	A	421	ASN
1	A	429	ASN
1	A	447	ASN
1	A	504	GLN
1	A	570	ASN
1	A	596	ASN
1	A	605	ASN
1	A	607	ASN
1	A	628	ASN
1	A	663	ASN
1	A	683	HIS
1	A	693	ASN
1	A	754	ASN
1	A	783	ASN
1	A	787	ASN
1	A	794	GLN
1	A	856	GLN
1	A	875	ASN
1	A	882	GLN
1	A	940	ASN
1	A	946	ASN
1	A	952	ASN
1	A	967	GLN
1	A	981	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

6 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The

Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAG	B	1	2	15,15,15	2.72	8 (53%)	21,21,21	1.19	2 (9%)
2	BDP	B	2	2	12,12,13	4.26	7 (58%)	14,17,19	1.44	3 (21%)
2	NAG	B	3	2	14,14,15	2.54	5 (35%)	17,19,21	1.52	5 (29%)
2	BDP	B	4	2	12,12,13	4.17	5 (41%)	14,17,19	1.66	4 (28%)
2	NAG	B	5	2	14,14,15	2.87	9 (64%)	17,19,21	1.00	2 (11%)
2	BDP	B	6	2	12,12,13	5.38	5 (41%)	14,17,19	4.27	6 (42%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	B	1	2	-	1/6/26/26	0/1/1/1
2	BDP	B	2	2	-	0/4/21/24	0/1/1/1
2	NAG	B	3	2	-	0/6/23/26	0/1/1/1
2	BDP	B	4	2	-	0/4/21/24	0/1/1/1
2	NAG	B	5	2	-	2/6/23/26	0/1/1/1
2	BDP	B	6	2	1/1/5/6	0/4/21/24	0/1/1/1

All (39) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	6	BDP	O4-C4	-14.35	1.07	1.43
2	B	6	BDP	C4-C5	-9.95	1.36	1.53
2	B	2	BDP	C4-C5	9.27	1.68	1.53
2	B	4	BDP	C4-C5	7.99	1.66	1.53
2	B	4	BDP	O5-C5	7.08	1.57	1.43
2	B	4	BDP	C5-C6	-7.06	1.38	1.53
2	B	2	BDP	O5-C5	6.95	1.57	1.43
2	B	2	BDP	C5-C6	-6.66	1.39	1.53
2	B	5	NAG	O5-C1	5.28	1.52	1.43
2	B	1	NAG	C2-N2	5.27	1.54	1.45
2	B	3	NAG	O5-C1	5.16	1.52	1.43
2	B	6	BDP	O5-C5	5.02	1.53	1.43
2	B	3	NAG	C1-C2	4.72	1.58	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	4	BDP	C4-C3	4.41	1.63	1.52
2	B	5	NAG	C1-C2	4.35	1.58	1.52
2	B	1	NAG	O5-C1	4.20	1.53	1.42
2	B	1	NAG	C1-C2	4.03	1.57	1.52
2	B	5	NAG	C2-N2	3.90	1.52	1.46
2	B	5	NAG	O5-C5	3.56	1.50	1.43
2	B	1	NAG	C3-C2	3.45	1.59	1.53
2	B	3	NAG	C3-C2	3.44	1.59	1.52
2	B	5	NAG	O3-C3	3.33	1.51	1.43
2	B	1	NAG	C4-C5	3.25	1.59	1.53
2	B	4	BDP	O4-C4	3.24	1.51	1.43
2	B	2	BDP	O4-C4	2.88	1.50	1.43
2	B	2	BDP	C4-C3	2.83	1.59	1.52
2	B	2	BDP	O5-C1	2.82	1.48	1.43
2	B	6	BDP	C5-C6	-2.77	1.47	1.53
2	B	1	NAG	C7-N2	2.76	1.43	1.34
2	B	5	NAG	C4-C3	2.76	1.59	1.52
2	B	3	NAG	O5-C5	2.67	1.48	1.43
2	B	1	NAG	O5-C5	2.53	1.50	1.44
2	B	3	NAG	C2-N2	2.48	1.50	1.46
2	B	5	NAG	C3-C2	2.44	1.57	1.52
2	B	1	NAG	C4-C3	2.38	1.58	1.52
2	B	5	NAG	C7-N2	2.37	1.42	1.34
2	B	2	BDP	C2-C3	2.35	1.56	1.52
2	B	5	NAG	C4-C5	2.19	1.57	1.53
2	B	6	BDP	O6A-C6	2.18	1.28	1.22

All (22) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	6	BDP	C2-C3-C4	11.98	131.92	110.86
2	B	6	BDP	O4-C4-C3	7.53	128.12	110.38
2	B	6	BDP	C1-C2-C3	-4.45	103.17	109.64
2	B	6	BDP	O4-C4-C5	3.88	118.62	109.76
2	B	3	NAG	C8-C7-N2	-3.00	111.14	116.12
2	B	4	BDP	O4-C4-C3	2.82	117.03	110.38
2	B	4	BDP	O4-C4-C5	-2.69	103.62	109.76
2	B	3	NAG	C4-C3-C2	-2.60	107.21	111.02
2	B	1	NAG	O7-C7-N2	2.60	126.58	121.98
2	B	2	BDP	C3-C4-C5	2.59	113.75	109.30
2	B	5	NAG	C8-C7-N2	-2.54	111.90	116.12
2	B	4	BDP	O6B-C6-O6A	2.50	129.76	124.08

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	1	NAG	C8-C7-N2	-2.49	111.99	116.12
2	B	2	BDP	O6B-C6-O6A	2.45	129.65	124.08
2	B	3	NAG	O7-C7-N2	2.42	126.26	121.98
2	B	6	BDP	O6B-C6-O6A	2.34	129.38	124.08
2	B	5	NAG	O7-C7-N2	2.22	125.91	121.98
2	B	3	NAG	O3-C3-C2	2.17	113.90	109.40
2	B	2	BDP	O5-C5-C6	2.16	114.31	106.59
2	B	6	BDP	O3-C3-C2	-2.16	105.66	110.05
2	B	3	NAG	O3-C3-C4	-2.14	105.33	110.38
2	B	4	BDP	O5-C5-C6	2.07	113.99	106.59

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
2	B	6	BDP	C4

All (3) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	B	5	NAG	C4-C5-C6-O6
2	B	5	NAG	O5-C5-C6-O6
2	B	1	NAG	O5-C5-C6-O6

There are no ring outliers.

4 monomers are involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	6	BDP	1	0
2	B	4	BDP	1	0
2	B	5	NAG	4	0
2	B	1	NAG	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.



5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	794/814 (97%)	0.09	18 (2%) 61 58	16, 32, 50, 72	176 (22%)

All (18) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	367	GLY	6.7
1	A	722	ALA	4.3
1	A	368	SER	4.0
1	A	983	ALA	3.4
1	A	819	SER	3.4
1	A	782	THR	3.3
1	A	799	SER	2.4
1	A	711	THR	2.4
1	A	712	LYS	2.3
1	A	713	GLU	2.3
1	A	240	VAL	2.3
1	A	620	LEU	2.3
1	A	867	SER	2.2
1	A	369	ALA	2.2
1	A	783	ASN	2.1
1	A	885	ASP	2.1
1	A	941	GLN	2.1
1	A	226	THR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)


There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	NAG	B	5	14/15	0.12	0.22	100,100,100,100	0
2	BDP	B	4	12/13	0.34	0.27	92,100,100,100	0
2	BDP	B	2	12/13	0.39	0.20	95,100,100,100	0
2	NAG	B	1	15/15	0.50	0.20	75,97,100,100	0
2	BDP	B	6	12/13	0.51	0.23	91,100,100,100	0
2	NAG	B	3	14/15	0.71	0.19	90,98,100,100	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.



6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.