



wwPDB EM Validation Summary Report ⓘ

Mar 9, 2026 – 01:52 PM UTC

PDB ID : 7LX3 / pdb_00007lx3
EMDB ID : EMD-23565
Title : Cryo-EM structure of EDC-crosslinked ConSOSL.UFO.664 (ConS-EDC) in complex with bNAbs PGT122
Authors : Martin, G.M.; Ward, A.B.; Sattentau, Q.J.
Deposited on : 2021-03-03
Resolution : 3.45 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev132
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDb archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49



1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY


The reported resolution of this entry is 3.45 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.






















Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	13836 (2.95 - 3.95)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	658	
1	B	658	
1	C	658	
2	L	213	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	M	213	
2	O	213	
3	H	235	
3	N	235	
3	P	235	
4	D	2	
4	E	2	
4	F	2	
4	G	2	
4	I	2	
4	K	2	
4	Q	2	
4	R	2	
4	S	2	
4	U	2	
4	V	2	
4	X	2	
4	Y	2	
4	Z	2	
4	a	2	
4	b	2	
4	d	2	
4	e	2	
4	f	2	
4	g	2	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	i	2	50% 100%
4	j	2	50% 100%
4	l	2	50% 100%
4	m	2	50% 100%
4	n	2	50% 100%
4	o	2	100%
4	p	2	50% 100%
4	r	2	100%
4	s	2	50% 100%
4	t	2	50% 100%
4	u	2	100%
4	w	2	50% 100%
4	x	2	50% 100%
5	J	6	33% 100%
5	c	6	33% 100%
5	q	6	33% 83% 17%
6	T	9	11% 11% 78% 11%
6	h	9	11% 11% 89%
6	v	9	11% 11% 78% 11%
7	W	6	17% 67% 17%
7	k	6	17% 83%
7	y	6	17% 83%

2 Entry composition [i](#)

There are 8 unique types of molecules in this entry. The entry contains 20196 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Env glycoprotein gp160.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	534	Total	C	N	O	S	0	0
			4232	2675	737	788	32		
1	B	534	Total	C	N	O	S	0	0
			4232	2675	737	788	32		
1	C	534	Total	C	N	O	S	0	0
			4232	2675	737	788	32		

- Molecule 2 is a protein called PGT122 Fab light chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	L	109	Total	C	N	O	S	0	0
			832	520	144	166	2		
2	M	109	Total	C	N	O	S	0	0
			832	520	144	166	2		
2	O	109	Total	C	N	O	S	0	0
			832	520	144	166	2		

- Molecule 3 is a protein called PGT122 Fab heavy chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	H	131	Total	C	N	O	S	0	0
			1041	666	179	193	3		
3	N	131	Total	C	N	O	S	0	0
			1041	666	179	193	3		
3	P	131	Total	C	N	O	S	0	0
			1041	666	179	193	3		

- Molecule 4 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
4	D	2	Total	C	N	O	0	0
			28	16	2	10		
4	E	2	Total	C	N	O	0	0
			28	16	2	10		
4	F	2	Total	C	N	O	0	0
			28	16	2	10		
4	G	2	Total	C	N	O	0	0
			28	16	2	10		
4	I	2	Total	C	N	O	0	0
			28	16	2	10		
4	K	2	Total	C	N	O	0	0
			28	16	2	10		
4	Q	2	Total	C	N	O	0	0
			28	16	2	10		
4	R	2	Total	C	N	O	0	0
			28	16	2	10		
4	S	2	Total	C	N	O	0	0
			28	16	2	10		
4	U	2	Total	C	N	O	0	0
			28	16	2	10		
4	V	2	Total	C	N	O	0	0
			28	16	2	10		
4	X	2	Total	C	N	O	0	0
			28	16	2	10		
4	Y	2	Total	C	N	O	0	0
			28	16	2	10		
4	Z	2	Total	C	N	O	0	0
			28	16	2	10		
4	a	2	Total	C	N	O	0	0
			28	16	2	10		
4	b	2	Total	C	N	O	0	0
			28	16	2	10		
4	d	2	Total	C	N	O	0	0
			28	16	2	10		
4	e	2	Total	C	N	O	0	0
			28	16	2	10		
4	f	2	Total	C	N	O	0	0
			28	16	2	10		
4	g	2	Total	C	N	O	0	0
			28	16	2	10		
4	i	2	Total	C	N	O	0	0
			28	16	2	10		
4	j	2	Total	C	N	O	0	0
			28	16	2	10		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms				AltConf	Trace
4	l	2	Total	C	N	O	0	0
			28	16	2	10		
4	m	2	Total	C	N	O	0	0
			28	16	2	10		
4	n	2	Total	C	N	O	0	0
			28	16	2	10		
4	o	2	Total	C	N	O	0	0
			28	16	2	10		
4	p	2	Total	C	N	O	0	0
			28	16	2	10		
4	r	2	Total	C	N	O	0	0
			28	16	2	10		
4	s	2	Total	C	N	O	0	0
			28	16	2	10		
4	t	2	Total	C	N	O	0	0
			28	16	2	10		
4	u	2	Total	C	N	O	0	0
			28	16	2	10		
4	w	2	Total	C	N	O	0	0
			28	16	2	10		
4	x	2	Total	C	N	O	0	0
			28	16	2	10		

- Molecule 5 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
5	J	6	Total	C	N	O	0	0
			72	40	2	30		
5	c	6	Total	C	N	O	0	0
			72	40	2	30		
5	q	6	Total	C	N	O	0	0
			72	40	2	30		

- Molecule 6 is an oligosaccharide called alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
6	T	9	Total	C	N	O	0	0
			105	58	2	45		
6	h	9	Total	C	N	O	0	0
			105	58	2	45		
6	v	9	Total	C	N	O	0	0
			105	58	2	45		

- Molecule 7 is an oligosaccharide called alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
7	W	6	Total	C	N	O	0	0
			72	40	2	30		
7	k	6	Total	C	N	O	0	0
			72	40	2	30		
7	y	6	Total	C	N	O	0	0
			72	40	2	30		

- Molecule 8 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: C₈H₁₅NO₆).



Mol	Chain	Residues	Atoms				AltConf
8	A	1	Total	C	N	O	0
			14	8	1	5	
8	A	1	Total	C	N	O	0
			14	8	1	5	
8	A	1	Total	C	N	O	0
			14	8	1	5	
8	A	1	Total	C	N	O	0
			14	8	1	5	
8	A	1	Total	C	N	O	0
			14	8	1	5	
8	B	1	Total	C	N	O	0
			14	8	1	5	
8	B	1	Total	C	N	O	0
			14	8	1	5	
8	B	1	Total	C	N	O	0
			14	8	1	5	
8	B	1	Total	C	N	O	0
			14	8	1	5	
8	C	1	Total	C	N	O	0
			14	8	1	5	
8	C	1	Total	C	N	O	0
			14	8	1	5	
8	C	1	Total	C	N	O	0
			14	8	1	5	
8	C	1	Total	C	N	O	0
			14	8	1	5	

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms				AltConf
			Total	C	N	O	
8	C	1	14	8	1	5	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: Env glycoprotein gp160




• Molecule 1: Env glycoprotein gp160




• Molecule 1: Env glycoprotein gp160




• Molecule 2: PGT122 Fab light chain



• Molecule 2: PGT122 Fab light chain



• Molecule 2: PGT122 Fab light chain



GLU
LYS
THR
VAL
ALA
PRO
THR
GLU
CYS
SER

• Molecule 3: PGT122 Fab heavy chain



Q1 G8 P9 G10 S15 E16 G26 R30 P40 H52 D53 V67 L71 D72 K73 S74 K75 A84 A85 G102 S110 SER ALA THR LYS PRO SER PHE LEU PRO GLY THR SER LYS THR SER GLY THR ALA LEU CYS

LEU VAL LYS ASP THR PHE PRO GLU PRO VAL THR VAL TRP ASN SER GLY ALA LEU THR SER GLY VAL HIS THR PHE PRO VAL LEU GLN SER SER GLY TYR SER LEU SER THR VAL VAL THR VAL PRO SER SER LEU LEU GLY THR GLN THR LYS THR ILE SER ASN VAL THR ASN HIS

LYS PRO SER ASN THR LYS VAL ASP ARG GLU PRO LYS CYS

• Molecule 3: PGT122 Fab heavy chain



Q1 G8 P9 G10 L11 S15 E16 G26 R30 Q39 H52 D53 L71 D72 K73 S74 K75 A84 A85 G102 S110 SER ALA THR LYS PRO SER PHE LEU PRO GLY THR SER LYS THR SER GLY THR ALA LEU CYS

VAL LYS ASP THR PHE PRO GLU PRO VAL THR VAL TRP ASN SER GLY ALA LEU THR SER GLY VAL HIS THR PHE PRO VAL LEU GLN SER SER GLY TYR SER LEU SER THR VAL VAL THR VAL PRO SER SER LEU LEU GLY THR GLN THR LYS THR ILE SER ASN VAL THR ASN HIS

PRO SER ASN THR LYS VAL ASP ARG GLU PRO LYS CYS

• Molecule 3: PGT122 Fab heavy chain



Q1 G8 P9 G10 L11 S15 E16 G26 R30 Q39 Q44 H52 D53 L71 D72 K73 S74 K75 S79 A84 A85 G102 S110 SER ALA THR LYS PRO SER PHE LEU PRO GLY THR SER LYS THR SER GLY THR ALA LEU CYS

LEU GLY CYS LEU VAL LYS ASP THR PHE PRO GLU PRO VAL THR VAL TRP ASN SER GLY ALA LEU THR SER GLY VAL HIS THR PHE PRO VAL LEU GLN SER SER GLY TYR SER LEU SER THR VAL VAL THR VAL PRO SER SER LEU LEU GLY THR GLN THR LYS THR ILE SER ASN VAL THR ASN HIS

VAL ASN HIS LYS PRO SER ASN THR VAL ASP ARG VAL GLU PRO LYS SER CYS

• Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



NAG1
NAG2

• Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose




- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose




- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Z:  100%


NAG1
NAG2

- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain a:  100%


NAG1
NAG2

- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain b:  100%

NAG1
NAG2

- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain d:  100%

NAG1
NAG2

- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain e:  50%
100%

◆
NAG1
NAG2

- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain f:  50%
100%

◆
NAG1
NAG2

- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain g:  100%



NAG1
NAG2

- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose




NAG1
NAG2

- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose




NAG1
NAG2

- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose




NAG1
NAG2

- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose




NAG1
NAG2

- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose




NAG1
NAG2

- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



MAG1
MAG2

- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



MAG1
MAG2

- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



MAG1
MAG2

- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



MAG1
MAG2

- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



MAG1
MAG2

- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



MAG1
MAG2

- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose





- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose




- Molecule 5: alpha-D-mannopyranose-(1-3)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 5: alpha-D-mannopyranose-(1-3)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 5: alpha-D-mannopyranose-(1-3)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 6: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose





- Molecule 6: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 6: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 7: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 7: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 7: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



MAG1	MAG2	BMA3	MAN4	MAN5	MAN6
------	------	------	------	------	------

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	132156	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	3.061	Depositor
Minimum map value	-1.453	Depositor
Average map value	0.004	Depositor
Map value standard deviation	0.144	Depositor
Recommended contour level	0.5	Depositor
Map size (Å)	226.59999, 226.59999, 226.59999	wwPDB
Map dimensions	220, 220, 220	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.03, 1.03, 1.03	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MAN, BMA, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.12	1/4318 (0.0%)	1.21	42/5859 (0.7%)
1	B	1.14	2/4318 (0.0%)	1.22	44/5859 (0.8%)
1	C	1.14	2/4318 (0.0%)	1.21	36/5859 (0.6%)
2	L	1.12	2/854 (0.2%)	1.30	9/1169 (0.8%)
2	M	1.14	1/854 (0.1%)	1.26	10/1169 (0.9%)
2	O	1.13	1/854 (0.1%)	1.28	9/1169 (0.8%)
3	H	1.04	0/1070	1.16	4/1457 (0.3%)
3	N	1.02	0/1070	1.14	4/1457 (0.3%)
3	P	1.04	0/1070	1.16	7/1457 (0.5%)
All	All	1.12	9/18726 (0.0%)	1.21	165/25455 (0.6%)

The worst 5 of 9 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	247	CYS	CB-SG	-6.70	1.59	1.81
1	B	247	CYS	CB-SG	-6.67	1.59	1.81
2	L	89	HIS	CB-CG	-6.12	1.41	1.50
1	C	427	TRP	NE1-CE2	-5.90	1.30	1.37
2	M	88	CYS	CB-SG	-5.87	1.61	1.81

The worst 5 of 165 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	75	VAL	CA-C-N	8.21	128.16	120.03
1	A	75	VAL	C-N-CA	8.21	128.16	120.03
1	C	75	VAL	CA-C-N	8.09	128.04	120.03
1	C	75	VAL	C-N-CA	8.09	128.04	120.03
1	B	75	VAL	CA-C-N	8.05	128.00	120.03

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4232	0	4167	14	0
1	B	4232	0	4167	11	0
1	C	4232	0	4167	14	0
2	L	832	0	786	2	0
2	M	832	0	786	1	0
2	O	832	0	786	1	0
3	H	1041	0	1021	2	0
3	N	1041	0	1021	3	0
3	P	1041	0	1021	3	0
4	D	28	0	25	0	0
4	E	28	0	25	0	0
4	F	28	0	25	0	0
4	G	28	0	25	0	0
4	I	28	0	25	0	0
4	K	28	0	25	0	0
4	Q	28	0	25	0	0
4	R	28	0	25	0	0
4	S	28	0	25	0	0
4	U	28	0	25	0	0
4	V	28	0	25	0	0
4	X	28	0	25	0	0
4	Y	28	0	25	0	0
4	Z	28	0	25	0	0
4	a	28	0	25	0	0
4	b	28	0	25	0	0
4	d	28	0	25	0	0
4	e	28	0	25	0	0
4	f	28	0	25	0	0
4	g	28	0	25	0	0
4	i	28	0	25	0	0
4	j	28	0	25	0	0
4	l	28	0	25	0	0
4	m	28	0	25	0	0
4	n	28	0	25	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	o	28	0	25	0	0
4	p	28	0	25	0	0
4	r	28	0	25	0	0
4	s	28	0	25	0	0
4	t	28	0	25	0	0
4	u	28	0	25	0	0
4	w	28	0	25	0	0
4	x	28	0	25	0	0
5	J	72	0	61	0	0
5	c	72	0	61	0	0
5	q	72	0	61	1	0
6	T	105	0	88	1	0
6	h	105	0	88	0	0
6	v	105	0	88	2	0
7	W	72	0	61	1	0
7	k	72	0	61	0	0
7	y	72	0	61	0	0
8	A	70	0	65	0	0
8	B	70	0	65	0	0
8	C	70	0	65	1	0
All	All	20196	0	19572	57	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.

The worst 5 of 57 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:545:LEU:O	1:B:546:SER:C	2.48	0.57
1:C:545:LEU:O	1:C:546:SER:C	2.46	0.56
1:A:545:LEU:O	1:A:546:SER:C	2.51	0.54
8:C:704:NAG:O6	8:C:704:NAG:O4	2.25	0.54
1:C:138:ASN:C	1:C:138:ASN:OD1	2.51	0.52

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	518/658 (79%)	512 (99%)	6 (1%)	0	100	100
1	B	518/658 (79%)	512 (99%)	6 (1%)	0	100	100
1	C	518/658 (79%)	513 (99%)	5 (1%)	0	100	100
2	L	107/213 (50%)	106 (99%)	1 (1%)	0	100	100
2	M	107/213 (50%)	106 (99%)	1 (1%)	0	100	100
2	O	107/213 (50%)	106 (99%)	1 (1%)	0	100	100
3	H	129/235 (55%)	129 (100%)	0	0	100	100
3	N	129/235 (55%)	129 (100%)	0	0	100	100
3	P	129/235 (55%)	129 (100%)	0	0	100	100
All	All	2262/3318 (68%)	2242 (99%)	20 (1%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	478/571 (84%)	478 (100%)	0	100	100
1	B	478/571 (84%)	477 (100%)	1 (0%)	87	84
1	C	478/571 (84%)	477 (100%)	1 (0%)	87	84
2	L	91/181 (50%)	91 (100%)	0	100	100
2	M	91/181 (50%)	91 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	O	91/181 (50%)	91 (100%)	0	100	100
3	H	115/205 (56%)	115 (100%)	0	100	100
3	N	115/205 (56%)	115 (100%)	0	100	100
3	P	115/205 (56%)	115 (100%)	0	100	100
All	All	2052/2871 (72%)	2050 (100%)	2 (0%)	87	87

All (2) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	138	ASN
1	C	138	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 10 such sidechains are listed below:

Mol	Chain	Res	Type
1	C	422	GLN
1	C	425	ASN
1	C	432	GLN
1	B	422	GLN
1	B	425	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

129 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the

expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	NAG	D	1	4,1	14,14,15	1.03	1 (7%)	17,19,21	0.87	0
4	NAG	D	2	4	14,14,15	0.72	1 (7%)	17,19,21	0.85	1 (5%)
4	NAG	E	1	4,1	14,14,15	0.93	1 (7%)	17,19,21	1.50	4 (23%)
4	NAG	E	2	4	14,14,15	0.93	1 (7%)	17,19,21	0.71	0
4	NAG	F	1	4,1	14,14,15	0.98	1 (7%)	17,19,21	1.02	1 (5%)
4	NAG	F	2	4	14,14,15	0.72	1 (7%)	17,19,21	0.83	1 (5%)
4	NAG	G	1	4,1	14,14,15	0.98	1 (7%)	17,19,21	0.78	0
4	NAG	G	2	4	14,14,15	0.68	0	17,19,21	0.92	1 (5%)
4	NAG	I	1	4,1	14,14,15	1.11	1 (7%)	17,19,21	1.83	5 (29%)
4	NAG	I	2	4	14,14,15	0.92	1 (7%)	17,19,21	0.74	0
5	NAG	J	1	1,5	14,14,15	1.00	1 (7%)	17,19,21	0.76	0
5	NAG	J	2	5	14,14,15	0.66	0	17,19,21	1.10	1 (5%)
5	BMA	J	3	5	11,11,12	0.51	0	15,15,17	0.79	1 (6%)
5	MAN	J	4	5	11,11,12	0.57	0	15,15,17	0.93	1 (6%)
5	MAN	J	5	5	11,11,12	0.59	0	15,15,17	0.79	1 (6%)
5	MAN	J	6	5	11,11,12	0.69	0	15,15,17	0.76	1 (6%)
4	NAG	K	1	4,1	14,14,15	0.88	1 (7%)	17,19,21	0.86	0
4	NAG	K	2	4	14,14,15	0.61	0	17,19,21	0.90	1 (5%)
4	NAG	Q	1	4,1	14,14,15	1.15	1 (7%)	17,19,21	0.91	0
4	NAG	Q	2	4	14,14,15	0.77	1 (7%)	17,19,21	0.68	0
4	NAG	R	1	4,1	14,14,15	1.03	1 (7%)	17,19,21	1.11	2 (11%)
4	NAG	R	2	4	14,14,15	0.72	1 (7%)	17,19,21	0.93	1 (5%)
4	NAG	S	1	4,1	14,14,15	0.82	1 (7%)	17,19,21	0.91	0
4	NAG	S	2	4	14,14,15	0.72	1 (7%)	17,19,21	0.87	1 (5%)
6	NAG	T	1	1,6	14,14,15	0.77	1 (7%)	17,19,21	1.11	3 (17%)
6	NAG	T	2	6	14,14,15	0.69	0	17,19,21	1.35	3 (17%)
6	BMA	T	3	6	11,11,12	0.44	0	15,15,17	1.04	1 (6%)
6	MAN	T	4	6	11,11,12	0.47	0	15,15,17	0.75	0
6	MAN	T	5	6	11,11,12	0.57	0	15,15,17	1.15	1 (6%)
6	MAN	T	6	6	11,11,12	0.60	0	15,15,17	0.74	1 (6%)
6	MAN	T	7	6	11,11,12	0.59	0	15,15,17	0.75	1 (6%)
6	MAN	T	8	6	11,11,12	0.61	0	15,15,17	0.81	1 (6%)
6	MAN	T	9	6	11,11,12	0.63	0	15,15,17	0.83	1 (6%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	NAG	U	1	4,1	14,14,15	0.98	1 (7%)	17,19,21	1.16	1 (5%)
4	NAG	U	2	4	14,14,15	0.71	1 (7%)	17,19,21	0.93	1 (5%)
4	NAG	V	1	4,1	14,14,15	1.01	1 (7%)	17,19,21	0.93	0
4	NAG	V	2	4	14,14,15	0.78	1 (7%)	17,19,21	0.72	1 (5%)
7	NAG	W	1	1,7	14,14,15	0.97	1 (7%)	17,19,21	0.76	1 (5%)
7	NAG	W	2	7	14,14,15	0.72	1 (7%)	17,19,21	1.01	2 (11%)
7	BMA	W	3	7	11,11,12	0.51	0	15,15,17	0.78	1 (6%)
7	MAN	W	4	7	11,11,12	0.64	0	15,15,17	0.82	0
7	MAN	W	5	7	11,11,12	0.53	0	15,15,17	0.91	1 (6%)
7	MAN	W	6	7	11,11,12	0.57	0	15,15,17	0.90	1 (6%)
4	NAG	X	1	4,1	14,14,15	1.02	1 (7%)	17,19,21	0.90	0
4	NAG	X	2	4	14,14,15	0.70	1 (7%)	17,19,21	0.84	1 (5%)
4	NAG	Y	1	4,1	14,14,15	0.97	1 (7%)	17,19,21	1.56	5 (29%)
4	NAG	Y	2	4	14,14,15	1.00	1 (7%)	17,19,21	0.71	0
4	NAG	Z	1	4,1	14,14,15	0.97	1 (7%)	17,19,21	0.97	0
4	NAG	Z	2	4	14,14,15	0.71	1 (7%)	17,19,21	0.85	1 (5%)
4	NAG	a	1	4,1	14,14,15	0.98	1 (7%)	17,19,21	0.78	0
4	NAG	a	2	4	14,14,15	0.68	0	17,19,21	0.92	1 (5%)
4	NAG	b	1	4,1	14,14,15	0.95	1 (7%)	17,19,21	1.56	3 (17%)
4	NAG	b	2	4	14,14,15	0.93	1 (7%)	17,19,21	0.80	1 (5%)
5	NAG	c	1	1,5	14,14,15	1.00	1 (7%)	17,19,21	0.73	0
5	NAG	c	2	5	14,14,15	0.66	0	17,19,21	1.10	1 (5%)
5	BMA	c	3	5	11,11,12	0.52	0	15,15,17	0.79	1 (6%)
5	MAN	c	4	5	11,11,12	0.56	0	15,15,17	0.93	1 (6%)
5	MAN	c	5	5	11,11,12	0.58	0	15,15,17	0.79	1 (6%)
5	MAN	c	6	5	11,11,12	0.70	0	15,15,17	0.75	1 (6%)
4	NAG	d	1	4,1	14,14,15	0.88	1 (7%)	17,19,21	0.85	0
4	NAG	d	2	4	14,14,15	0.62	0	17,19,21	0.90	1 (5%)
4	NAG	e	1	4,1	14,14,15	1.14	1 (7%)	17,19,21	0.90	0
4	NAG	e	2	4	14,14,15	0.77	1 (7%)	17,19,21	0.68	0
4	NAG	f	1	4,1	14,14,15	1.04	1 (7%)	17,19,21	1.13	2 (11%)
4	NAG	f	2	4	14,14,15	0.71	1 (7%)	17,19,21	0.94	1 (5%)
4	NAG	g	1	4,1	14,14,15	0.82	1 (7%)	17,19,21	0.91	0
4	NAG	g	2	4	14,14,15	0.71	1 (7%)	17,19,21	0.86	1 (5%)
6	NAG	h	1	1,6	14,14,15	0.76	1 (7%)	17,19,21	1.10	3 (17%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	NAG	h	2	6	14,14,15	0.71	0	17,19,21	1.33	3 (17%)
6	BMA	h	3	6	11,11,12	0.40	0	15,15,17	1.00	1 (6%)
6	MAN	h	4	6	11,11,12	0.46	0	15,15,17	0.76	0
6	MAN	h	5	6	11,11,12	0.58	0	15,15,17	1.05	1 (6%)
6	MAN	h	6	6	11,11,12	0.61	0	15,15,17	0.85	1 (6%)
6	MAN	h	7	6	11,11,12	0.57	0	15,15,17	0.84	1 (6%)
6	MAN	h	8	6	11,11,12	0.59	0	15,15,17	0.78	1 (6%)
6	MAN	h	9	6	11,11,12	0.64	0	15,15,17	0.95	1 (6%)
4	NAG	i	1	4,1	14,14,15	0.95	1 (7%)	17,19,21	1.20	1 (5%)
4	NAG	i	2	4	14,14,15	0.70	1 (7%)	17,19,21	0.92	1 (5%)
4	NAG	j	1	4,1	14,14,15	1.03	1 (7%)	17,19,21	0.94	0
4	NAG	j	2	4	14,14,15	0.77	1 (7%)	17,19,21	0.73	1 (5%)
7	NAG	k	1	1,7	14,14,15	1.00	1 (7%)	17,19,21	0.70	0
7	NAG	k	2	7	14,14,15	0.67	0	17,19,21	0.99	2 (11%)
7	BMA	k	3	7	11,11,12	0.49	0	15,15,17	0.81	1 (6%)
7	MAN	k	4	7	11,11,12	0.64	0	15,15,17	1.00	0
7	MAN	k	5	7	11,11,12	0.57	0	15,15,17	0.84	1 (6%)
7	MAN	k	6	7	11,11,12	0.56	0	15,15,17	0.89	1 (6%)
4	NAG	l	1	4,1	14,14,15	1.01	1 (7%)	17,19,21	0.90	0
4	NAG	l	2	4	14,14,15	0.72	1 (7%)	17,19,21	0.84	1 (5%)
4	NAG	m	1	4,1	14,14,15	0.94	1 (7%)	17,19,21	1.59	4 (23%)
4	NAG	m	2	4	14,14,15	0.97	1 (7%)	17,19,21	0.70	0
4	NAG	n	1	4,1	14,14,15	0.95	1 (7%)	17,19,21	0.99	1 (5%)
4	NAG	n	2	4	14,14,15	0.70	1 (7%)	17,19,21	0.84	1 (5%)
4	NAG	o	1	4,1	14,14,15	0.96	1 (7%)	17,19,21	0.77	0
4	NAG	o	2	4	14,14,15	0.67	0	17,19,21	0.92	1 (5%)
4	NAG	p	1	4,1	14,14,15	1.08	1 (7%)	17,19,21	1.83	5 (29%)
4	NAG	p	2	4	14,14,15	0.93	1 (7%)	17,19,21	0.73	0
5	NAG	q	1	1,5	14,14,15	1.00	1 (7%)	17,19,21	0.72	0
5	NAG	q	2	5	14,14,15	0.66	0	17,19,21	1.09	1 (5%)
5	BMA	q	3	5	11,11,12	0.50	0	15,15,17	0.79	1 (6%)
5	MAN	q	4	5	11,11,12	0.56	0	15,15,17	0.93	1 (6%)
5	MAN	q	5	5	11,11,12	0.58	0	15,15,17	0.79	1 (6%)
5	MAN	q	6	5	11,11,12	0.70	0	15,15,17	0.76	1 (6%)
4	NAG	r	1	4,1	14,14,15	0.88	1 (7%)	17,19,21	0.84	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	NAG	r	2	4	14,14,15	0.62	0	17,19,21	0.90	1 (5%)
4	NAG	s	1	4,1	14,14,15	1.14	1 (7%)	17,19,21	0.90	0
4	NAG	s	2	4	14,14,15	0.79	1 (7%)	17,19,21	0.67	0
4	NAG	t	1	4,1	14,14,15	1.03	1 (7%)	17,19,21	1.12	2 (11%)
4	NAG	t	2	4	14,14,15	0.70	0	17,19,21	0.94	1 (5%)
4	NAG	u	1	4,1	14,14,15	0.83	1 (7%)	17,19,21	0.90	0
4	NAG	u	2	4	14,14,15	0.72	1 (7%)	17,19,21	0.86	1 (5%)
6	NAG	v	1	1,6	14,14,15	0.76	1 (7%)	17,19,21	1.10	2 (11%)
6	NAG	v	2	6	14,14,15	0.64	0	17,19,21	1.32	1 (5%)
6	BMA	v	3	6	11,11,12	0.42	0	15,15,17	1.09	1 (6%)
6	MAN	v	4	6	11,11,12	0.49	0	15,15,17	0.70	0
6	MAN	v	5	6	11,11,12	0.57	0	15,15,17	1.08	1 (6%)
6	MAN	v	6	6	11,11,12	0.61	0	15,15,17	0.72	1 (6%)
6	MAN	v	7	6	11,11,12	0.58	0	15,15,17	0.78	1 (6%)
6	MAN	v	8	6	11,11,12	0.61	0	15,15,17	0.79	1 (6%)
6	MAN	v	9	6	11,11,12	0.74	0	15,15,17	0.78	0
4	NAG	w	1	4,1	14,14,15	0.99	1 (7%)	17,19,21	1.16	1 (5%)
4	NAG	w	2	4	14,14,15	0.70	1 (7%)	17,19,21	0.96	1 (5%)
4	NAG	x	1	4,1	14,14,15	1.03	1 (7%)	17,19,21	0.93	0
4	NAG	x	2	4	14,14,15	0.78	1 (7%)	17,19,21	0.72	1 (5%)
7	NAG	y	1	1,7	14,14,15	1.04	1 (7%)	17,19,21	0.63	0
7	NAG	y	2	7	14,14,15	0.63	0	17,19,21	0.97	1 (5%)
7	BMA	y	3	7	11,11,12	0.51	0	15,15,17	0.81	1 (6%)
7	MAN	y	4	7	11,11,12	0.60	0	15,15,17	0.93	0
7	MAN	y	5	7	11,11,12	0.56	0	15,15,17	0.85	1 (6%)
7	MAN	y	6	7	11,11,12	0.58	0	15,15,17	0.90	1 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	D	1	4,1	-	2/6/23/26	0/1/1/1
4	NAG	D	2	4	-	1/6/23/26	0/1/1/1
4	NAG	E	1	4,1	-	1/6/23/26	0/1/1/1
4	NAG	E	2	4	-	1/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	F	1	4,1	-	0/6/23/26	0/1/1/1
4	NAG	F	2	4	-	1/6/23/26	0/1/1/1
4	NAG	G	1	4,1	-	0/6/23/26	0/1/1/1
4	NAG	G	2	4	-	2/6/23/26	0/1/1/1
4	NAG	I	1	4,1	-	2/6/23/26	0/1/1/1
4	NAG	I	2	4	-	1/6/23/26	0/1/1/1
5	NAG	J	1	1,5	-	0/6/23/26	0/1/1/1
5	NAG	J	2	5	-	0/6/23/26	0/1/1/1
5	BMA	J	3	5	-	2/2/19/22	0/1/1/1
5	MAN	J	4	5	-	1/2/19/22	0/1/1/1
5	MAN	J	5	5	-	1/2/19/22	0/1/1/1
5	MAN	J	6	5	-	1/2/19/22	0/1/1/1
4	NAG	K	1	4,1	-	1/6/23/26	0/1/1/1
4	NAG	K	2	4	-	1/6/23/26	0/1/1/1
4	NAG	Q	1	4,1	-	0/6/23/26	0/1/1/1
4	NAG	Q	2	4	-	1/6/23/26	0/1/1/1
4	NAG	R	1	4,1	-	0/6/23/26	0/1/1/1
4	NAG	R	2	4	-	1/6/23/26	0/1/1/1
4	NAG	S	1	4,1	-	1/6/23/26	0/1/1/1
4	NAG	S	2	4	-	1/6/23/26	0/1/1/1
6	NAG	T	1	1,6	-	0/6/23/26	0/1/1/1
6	NAG	T	2	6	-	0/6/23/26	0/1/1/1
6	BMA	T	3	6	-	0/2/19/22	0/1/1/1
6	MAN	T	4	6	-	1/2/19/22	0/1/1/1
6	MAN	T	5	6	-	2/2/19/22	0/1/1/1
6	MAN	T	6	6	-	1/2/19/22	0/1/1/1
6	MAN	T	7	6	-	2/2/19/22	0/1/1/1
6	MAN	T	8	6	-	1/2/19/22	0/1/1/1
6	MAN	T	9	6	-	2/2/19/22	0/1/1/1
4	NAG	U	1	4,1	-	0/6/23/26	0/1/1/1
4	NAG	U	2	4	-	1/6/23/26	0/1/1/1
4	NAG	V	1	4,1	-	0/6/23/26	0/1/1/1
4	NAG	V	2	4	-	1/6/23/26	0/1/1/1
7	NAG	W	1	1,7	-	0/6/23/26	0/1/1/1
7	NAG	W	2	7	-	0/6/23/26	0/1/1/1
7	BMA	W	3	7	-	2/2/19/22	0/1/1/1
7	MAN	W	4	7	-	0/2/19/22	0/1/1/1
7	MAN	W	5	7	-	2/2/19/22	0/1/1/1
7	MAN	W	6	7	-	1/2/19/22	0/1/1/1
4	NAG	X	1	4,1	-	2/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	X	2	4	-	1/6/23/26	0/1/1/1
4	NAG	Y	1	4,1	-	2/6/23/26	0/1/1/1
4	NAG	Y	2	4	-	1/6/23/26	0/1/1/1
4	NAG	Z	1	4,1	-	0/6/23/26	0/1/1/1
4	NAG	Z	2	4	-	1/6/23/26	0/1/1/1
4	NAG	a	1	4,1	-	0/6/23/26	0/1/1/1
4	NAG	a	2	4	-	2/6/23/26	0/1/1/1
4	NAG	b	1	4,1	-	0/6/23/26	0/1/1/1
4	NAG	b	2	4	-	1/6/23/26	0/1/1/1
5	NAG	c	1	1,5	-	0/6/23/26	0/1/1/1
5	NAG	c	2	5	-	0/6/23/26	0/1/1/1
5	BMA	c	3	5	-	2/2/19/22	0/1/1/1
5	MAN	c	4	5	-	1/2/19/22	0/1/1/1
5	MAN	c	5	5	-	1/2/19/22	0/1/1/1
5	MAN	c	6	5	-	1/2/19/22	0/1/1/1
4	NAG	d	1	4,1	-	1/6/23/26	0/1/1/1
4	NAG	d	2	4	-	1/6/23/26	0/1/1/1
4	NAG	e	1	4,1	-	0/6/23/26	0/1/1/1
4	NAG	e	2	4	-	1/6/23/26	0/1/1/1
4	NAG	f	1	4,1	-	0/6/23/26	0/1/1/1
4	NAG	f	2	4	-	1/6/23/26	0/1/1/1
4	NAG	g	1	4,1	-	1/6/23/26	0/1/1/1
4	NAG	g	2	4	-	1/6/23/26	0/1/1/1
6	NAG	h	1	1,6	-	0/6/23/26	0/1/1/1
6	NAG	h	2	6	-	2/6/23/26	0/1/1/1
6	BMA	h	3	6	-	0/2/19/22	0/1/1/1
6	MAN	h	4	6	-	1/2/19/22	0/1/1/1
6	MAN	h	5	6	-	2/2/19/22	0/1/1/1
6	MAN	h	6	6	-	1/2/19/22	0/1/1/1
6	MAN	h	7	6	-	2/2/19/22	0/1/1/1
6	MAN	h	8	6	-	1/2/19/22	0/1/1/1
6	MAN	h	9	6	-	2/2/19/22	0/1/1/1
4	NAG	i	1	4,1	-	0/6/23/26	0/1/1/1
4	NAG	i	2	4	-	1/6/23/26	0/1/1/1
4	NAG	j	1	4,1	-	0/6/23/26	0/1/1/1
4	NAG	j	2	4	-	1/6/23/26	0/1/1/1
7	NAG	k	1	1,7	-	0/6/23/26	0/1/1/1
7	NAG	k	2	7	-	0/6/23/26	0/1/1/1
7	BMA	k	3	7	-	2/2/19/22	0/1/1/1
7	MAN	k	4	7	-	0/2/19/22	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	MAN	k	5	7	-	0/2/19/22	0/1/1/1
7	MAN	k	6	7	-	1/2/19/22	0/1/1/1
4	NAG	l	1	4,1	-	2/6/23/26	0/1/1/1
4	NAG	l	2	4	-	1/6/23/26	0/1/1/1
4	NAG	m	1	4,1	-	2/6/23/26	0/1/1/1
4	NAG	m	2	4	-	1/6/23/26	0/1/1/1
4	NAG	n	1	4,1	-	0/6/23/26	0/1/1/1
4	NAG	n	2	4	-	1/6/23/26	0/1/1/1
4	NAG	o	1	4,1	-	0/6/23/26	0/1/1/1
4	NAG	o	2	4	-	2/6/23/26	0/1/1/1
4	NAG	p	1	4,1	-	2/6/23/26	0/1/1/1
4	NAG	p	2	4	-	1/6/23/26	0/1/1/1
5	NAG	q	1	1,5	-	0/6/23/26	0/1/1/1
5	NAG	q	2	5	-	0/6/23/26	0/1/1/1
5	BMA	q	3	5	-	2/2/19/22	0/1/1/1
5	MAN	q	4	5	-	1/2/19/22	0/1/1/1
5	MAN	q	5	5	-	1/2/19/22	0/1/1/1
5	MAN	q	6	5	-	1/2/19/22	0/1/1/1
4	NAG	r	1	4,1	-	1/6/23/26	0/1/1/1
4	NAG	r	2	4	-	1/6/23/26	0/1/1/1
4	NAG	s	1	4,1	-	0/6/23/26	0/1/1/1
4	NAG	s	2	4	-	1/6/23/26	0/1/1/1
4	NAG	t	1	4,1	-	0/6/23/26	0/1/1/1
4	NAG	t	2	4	-	1/6/23/26	0/1/1/1
4	NAG	u	1	4,1	-	1/6/23/26	0/1/1/1
4	NAG	u	2	4	-	1/6/23/26	0/1/1/1
6	NAG	v	1	1,6	-	0/6/23/26	0/1/1/1
6	NAG	v	2	6	-	1/6/23/26	0/1/1/1
6	BMA	v	3	6	-	0/2/19/22	0/1/1/1
6	MAN	v	4	6	-	1/2/19/22	0/1/1/1
6	MAN	v	5	6	-	2/2/19/22	0/1/1/1
6	MAN	v	6	6	-	1/2/19/22	0/1/1/1
6	MAN	v	7	6	-	2/2/19/22	0/1/1/1
6	MAN	v	8	6	-	1/2/19/22	0/1/1/1
6	MAN	v	9	6	-	1/2/19/22	0/1/1/1
4	NAG	w	1	4,1	-	0/6/23/26	0/1/1/1
4	NAG	w	2	4	-	1/6/23/26	0/1/1/1
4	NAG	x	1	4,1	-	0/6/23/26	0/1/1/1
4	NAG	x	2	4	-	1/6/23/26	0/1/1/1
7	NAG	y	1	1,7	-	0/6/23/26	0/1/1/1
7	NAG	y	2	7	-	0/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	BMA	y	3	7	-	2/2/19/22	0/1/1/1
7	MAN	y	4	7	-	0/2/19/22	0/1/1/1
7	MAN	y	5	7	-	2/2/19/22	0/1/1/1
7	MAN	y	6	7	-	1/2/19/22	0/1/1/1

The worst 5 of 69 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	Q	1	NAG	C1-C2	3.98	1.57	1.52
4	s	1	NAG	C1-C2	3.93	1.57	1.52
4	e	1	NAG	C1-C2	3.90	1.57	1.52
4	D	1	NAG	C1-C2	3.68	1.57	1.52
4	X	1	NAG	C1-C2	3.65	1.57	1.52

The worst 5 of 124 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	I	1	NAG	O4-C4-C3	-4.69	99.33	110.38
4	p	1	NAG	O4-C4-C3	-4.63	99.47	110.38
4	m	1	NAG	C3-C4-C5	-3.79	103.36	110.23
4	b	1	NAG	C3-C4-C5	-3.71	103.50	110.23
4	b	1	NAG	O4-C4-C3	-3.46	102.21	110.38

There are no chirality outliers.

5 of 114 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
7	W	5	MAN	C4-C5-C6-O6
5	c	3	BMA	C4-C5-C6-O6
5	q	3	BMA	C4-C5-C6-O6
5	J	3	BMA	C4-C5-C6-O6
6	h	2	NAG	O5-C5-C6-O6

There are no ring outliers.

5 monomers are involved in 5 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	q	4	MAN	1	0
6	v	9	MAN	1	0
7	W	6	MAN	1	0


Continued on next page...


Continued from previous page...


Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	v	8	MAN	1	0
6	T	9	MAN	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.
























































































































5.6 Ligand geometry [i](#)

15 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
8	NAG	A	705	1	14,14,15	1.11	1 (7%)	17,19,21	0.98	1 (5%)
8	NAG	C	704	1	14,14,15	1.06	1 (7%)	17,19,21	0.92	1 (5%)
8	NAG	A	704	1	14,14,15	1.04	1 (7%)	17,19,21	0.88	1 (5%)
8	NAG	A	701	1	14,14,15	1.04	1 (7%)	17,19,21	0.59	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
8	NAG	A	702	1	14,14,15	0.93	1 (7%)	17,19,21	1.31	3 (17%)
8	NAG	A	703	1	14,14,15	0.95	1 (7%)	17,19,21	1.17	2 (11%)
8	NAG	B	702	1	14,14,15	0.93	1 (7%)	17,19,21	1.26	2 (11%)
8	NAG	B	701	1	14,14,15	1.02	1 (7%)	17,19,21	0.59	0
8	NAG	B	704	1	14,14,15	1.06	1 (7%)	17,19,21	0.86	1 (5%)
8	NAG	B	705	1	14,14,15	1.05	1 (7%)	17,19,21	1.04	1 (5%)
8	NAG	C	702	1	14,14,15	0.89	1 (7%)	17,19,21	1.27	2 (11%)
8	NAG	C	703	1	14,14,15	0.98	1 (7%)	17,19,21	1.16	2 (11%)
8	NAG	C	705	1	14,14,15	1.09	1 (7%)	17,19,21	1.01	1 (5%)
8	NAG	B	703	1	14,14,15	0.95	1 (7%)	17,19,21	1.16	2 (11%)
8	NAG	C	701	1	14,14,15	1.05	1 (7%)	17,19,21	0.58	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	NAG	A	705	1	-	1/6/23/26	0/1/1/1
8	NAG	C	704	1	-	2/6/23/26	0/1/1/1
8	NAG	A	704	1	-	1/6/23/26	0/1/1/1
8	NAG	A	701	1	-	1/6/23/26	0/1/1/1
8	NAG	A	702	1	-	2/6/23/26	0/1/1/1
8	NAG	A	703	1	-	2/6/23/26	0/1/1/1
8	NAG	B	702	1	-	2/6/23/26	0/1/1/1
8	NAG	B	701	1	-	1/6/23/26	0/1/1/1
8	NAG	B	704	1	-	1/6/23/26	0/1/1/1
8	NAG	B	705	1	-	1/6/23/26	0/1/1/1
8	NAG	C	702	1	-	2/6/23/26	0/1/1/1
8	NAG	C	703	1	-	1/6/23/26	0/1/1/1
8	NAG	C	705	1	-	1/6/23/26	0/1/1/1
8	NAG	B	703	1	-	1/6/23/26	0/1/1/1
8	NAG	C	701	1	-	1/6/23/26	0/1/1/1

The worst 5 of 15 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	A	705	NAG	C1-C2	3.85	1.57	1.52
8	C	705	NAG	C1-C2	3.78	1.57	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	C	701	NAG	C1-C2	3.76	1.57	1.52
8	A	701	NAG	C1-C2	3.72	1.57	1.52
8	B	704	NAG	C1-C2	3.70	1.57	1.52

The worst 5 of 19 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	A	702	NAG	C4-C3-C2	-3.64	105.68	111.02
8	B	702	NAG	C4-C3-C2	-3.47	105.93	111.02
8	C	702	NAG	C4-C3-C2	-3.43	106.00	111.02
8	A	703	NAG	C4-C3-C2	-3.42	106.00	111.02
8	C	703	NAG	C4-C3-C2	-3.27	106.23	111.02

There are no chirality outliers.

5 of 20 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
8	A	702	NAG	C4-C5-C6-O6
8	C	702	NAG	C4-C5-C6-O6
8	B	702	NAG	C4-C5-C6-O6
8	A	703	NAG	O5-C5-C6-O6
8	C	704	NAG	O5-C5-C6-O6

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
8	C	704	NAG	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-23565. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 110



Y Index: 110




Z Index: 110


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 95



Y Index: 99




Z Index: 110


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.5. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 150 nm³; this corresponds to an approximate mass of 136 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ



*Reported resolution corresponds to spatial frequency of 0.290 Å⁻¹


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-23565 and PDB model 7LX3. Per-residue inclusion information can be found in section [3](#) on page [11](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.5 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.5).

9.4 Atom inclusion [i](#)



At the recommended contour level, 89% of all backbone atoms, 79% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.5) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.7880	 0.4600
A	 0.8400	 0.4930
B	 0.8390	 0.4920
C	 0.8410	 0.4920
D	 0.3210	 0.4290
E	 0.5360	 0.3680
F	 0.5000	 0.4410
G	 0.4640	 0.3000
H	 0.6940	 0.3760
I	 0.5000	 0.3420
J	 0.7360	 0.4670
K	 0.6790	 0.3900
L	 0.7580	 0.4240
M	 0.7460	 0.4250
N	 0.6870	 0.3750
O	 0.7470	 0.4220
P	 0.6900	 0.3740
Q	 0.3210	 0.3420
R	 0.5000	 0.3350
S	 0.6790	 0.5160
T	 0.7900	 0.4730
U	 0.5360	 0.4060
V	 0.5710	 0.4330
W	 0.7360	 0.4430
X	 0.3210	 0.4260
Y	 0.5360	 0.3600
Z	 0.5360	 0.4350
a	 0.4640	 0.2950
b	 0.5710	 0.3630
c	 0.7220	 0.4680
d	 0.6790	 0.4080
e	 0.3210	 0.3490
f	 0.5000	 0.3210
g	 0.6790	 0.5230
h	 0.8090	 0.4620



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
i	 0.5360	 0.4010
j	 0.5710	 0.4420
k	 0.7640	 0.4470
l	 0.3210	 0.4130
m	 0.5360	 0.3620
n	 0.5000	 0.4290
o	 0.5710	 0.3010
p	 0.5360	 0.3350
q	 0.7220	 0.4660
r	 0.6790	 0.4010
s	 0.3210	 0.3240
t	 0.4290	 0.3080
u	 0.6790	 0.5140
v	 0.7620	 0.4460
w	 0.5360	 0.3900
x	 0.5710	 0.4380
y	 0.7640	 0.4480