



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 14, 2026 – 09:34 AM UTC

PDB ID : 1LYB / pdb_00001lyb
Title : CRYSTAL STRUCTURES OF NATIVE AND INHIBITED FORMS OF HUMAN CATHEPSIN D: IMPLICATIONS FOR LYSOSOMAL TARGETING AND DRUG DESIGN
Authors : Baldwin, E.T.; Bhat, T.N.; Gulnik, S.; Erickson, J.W.
Deposited on : 1993-04-22
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	6492 (2.50-2.50)
Ramachandran outliers	187476	6378 (2.50-2.50)
Sidechain outliers	187428	6380 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	97	65% 34% .
1	C	97	70% 29% .
2	B	241	70% 27% .
2	D	241	70% 27% .
3	I	6	17% 50% 17% 17%
3	J	6	17% 50% 17% 17%
4	E	4	100%
4	F	4	25% 75%

2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 6766 atoms, of which 1312 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called CATHEPSIN D.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	97	Total	C	H	N	O	S	0	0	0
			904	478	156	119	146	5			
1	C	97	Total	C	H	N	O	S	0	0	0
			904	478	156	119	146	5			

- Molecule 2 is a protein called CATHEPSIN D.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
2	B	241	Total	C	H	N	O	S	0	0	0
			2234	1184	389	302	348	11			
2	D	241	Total	C	H	N	O	S	0	0	0
			2234	1184	389	302	348	11			

- Molecule 3 is a protein called PEPSTATIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	I	6	Total	C	H	N	O	0	0	0
			55	34	7	5	9			
3	J	6	Total	C	H	N	O	0	0	0
			55	34	7	5	9			

- Molecule 4 is an oligosaccharide called alpha-D-mannopyranose-(1-6)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	E	4	Total	C	H	N	O	0	0	0
			96	28	46	2	20			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	F	4	Total	C	H	N	O	0	0	0
			96	28	46	2	20			

- Molecule 5 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	B	1	Total	C	H	N	O	0	0
			28	8	14	1	5		
5	D	1	Total	C	H	N	O	0	0
			28	8	14	1	5		

- Molecule 6 is water.

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	9	Total	H	O	0	0
			27	18	9		
6	B	13	Total	H	O	0	0
			39	26	13		
6	C	9	Total	H	O	0	0
			27	18	9		
6	D	13	Total	H	O	0	0
			39	26	13		

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.


• Molecule 1: CATHEPSIN D

Chain A: 




• Molecule 1: CATHEPSIN D

Chain C: 



• Molecule 2: CATHEPSIN D

Chain B: 



• Molecule 2: CATHEPSIN D


Chain D: 






- Molecule 3: PEPSTATIN

Chain I: 




- Molecule 3: PEPSTATIN

Chain J: 



- Molecule 4: alpha-D-mannopyranose-(1-6)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain E: 



- Molecule 4: alpha-D-mannopyranose-(1-6)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain F: 



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 65	Depositor
Cell constants a, b, c, α , β , γ	125.90Å 125.90Å 104.10Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	(Not available) – 2.50	Depositor
% Data completeness (in resolution range)	(Not available) ((Not available)-2.50)	Depositor
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	X-PLOR 3.0	Depositor
R, R_{free}	0.179 , (Not available)	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	6766	wwPDB-VP
Average B, all atoms (Å ²)	26.0	wwPDB-VP

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MAN, STA, BMA, NAG, IVA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.09	4/771 (0.5%)	1.68	7/1051 (0.7%)
1	C	1.11	5/771 (0.6%)	1.80	16/1051 (1.5%)
2	B	0.92	1/1884 (0.1%)	1.74	34/2551 (1.3%)
2	D	0.88	1/1884 (0.1%)	1.75	30/2551 (1.2%)
3	I	0.68	0/17	1.44	0/21
3	J	0.71	0/17	1.99	0/21
All	All	0.96	11/5344 (0.2%)	1.74	87/7246 (1.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
2	D	0	1
3	I	0	2
3	J	0	2
All	All	0	6

All (11) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	209	HIS	CD2-NE2	-6.69	1.30	1.37
1	A	77	HIS	CD2-NE2	-6.54	1.30	1.37
1	A	57	HIS	CD2-NE2	-6.30	1.30	1.37
1	C	45	HIS	CD2-NE2	-6.26	1.30	1.37
1	A	45	HIS	CD2-NE2	-6.19	1.31	1.37
1	C	57	HIS	CD2-NE2	-6.09	1.31	1.37
1	A	56	HIS	CD2-NE2	-5.91	1.31	1.37
1	C	77	HIS	CD2-NE2	-5.81	1.31	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	56	HIS	CD2-NE2	-5.77	1.31	1.37
1	C	55	ILE	CA-CB	5.44	1.60	1.54
2	D	209	HIS	CD2-NE2	-5.29	1.32	1.37

All (87) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	256	LEU	N-CA-C	-9.27	91.06	110.80
2	D	299	LYS	N-CA-C	8.30	122.61	109.50
2	B	124	ILE	N-CA-C	8.00	118.76	110.36
1	C	77	HIS	CA-CB-CG	-7.81	105.99	113.80
2	D	242	ASP	CA-CB-CG	7.80	120.40	112.60
2	B	242	ASP	CA-CB-CG	7.75	120.35	112.60
1	C	94	VAL	N-CA-C	-7.73	95.49	107.71
1	C	40	TRP	CG-CD2-CE3	7.72	141.62	133.90
2	B	263	ILE	N-CA-C	-7.58	102.98	109.19
1	A	77	HIS	CB-CG-CD2	-7.55	121.39	131.20
2	B	296	GLN	N-CA-C	-7.20	95.46	110.80
2	B	241	VAL	N-CA-C	7.12	117.63	110.23
2	D	162	GLN	OE1-CD-NE2	-7.07	115.53	122.60
2	D	231	ASP	CA-CB-CG	6.90	119.50	112.60
2	D	165	PHE	CA-CB-CG	6.81	120.61	113.80
2	B	205	TYR	N-CA-C	-6.71	100.87	110.59
1	C	40	TRP	CB-CG-CD1	-6.69	116.86	126.90
2	D	208	VAL	N-CA-CB	-6.65	100.05	112.36
1	C	66	THR	N-CA-C	6.55	121.42	113.17
2	B	248	GLN	OE1-CD-NE2	-6.51	116.09	122.60
2	B	110	VAL	N-CA-C	-6.37	99.42	108.58
2	B	126	PHE	CA-CB-CG	-6.36	107.44	113.80
2	B	172	ASP	CA-CB-CG	6.33	118.93	112.60
2	B	297	ALA	N-CA-C	-6.27	101.97	111.56
2	D	215	VAL	N-CA-C	-6.22	100.68	108.89
2	B	172	ASP	CA-C-N	6.17	125.85	119.56
2	B	172	ASP	C-N-CA	6.17	125.85	119.56
2	B	157	GLN	OE1-CD-NE2	-6.16	116.44	122.60
2	D	192	LYS	CA-CB-CG	6.13	126.36	114.10
2	D	108	VAL	N-CA-C	-6.09	100.32	108.96
2	B	208	VAL	N-CA-CB	-6.08	102.33	112.06
2	D	126	PHE	CA-CB-CG	-6.07	107.73	113.80
2	D	146	ASN	OD1-CG-ND2	-6.06	116.54	122.60
2	D	219	LEU	N-CA-C	-6.04	98.68	108.52
1	C	77	HIS	CB-CG-CD2	-5.96	123.45	131.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	223	LYS	N-CA-C	-5.95	100.15	109.25
2	D	163	ASN	CA-CB-CG	-5.87	106.73	112.60
1	C	27	CYS	N-CA-C	5.86	118.28	108.96
2	D	248	GLN	OE1-CD-NE2	-5.86	116.75	122.60
2	B	209	HIS	CB-CG-CD2	-5.85	123.59	131.20
2	D	163	ASN	OD1-CG-ND2	-5.84	116.76	122.60
2	D	153	ASN	CA-CB-CG	-5.81	106.79	112.60
1	A	32	PHE	CA-CB-CG	-5.80	108.00	113.80
2	B	124	ILE	N-CA-CB	-5.72	104.16	110.51
2	B	334	ASP	CA-CB-CG	5.68	118.28	112.60
2	D	127	ILE	CB-CA-C	-5.65	104.62	112.02
2	B	145	ASN	OD1-CG-ND2	-5.63	116.97	122.60
1	C	2	PRO	N-CD-CG	-5.62	97.05	103.80
2	D	258	GLN	CA-CB-CG	5.62	125.33	114.10
2	D	151	PHE	CA-CB-CG	-5.61	108.19	113.80
2	B	223	LYS	N-CA-C	-5.60	102.99	110.55
1	C	80	SER	N-CA-C	5.60	119.74	113.02
2	B	201	THR	O-C-N	-5.57	116.37	122.38
2	D	214	GLU	N-CA-C	5.56	117.45	108.34
1	A	26	GLN	N-CA-C	-5.55	100.13	109.07
2	B	319	TRP	CG-CD2-CE3	5.54	139.44	133.90
1	C	40	TRP	CE2-CD2-CG	-5.53	100.56	107.20
2	B	157	GLN	N-CA-C	-5.50	106.45	112.72
2	B	176	GLN	OE1-CD-NE2	-5.48	117.12	122.60
2	B	182	MET	CA-CB-CG	-5.47	103.16	114.10
2	D	311	ILE	N-CA-C	-5.45	101.62	108.05
2	D	337	ASN	OD1-CG-ND2	-5.42	117.19	122.60
2	D	296	GLN	OE1-CD-NE2	-5.39	117.21	122.60
1	C	8	LYS	N-CA-C	-5.39	101.39	109.95
1	C	43	SER	O-C-N	-5.37	116.92	123.10
1	C	24	PRO	CA-C-N	5.35	125.11	119.76
1	C	24	PRO	C-N-CA	5.35	125.11	119.76
1	A	3	ILE	O-C-N	-5.31	118.03	121.37
2	D	172	ASP	CA-CB-CG	5.29	117.89	112.60
1	A	28	PHE	CA-CB-CG	-5.25	108.55	113.80
1	C	75	ASP	O-C-N	-5.25	116.98	123.44
2	B	237	MET	N-CA-C	-5.22	100.79	109.46
2	B	148	LEU	CA-C-N	5.20	126.34	119.84
2	B	148	LEU	C-N-CA	5.20	126.34	119.84
2	B	258	GLN	OE1-CD-NE2	-5.17	117.43	122.60
2	B	286	SER	CA-C-N	5.15	124.76	119.05
2	B	286	SER	C-N-CA	5.15	124.76	119.05

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	319	TRP	N-CA-C	-5.14	102.92	110.52
1	C	28	PHE	CA-CB-CG	-5.12	108.68	113.80
2	D	205	TYR	N-CA-C	-5.08	101.99	109.86
2	B	125	THR	N-CA-C	5.07	117.20	111.11
1	A	68	VAL	N-CA-C	-5.07	101.02	108.11
2	D	223	LYS	O-C-N	5.05	129.24	123.02
2	D	235	SER	N-CA-C	5.05	116.78	111.28
2	D	338	ASN	OD1-CG-ND2	-5.05	117.55	122.60
2	B	163	ASN	OD1-CG-ND2	-5.02	117.58	122.60
1	A	40	TRP	CG-CD2-CE3	5.01	138.91	133.90

There are no chirality outliers.

All (6) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	1	GLY	Peptide
2	D	312	PRO	Peptide
3	I	4	STA	Peptide,Mainchain
3	J	4	STA	Peptide,Mainchain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	748	156	702	13	0
1	C	748	156	702	8	0
2	B	1845	389	1849	23	0
2	D	1845	389	1849	25	0
3	I	48	7	60	2	0
3	J	48	7	60	2	0
4	E	50	46	43	0	0
4	F	50	46	43	3	0
5	B	14	14	13	0	0
5	D	14	14	13	0	0
6	A	9	18	0	0	0
6	B	13	26	0	0	0
6	C	9	18	0	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	D	13	26	0	0	0
All	All	5454	1312	5334	64	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (64) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:43:SER:HB2	2:D:117:GLU:HB3	1.58	0.84
2:D:263:ILE:HD13	2:D:271:LEU:HD21	1.78	0.64
2:B:268:VAL:HA	2:B:271:LEU:HD22	1.78	0.63
1:C:72:THR:HB	1:C:87:LEU:HD12	1.81	0.61
2:B:236:LEU:HD22	2:B:305:GLY:HA2	1.81	0.61
2:D:264:PRO:HG2	2:D:267:LYS:HG2	1.84	0.60
2:B:267:LYS:O	2:B:271:LEU:HD13	2.03	0.59
1:A:19:ILE:HG22	1:A:94:VAL:HG22	1.84	0.59
2:B:222:CYS:SG	2:B:222:CYS:O	2.61	0.58
3:J:1:IVA:O	3:J:2:VAL:HB	2.04	0.58
1:A:31:VAL:HG23	1:A:33:ASP:HB2	1.86	0.57
2:B:260:GLU:HG3	2:B:307:MET:HG3	1.88	0.56
1:A:3:ILE:HB	2:B:183:LEU:HB2	1.87	0.56
2:D:221:LEU:HD11	2:D:247:LEU:HB2	1.89	0.55
2:D:293:LYS:HE2	2:D:300:THR:HG23	1.89	0.55
2:D:281:LYS:H	2:D:281:LYS:HD2	1.72	0.54
1:A:88:SER:O	2:B:114:VAL:HA	2.08	0.53
2:B:234:THR:HG21	2:B:320:ILE:HG21	1.90	0.53
2:B:171:ARG:HD3	2:B:327:GLY:HA3	1.92	0.51
1:A:78:TYR:HE2	1:A:83:LEU:HD21	1.75	0.51
4:F:2:NAG:C3	4:F:3:BMA:O5	2.59	0.50
3:I:1:IVA:O	3:I:2:VAL:HB	2.12	0.49
2:B:151:PHE:O	2:B:155:MET:HG3	2.13	0.49
2:D:222:CYS:SG	2:D:222:CYS:O	2.71	0.48
2:B:188:SER:HA	2:B:191:TYR:CE1	2.48	0.48
2:B:195:LEU:HD13	2:B:343:ALA:HB2	1.95	0.48
2:D:237:MET:SD	2:D:325:PHE:HB2	2.55	0.47
2:B:207:GLN:HG2	2:B:229:ILE:HG22	1.97	0.47
2:D:311:ILE:HD11	2:D:320:ILE:HD11	1.97	0.47
1:A:39:LEU:HA	2:B:134:ILE:O	2.15	0.47
1:C:15:TYR:CD2	2:D:169:LEU:HD22	2.49	0.47
2:D:228:ALA:HA	2:D:319:TRP:O	2.14	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:89:GLN:HA	2:B:113:GLN:O	2.16	0.46
4:F:2:NAG:O7	4:F:2:NAG:C1	2.63	0.46
2:D:195:LEU:HD13	2:D:343:ALA:HB2	1.99	0.45
2:B:142:ILE:HG23	2:B:204:ALA:HB1	1.99	0.45
2:D:244:VAL:O	2:D:248:GLN:HG2	2.17	0.44
2:D:237:MET:HE3	2:D:237:MET:HB3	1.72	0.44
1:A:80:SER:OG	3:I:2:VAL:HA	2.18	0.43
1:C:9:ASN:ND2	2:D:170:SER:O	2.52	0.43
1:C:39:LEU:HA	2:D:134:ILE:O	2.19	0.43
2:D:236:LEU:HD11	3:J:1:IVA:HG23	1.99	0.43
1:A:20:GLY:O	1:A:92:VAL:HA	2.18	0.43
1:C:20:GLY:HA2	1:C:26:GLN:O	2.18	0.43
2:B:214:GLU:HG3	2:B:275:THR:HB	2.00	0.43
2:B:207:GLN:CG	2:B:229:ILE:HG22	2.49	0.43
2:B:238:VAL:HA	2:B:307:MET:O	2.18	0.43
2:B:316:GLY:HA2	2:B:318:LEU:HG	1.99	0.43
1:C:76:ILE:HG12	2:D:144:VAL:HG21	2.00	0.43
2:D:287:PRO:HA	2:D:290:TYR:CE2	2.54	0.43
4:F:1:NAG:H5	4:F:2:NAG:O7	2.18	0.43
2:D:251:ILE:HG22	2:D:272:PRO:CG	2.49	0.42
1:A:30:VAL:HA	2:B:133:GLY:O	2.19	0.42
2:D:144:VAL:O	2:D:147:VAL:HG23	2.18	0.42
2:D:311:ILE:O	2:D:316:GLY:HA3	2.20	0.42
2:D:335:ARG:HD2	2:D:335:ARG:HA	1.84	0.41
1:A:69:LYS:HB2	1:A:69:LYS:HE3	1.84	0.41
2:D:311:ILE:HD12	2:D:318:LEU:HB2	2.02	0.41
2:B:299:LYS:O	2:B:301:LEU:N	2.54	0.41
1:A:44:ILE:HG12	1:A:59:TYR:O	2.21	0.41
1:C:89:GLN:HG2	6:C:108:HOH:O	2.21	0.40
2:D:164:ILE:HG22	2:D:334:ASP:HA	2.03	0.40
1:A:95:PRO:O	1:A:97:GLN:N	2.54	0.40
2:B:299:LYS:C	2:B:301:LEU:H	2.30	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries

of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	95/97 (98%)	90 (95%)	5 (5%)	0	100	100
1	C	95/97 (98%)	92 (97%)	3 (3%)	0	100	100
2	B	239/241 (99%)	225 (94%)	12 (5%)	2 (1%)	16	31
2	D	239/241 (99%)	218 (91%)	16 (7%)	5 (2%)	5	9
3	I	3/6 (50%)	2 (67%)	0	1 (33%)	0	0
3	J	3/6 (50%)	2 (67%)	0	1 (33%)	0	0
All	All	674/688 (98%)	629 (93%)	36 (5%)	9 (1%)	9	18

All (9) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	D	224	GLU
3	J	2	VAL
2	D	300	THR
2	B	258	GLN
3	I	2	VAL
2	B	300	THR
2	D	297	ALA
2	D	241	VAL
2	D	314	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	85/86 (99%)	80 (94%)	5 (6%)	18	37
1	C	85/86 (99%)	81 (95%)	4 (5%)	23	47
2	B	199/199 (100%)	182 (92%)	17 (8%)	10	22
2	D	105/199 (53%)	98 (93%)	7 (7%)	15	31

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
3	I	2/2 (100%)	0	2 (100%)	0	0
3	J	2/2 (100%)	0	2 (100%)	0	0
All	All	478/574 (83%)	441 (92%)	37 (8%)	12	25

All (37) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	11	MET
1	A	66	THR
1	A	73	SER
1	A	82	SER
1	A	93	SER
2	B	146	ASN
2	B	161	ASP
2	B	171	ARG
2	B	188	SER
2	B	192	LYS
2	B	194	SER
2	B	208	VAL
2	B	224	GLU
2	B	238	VAL
2	B	242	ASP
2	B	247	LEU
2	B	254	VAL
2	B	263	ILE
2	B	269	SER
2	B	277	LYS
2	B	288	GLU
2	B	328	ARG
3	I	2	VAL
3	I	3	VAL
1	C	11	MET
1	C	83	LEU
1	C	93	SER
1	C	96	CYS
2	D	108	VAL
2	D	141	ARG
2	D	146	ASN
2	D	186	THR
2	D	195	LEU
2	D	238	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	D	328	ARG
3	J	2	VAL
3	J	3	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
2	B	162	GLN
2	B	337	ASN
2	B	338	ASN
2	D	121	GLN
2	D	146	ASN
2	D	337	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

4 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	STA	I	6	3	11,11,11	1.07	1 (9%)	11,14,14	2.05	4 (36%)
3	STA	I	4	3	10,10,11	0.76	0	9,12,14	2.25	3 (33%)
3	STA	J	6	3	11,11,11	1.36	2 (18%)	11,14,14	2.29	5 (45%)
3	STA	J	4	3	10,10,11	1.05	1 (10%)	9,12,14	2.07	4 (44%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.

'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	STA	I	6	3	-	9/12/12/12	-
3	STA	I	4	3	-	2/11/11/12	-
3	STA	J	6	3	-	6/12/12/12	-
3	STA	J	4	3	-	2/11/11/12	-

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	J	6	STA	CM-CH	2.73	1.57	1.53
3	I	6	STA	CH-CA	2.32	1.55	1.53
3	J	6	STA	CH-CA	2.30	1.55	1.53
3	J	4	STA	CM-CH	-2.30	1.49	1.53

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	I	6	STA	CG-CB-CA	4.68	125.84	115.76
3	J	6	STA	CM-CH-CA	4.27	119.52	112.93
3	I	4	STA	CG-CB-CA	4.11	124.60	115.76
3	J	6	STA	CH-CM-C	3.75	122.19	113.93
3	J	4	STA	OH-CH-CM	-3.35	101.52	109.24
3	I	4	STA	CM-CH-CA	3.06	117.66	112.93
3	J	6	STA	OH-CH-CM	-2.85	102.56	109.45
3	J	4	STA	CM-CH-CA	2.85	117.33	112.93
3	I	4	STA	OH-CH-CM	-2.83	102.72	109.24
3	J	4	STA	O-C-CM	-2.74	117.41	125.38
3	J	6	STA	CG-CB-CA	2.68	121.53	115.76
3	I	6	STA	CM-CH-CA	2.65	117.02	112.93
3	I	6	STA	OH-CH-CA	-2.59	104.56	109.48
3	J	6	STA	OH-CH-CA	-2.25	105.21	109.48
3	J	4	STA	CH-CM-C	-2.09	109.45	113.02
3	I	6	STA	OH-CH-CM	-2.09	104.42	109.45

There are no chirality outliers.

All (19) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	J	4	STA	O-C-CM-CH
3	I	6	STA	N-CA-CH-CM
3	I	6	STA	CB-CA-CH-OH

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	I	6	STA	CB-CA-CH-CM
3	I	6	STA	CA-CH-CM-C
3	I	6	STA	OH-CH-CM-C
3	J	6	STA	N-CA-CH-OH
3	J	6	STA	N-CA-CH-CM
3	J	6	STA	CB-CA-CH-OH
3	J	6	STA	CB-CA-CH-CM
3	I	6	STA	CA-CB-CG-CD1
3	I	6	STA	CA-CB-CG-CD2
3	I	4	STA	O-C-CM-CH
3	J	6	STA	CH-CA-CB-CG
3	I	4	STA	N-CA-CB-CG
3	J	6	STA	CA-CB-CG-CD1
3	J	4	STA	CA-CH-CM-C
3	I	6	STA	CH-CA-CB-CG
3	I	6	STA	N-CA-CH-OH

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates

8 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	NAG	E	1	4,1	14,14,15	0.65	0	17,19,21	1.40	2 (11%)
4	NAG	E	2	4	14,14,15	0.53	0	17,19,21	1.56	4 (23%)
4	BMA	E	3	4	11,11,12	1.86	3 (27%)	15,15,17	1.71	4 (26%)
4	MAN	E	4	4	11,11,12	1.16	2 (18%)	15,15,17	1.05	1 (6%)
4	NAG	F	1	4,1	14,14,15	0.74	0	17,19,21	1.59	3 (17%)
4	NAG	F	2	4	14,14,15	0.78	0	17,19,21	2.12	8 (47%)
4	BMA	F	3	4	11,11,12	0.79	0	15,15,17	1.64	5 (33%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	MAN	F	4	4	11,11,12	0.81	0	15,15,17	1.68	4 (26%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	E	1	4,1	-	0/6/23/26	0/1/1/1
4	NAG	E	2	4	-	1/6/23/26	0/1/1/1
4	BMA	E	3	4	-	2/2/19/22	1/1/1/1
4	MAN	E	4	4	-	2/2/19/22	1/1/1/1
4	NAG	F	1	4,1	-	0/6/23/26	0/1/1/1
4	NAG	F	2	4	-	1/6/23/26	0/1/1/1
4	BMA	F	3	4	-	0/2/19/22	0/1/1/1
4	MAN	F	4	4	-	2/2/19/22	0/1/1/1

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	E	3	BMA	C4-C5	3.50	1.60	1.53
4	E	3	BMA	C4-C3	2.96	1.60	1.52
4	E	3	BMA	O3-C3	2.72	1.49	1.43
4	E	4	MAN	O5-C1	2.23	1.47	1.43
4	E	4	MAN	C2-C3	2.02	1.55	1.52

All (31) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	F	1	NAG	C1-O5-C5	4.53	118.25	112.19
4	F	2	NAG	O4-C4-C3	4.28	120.46	110.38
4	E	3	BMA	C2-C3-C4	-3.76	104.25	110.86
4	E	1	NAG	C2-N2-C7	-3.69	117.96	122.90
4	E	2	NAG	C1-C2-N2	-3.46	104.97	110.43
4	F	4	MAN	C6-C5-C4	3.41	121.39	113.02
4	F	3	BMA	O2-C2-C1	3.08	116.28	109.22
4	F	2	NAG	O3-C3-C2	-2.91	103.35	109.40
4	F	3	BMA	C1-O5-C5	2.81	115.95	112.19
4	F	4	MAN	C3-C4-C5	-2.69	105.36	110.23
4	F	1	NAG	O4-C4-C5	2.68	115.93	109.32
4	F	2	NAG	C2-N2-C7	2.65	126.45	122.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	E	3	BMA	O2-C2-C1	2.64	115.26	109.22
4	E	2	NAG	O4-C4-C3	-2.61	104.22	110.38
4	F	3	BMA	O3-C3-C4	-2.60	104.25	110.38
4	F	4	MAN	O5-C5-C4	-2.59	104.52	110.83
4	F	1	NAG	C3-C4-C5	-2.57	105.58	110.23
4	F	2	NAG	O5-C5-C4	-2.57	104.59	110.83
4	F	2	NAG	C4-C3-C2	-2.54	107.29	111.02
4	E	3	BMA	C1-C2-C3	-2.54	105.95	109.64
4	F	2	NAG	O7-C7-N2	2.52	126.44	121.98
4	E	2	NAG	C3-C4-C5	2.42	114.62	110.23
4	F	2	NAG	C3-C4-C5	-2.41	105.86	110.23
4	E	4	MAN	C1-O5-C5	2.32	115.30	112.19
4	F	3	BMA	C2-C3-C4	2.18	114.69	110.86
4	F	4	MAN	C1-C2-C3	2.17	112.81	109.64
4	F	2	NAG	C6-C5-C4	2.17	118.35	113.02
4	F	3	BMA	C1-C2-C3	-2.15	106.51	109.64
4	E	1	NAG	O5-C1-C2	-2.14	107.97	111.29
4	E	2	NAG	C8-C7-N2	2.08	119.56	116.12
4	E	3	BMA	O3-C3-C4	2.00	115.10	110.38

There are no chirality outliers.

All (8) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	F	2	NAG	C1-C2-N2-C7
4	F	4	MAN	O5-C5-C6-O6
4	F	4	MAN	C4-C5-C6-O6
4	E	3	BMA	C4-C5-C6-O6
4	E	4	MAN	O5-C5-C6-O6
4	E	2	NAG	O5-C5-C6-O6
4	E	3	BMA	O5-C5-C6-O6
4	E	4	MAN	C4-C5-C6-O6


All (2) ring outliers are listed below:


Mol	Chain	Res	Type	Atoms
4	E	4	MAN	C1-C2-C3-C4-C5-O5
4	E	3	BMA	C1-C2-C3-C4-C5-O5

3 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	F	1	NAG	1	0
4	F	2	NAG	3	0
4	F	3	BMA	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.





5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
5	NAG	B	1	2	14,14,15	1.50	2 (14%)	17,19,21	1.42	3 (17%)
5	NAG	D	1	2	14,14,15	1.61	2 (14%)	17,19,21	1.98	5 (29%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	NAG	B	1	2	-	0/6/23/26	0/1/1/1
5	NAG	D	1	2	-	2/6/23/26	0/1/1/1

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	D	1	NAG	C1-C2	4.59	1.58	1.52
5	B	1	NAG	C1-C2	3.80	1.57	1.52
5	B	1	NAG	C3-C2	2.63	1.58	1.52
5	D	1	NAG	O5-C1	2.50	1.47	1.43

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	D	1	NAG	C1-O5-C5	5.91	120.11	112.19
5	D	1	NAG	C4-C3-C2	-2.90	106.76	111.02
5	B	1	NAG	C4-C3-C2	-2.71	107.04	111.02
5	B	1	NAG	C1-O5-C5	2.65	115.73	112.19
5	D	1	NAG	C3-C4-C5	-2.27	106.11	110.23
5	D	1	NAG	O4-C4-C5	2.13	114.56	109.32
5	D	1	NAG	C1-C2-N2	2.12	113.78	110.43
5	B	1	NAG	O3-C3-C2	2.05	113.65	109.40

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	D	1	NAG	O5-C5-C6-O6
5	D	1	NAG	C4-C5-C6-O6

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.