



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 11:49 PM UTC

PDB ID : 1M00 / pdb_00001m00
Title : Rat neuronal NOS heme domain with N-butyl-N'-hydroxyguanidine bound
Authors : Li, H.; Shimizu, H.; Flinspach, M.; Jamal, J.; Yang, W.; Xian, M.; Cai, T.;
Wen, E.Z.; Jia, Q.; Wang, P.G.; Poulos, T.L.
Deposited on : 2002-06-11
Resolution : 2.05 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.05 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2260 (2.04-2.04)
Clashscore	190562	2333 (2.04-2.04)
Ramachandran outliers	187476	2318 (2.04-2.04)
Sidechain outliers	187428	2318 (2.04-2.04)
RSRZ outliers	180081	2260 (2.04-2.04)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	419	20% 68% 27% ..
1	B	419	4% 74% 23% ..

2 Entry composition [i](#)

There are 7 unique types of molecules in this entry. The entry contains 7298 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Nitric-oxide synthase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	407	Total	C	N	O	S	0	0	0
			3313	2121	566	605	21			
1	B	410	Total	C	N	O	S	0	0	0
			3340	2138	573	608	21			

- Molecule 2 is ACETATE ION (CCD ID: ACT) (formula: $C_2H_3O_2^-$).





Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			4	2	2		
2	B	1	Total	C	O	0	0
			4	2	2		

- Molecule 3 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	Zn			0	0
			1	1				


- Molecule 4 is PROTOPORPHYRIN IX CONTAINING FE (CCD ID: HEM) (formula: $C_{34}H_{32}FeN_4O_4$).





Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	1	Total	C	N	O	0	0
			17	9	5	3		
5	B	1	Total	C	N	O	0	0
			17	9	5	3		

- Molecule 6 is N-BUTYL-N'-HYDROXYGUANIDINE (CCD ID: BHH) (formula: $C_5H_{13}N_3O$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
6	A	1	Total	C	N	O	0	0
			9	5	3	1		
6	B	1	Total	C	N	O	0	0
			9	5	3	1		

- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	196	Total 196	O 196	0	0
7	B	302	Total 302	O 302	0	0

- Molecule 1: Nitric-oxide synthase



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	52.07Å 111.25Å 163.84Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	49.03 – 2.05 49.03 – 2.05	Depositor EDS
% Data completeness (in resolution range)	95.5 (49.03-2.05) 95.5 (49.03-2.05)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	0.08	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.32 (at 2.05Å)	Xtriage
Refinement program	CNS	Depositor
R, R_{free}	0.229 , 0.270 0.222 , 0.260	Depositor DCC
R_{free} test set	2937 reflections (5.03%)	wwPDB-VP
Wilson B-factor (Å ²)	27.9	Xtriage
Anisotropy	0.561	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 45.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	7298	wwPDB-VP
Average B, all atoms (Å ²)	35.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.34% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: BHH, ACT, H4B, ZN, HEM

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.57	0/3406	1.02	18/4621 (0.4%)
1	B	0.63	1/3433 (0.0%)	1.02	18/4656 (0.4%)
All	All	0.60	1/6839 (0.0%)	1.02	36/9277 (0.4%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	681	PRO	CA-C	5.36	1.54	1.51

All (36) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	421	TRP	N-CA-C	8.80	121.97	111.33
1	A	589	MET	N-CA-C	-8.52	95.35	109.24
1	B	589	MET	N-CA-C	-8.29	95.73	109.24
1	A	588	TYR	N-CA-C	8.28	122.18	110.50
1	B	354	LEU	N-CA-C	7.87	119.64	111.14
1	A	354	LEU	N-CA-C	7.79	119.46	110.97
1	B	421	TRP	N-CA-C	7.44	120.34	111.33
1	A	681	PRO	CA-C-N	7.25	126.92	119.82
1	A	681	PRO	C-N-CA	7.25	126.92	119.82
1	B	408	ALA	N-CA-C	-6.85	103.90	111.36
1	A	599	CYS	N-CA-C	6.82	121.77	113.38
1	B	455	LEU	N-CA-C	6.67	119.91	110.23
1	B	397	LYS	N-CA-C	-6.16	102.24	110.55
1	B	315	THR	N-CA-C	-6.08	106.19	113.97
1	B	472	PHE	N-CA-C	-5.99	99.94	109.76
1	A	557	LEU	N-CA-C	-5.93	105.30	112.54
1	A	606	ILE	N-CA-C	5.92	117.79	112.17
1	B	474	VAL	N-CA-C	-5.74	98.88	107.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	596	ARG	N-CA-C	5.72	117.38	111.03
1	B	623	SER	N-CA-C	-5.51	106.06	112.89
1	A	455	LEU	N-CA-C	5.50	117.99	110.24
1	B	326	CYS	CA-CB-SG	5.46	126.96	114.40
1	B	599	CYS	N-CA-C	5.40	120.74	113.72
1	B	375	LYS	N-CA-C	-5.37	105.09	111.69
1	B	656	GLU	N-CA-C	-5.36	105.33	111.07
1	A	623	SER	N-CA-C	-5.35	106.75	113.28
1	A	688	THR	N-CA-C	-5.33	103.46	110.39
1	A	325	GLY	N-CA-C	-5.29	107.60	113.79
1	A	564	LEU	N-CA-C	5.25	118.15	108.69
1	A	397	LYS	N-CA-C	-5.25	102.72	110.48
1	A	590	GLY	N-CA-C	5.20	119.17	112.83
1	A	656	GLU	N-CA-C	-5.14	105.57	111.07
1	B	418	ARG	N-CA-C	5.05	118.93	112.87
1	A	315	THR	N-CA-C	-5.01	108.19	114.56
1	B	681	PRO	CA-C-N	5.01	125.68	120.12
1	B	681	PRO	C-N-CA	5.01	125.68	120.12

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3313	0	3221	92	0
1	B	3340	0	3256	67	0
2	A	4	0	3	0	0
2	B	4	0	3	0	0
3	A	1	0	0	0	0
4	A	43	0	30	2	0
4	B	43	0	30	2	0
5	A	17	0	15	0	0
5	B	17	0	15	0	0
6	A	9	0	13	0	0
6	B	9	0	13	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
7	A	196	0	0	7	0
7	B	302	0	0	9	0
All	All	7298	0	6599	157	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (157) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:473:ARG:NH2	1:A:710:PRO:HD3	1.90	0.86
1:A:638:LEU:O	1:A:642:GLN:HG3	1.77	0.85
1:B:373:GLY:H	1:B:377:HIS:HD2	1.26	0.83
1:A:523:LEU:HD22	1:A:531:PRO:HB2	1.58	0.83
1:B:351:LYS:HE2	1:B:392:SER:OG	1.78	0.82
4:B:750:HEM:HMC2	4:B:750:HEM:HBC2	1.65	0.78
1:B:391:THR:O	1:B:392:SER:HB2	1.85	0.77
1:A:350:THR:HB	1:A:353:GLN:HG3	1.74	0.69
1:A:323:GLU:O	1:A:699:ARG:HD3	1.93	0.68
1:A:545:PRO:HG2	1:A:547:ARG:NH1	2.10	0.66
1:A:621:THR:HG22	7:A:1055:HOH:O	1.94	0.66
1:B:355:PHE:CE1	1:B:385:ASN:HB2	2.30	0.66
1:A:487:GLN:HB3	7:A:1051:HOH:O	1.93	0.66
1:B:350:THR:HG22	1:B:352:ASP:H	1.61	0.65
1:B:350:THR:HB	1:B:353:GLN:HG2	1.78	0.65
1:A:322:LEU:HB3	1:A:699:ARG:NH1	2.11	0.65
1:A:502:THR:O	1:A:506:ILE:HG12	1.96	0.65
1:B:323:GLU:O	1:B:699:ARG:HD3	1.97	0.65
1:B:322:LEU:HD13	1:B:699:ARG:HH21	1.64	0.63
1:A:504:ILE:O	1:A:508:GLN:HB2	1.98	0.62
1:B:513:PRO:HG2	1:B:518:ASP:CG	2.25	0.62
1:A:682:PRO:HG3	7:A:904:HOH:O	2.00	0.61
1:A:350:THR:HG22	1:A:352:ASP:H	1.66	0.61
1:A:551:PHE:HB3	1:A:553:TRP:NE1	2.16	0.60
1:A:353:GLN:O	1:A:356:PRO:HG2	2.01	0.60
1:B:614:MET:HE3	1:B:632:GLU:HG3	1.84	0.60
1:A:350:THR:HB	1:A:353:GLN:CG	2.31	0.60
1:A:336:MET:HG3	1:B:306:TRP:NE1	2.17	0.60
1:A:486:LYS:HG3	1:A:499:VAL:HG11	1.84	0.59
1:B:571:LEU:HD13	1:B:580:SER:HA	1.84	0.59
1:A:475:TRP:HB2	1:A:523:LEU:HB3	1.85	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:373:GLY:H	1:B:377:HIS:CD2	2.15	0.58
1:A:330:ILE:HD11	1:B:696:LEU:HD22	1.86	0.58
1:A:545:PRO:HG2	1:A:547:ARG:HH11	1.67	0.58
1:A:307:GLU:HG3	7:B:1946:HOH:O	2.04	0.57
1:A:506:ILE:HD11	1:A:512:ALA:HB2	1.86	0.57
1:B:684:SER:HB3	1:B:687:ILE:HD11	1.85	0.57
1:B:322:LEU:HD13	1:B:699:ARG:NH2	2.20	0.57
1:A:504:ILE:HA	1:A:507:GLN:HG2	1.86	0.56
1:A:716:TRP:H	1:A:716:TRP:CD1	2.22	0.56
1:B:608:GLU:O	1:B:611:ALA:HB3	2.05	0.56
1:A:350:THR:HG22	1:A:352:ASP:N	2.20	0.56
1:A:595:VAL:HG23	1:A:634:ASN:HD21	1.70	0.56
1:A:455:LEU:HD12	1:A:587:TRP:HB3	1.88	0.56
1:A:480:ILE:HD13	1:A:541:VAL:HG13	1.87	0.56
1:A:467:ASP:OD1	1:A:469:LYS:HB2	2.06	0.56
1:A:595:VAL:HG11	1:A:682:PRO:HB2	1.88	0.55
1:A:715:VAL:O	1:A:715:VAL:HG23	2.06	0.55
1:B:499:VAL:O	1:B:503:GLU:HG3	2.07	0.55
1:B:612:LYS:O	1:B:615:ASP:N	2.35	0.55
1:B:403:TYR:CE1	1:B:407:HIS:CE1	2.95	0.54
1:B:701:THR:HA	1:B:702:PRO:C	2.33	0.54
1:B:548:HIS:NE2	1:B:632:GLU:OE1	2.37	0.54
1:A:488:PRO:HD2	7:A:1051:HOH:O	2.07	0.54
1:A:548:HIS:ND1	1:A:549:PRO:HD2	2.23	0.54
1:B:485:TYR:CZ	1:B:514:ARG:HA	2.43	0.53
1:A:355:PHE:N	1:A:356:PRO:HD2	2.24	0.53
1:A:455:LEU:HD12	1:A:587:TRP:CB	2.38	0.53
1:B:451:ASN:HB3	1:B:454:ASN:O	2.09	0.52
1:A:403:TYR:CE1	1:A:407:HIS:CE1	2.98	0.52
1:B:348:VAL:HG21	7:B:2094:HOH:O	2.09	0.51
1:B:705:GLU:HG3	7:B:1995:HOH:O	2.09	0.51
1:B:455:LEU:HD12	1:B:587:TRP:HB3	1.92	0.51
1:A:465:ARG:NE	1:A:471:ASP:OD2	2.44	0.51
1:A:303:VAL:CG1	1:A:694:GLU:O	2.59	0.51
1:B:595:VAL:HG23	1:B:634:ASN:HD21	1.76	0.50
1:A:549:PRO:HB3	1:A:639:TYR:CD1	2.47	0.50
1:B:675:ASP:O	1:B:679:ILE:HG12	2.11	0.50
1:A:552:ASP:O	1:A:555:LYS:HG2	2.12	0.50
1:B:684:SER:HB3	1:B:687:ILE:CG1	2.42	0.49
1:A:387:GLU:OE2	1:A:394:TYR:HA	2.11	0.49
1:B:478:GLN:HB2	1:B:481:ARG:HG3	1.93	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:638:LEU:O	1:B:642:GLN:HG3	2.12	0.49
1:A:451:ASN:HB3	1:A:454:ASN:O	2.12	0.49
1:A:325:GLY:O	1:A:332:MET:HE2	2.12	0.49
1:B:659:ILE:O	1:B:663:GLU:HG3	2.13	0.49
1:A:675:ASP:O	1:A:679:ILE:HG12	2.13	0.49
1:A:463:PRO:HB2	1:A:472:PHE:CE1	2.48	0.48
1:B:614:MET:CE	1:B:632:GLU:HG3	2.43	0.48
1:B:307:GLU:OE2	7:B:2115:HOH:O	2.20	0.48
1:A:549:PRO:HB3	1:A:639:TYR:CE1	2.49	0.47
1:B:352:ASP:C	1:B:352:ASP:OD2	2.57	0.47
1:A:629:ALA:O	1:A:630:LEU:C	2.58	0.47
1:A:686:SER:HA	1:A:691:PHE:CG	2.49	0.47
1:B:455:LEU:HD12	1:B:587:TRP:CB	2.45	0.47
1:A:378:MET:HA	1:A:378:MET:HE2	1.96	0.46
1:A:350:THR:HB	1:A:353:GLN:CD	2.40	0.46
1:A:300:PHE:CD2	1:A:315:THR:HG22	2.51	0.46
1:B:387:GLU:OE2	1:B:394:TYR:HA	2.16	0.46
1:A:323:GLU:O	1:A:699:ARG:CD	2.63	0.46
1:A:355:PHE:HD1	1:A:388:ILE:HD12	1.80	0.46
1:A:701:THR:HG23	7:A:972:HOH:O	2.15	0.46
1:B:596:ARG:O	1:B:600:ASP:HB2	2.16	0.46
1:A:300:PHE:HD2	1:A:315:THR:HG22	1.82	0.45
1:B:462:PHE:HB3	1:B:463:PRO:CD	2.46	0.45
1:B:364:GLN:NE2	7:B:2157:HOH:O	2.49	0.45
1:A:462:PHE:HB3	1:A:463:PRO:CD	2.46	0.45
1:A:524:LEU:O	1:A:531:PRO:HA	2.14	0.45
1:B:485:TYR:CE1	1:B:514:ARG:HA	2.51	0.45
1:B:608:GLU:HG3	7:B:2144:HOH:O	2.15	0.45
1:A:470:HIS:HA	1:A:527:ASN:O	2.16	0.45
1:A:681:PRO:HA	1:A:682:PRO:HD3	1.74	0.45
1:A:384:VAL:O	1:A:388:ILE:HG13	2.17	0.45
1:B:362:LEU:HD11	1:B:384:VAL:HG21	1.98	0.45
1:A:608:GLU:HG2	1:A:618:MET:CE	2.46	0.45
1:A:510:TRP:HB2	1:A:533:LEU:CD1	2.48	0.44
1:B:620:LYS:HB2	7:B:2025:HOH:O	2.17	0.44
1:A:492:THR:HG21	1:A:496:PRO:HA	2.00	0.44
1:A:551:PHE:HB3	1:A:553:TRP:CE2	2.52	0.44
1:B:536:ILE:O	1:B:537:PRO:C	2.61	0.44
1:A:335:ILE:HD13	1:B:694:GLU:HB3	1.99	0.44
1:A:701:THR:HA	1:A:702:PRO:C	2.43	0.44
1:A:486:LYS:HG3	1:A:499:VAL:CG1	2.45	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:699:ARG:HG2	7:A:1008:HOH:O	2.17	0.43
1:A:631:VAL:HG11	1:B:628:GLN:HG2	1.99	0.43
1:B:612:LYS:HE3	7:B:2060:HOH:O	2.18	0.43
1:B:699:ARG:HG2	7:B:2073:HOH:O	2.18	0.43
1:B:445:HIS:C	1:B:445:HIS:CD2	2.96	0.43
1:B:701:THR:HB	1:B:702:PRO:HA	2.00	0.43
4:B:750:HEM:HBC2	4:B:750:HEM:CMC	2.41	0.43
1:B:477:SER:HA	1:B:569:ASN:HB3	2.00	0.43
1:B:450:THR:HA	1:B:455:LEU:CD2	2.48	0.42
1:A:546:ILE:HG22	1:A:554:PHE:HE2	1.84	0.42
1:B:409:TRP:CE3	1:B:421:TRP:HA	2.54	0.42
1:B:565:PRO:HB2	6:B:1831:BHH:H42	2.01	0.42
1:B:504:ILE:O	1:B:508:GLN:HG2	2.19	0.42
4:A:750:HEM:HBB2	4:A:750:HEM:HHC	2.02	0.42
1:A:475:TRP:CE2	1:A:710:PRO:HB2	2.55	0.42
1:B:680:VAL:HA	1:B:681:PRO:HD3	1.89	0.42
1:B:684:SER:HB3	1:B:687:ILE:CD1	2.49	0.42
1:A:322:LEU:HD13	1:A:699:ARG:NH2	2.35	0.42
1:A:485:TYR:CE2	1:A:512:ALA:HB1	2.54	0.42
1:A:445:HIS:CD2	1:A:445:HIS:C	2.98	0.42
1:B:369:ILE:O	1:B:370:LYS:HB2	2.19	0.42
1:A:374:SER:O	1:A:378:MET:HG2	2.19	0.41
1:A:463:PRO:HG2	1:A:472:PHE:CZ	2.55	0.41
1:A:554:PHE:HB3	7:A:929:HOH:O	2.20	0.41
1:A:299:ARG:HG3	1:A:318:LEU:HD21	2.02	0.41
1:A:366:TYR:HA	1:A:369:ILE:HG12	2.03	0.41
1:A:716:TRP:CD1	1:A:716:TRP:N	2.87	0.41
1:B:478:GLN:HB2	1:B:481:ARG:CG	2.50	0.41
1:A:566:ALA:HB2	1:A:585:SER:HB3	2.02	0.41
1:B:487:GLN:OE1	1:B:487:GLN:HA	2.20	0.41
1:A:306:TRP:NE1	1:B:336:MET:HG3	2.34	0.41
1:A:604:TYR:O	1:A:605:ASN:C	2.64	0.41
1:B:353:GLN:HG2	1:B:353:GLN:H	1.58	0.41
1:B:325:GLY:O	1:B:332:MET:HE2	2.20	0.41
1:A:510:TRP:HB2	1:A:533:LEU:HD13	2.03	0.41
1:A:504:ILE:CA	1:A:507:GLN:HG2	2.51	0.41
4:A:750:HEM:HMB1	4:A:750:HEM:HAB	1.85	0.41
1:A:630:LEU:HD22	1:B:687:ILE:HD13	2.03	0.40
1:A:506:ILE:HD11	1:A:512:ALA:CB	2.50	0.40
1:A:701:THR:OG1	1:A:702:PRO:HA	2.21	0.40
1:B:659:ILE:HD13	1:B:659:ILE:HA	1.93	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:686:SER:HA	1:A:691:PHE:CB	2.50	0.40
1:A:386:LYS:HD3	1:A:386:LYS:HA	1.86	0.40
1:A:489:ASP:O	1:A:489:ASP:OD1	2.40	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	403/419 (96%)	379 (94%)	24 (6%)	0	100	100
1	B	406/419 (97%)	387 (95%)	19 (5%)	0	100	100
All	All	809/838 (96%)	766 (95%)	43 (5%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	363/375 (97%)	359 (99%)	4 (1%)	65	68
1	B	366/375 (98%)	361 (99%)	5 (1%)	59	60
All	All	729/750 (97%)	720 (99%)	9 (1%)	63	65

All (9) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	316	LEU
1	A	485	TYR
1	A	493	LEU
1	A	523	LEU
1	B	299	ARG
1	B	303	VAL
1	B	316	LEU
1	B	423	LYS
1	B	540	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (21) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	425	GLN
1	A	436	HIS
1	A	451	ASN
1	A	454	ASN
1	A	500	GLN
1	A	601	ASN
1	A	628	GLN
1	A	634	ASN
1	A	697	ASN
1	B	364	GLN
1	B	377	HIS
1	B	385	ASN
1	B	425	GLN
1	B	451	ASN
1	B	454	ASN
1	B	507	GLN
1	B	527	ASN
1	B	535	GLN
1	B	634	ASN
1	B	664	ASN
1	B	697	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 9 ligands modelled in this entry, 1 is monoatomic - leaving 8 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
6	BHH	B	1831	-	6,8,8	1.72	1 (16%)	7,8,8	1.78	2 (28%)
2	ACT	B	1860	-	3,3,3	1.17	0	3,3,3	0.68	0
5	H4B	A	760	-	17,18,18	1.82	6 (35%)	14,26,26	2.13	4 (28%)
4	HEM	B	750	1	50,50,50	1.56	11 (22%)	67,82,82	1.44	11 (16%)
2	ACT	A	860	-	3,3,3	0.99	0	3,3,3	0.73	0
5	H4B	B	1760	-	17,18,18	1.69	4 (23%)	14,26,26	2.12	4 (28%)
6	BHH	A	831	-	6,8,8	1.53	1 (16%)	7,8,8	1.47	1 (14%)
4	HEM	A	750	1	50,50,50	1.37	7 (14%)	67,82,82	1.51	10 (14%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	BHH	B	1831	-	-	0/5/7/7	-
5	H4B	A	760	-	-	0/8/17/17	0/2/2/2
4	HEM	B	750	1	-	1/14/54/54	-
5	H4B	B	1760	-	-	0/8/17/17	0/2/2/2
6	BHH	A	831	-	-	0/5/7/7	-
4	HEM	A	750	1	-	1/14/54/54	-

All (30) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	760	H4B	C4A-N5	4.17	1.47	1.37
5	B	1760	H4B	C6-N5	3.95	1.54	1.47
5	B	1760	H4B	C4A-N5	3.66	1.46	1.37
6	B	1831	BHH	OH-NH1	-3.66	1.31	1.40
4	B	750	HEM	C3B-C4B	3.41	1.51	1.44
5	A	760	H4B	C6-N5	3.40	1.53	1.47
4	B	750	HEM	CAD-C3D	3.21	1.59	1.51
4	A	750	HEM	CMC-C2C	3.12	1.57	1.50
4	B	750	HEM	CAB-C3B	-3.09	1.39	1.47
6	A	831	BHH	OH-NH1	-3.00	1.32	1.40
4	A	750	HEM	CAB-C3B	-2.89	1.39	1.47
4	A	750	HEM	CMD-C2D	2.82	1.56	1.50
4	A	750	HEM	CMA-C3A	2.65	1.56	1.50
5	B	1760	H4B	C7-N8	2.61	1.49	1.46
4	B	750	HEM	CMB-C2B	2.52	1.55	1.50
4	B	750	HEM	CAC-C3C	-2.51	1.40	1.47
4	B	750	HEM	CHD-C4C	2.51	1.43	1.38
5	A	760	H4B	C4-N3	2.49	1.43	1.38
5	A	760	H4B	C7-C6	2.45	1.54	1.52
4	B	750	HEM	C1B-NB	2.39	1.44	1.40
4	B	750	HEM	CAA-C2A	2.30	1.57	1.51
4	A	750	HEM	CAC-C3C	-2.26	1.41	1.47
5	A	760	H4B	C7-N8	2.24	1.48	1.46
4	B	750	HEM	CMD-C2D	2.23	1.55	1.50
4	A	750	HEM	FE-NB	2.19	2.01	1.94
4	A	750	HEM	FE-ND	2.15	2.01	1.94
4	B	750	HEM	CMA-C3A	2.08	1.55	1.50
5	B	1760	H4B	C4-N3	2.08	1.42	1.38
5	A	760	H4B	C2-N1	2.07	1.38	1.33
4	B	750	HEM	C3C-C4C	-2.04	1.42	1.46

All (32) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	B	1760	H4B	C2-N1-C8A	5.60	123.24	113.36
5	A	760	H4B	C2-N1-C8A	5.47	123.01	113.36
4	A	750	HEM	CMC-C2C-C1C	4.31	132.32	124.73
4	A	750	HEM	C3C-C2C-C1C	-4.21	103.06	107.05
6	B	1831	BHH	C1-NE-CZ	3.99	130.78	123.46
5	A	760	H4B	N3-C2-N1	-3.31	117.25	123.32
5	A	760	H4B	O10-C10-C9	-3.27	104.36	109.77
5	B	1760	H4B	N3-C2-N1	-3.23	117.41	123.32

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	750	HEM	C2B-C1B-NB	3.23	113.55	109.84
6	A	831	BHH	C1-NE-CZ	3.09	129.13	123.46
4	A	750	HEM	CAB-C3B-C2B	-3.06	118.48	128.43
5	B	1760	H4B	O10-C10-C9	-2.99	104.83	109.77
4	A	750	HEM	CHD-C1D-ND	-2.84	121.36	124.42
4	B	750	HEM	CBA-CAA-C2A	-2.70	105.06	112.53
5	B	1760	H4B	O9-C9-C6	2.64	115.61	109.28
4	B	750	HEM	CAB-C3B-C2B	-2.51	120.26	128.43
4	B	750	HEM	CMC-C2C-C1C	2.51	129.15	124.73
4	B	750	HEM	CMB-C2B-C1B	2.38	128.76	125.03
4	A	750	HEM	CMB-C2B-C1B	2.36	128.72	125.03
4	B	750	HEM	C4A-CHB-C1B	-2.29	120.85	126.25
4	A	750	HEM	C4C-C3C-C2C	2.26	108.77	106.81
4	B	750	HEM	CBD-CAD-C3D	-2.23	106.38	112.53
5	A	760	H4B	O9-C9-C6	2.22	114.59	109.28
4	B	750	HEM	CAD-C3D-C2D	2.19	131.97	127.87
4	A	750	HEM	CBA-CAA-C2A	-2.19	106.49	112.53
4	A	750	HEM	CAB-C3B-C4B	2.15	133.88	124.39
6	B	1831	BHH	NE-CZ-NH1	2.15	121.71	116.80
4	A	750	HEM	CMC-C2C-C3C	-2.12	123.30	128.43
4	A	750	HEM	C2A-C1A-NA	2.11	112.49	110.15
4	B	750	HEM	CHA-C4D-C3D	-2.07	121.42	125.23
4	B	750	HEM	CHB-C4A-C3A	-2.02	121.56	127.43
4	B	750	HEM	C4C-CHD-C1D	-2.01	121.75	126.02

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	750	HEM	C4B-C3B-CAB-CBB
4	B	750	HEM	C4B-C3B-CAB-CBB


There are no ring outliers.


3 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	B	1831	BHH	1	0
4	B	750	HEM	2	0
4	A	750	HEM	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths,

bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	407/419 (97%)	0.99	82 (20%) 3 2	20, 39, 61, 72	0
1	B	410/419 (97%)	0.28	18 (4%) 39 39	19, 29, 49, 65	0
All	All	817/838 (97%)	0.63	100 (12%) 8 7	19, 33, 59, 72	0

All (100) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	501	PHE	4.4
1	B	348	VAL	4.4
1	A	554	PHE	4.3
1	A	355	PHE	4.2
1	A	716	TRP	4.1
1	B	321	THR	4.1
1	A	506	ILE	4.0
1	A	528	GLY	3.7
1	B	300	PHE	3.7
1	A	321	THR	3.7
1	A	557	LEU	3.4
1	A	300	PHE	3.4
1	B	355	PHE	3.4
1	A	608	GLU	3.4
1	A	553	TRP	3.3
1	A	373	GLY	3.3
1	A	510	TRP	3.3
1	A	493	LEU	3.2
1	B	350	THR	3.2
1	A	546	ILE	3.1
1	A	551	PHE	3.1
1	A	376	ALA	3.1
1	A	515	GLY	3.1
1	A	711	TRP	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	509	GLY	3.1
1	A	715	VAL	3.1
1	A	513	PRO	3.0
1	A	512	ALA	3.0
1	A	381	LEU	3.0
1	A	384	VAL	3.0
1	A	488	PRO	3.0
1	A	514	ARG	2.9
1	A	517	PHE	2.9
1	A	519	VAL	2.8
1	A	489	ASP	2.8
1	A	556	ASP	2.8
1	B	352	ASP	2.8
1	B	322	LEU	2.8
1	A	507	GLN	2.8
1	A	504	ILE	2.7
1	A	552	ASP	2.7
1	A	350	THR	2.6
1	A	483	ALA	2.6
1	A	372	PHE	2.6
1	A	470	HIS	2.6
1	A	486	LYS	2.6
1	A	499	VAL	2.6
1	A	503	GLU	2.6
1	A	558	GLY	2.6
1	A	607	LEU	2.6
1	A	303	VAL	2.5
1	A	505	CYS	2.5
1	A	712	ASN	2.5
1	A	338	PRO	2.5
1	B	351	LYS	2.5
1	A	533	LEU	2.5
1	B	338	PRO	2.4
1	A	322	LEU	2.4
1	A	616	LEU	2.4
1	B	301	LEU	2.4
1	A	319	LYS	2.4
1	A	393	THR	2.4
1	A	710	PRO	2.4
1	A	611	ALA	2.4
1	A	354	LEU	2.4
1	A	535	GLN	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	377	HIS	2.3
1	A	548	HIS	2.3
1	A	301	LEU	2.3
1	A	516	ARG	2.3
1	B	386	LYS	2.3
1	A	536	ILE	2.3
1	A	610	VAL	2.3
1	A	385	ASN	2.3
1	A	606	ILE	2.2
1	B	354	LEU	2.2
1	A	485	TYR	2.2
1	A	714	HIS	2.2
1	B	299	ARG	2.2
1	A	559	LEU	2.2
1	A	511	LYS	2.2
1	A	309	ASP	2.2
1	A	668	CYS	2.2
1	A	324	THR	2.1
1	A	508	GLN	2.1
1	A	361	PHE	2.1
1	B	619	ARG	2.1
1	A	392	SER	2.1
1	A	502	THR	2.1
1	A	713	THR	2.1
1	B	303	VAL	2.1
1	A	357	LEU	2.1
1	B	318	LEU	2.1
1	A	544	VAL	2.1
1	A	318	LEU	2.0
1	B	349	ARG	2.0
1	A	492	THR	2.0
1	B	620	LYS	2.0
1	A	389	GLU	2.0
1	A	531	PRO	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
6	BHH	A	831	9/9	0.78	0.16	34,35,35,36	0
2	ACT	A	860	4/4	0.88	0.20	56,57,57,57	0
6	BHH	B	1831	9/9	0.88	0.11	34,35,35,36	0
5	H4B	A	760	17/17	0.94	0.07	28,28,29,29	0
5	H4B	B	1760	17/17	0.95	0.06	21,22,23,23	0
2	ACT	B	1860	4/4	0.97	0.09	34,34,34,34	0
4	HEM	A	750	43/43	0.98	0.06	20,21,22,23	0
4	HEM	B	750	43/43	0.98	0.06	18,19,22,24	0
3	ZN	A	900	1/1	0.99	0.02	29,29,29,29	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around HEM A 750:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers ⓘ

There are no such residues in this entry.