



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 03:00 AM UTC

PDB ID : 5M10 / pdb_00005m10
Title : Crystal structure of cyclohexanone monooxygenase from *Thermocrispum municipale* in the oxidised state with a bound nicotinamide.
Authors : Gomez-Castellanos, J.R.; Mattevi, A.
Deposited on : 2016-10-06
Resolution : 1.22 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.22 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2002 (1.24-1.20)
Clashscore	190562	2061 (1.24-1.20)
Ramachandran outliers	187476	2009 (1.24-1.20)
Sidechain outliers	187428	2008 (1.24-1.20)
RSRZ outliers	180081	2000 (1.24-1.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	541	 79% 16% ..

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	TRS	A	608	-	X	-	-

2 Entry composition [i](#)


There are 7 unique types of molecules in this entry. The entry contains 5034 atoms, of which 0 are hydrogens and 0 are deuteriums.


In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Cyclohexanone Monooxygenase from Thermocrispum municipale.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	529	4315	2724	741	835	15	0	24	0


- Molecule 2 is FLAVIN-ADENINE DINUCLEOTIDE (CCD ID: FAD) (formula: C₂₇H₃₃N₉O₁₅P₂).





Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			48	21	7	17	3		

- Molecule 4 is NICOTINAMIDE (CCD ID: NCA) (formula: C₆H₆N₂O).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N	O	0	0
			9	6	2	1		

- Molecule 5 is 2-AMINO-2-HYDROXYMETHYL-PROPANE-1,3-DIOL (CCD ID: TRS) (formula: C₄H₁₂NO₃).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	1	Total	C	N	O	0	0
			8	4	1	3		
5	A	1	Total	C	N	O	0	0
			8	4	1	3		

- Molecule 6 is GLYCEROL (CCD ID: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			6	3	3		
6	A	1	Total	C	O	0	0
			6	3	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			6	3	3		
6	A	1	Total	C	O	0	0
			6	3	3		
6	A	1	Total	C	O	0	0
			6	3	3		

- Molecule 7 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	563	Total	O	0	0
			563	563		

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Cyclohexanone Monooxygenase from *Thermocrispum municipale*

Chain A:  79% 16% ..



4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	68.84Å 113.63Å 155.48Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	38.90 – 1.22 38.90 – 1.22	Depositor EDS
% Data completeness (in resolution range)	93.6 (38.90-1.22) 93.6 (38.90-1.22)	Depositor EDS
R_{merge}	0.04	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.62 (at 1.22Å)	Xtriage
Refinement program	REFMAC 5.8.0155	Depositor
R, R_{free}	0.131 , 0.165 0.129 , 0.163	Depositor DCC
R_{free} test set	5115 reflections (2.84%)	wwPDB-VP
Wilson B-factor (Å ²)	9.6	Xtriage
Anisotropy	1.013	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 38.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.015 for 1/2*h-1/2*k,-3/2*h-1/2*k,-l 0.025 for 1/2*h+1/2*k,3/2*h-1/2*k,-l	Xtriage
F_o, F_c correlation	0.98	EDS
Total number of atoms	5034	wwPDB-VP
Average B, all atoms (Å ²)	16.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.13% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: FAD, NCA, NAP, TRS, GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.88	57/4447 (1.3%)	1.56	41/6037 (0.7%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (57) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	71	LYS	CE-NZ	11.78	1.84	1.49
1	A	534	GLY	N-CA	10.89	1.62	1.45
1	A	76	GLU	CD-OE2	-9.87	1.06	1.25
1	A	203	GLN	CD-NE2	8.84	1.51	1.33
1	A	490	ASP	CA-CB	8.82	1.64	1.52
1	A	313	ASP	CG-OD2	-8.26	1.09	1.25
1	A	145	LEU	CB-CG	-7.90	1.37	1.53
1	A	528	ARG	CD-NE	-7.75	1.35	1.46
1	A	265	ARG	N-CA	7.74	1.55	1.46
1	A	404	GLU	CD-OE2	7.61	1.39	1.25
1	A	153	ASP	CA-C	-7.19	1.45	1.53
1	A	179	LYS	C-O	6.98	1.32	1.23
1	A	352	GLU	CD-OE1	6.93	1.38	1.25
1	A	262	GLU	C-O	6.88	1.32	1.24
1	A	111	GLU	CA-C	-6.82	1.43	1.52
1	A	498	ILE	CA-C	6.79	1.58	1.53
1	A	51	ASN	CA-C	-6.67	1.46	1.53
1	A	256	GLU	CA-C	-6.62	1.44	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	527	TYR	CA-C	-6.43	1.46	1.53
1	A	268	VAL	CA-C	6.42	1.60	1.52
1	A	134	LEU	CA-CB	-5.99	1.43	1.53
1	A	203	GLN	CD-OE1	5.91	1.34	1.23
1	A	62	GLY	CA-C	-5.82	1.45	1.52
1	A	226	GLU	C-O	-5.74	1.17	1.24
1	A	463	VAL	CA-CB	5.74	1.61	1.54
1	A	405	HIS	C-O	5.72	1.31	1.24
1	A	125[A]	ARG	CZ-NH2	5.68	1.40	1.33
1	A	125[B]	ARG	CZ-NH2	5.68	1.40	1.33
1	A	128	THR	N-CA	-5.65	1.39	1.45
1	A	486	PHE	CA-C	5.65	1.59	1.52
1	A	153	ASP	C-N	-5.65	1.26	1.33
1	A	264	GLU	CA-C	5.61	1.60	1.52
1	A	395	ARG	CZ-NH1	5.60	1.40	1.32
1	A	148	ARG	CZ-NH1	5.58	1.40	1.32
1	A	356	GLU	CD-OE2	-5.56	1.14	1.25
1	A	251	GLU	CG-CD	5.54	1.66	1.52
1	A	516	ARG	N-CA	-5.54	1.39	1.46
1	A	136	ALA	N-CA	5.45	1.52	1.45
1	A	531	GLN	CA-C	-5.38	1.46	1.52
1	A	43	GLY	C-O	-5.34	1.17	1.24
1	A	153	ASP	CG-OD1	5.29	1.35	1.25
1	A	405	HIS	CB-CG	-5.29	1.42	1.50
1	A	99	ARG	CZ-NH2	-5.28	1.26	1.33
1	A	411	THR	C-O	5.26	1.30	1.23
1	A	304	ARG	CD-NE	-5.24	1.39	1.46
1	A	267	ARG	N-CA	-5.24	1.40	1.46
1	A	203	GLN	CG-CD	-5.22	1.39	1.52
1	A	134	LEU	CB-CG	-5.18	1.43	1.53
1	A	281	PHE	CA-C	-5.16	1.46	1.52
1	A	110	THR	C-O	5.15	1.29	1.24
1	A	118	ASP	CG-OD1	-5.10	1.15	1.25
1	A	380	THR	N-CA	-5.09	1.39	1.46
1	A	521	ASP	CB-CG	5.08	1.64	1.52
1	A	204	LEU	CA-C	-5.07	1.46	1.52
1	A	331	LEU	C-O	5.04	1.30	1.23
1	A	319	LYS	CD-CE	-5.04	1.37	1.52
1	A	341	ASN	CG-OD1	5.01	1.33	1.23

All (41) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	125[A]	ARG	NE-CZ-NH2	-10.60	109.66	119.20
1	A	125[B]	ARG	NE-CZ-NH2	-10.60	109.66	119.20
1	A	533	ARG	CB-CG-CD	7.61	128.80	111.30
1	A	71	LYS	CG-CD-CE	7.54	128.63	111.30
1	A	200	MET	CG-SD-CE	-6.68	86.20	100.90
1	A	125[A]	ARG	NE-CZ-NH1	6.65	128.15	121.50
1	A	125[B]	ARG	NE-CZ-NH1	6.65	128.15	121.50
1	A	296	ASN	OD1-CG-ND2	6.64	129.24	122.60
1	A	199	LYS	CG-CD-CE	6.63	126.55	111.30
1	A	528	ARG	NE-CZ-NH2	-6.16	113.66	119.20
1	A	98	GLU	CA-C-O	5.76	126.87	120.82
1	A	486	PHE	O-C-N	5.75	126.12	120.71
1	A	432	GLY	O-C-N	5.65	127.42	121.77
1	A	280[A]	ARG	NH1-CZ-NH2	-5.63	111.98	119.30
1	A	280[B]	ARG	NH1-CZ-NH2	-5.63	111.98	119.30
1	A	329	ARG	CA-C-O	5.61	125.02	119.75
1	A	323	THR	OG1-CB-CG2	-5.60	98.11	109.30
1	A	166	HIS	CA-C-O	5.58	128.05	121.36
1	A	493	ILE	O-C-N	5.52	127.44	121.87
1	A	312	LYS	CG-CD-CE	5.49	123.93	111.30
1	A	530	PHE	CA-C-O	5.47	126.51	120.71
1	A	148	ARG	NE-CZ-NH1	5.47	126.97	121.50
1	A	416	VAL	CA-C-O	-5.45	113.97	120.78
1	A	507	PHE	O-C-N	5.40	129.53	123.27
1	A	280[A]	ARG	NE-CZ-NH2	5.36	124.02	119.20
1	A	280[B]	ARG	NE-CZ-NH2	5.36	124.02	119.20
1	A	241	VAL	O-C-N	5.32	127.25	121.94
1	A	98	GLU	CB-CG-CD	5.28	121.58	112.60
1	A	521	ASP	OD1-CG-OD2	5.28	135.57	122.90
1	A	12	ILE	O-C-N	5.28	128.88	123.18
1	A	179	LYS	O-C-N	-5.21	116.79	122.84
1	A	145	LEU	CD1-CG-CD2	-5.19	99.39	110.80
1	A	151	ILE	N-CA-C	-5.19	103.02	108.15
1	A	528	ARG	CD-NE-CZ	5.19	131.66	124.40
1	A	471	ARG	CG-CD-NE	-5.17	100.61	112.00
1	A	111	GLU	O-C-N	-5.17	116.99	123.04
1	A	415	GLY	O-C-N	5.14	128.91	122.28
1	A	117	PHE	O-C-N	5.04	128.97	123.22
1	A	176	ILE	O-C-N	5.03	127.60	122.07
1	A	315	GLU	CA-CB-CG	-5.01	104.07	114.10
1	A	497	ASN	N-CA-C	5.01	119.11	112.89

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	66	ARG	Sidechain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4315	0	4175	36	0
2	A	53	0	30	1	0
3	A	48	0	25	1	0
4	A	9	0	6	2	0
5	A	16	0	23	0	0
6	A	30	0	40	3	0
7	A	563	0	0	14	2
All	All	5034	0	4299	38	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (38) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:71:LYS:NZ	1:A:71:LYS:CE	1.84	1.38
1:A:464[B]:GLU:OE2	7:A:701:HOH:O	1.54	1.21
1:A:524[A]:ASP:OD2	7:A:702:HOH:O	1.63	1.14
1:A:491[A]:SER:O	7:A:703:HOH:O	1.85	0.93
1:A:188[B]:SER:OG	1:A:331:LEU:HD22	1.70	0.90
1:A:28:ARG:HH21	1:A:29:ASN:HD21	1.22	0.88
1:A:280[A]:ARG:NH1	6:A:610:GOL:O2	2.11	0.81
1:A:329:ARG:HH11	4:A:603:NCA:HN72	1.27	0.81
1:A:305[B]:SER:OG	7:A:704:HOH:O	1.99	0.80
1:A:296:ASN:HD21	1:A:326:TYR:H	1.31	0.79
1:A:361:GLN:H	1:A:361:GLN:HE21	1.30	0.77
1:A:464[B]:GLU:CD	7:A:701:HOH:O	2.14	0.77
1:A:464[A]:GLU:OE2	7:A:705:HOH:O	2.04	0.74
1:A:312:LYS:H	1:A:341:ASN:HD21	1.34	0.74

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:188[B]:SER:OG	1:A:331:LEU:CD2	2.39	0.70
1:A:514[A]:ASN:OD1	1:A:517:ARG:NH2	2.28	0.66
1:A:518[B]:GLN:NE2	7:A:708:HOH:O	2.30	0.61
1:A:356:GLU:HG3	1:A:366:SER:HA	1.85	0.56
1:A:371:HIS:HD2	7:A:926:HOH:O	1.88	0.56
2:A:601:FAD:HM73	3:A:602:NAP:C5N	2.37	0.54
1:A:533:ARG:NH1	7:A:701:HOH:O	2.37	0.54
1:A:312:LYS:H	1:A:341:ASN:ND2	2.06	0.51
1:A:361:GLN:HE21	1:A:361:GLN:N	2.04	0.50
1:A:329:ARG:NH1	4:A:603:NCA:HN72	2.03	0.48
1:A:28:ARG:HH21	1:A:29:ASN:ND2	2.02	0.47
1:A:73:LEU:HD23	7:A:1109:HOH:O	2.16	0.46
1:A:464[A]:GLU:HG2	7:A:705:HOH:O	2.15	0.46
1:A:9:LEU:O	1:A:136:ALA:HA	2.16	0.46
1:A:13:VAL:HB	1:A:37:VAL:HG22	2.00	0.43
1:A:464[A]:GLU:CD	7:A:705:HOH:O	2.56	0.43
6:A:610:GOL:H12	7:A:856:HOH:O	2.18	0.43
1:A:280[A]:ARG:HH11	6:A:610:GOL:C2	2.28	0.43
1:A:351:LYS:HE3	7:A:1185:HOH:O	2.18	0.42
1:A:13:VAL:O	1:A:37:VAL:HA	2.20	0.42
1:A:406:TRP:CD1	1:A:411:THR:HG1	2.38	0.41
1:A:15:GLY:O	1:A:20:GLY:HA3	2.20	0.41
1:A:296:ASN:HD21	1:A:326:TYR:N	2.07	0.41

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
7:A:1243:HOH:O	7:A:1243:HOH:O[4_545]	2.03	0.17
7:A:718:HOH:O	7:A:1181:HOH:O[8_445]	2.07	0.13

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was

analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	552/541 (102%)	541 (98%)	10 (2%)	1 (0%)	43 16

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	277	ASN

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	460/444 (104%)	457 (99%)	3 (1%)	76 47

All (3) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	6	THR
1	A	155	PRO
1	A	361	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	29	ASN
1	A	107	GLN
1	A	203	GLN
1	A	271	GLN
1	A	296	ASN
1	A	341	ASN
1	A	361	GLN
1	A	371	HIS
1	A	405	HIS
1	A	482	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

10 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	FAD	A	601	-	58,58,58	2.23	21 (36%)	85,89,89	1.96	24 (28%)
6	GOL	A	607	-	5,5,5	1.45	1 (20%)	5,5,5	1.26	0
4	NCA	A	603	-	9,9,9	1.66	1 (11%)	11,11,11	2.84	5 (45%)
5	TRS	A	604	-	7,7,7	1.71	3 (42%)	9,9,9	2.02	4 (44%)
6	GOL	A	610	-	5,5,5	1.28	0	5,5,5	2.15	2 (40%)
6	GOL	A	606	-	5,5,5	1.05	1 (20%)	5,5,5	0.64	0
5	TRS	A	608	-	7,7,7	1.32	1 (14%)	9,9,9	5.23	4 (44%)
6	GOL	A	605	-	5,5,5	0.38	0	5,5,5	0.83	0
3	NAP	A	602	-	50,52,52	1.71	9 (18%)	71,80,80	1.32	7 (9%)
6	GOL	A	609	-	5,5,5	2.05	1 (20%)	5,5,5	1.44	1 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '–' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	FAD	A	601	-	-	7/34/50/50	0/6/6/6
6	GOL	A	607	-	-	0/4/4/4	-
4	NCA	A	603	-	-	0/4/4/4	0/1/1/1
5	TRS	A	604	-	-	2/9/9/9	-
6	GOL	A	610	-	-	3/4/4/4	-
6	GOL	A	606	-	-	0/4/4/4	-
5	TRS	A	608	-	-	6/9/9/9	-
6	GOL	A	605	-	-	0/4/4/4	-
3	NAP	A	602	-	-	2/35/67/67	0/5/5/5
6	GOL	A	609	-	-	0/4/4/4	-

All (38) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	601	FAD	C4-N3	-6.14	1.27	1.38
2	A	601	FAD	P-O3P	5.09	1.65	1.59
2	A	601	FAD	C5A-C6A	4.77	1.54	1.41
2	A	601	FAD	C4A-N9A	4.61	1.47	1.37
3	A	602	NAP	C5A-C4A	4.25	1.46	1.39
3	A	602	NAP	C6N-C5N	-4.20	1.29	1.38
6	A	609	GOL	O1-C1	4.00	1.59	1.42
3	A	602	NAP	PA-O3	3.92	1.63	1.59
2	A	601	FAD	C10-N10	3.92	1.45	1.37
3	A	602	NAP	C8A-N7A	3.73	1.38	1.31
4	A	603	NCA	O7-C7	-3.56	1.17	1.24
2	A	601	FAD	C5A-C4A	-3.52	1.32	1.39
2	A	601	FAD	C2A-N3A	3.48	1.40	1.33
2	A	601	FAD	C9-C8	-3.30	1.35	1.39
3	A	602	NAP	O4D-C1D	3.28	1.45	1.40
2	A	601	FAD	C4X-N5	3.27	1.37	1.30
3	A	602	NAP	O7N-C7N	-3.24	1.18	1.24
3	A	602	NAP	P2B-O2B	3.18	1.65	1.59
2	A	601	FAD	O3'-C3'	3.14	1.50	1.43
2	A	601	FAD	C1'-C2'	2.94	1.56	1.52
2	A	601	FAD	C2A-N1A	-2.80	1.29	1.33
2	A	601	FAD	PA-O1A	-2.78	1.41	1.50
3	A	602	NAP	C5A-N7A	-2.76	1.34	1.39
2	A	601	FAD	C9-C9A	2.76	1.44	1.39
6	A	607	GOL	O1-C1	2.74	1.53	1.42
2	A	601	FAD	C4X-C10	-2.72	1.36	1.44
2	A	601	FAD	C2-N1	2.67	1.42	1.36
3	A	602	NAP	C3D-C4D	2.45	1.59	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	601	FAD	O4-C4	2.45	1.28	1.23
5	A	604	TRS	C-N	2.43	1.57	1.49
2	A	601	FAD	C6-C7	2.42	1.42	1.39
5	A	604	TRS	O3-C3	2.37	1.49	1.42
5	A	608	TRS	O1-C1	2.27	1.49	1.42
2	A	601	FAD	C2-N3	-2.25	1.34	1.39
5	A	604	TRS	O1-C1	-2.18	1.35	1.42
2	A	601	FAD	C5X-N5	2.14	1.43	1.39
2	A	601	FAD	C8A-N7A	2.12	1.35	1.31
6	A	606	GOL	O2-C2	2.09	1.49	1.43

All (47) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	608	TRS	C2-C-C1	9.18	135.11	110.66
5	A	608	TRS	C1-C-N	-7.32	89.49	108.17
5	A	608	TRS	C2-C-N	-7.27	89.62	108.17
5	A	608	TRS	O1-C1-C	-7.01	91.33	110.88
2	A	601	FAD	C4A-C5A-N7A	6.79	118.34	110.58
4	A	603	NCA	C3-C7-N7	-6.64	109.56	117.74
2	A	601	FAD	C5A-C4A-N3A	5.10	133.74	126.72
2	A	601	FAD	C6A-C5A-C4A	-4.22	111.41	117.18
2	A	601	FAD	C5A-C4A-N9A	-4.22	101.22	105.81
4	A	603	NCA	O7-C7-C3	4.21	124.75	119.60
2	A	601	FAD	N6A-C6A-N1A	4.08	127.46	118.38
6	A	610	GOL	C3-C2-C1	3.96	126.32	111.80
3	A	602	NAP	C3N-C7N-N7N	-3.92	112.91	117.74
2	A	601	FAD	C5X-C9A-N10	3.75	121.36	117.97
3	A	602	NAP	C5A-C4A-N3A	-3.69	121.63	126.72
2	A	601	FAD	O4-C4-C4X	-3.31	117.80	126.53
5	A	604	TRS	C2-C-N	-3.26	99.85	108.17
3	A	602	NAP	N3A-C4A-N9A	3.24	132.68	127.17
4	A	603	NCA	C4-C3-C7	-3.23	112.26	121.06
3	A	602	NAP	C4A-N9A-C8A	3.14	109.04	105.74
2	A	601	FAD	O2-C2-N1	-2.94	116.91	121.80
2	A	601	FAD	C5A-C6A-N6A	-2.80	116.34	123.29
2	A	601	FAD	C4'-C3'-C2'	2.77	118.18	113.57
2	A	601	FAD	C9A-C5X-N5	-2.76	119.53	122.45
2	A	601	FAD	O2-C2-N3	2.72	123.80	118.58
2	A	601	FAD	C5A-N7A-C8A	-2.66	99.28	103.45
2	A	601	FAD	C4-C4X-C10	-2.65	112.39	116.93
2	A	601	FAD	C2A-N1A-C6A	2.61	123.01	118.73

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	603	NCA	C2-C3-C7	2.61	127.64	120.90
3	A	602	NAP	N9A-C8A-N7A	-2.60	110.25	113.94
2	A	601	FAD	C5'-C4'-C3'	-2.44	107.61	112.22
5	A	604	TRS	C3-C-C1	2.43	117.12	110.66
6	A	609	GOL	C3-C2-C1	2.36	120.44	111.80
2	A	601	FAD	O4B-C1B-N9A	-2.34	103.59	108.09
3	A	602	NAP	C6N-N1N-C2N	-2.33	119.89	121.88
5	A	604	TRS	O2-C2-C	2.32	117.35	110.88
2	A	601	FAD	C5X-N5-C4X	-2.32	114.34	118.09
2	A	601	FAD	O4-C4-N3	2.30	124.44	120.11
2	A	601	FAD	C6-C7-C8	-2.26	116.37	119.69
2	A	601	FAD	C4B-O4B-C1B	-2.22	104.56	109.47
5	A	604	TRS	O1-C1-C	-2.12	104.97	110.88
4	A	603	NCA	C4-C3-C2	2.10	119.95	117.61
3	A	602	NAP	C2A-N3A-C4A	2.08	116.91	111.83
2	A	601	FAD	O2P-P-O1P	2.04	121.95	112.44
2	A	601	FAD	C9-C9A-C5X	-2.02	116.45	120.03
2	A	601	FAD	O5B-C5B-C4B	-2.01	102.16	108.99
6	A	610	GOL	O2-C2-C1	-2.01	100.87	109.18

There are no chirality outliers.

All (20) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	601	FAD	N10-C1'-C2'-O2'
2	A	601	FAD	N10-C1'-C2'-C3'
3	A	602	NAP	O4D-C1D-N1N-C2N
5	A	608	TRS	C1-C-C2-O2
5	A	608	TRS	N-C-C2-O2
6	A	610	GOL	O1-C1-C2-C3
6	A	610	GOL	O1-C1-C2-O2
2	A	601	FAD	C2'-C3'-C4'-O4'
5	A	608	TRS	C1-C-C3-O3
2	A	601	FAD	O3'-C3'-C4'-C5'
2	A	601	FAD	O3'-C3'-C4'-O4'
2	A	601	FAD	C2'-C3'-C4'-C5'
6	A	610	GOL	O2-C2-C3-O3
5	A	608	TRS	N-C-C1-O1
2	A	601	FAD	PA-O3P-P-O5'
5	A	604	TRS	C1-C-C2-O2
5	A	608	TRS	C3-C-C1-O1
5	A	604	TRS	C2-C-C3-O3

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
5	A	608	TRS	C2-C-C3-O3
3	A	602	NAP	O4B-C4B-C5B-O5B


There are no ring outliers.

4 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	601	FAD	1	0
4	A	603	NCA	2	0
6	A	610	GOL	3	0
3	A	602	NAP	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	529/541 (97%)	-0.48	2 (0%) 88 91	5, 12, 27, 43	24 (4%)

All (2) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	534	GLY	3.7
1	A	6	THR	2.6

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
6	GOL	A	609	6/6	0.87	0.14	30,39,53,65	0
5	TRS	A	608	8/8	0.88	0.12	29,36,41,55	0
6	GOL	A	610	6/6	0.94	0.09	27,33,38,41	0
4	NCA	A	603	9/9	0.95	0.07	17,20,23,25	0
5	TRS	A	604	8/8	0.96	0.07	17,20,25,29	0

Continued on next page...




Continued from previous page...


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
6	GOL	A	607	6/6	0.98	0.05	13,17,20,22	0
6	GOL	A	606	6/6	0.99	0.04	14,16,16,19	0
3	NAP	A	602	48/48	0.99	0.03	9,11,15,18	0
2	FAD	A	601	53/53	0.99	0.03	8,9,11,15	0
6	GOL	A	605	6/6	0.99	0.03	12,14,18,21	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around NAP A 602:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.