



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 26, 2026 – 10:58 AM UTC

PDB ID : 5M2E / pdb_00005m2e
Title : Apo structure of Pseudomonas aeruginosa Isocitrate Dehydrogenase, ICD.
Authors : Crousilles, A.; Welch, M.
Deposited on : 2016-10-12
Resolution : 2.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3538 (2.70-2.70)
Clashscore	190562	3843 (2.70-2.70)
Ramachandran outliers	187476	3778 (2.70-2.70)
Sidechain outliers	187428	3778 (2.70-2.70)
RSRZ outliers	180081	3538 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	418	3% 90% 9%
1	B	418	6% 90% 9%
1	C	418	19% 79% 19%
1	D	418	12% 86% 13%

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 25716 atoms, of which 12884 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Isocitrate dehydrogenase [NADP].

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	418	Total	C	H	N	O	S	0	0	0
			6420	2035	3221	535	610	19			
1	B	418	Total	C	H	N	O	S	0	0	0
			6420	2035	3221	535	610	19			
1	C	418	Total	C	H	N	O	S	0	0	0
			6420	2035	3221	535	610	19			
1	D	418	Total	C	H	N	O	S	0	0	0
			6420	2035	3221	535	610	19			


- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	13	Total	O	0	0
			13	13		
2	B	2	Total	O	0	0
			2	2		
2	C	13	Total	O	0	0
			13	13		
2	D	8	Total	O	0	0
			8	8		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Isocitrate dehydrogenase [NADP]




• Molecule 1: Isocitrate dehydrogenase [NADP]



• Molecule 1: Isocitrate dehydrogenase [NADP]



● Molecule 1: Isocitrate dehydrogenase [NADP]



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	88.88Å 95.55Å 104.02Å 90.00° 99.19° 90.00°	Depositor
Resolution (Å)	47.78 – 2.70 47.78 – 2.70	Depositor EDS
% Data completeness (in resolution range)	98.5 (47.78-2.70) 98.5 (47.78-2.70)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.45 (at 2.69Å)	Xtriage
Refinement program	PHENIX 1.10-2155	Depositor
R, R_{free}	0.245 , 0.284 0.253 , 0.290	Depositor DCC
R_{free} test set	2000 reflections (4.29%)	wwPDB-VP
Wilson B-factor (Å ²)	68.0	Xtriage
Anisotropy	0.449	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 78.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	25716	wwPDB-VP
Average B, all atoms (Å ²)	125.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.16% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.14	0/3260	0.33	0/4415
1	B	0.15	0/3260	0.32	0/4415
1	C	0.15	0/3260	0.39	0/4415
1	D	0.14	0/3260	0.34	0/4415
All	All	0.14	0/13040	0.35	0/17660

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3199	3221	3221	28	0
1	B	3199	3221	3221	24	0
1	C	3199	3221	3221	62	0
1	D	3199	3221	3221	35	0
2	A	13	0	0	2	0
2	B	2	0	0	2	0
2	C	13	0	0	2	0
2	D	8	0	0	1	0
All	All	12832	12884	12884	142	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (142) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:5:LYS:NZ	1:A:79:VAL:O	1.92	1.02
1:A:114:ARG:O	1:A:114:ARG:NH1	2.04	0.91
1:D:7:GLN:N	1:D:7:GLN:OE1	2.10	0.85
1:C:274:GLY:O	1:C:276:ASN:N	2.11	0.83
1:D:11:THR:O	1:D:28:ASN:ND2	2.13	0.81
1:A:98:VAL:O	2:A:501:HOH:O	1.97	0.81
1:C:156:GLU:OE2	1:C:158:SER:OG	2.01	0.79
1:B:214:LYS:O	2:B:501:HOH:O	2.00	0.78
1:A:137:GLU:OE1	1:A:137:GLU:N	2.17	0.78
1:B:329:ASN:ND2	1:B:338:GLU:OE2	2.17	0.77
1:B:171:SER:OG	1:B:173:GLU:OE1	2.04	0.75
1:C:16:THR:OG1	1:C:24:SER:OG	2.04	0.75
1:D:354:ASN:O	2:D:501:HOH:O	2.06	0.74
1:C:267:GLN:NE2	1:C:276:ASN:OD1	2.21	0.73
1:B:218:TYR:N	2:B:501:HOH:O	2.22	0.73
1:B:74:GLU:O	1:B:77:THR:OG1	2.08	0.71
1:B:156:GLU:OE2	1:B:158:SER:OG	2.07	0.71
1:A:78:GLN:N	1:A:78:GLN:OE1	2.26	0.69
1:C:11:THR:O	1:C:28:ASN:ND2	2.27	0.67
1:B:18:ASN:OD1	1:B:22:SER:OG	2.13	0.66
1:B:194:GLU:OE1	1:B:194:GLU:N	2.30	0.65
1:A:76:ALA:O	1:A:80:TYR:N	2.27	0.64
1:D:260:LEU:O	1:D:263:GLY:N	2.30	0.60
1:D:16:THR:OG1	1:D:17:VAL:N	2.27	0.59
1:A:214:LYS:NZ	1:A:331:SER:O	2.35	0.59
1:C:172:PRO:HA	1:C:175:GLU:HB2	1.85	0.59
1:C:228:THR:OG1	2:C:501:HOH:O	2.17	0.58
1:D:249:GLU:O	1:D:253:ASP:N	2.37	0.57
1:B:220:VAL:O	1:B:270:ASN:ND2	2.37	0.57
1:A:156:GLU:OE2	1:A:158:SER:OG	2.20	0.57
1:A:80:TYR:CE2	1:A:87:PRO:HB3	2.40	0.56
1:C:102:LYS:HG3	1:C:338:GLU:HG3	1.87	0.56
1:C:234:ASN:O	1:C:237:LYS:NZ	2.39	0.55
1:C:189:LYS:NZ	2:C:504:HOH:O	2.39	0.55
1:C:338:GLU:HG2	1:C:339:ALA:N	2.22	0.55
1:C:81:ASP:OD1	1:C:82:GLN:N	2.39	0.54
1:D:270:ASN:ND2	1:D:275:LYS:O	2.38	0.54
1:C:194:GLU:OE1	1:C:195:ASN:N	2.40	0.54
1:D:194:GLU:N	1:D:194:GLU:OE1	2.41	0.54
1:C:214:LYS:NZ	1:C:331:SER:O	2.40	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:27:LYS:HD2	1:C:27:LYS:N	2.23	0.54
1:C:267:GLN:OE1	1:C:269:LYS:NZ	2.31	0.53
1:D:121:ARG:NH1	1:D:157:ASN:O	2.42	0.53
1:C:380:LYS:NZ	1:C:418:MET:O	2.42	0.53
1:C:172:PRO:O	1:C:176:LYS:N	2.41	0.52
1:D:15:ILE:HG21	1:D:26:PRO:HD3	1.91	0.52
1:A:392:THR:OG1	2:A:502:HOH:O	2.19	0.52
1:C:166:GLU:OE2	1:D:239:THR:N	2.44	0.51
1:C:175:GLU:HA	1:C:178:ILE:HG12	1.92	0.50
1:C:77:THR:O	1:C:77:THR:HG23	2.12	0.49
1:C:265:TRP:HB3	1:C:280:LYS:HG3	1.94	0.49
1:D:81:ASP:OD1	1:D:82:GLN:N	2.43	0.49
1:A:239:THR:N	1:B:166:GLU:OE2	2.45	0.49
1:D:156:GLU:OE2	1:D:158:SER:OG	2.20	0.49
1:D:6:ILE:HD12	1:D:6:ILE:N	2.27	0.49
1:C:92:ASP:OD1	1:C:95:ARG:NH2	2.46	0.49
1:C:267:GLN:HB2	1:C:277:VAL:O	2.13	0.49
1:C:268:PHE:HD1	1:C:268:PHE:C	2.21	0.48
1:C:47:MET:O	1:C:51:VAL:HG12	2.13	0.48
1:A:236:MET:SD	1:B:161:ILE:HG21	2.54	0.48
1:D:4:GLN:O	1:D:5:LYS:HB2	2.14	0.48
1:C:373:GLU:N	1:C:373:GLU:OE1	2.47	0.48
1:B:260:LEU:HD21	1:B:265:TRP:HB2	1.96	0.48
1:C:268:PHE:C	1:C:268:PHE:CD1	2.90	0.48
1:A:7:GLN:N	1:A:7:GLN:OE1	2.47	0.47
1:C:72:ALA:HA	1:C:76:ALA:HB2	1.96	0.47
1:D:2:GLY:O	1:D:4:GLN:N	2.47	0.47
1:C:102:LYS:HZ2	1:C:338:GLU:CD	2.23	0.46
1:C:174:ALA:O	1:C:177:VAL:HG22	2.16	0.46
1:B:270:ASN:OD1	1:B:272:LYS:N	2.42	0.46
1:A:331:SER:OG	1:A:332:ASP:N	2.49	0.46
1:A:338:GLU:HG2	1:A:339:ALA:N	2.31	0.46
1:B:108:PRO:O	1:B:109:VAL:C	2.59	0.46
1:C:91:LEU:O	1:C:95:ARG:N	2.42	0.46
1:A:115:SER:O	1:A:118:VAL:HG12	2.16	0.45
1:C:51:VAL:HG11	1:C:67:TRP:CZ2	2.51	0.45
1:C:197:GLY:C	1:C:198:ILE:HD12	2.42	0.45
1:C:196:CYS:HA	1:D:204:SER:HA	1.97	0.45
1:C:269:LYS:HE3	1:C:276:ASN:HA	1.99	0.45
1:C:157:ASN:HA	1:C:305:ASN:ND2	2.32	0.44
1:B:59:TYR:O	1:B:61:GLY:N	2.50	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:274:GLY:O	1:C:275:LYS:C	2.59	0.44
1:C:338:GLU:HG2	1:C:339:ALA:O	2.17	0.44
1:D:86:LEU:HG	1:D:91:LEU:HD11	1.99	0.44
1:A:232:LYS:HB3	1:A:236:MET:HE3	1.99	0.44
1:C:231:HIS:O	1:C:283:ILE:HA	2.18	0.44
1:C:35:GLU:HG3	1:C:44:SER:HB2	1.98	0.44
1:C:74:GLU:HA	1:C:77:THR:HG22	2.00	0.43
1:D:59:TYR:O	1:D:62:GLU:N	2.46	0.43
1:C:102:LYS:HD3	1:C:336:MET:SD	2.59	0.43
1:D:47:MET:O	1:D:51:VAL:HG12	2.18	0.43
1:B:7:GLN:OE1	1:B:7:GLN:N	2.51	0.43
1:B:78:GLN:OE1	1:B:78:GLN:N	2.52	0.43
1:C:35:GLU:OE2	1:C:41:VAL:HA	2.19	0.43
1:A:80:TYR:HB3	1:A:84:THR:OG1	2.18	0.43
1:D:59:TYR:O	1:D:61:GLY:N	2.52	0.43
1:A:5:LYS:HD2	1:A:80:TYR:CE2	2.53	0.43
1:C:127:TYR:C	1:C:157:ASN:OD1	2.61	0.43
1:C:18:ASN:O	1:C:22:SER:N	2.51	0.42
1:A:224:ARG:NH2	1:A:299:ASP:OD1	2.52	0.42
1:C:37:ASP:CG	1:C:74:GLU:H	2.28	0.42
1:D:37:ASP:OD2	1:D:106:THR:OG1	2.34	0.42
1:C:171:SER:O	1:C:174:ALA:N	2.52	0.42
1:A:338:GLU:HG2	1:A:339:ALA:O	2.19	0.42
1:D:108:PRO:CG	1:D:116:LEU:HD12	2.49	0.42
1:C:232:LYS:HE3	1:C:235:ILE:HD12	2.02	0.42
1:D:59:TYR:O	1:D:60:LYS:C	2.62	0.42
1:D:94:VAL:HG11	1:D:336:MET:HE2	2.01	0.42
1:D:98:VAL:HG23	1:D:99:VAL:HG23	2.02	0.41
1:A:188:LYS:C	1:A:190:ILE:H	2.27	0.41
1:C:178:ILE:HG13	1:C:179:LYS:N	2.34	0.41
1:D:107:THR:O	1:D:107:THR:HG23	2.19	0.41
1:C:81:ASP:O	1:C:84:THR:OG1	2.37	0.41
1:D:106:THR:HG23	1:D:343:THR:HG21	2.02	0.41
1:C:4:GLN:HB2	1:C:89:GLU:OE1	2.20	0.41
1:C:371:TRP:HA	1:C:371:TRP:CE3	2.55	0.41
1:B:63:ARG:HD3	1:B:371:TRP:CE2	2.56	0.41
1:B:260:LEU:O	1:B:261:ASP:C	2.64	0.41
1:C:155:ARG:O	1:C:155:ARG:HG3	2.21	0.41
1:D:51:VAL:HG11	1:D:67:TRP:CZ2	2.56	0.41
1:D:178:ILE:HG13	1:D:179:LYS:N	2.34	0.41
1:A:176:LYS:CG	1:B:185:MET:HE1	2.51	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:4:GLN:CB	1:C:89:GLU:OE1	2.69	0.41
1:C:96:ASP:OD1	1:C:97:TYR:N	2.54	0.41
1:A:113:ILE:CG2	1:A:115:SER:O	2.69	0.40
1:B:106:THR:HG22	1:B:108:PRO:HD2	2.03	0.40
1:C:204:SER:HA	1:D:196:CYS:HA	2.03	0.40
1:C:260:LEU:HB2	1:C:267:GLN:HG2	2.02	0.40
1:B:331:SER:OG	1:B:332:ASP:N	2.53	0.40
1:D:214:LYS:HE2	1:D:332:ASP:HA	2.03	0.40
1:A:33:PHE:HA	1:A:101:ILE:O	2.21	0.40
1:A:231:HIS:O	1:A:283:ILE:HA	2.21	0.40
1:B:232:LYS:N	1:B:240:GLU:OE1	2.46	0.40
1:B:257:ALA:HA	1:B:268:PHE:HB3	2.04	0.40
1:C:28:ASN:N	1:C:29:PRO:HD3	2.37	0.40
1:C:161:ILE:CD1	1:D:161:ILE:HD11	2.51	0.40
1:C:274:GLY:O	1:C:277:VAL:HG23	2.21	0.40
1:D:231:HIS:O	1:D:283:ILE:HA	2.21	0.40
1:A:19:ALA:O	1:A:20:ASP:HB2	2.21	0.40
1:A:188:LYS:O	1:A:189:LYS:HB2	2.21	0.40
1:C:270:ASN:HB3	1:C:274:GLY:N	2.37	0.40
1:D:99:VAL:CG1	1:D:365:MET:HG3	2.51	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	416/418 (100%)	392 (94%)	22 (5%)	2 (0%)	24	48
1	B	416/418 (100%)	387 (93%)	25 (6%)	4 (1%)	12	32
1	C	416/418 (100%)	386 (93%)	27 (6%)	3 (1%)	18	41
1	D	416/418 (100%)	385 (92%)	26 (6%)	5 (1%)	10	27
All	All	1664/1672 (100%)	1550 (93%)	100 (6%)	14 (1%)	16	37

All (14) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	273	THR
1	C	275	LYS
1	D	60	LYS
1	B	19	ALA
1	D	7	GLN
1	A	19	ALA
1	D	108	PRO
1	D	3	TYR
1	D	26	PRO
1	B	107	THR
1	B	109	VAL
1	B	111	GLY
1	C	98	VAL
1	A	98	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	339/339 (100%)	335 (99%)	4 (1%)	63	84
1	B	339/339 (100%)	337 (99%)	2 (1%)	78	91
1	C	339/339 (100%)	327 (96%)	12 (4%)	32	61
1	D	339/339 (100%)	334 (98%)	5 (2%)	57	81
All	All	1356/1356 (100%)	1333 (98%)	23 (2%)	53	79

All (23) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	137	GLU
1	A	161	ILE
1	A	194	GLU
1	A	198	ILE
1	B	28	ASN
1	B	232	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	77	THR
1	C	172	PRO
1	C	194	GLU
1	C	206	GLU
1	C	236	MET
1	C	259	LEU
1	C	265	TRP
1	C	266	MET
1	C	267	GLN
1	C	268	PHE
1	C	269	LYS
1	C	275	LYS
1	D	5	LYS
1	D	23	LEU
1	D	109	VAL
1	D	165	VAL
1	D	232	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	267	GLN
1	A	276	ASN
1	D	290	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	418/418 (100%)	0.14	12 (2%) 53 50	43, 75, 149, 254	0
1	B	418/418 (100%)	0.61	27 (6%) 25 22	52, 103, 243, 599	0
1	C	418/418 (100%)	1.10	79 (18%) 3 3	51, 105, 609, 998	0
1	D	418/418 (100%)	0.75	51 (12%) 8 7	40, 109, 287, 783	0
All	All	1672/1672 (100%)	0.65	169 (10%) 12 10	40, 97, 262, 998	0

All (169) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	279	VAL	9.3
1	C	80	TYR	8.2
1	C	265	TRP	6.8
1	C	268	PHE	6.6
1	C	266	MET	6.1
1	C	280	LYS	5.9
1	B	106	THR	5.7
1	C	256	GLY	5.6
1	C	271	PRO	5.5
1	C	263	GLY	5.3
1	C	260	LEU	5.1
1	B	107	THR	5.1
1	D	6	ILE	4.9
1	C	116	LEU	4.9
1	C	30	ILE	4.9
1	D	23	LEU	4.8
1	D	8	VAL	4.7
1	A	30	ILE	4.4
1	D	15	ILE	4.4
1	B	109	VAL	4.4
1	C	366	LEU	4.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	278	VAL	4.4
1	C	264	PRO	4.3
1	C	76	ALA	4.2
1	C	78	GLN	4.2
1	C	281	ASP	4.2
1	C	17	VAL	4.2
1	C	112	GLY	4.1
1	C	98	VAL	4.1
1	D	9	PRO	4.0
1	C	374	ALA	4.0
1	D	161	ILE	4.0
1	C	270	ASN	4.0
1	C	113	ILE	4.0
1	C	79	VAL	3.8
1	C	20	ASP	3.8
1	C	277	VAL	3.7
1	C	247	GLY	3.7
1	C	334	VAL	3.7
1	C	67	TRP	3.6
1	D	2	GLY	3.5
1	C	115	SER	3.4
1	B	264	PRO	3.4
1	C	75	LYS	3.4
1	D	72	ALA	3.4
1	D	187	VAL	3.4
1	D	268	PHE	3.4
1	A	6	ILE	3.3
1	C	107	THR	3.3
1	C	117	ASN	3.3
1	C	161	ILE	3.3
1	A	110	GLY	3.3
1	C	73	GLY	3.3
1	C	109	VAL	3.2
1	B	108	PRO	3.2
1	D	70	VAL	3.2
1	D	10	ALA	3.1
1	B	347	TYR	3.1
1	B	105	LEU	3.1
1	D	97	TYR	3.1
1	C	13	ASP	3.1
1	C	259	LEU	3.0
1	D	3	TYR	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	116	LEU	3.0
1	C	15	ILE	3.0
1	A	93	ALA	3.0
1	D	333	SER	3.0
1	C	4	GLN	3.0
1	C	77	THR	3.0
1	C	110	GLY	3.0
1	D	99	VAL	2.9
1	D	5	LYS	2.9
1	C	267	GLN	2.9
1	C	276	ASN	2.9
1	C	262	GLY	2.9
1	C	261	ASP	2.8
1	C	108	PRO	2.8
1	B	6	ILE	2.8
1	D	4	GLN	2.8
1	C	273	THR	2.8
1	D	98	VAL	2.8
1	D	220	VAL	2.8
1	C	130	GLN	2.8
1	C	97	TYR	2.8
1	D	7	GLN	2.7
1	C	178	ILE	2.7
1	D	190	ILE	2.7
1	B	23	LEU	2.7
1	B	220	VAL	2.7
1	C	371	TRP	2.7
1	D	24	SER	2.7
1	B	113	ILE	2.7
1	D	1	MET	2.7
1	C	183	GLU	2.7
1	D	115	SER	2.7
1	C	257	ALA	2.7
1	B	47	MET	2.6
1	C	250	VAL	2.6
1	C	362	ALA	2.6
1	C	48	ILE	2.6
1	B	274	GLY	2.6
1	A	113	ILE	2.6
1	C	21	MET	2.6
1	B	361	SER	2.6
1	D	113	ILE	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	200	ILE	2.6
1	B	398	LEU	2.6
1	B	110	GLY	2.6
1	C	111	GLY	2.6
1	B	51	VAL	2.6
1	B	270	ASN	2.6
1	C	86	LEU	2.5
1	A	80	TYR	2.5
1	C	258	GLU	2.5
1	D	369	MET	2.5
1	D	266	MET	2.5
1	B	375	ALA	2.5
1	C	365	MET	2.5
1	D	11	THR	2.5
1	D	106	THR	2.5
1	B	101	ILE	2.5
1	D	12	GLY	2.4
1	C	255	PHE	2.4
1	C	16	THR	2.4
1	D	105	LEU	2.4
1	D	371	TRP	2.4
1	D	334	VAL	2.4
1	C	298	TYR	2.4
1	D	34	ILE	2.4
1	D	21	MET	2.4
1	A	109	VAL	2.4
1	C	72	ALA	2.4
1	A	3	TYR	2.3
1	C	91	LEU	2.3
1	B	411	GLY	2.3
1	B	50	VAL	2.3
1	C	106	THR	2.3
1	D	117	ASN	2.3
1	C	25	VAL	2.3
1	C	51	VAL	2.3
1	C	251	ALA	2.3
1	C	81	ASP	2.3
1	D	94	VAL	2.3
1	B	380	LYS	2.2
1	B	382	THR	2.2
1	D	14	LYS	2.2
1	D	35	GLU	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	162	TYR	2.2
1	C	162	TYR	2.2
1	C	269	LYS	2.2
1	D	112	GLY	2.2
1	D	343	THR	2.1
1	A	116	LEU	2.1
1	B	98	VAL	2.1
1	A	198	ILE	2.1
1	C	160	ASP	2.1
1	D	250	VAL	2.1
1	C	19	ALA	2.1
1	C	272	LYS	2.1
1	D	107	THR	2.1
1	B	271	PRO	2.1
1	D	59	TYR	2.1
1	C	369	MET	2.0
1	D	271	PRO	2.0
1	A	98	VAL	2.0
1	D	108	PRO	2.0
1	D	181	LEU	2.0
1	B	34	ILE	2.0
1	D	71	TYR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.