



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 02:58 PM UTC

PDB ID : 1M3K / pdb_00001m3k
Title : biosynthetic thiolase, inactive C89A mutant
Authors : Kursula, P.; Ojala, J.; Lambeir, A.-M.; Wierenga, R.K.
Deposited on : 2002-06-28
Resolution : 1.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	5551 (1.70-1.70)
Clashscore	190562	5924 (1.70-1.70)
Ramachandran outliers	187476	5846 (1.70-1.70)
Sidechain outliers	187428	5846 (1.70-1.70)
RSRZ outliers	180081	5554 (1.70-1.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	392	 85% 13% .
1	B	392	 87% 11% .
1	C	392	 85% 14% .
1	D	392	 78% 21% .

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 12527 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Acetyl-CoA acetyltransferase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	392	Total	C	N	O	S	0	1	0
			2834	1759	512	543	20			
1	B	392	Total	C	N	O	S	0	1	0
			2834	1759	512	543	20			
1	C	392	Total	C	N	O	S	0	1	0
			2834	1759	512	543	20			
1	D	392	Total	C	N	O	S	0	1	0
			2834	1759	512	543	20			

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	10	ALA	-	insertion	UNP P07097
A	89	ALA	CYS	engineered mutation	UNP P07097
A	129	ARG	ALA	conflict	UNP P07097
B	10	ALA	-	insertion	UNP P07097
B	89	ALA	CYS	engineered mutation	UNP P07097
B	129	ARG	ALA	conflict	UNP P07097
C	10	ALA	-	insertion	UNP P07097
C	89	ALA	CYS	engineered mutation	UNP P07097
C	129	ARG	ALA	conflict	UNP P07097
D	10	ALA	-	insertion	UNP P07097
D	89	ALA	CYS	engineered mutation	UNP P07097
D	129	ARG	ALA	conflict	UNP P07097

- Molecule 2 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		

- Molecule 3 is GLYCEROL (CCD ID: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			6	3	3		
3	B	1	Total	C	O	0	0
			6	3	3		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	416	Total	O	0	0
			416	416		
4	B	425	Total	O	0	0
			425	425		
4	C	152	Total	O	0	0
			152	152		
4	D	166	Total	O	0	0
			166	166		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Acetyl-CoA acetyltransferase




• Molecule 1: Acetyl-CoA acetyltransferase




• Molecule 1: Acetyl-CoA acetyltransferase



• Molecule 1: Acetyl-CoA acetyltransferase





4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	84.37Å 79.20Å 148.86Å 90.00° 92.32° 90.00°	Depositor
Resolution (Å)	20.00 – 1.70 20.00 – 1.70	Depositor EDS
% Data completeness (in resolution range)	90.1 (20.00-1.70) 81.4 (20.00-1.70)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.08	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.91 (at 1.70Å)	Xtriage
Refinement program	REFMAC	Depositor
R, R_{free}	0.199 , 0.243 0.211 , 0.250	Depositor DCC
R_{free} test set	8981 reflections (4.64%)	wwPDB-VP
Wilson B-factor (Å ²)	17.8	Xtriage
Anisotropy	0.440	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.40 , 45.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.37$, $\langle L^2 \rangle = 0.19$	Xtriage
Estimated twinning fraction	0.155 for h,-k,-l	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	12527	wwPDB-VP
Average B, all atoms (Å ²)	16.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.86% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.38	12/2880 (0.4%)	1.22	4/3890 (0.1%)
1	B	1.37	10/2880 (0.3%)	1.22	2/3890 (0.1%)
1	C	0.83	1/2880 (0.0%)	0.99	2/3890 (0.1%)
1	D	0.79	0/2880	0.98	0/3890
All	All	1.13	23/11520 (0.2%)	1.11	8/15560 (0.1%)

All (23) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	91	SER	C-O	-7.79	1.15	1.24
1	B	115	GLY	CA-C	-7.77	1.43	1.51
1	A	186	ALA	CA-CB	-7.54	1.41	1.53
1	A	370	ALA	CA-CB	-7.10	1.42	1.53
1	A	126	ALA	CA-CB	-7.08	1.42	1.53
1	B	387	MET	SD-CE	6.97	1.97	1.79
1	B	67	ALA	CA-CB	-6.75	1.42	1.53
1	A	42	ALA	CA-CB	-6.60	1.41	1.53
1	A	356	ARG	C-O	-6.37	1.16	1.24
1	B	262	ALA	CA-CB	-5.97	1.44	1.53
1	A	122	ALA	CA-C	5.92	1.59	1.53
1	A	200	VAL	CA-CB	5.71	1.61	1.54
1	B	356	ARG	C-O	-5.64	1.17	1.24
1	A	113	ALA	C-O	5.56	1.30	1.23
1	B	84	GLY	C-O	5.30	1.31	1.23
1	B	383	MET	SD-CE	-5.29	1.66	1.79
1	A	82	ALA	CA-CB	-5.29	1.45	1.53
1	B	295	ALA	CA-CB	-5.13	1.45	1.53
1	B	67	ALA	N-CA	5.11	1.52	1.46
1	A	94	ARG	CZ-NH1	-5.04	1.25	1.32
1	C	279	ALA	CA-CB	-5.04	1.45	1.53
1	A	56	GLN	CA-C	-5.04	1.46	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	355	ALA	CA-C	5.02	1.59	1.52

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	87	GLN	N-CA-C	-6.36	102.21	111.30
1	A	197	ASP	N-CA-C	-6.17	104.48	111.14
1	B	275	ILE	CB-CA-C	6.15	117.87	111.23
1	A	76	VAL	N-CA-C	-6.11	102.97	108.95
1	C	136	ASP	N-CA-C	-5.76	102.37	110.50
1	C	13	THR	N-CA-C	-5.74	103.36	110.41
1	A	129	ARG	N-CA-C	5.11	116.53	111.07
1	A	135	GLY	N-CA-C	5.10	119.11	112.68

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2834	0	2842	34	0
1	B	2834	0	2842	47	0
1	C	2834	0	2842	41	0
1	D	2834	0	2842	62	0
2	A	10	0	0	1	0
2	B	10	0	0	0	0
3	A	6	0	7	2	0
3	B	6	0	8	0	0
4	A	416	0	0	20	0
4	B	425	0	0	28	1
4	C	152	0	0	19	0
4	D	166	0	0	38	0
All	All	12527	0	11383	182	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (182) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:225:LEU:HG	4:A:9889:HOH:O	1.51	1.08
1:A:228:MET:SD	4:A:488:HOH:O	2.19	1.00
1:C:353:SER:HA	4:C:505:HOH:O	1.63	0.96
1:A:225:LEU:HD21	4:A:523:HOH:O	1.67	0.95
1:B:371:ARG:HD3	4:B:476:HOH:O	1.69	0.92
4:C:483:HOH:O	1:D:87:GLN:HA	1.70	0.89
1:C:65:ASN:ND2	4:C:483:HOH:O	2.06	0.87
1:D:183:GLN:HG2	4:D:539:HOH:O	1.75	0.85
1:D:252:GLY:HA3	4:D:515:HOH:O	1.75	0.84
4:A:432:HOH:O	1:B:65:ASN:HB2	1.77	0.84
1:B:163:ASN:ND2	4:B:416:HOH:O	2.12	0.83
1:D:141:ASP:HA	4:D:446:HOH:O	1.79	0.82
1:D:125:CYS:SG	4:D:431:HOH:O	2.37	0.81
1:B:191:LYS:HB3	1:B:191:LYS:NZ	1.97	0.80
1:D:185:LYS:O	4:D:409:HOH:O	2.01	0.79
1:B:191:LYS:HB3	1:B:191:LYS:HZ3	1.48	0.79
4:A:9993:HOH:O	1:C:131:GLY:HA3	1.82	0.78
1:D:152:PHE:CE2	4:D:503:HOH:O	2.37	0.77
1:A:6:VAL:HG11	4:A:530:HOH:O	1.84	0.76
1:C:110:ILE:HG22	4:C:528:HOH:O	1.86	0.76
1:C:67:ALA:HB1	4:C:524:HOH:O	1.86	0.75
1:D:150:ASP:HB2	4:D:494:HOH:O	1.86	0.73
1:B:160:THR:HA	4:B:416:HOH:O	1.89	0.71
1:B:388:CYS:HA	4:B:444:HOH:O	1.90	0.71
1:D:251:ASP:O	4:D:551:HOH:O	2.07	0.71
1:B:322:GLN:HB3	4:B:524:HOH:O	1.90	0.71
1:D:57:VAL:HG21	1:D:350:ILE:HG22	1.74	0.70
1:D:223:ALA:HB3	4:D:487:HOH:O	1.91	0.70
1:C:143:MET:HB2	4:C:399:HOH:O	1.91	0.69
1:C:191:LYS:NZ	4:C:515:HOH:O	2.26	0.69
1:A:207:ARG:H	1:A:207:ARG:HD3	1.56	0.69
1:D:53:ILE:HG22	4:D:460:HOH:O	1.93	0.68
1:C:257:LEU:CD1	1:C:259:MET:HE3	2.24	0.68
1:D:370:ALA:HB1	4:D:538:HOH:O	1.94	0.68
1:D:290:THR:HA	4:D:502:HOH:O	1.93	0.67
1:C:58:LEU:HD13	4:C:399:HOH:O	1.93	0.67
1:B:87:GLN:C	4:B:9970:HOH:O	2.38	0.66
1:D:344:ILE:HG22	4:D:539:HOH:O	1.96	0.65
1:B:388:CYS:SG	4:B:444:HOH:O	2.55	0.65
1:D:340:ASN:ND2	1:D:364:GLU:OE1	2.23	0.64

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:7:ILE:HG23	1:D:256:ALA:HB1	1.81	0.63
1:C:82:ALA:HB1	4:C:524:HOH:O	1.97	0.63
1:C:252:GLY:HA2	4:C:459:HOH:O	2.00	0.62
1:B:191:LYS:NZ	1:B:191:LYS:CB	2.64	0.60
1:D:30:LEU:HD11	4:D:543:HOH:O	2.00	0.60
1:D:15:VAL:HG13	4:D:551:HOH:O	2.01	0.60
1:D:170:LEU:HB3	4:D:496:HOH:O	2.02	0.60
1:B:191:LYS:HB3	4:B:475:HOH:O	2.02	0.59
1:A:228:MET:HG3	4:A:9831:HOH:O	2.02	0.59
1:A:129:ARG:O	4:A:9993:HOH:O	2.16	0.58
3:A:5393:GOL:C1	4:A:511:HOH:O	2.25	0.58
1:B:374:LEU:HB2	4:B:444:HOH:O	2.02	0.58
1:D:57:VAL:HG21	1:D:350:ILE:CG2	2.32	0.58
1:B:166:LYS:HG3	4:B:480:HOH:O	2.03	0.58
1:D:251:ASP:C	4:D:551:HOH:O	2.46	0.58
1:D:233:PRO:HB2	1:D:236:ASP:O	2.04	0.57
1:A:88:LEU:HG	4:A:432:HOH:O	2.04	0.57
1:A:298:LYS:HE3	2:A:9722:SO4:O3	2.05	0.57
1:D:220:ARG:NH1	4:D:479:HOH:O	2.37	0.57
1:B:175:GLN:HE22	1:B:240:THR:CG2	2.18	0.57
1:B:29:GLU:HG2	4:B:497:HOH:O	2.05	0.57
1:D:85:MET:HG3	4:D:460:HOH:O	2.04	0.56
1:B:240:THR:C	4:B:510:HOH:O	2.47	0.56
1:A:172:ARG:NH1	4:A:501:HOH:O	2.38	0.56
1:B:34:VAL:HG12	1:B:255:ALA:HB3	1.87	0.56
1:D:338:ASN:HB3	1:D:341:GLY:O	2.05	0.55
1:A:168:TRP:CH2	1:A:329:ASP:HB2	2.41	0.55
1:D:392:LEU:HG	4:D:500:HOH:O	2.06	0.55
1:B:29:GLU:CG	4:B:497:HOH:O	2.54	0.54
1:A:207:ARG:H	1:A:207:ARG:CD	2.20	0.54
1:B:191:LYS:HD2	4:B:475:HOH:O	2.08	0.53
1:C:349:PRO:HG2	4:C:505:HOH:O	2.09	0.53
1:C:129:ARG:CG	4:C:509:HOH:O	2.57	0.53
1:A:168:TRP:HH2	1:A:329:ASP:HB2	1.75	0.52
1:B:374:LEU:CB	4:B:444:HOH:O	2.58	0.52
1:D:140:ILE:HG22	4:D:431:HOH:O	2.10	0.52
1:C:257:LEU:CD1	1:C:259:MET:CE	2.87	0.52
1:B:87:GLN:HA	4:B:9970:HOH:O	2.09	0.52
1:B:374:LEU:C	1:B:374:LEU:HD23	2.35	0.52
1:C:175:GLN:HE22	1:C:240:THR:HG21	1.74	0.52
1:C:64:GLN:O	1:C:65:ASN:C	2.54	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:349:PRO:HB3	4:D:551:HOH:O	2.09	0.51
1:D:379:ILE:HG21	1:D:383:MET:HE3	1.92	0.51
1:C:122:ALA:HA	4:C:514:HOH:O	2.11	0.51
1:B:356:ARG:HD2	1:B:356:ARG:C	2.37	0.50
1:B:87:GLN:CA	4:B:9970:HOH:O	2.59	0.50
1:B:242:THR:CG2	4:B:510:HOH:O	2.59	0.50
1:B:242:THR:HG23	4:B:510:HOH:O	2.12	0.50
1:B:312:LEU:HB3	4:B:479:HOH:O	2.11	0.50
1:B:225:LEU:HB2	4:B:515:HOH:O	2.11	0.50
1:D:15:VAL:HG22	4:D:515:HOH:O	2.11	0.50
1:D:60:ALA:O	4:D:519:HOH:O	2.20	0.50
1:A:225:LEU:C	1:A:225:LEU:HD23	2.37	0.49
1:A:40:GLU:HG3	4:A:9951:HOH:O	2.12	0.49
1:A:228:MET:CE	4:A:488:HOH:O	2.54	0.49
1:C:4:SER:C	1:C:5:ILE:HD13	2.37	0.49
1:B:175:GLN:HE22	1:B:240:THR:HG23	1.76	0.49
1:A:276:VAL:CG2	1:A:388:CYS:HB2	2.42	0.49
1:B:226:ASP:HB3	4:B:509:HOH:O	2.12	0.49
1:B:180:VAL:HG11	4:B:515:HOH:O	2.12	0.49
1:C:7:ILE:HD13	1:C:362:LEU:HD11	1.94	0.48
1:C:129:ARG:HG2	4:C:509:HOH:O	2.13	0.48
1:A:282:GLY:HA3	1:B:78:GLN:O	2.13	0.48
1:B:263:GLU:OE1	4:B:9846:HOH:O	2.20	0.48
1:A:166:LYS:HB3	4:A:489:HOH:O	2.13	0.48
1:D:291:GLY:N	1:D:292:PRO:CD	2.76	0.48
1:B:34:VAL:CG1	1:B:255:ALA:HB3	2.43	0.47
1:B:207:ARG:N	1:B:207:ARG:HD3	2.29	0.47
1:C:112:VAL:HG22	1:C:257:LEU:HD23	1.96	0.47
1:C:54:LEU:O	1:C:84:GLY:HA2	2.14	0.47
1:D:140:ILE:HB	4:D:431:HOH:O	2.15	0.47
1:A:237:LYS:N	1:A:237:LYS:HD3	2.30	0.47
1:B:131:GLY:HA2	1:D:131:GLY:HA2	1.97	0.47
1:B:208:LYS:NZ	4:B:468:HOH:O	2.48	0.47
1:D:34:VAL:CG1	1:D:255:ALA:HB3	2.45	0.47
1:C:223:ALA:HB1	4:C:523:HOH:O	2.16	0.46
1:D:219:ILE:HD11	4:D:510:HOH:O	2.15	0.46
4:A:9993:HOH:O	1:C:131:GLY:CA	2.52	0.46
1:A:110:ILE:HG23	1:A:257:LEU:HD21	1.98	0.46
1:D:100:MET:C	1:D:100:MET:SD	2.98	0.46
1:D:248:GLY:HA2	4:D:474:HOH:O	2.16	0.46
1:C:129:ARG:HG3	4:C:509:HOH:O	2.16	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:174:GLU:OE2	1:C:328:LYS:NZ	2.39	0.45
1:A:330:LEU:HD12	1:A:332:TRP:CZ2	2.51	0.45
1:A:261:GLU:HG3	4:A:530:HOH:O	2.17	0.45
1:B:237:LYS:HD2	1:B:237:LYS:N	2.31	0.45
1:D:58:LEU:HB3	4:D:441:HOH:O	2.16	0.45
1:D:322:GLN:O	1:D:326:VAL:HG23	2.16	0.45
1:D:167:GLN:HB3	4:D:397:HOH:O	2.17	0.45
1:B:373:GLY:CA	4:B:479:HOH:O	2.65	0.44
1:C:34:VAL:HG12	1:C:255:ALA:HB3	1.99	0.44
1:C:128:LEU:HD21	1:C:137:PHE:CZ	2.52	0.44
1:D:211:ILE:HB	4:D:554:HOH:O	2.17	0.44
1:D:306:LYS:C	4:D:427:HOH:O	2.60	0.44
1:A:354:GLY:HA2	1:A:377:LEU:HD11	2.00	0.44
1:C:175:GLN:HE22	1:C:240:THR:CG2	2.30	0.44
1:D:76:VAL:HG23	4:D:540:HOH:O	2.16	0.44
1:A:364:GLU:OE1	1:A:367:ARG:HD2	2.18	0.44
1:A:1:SER:O	1:A:1:SER:OG	2.29	0.43
1:D:207:ARG:N	1:D:207:ARG:HD3	2.33	0.43
1:D:175:GLN:NE2	1:D:240:THR:OG1	2.51	0.43
1:D:335:SER:HA	4:D:526:HOH:O	2.18	0.43
1:D:335:SER:O	1:D:339:VAL:HG12	2.19	0.43
1:C:153:TYR:CE2	1:C:286:LYS:HD3	2.53	0.43
1:D:312:LEU:HD13	1:D:368:ARG:HD2	2.00	0.43
1:B:392:LEU:HD23	4:B:471:HOH:O	2.18	0.43
1:D:150:ASP:CG	4:D:494:HOH:O	2.61	0.43
1:D:292:PRO:HD3	1:D:378:CYS:HB3	2.01	0.43
1:D:326:VAL:HG22	4:D:502:HOH:O	2.18	0.43
1:D:300:LEU:HD22	4:D:427:HOH:O	2.19	0.42
1:A:166:LYS:C	4:A:489:HOH:O	2.61	0.42
1:C:19:ASN:C	1:C:23:ALA:HB2	2.45	0.42
1:D:365:MET:CE	1:D:371:ARG:O	2.67	0.42
1:A:276:VAL:HG11	1:A:390:GLU:HB2	2.01	0.42
1:C:65:ASN:CG	4:C:483:HOH:O	2.52	0.42
1:C:316:ASN:HD21	1:C:348:HIS:CE1	2.37	0.42
4:A:9993:HOH:O	1:C:131:GLY:C	2.62	0.42
1:D:195:PHE:HB3	1:D:199:ILE:HD12	2.02	0.42
1:A:317:GLU:CD	1:A:342:GLY:HA3	2.45	0.42
1:A:175:GLN:HE22	1:A:240:THR:CG2	2.33	0.42
1:C:226:ASP:O	1:C:230:LYS:HG3	2.19	0.42
1:C:312:LEU:O	1:C:373:GLY:HA2	2.20	0.42
1:A:297:ARG:NE	4:A:9987:HOH:O	2.53	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:354:GLY:HA2	1:D:377:LEU:HD21	2.02	0.41
1:A:78:GLN:O	1:B:282:GLY:HA3	2.20	0.41
1:D:35:ILE:HG12	1:D:112:VAL:HG11	2.02	0.41
1:A:230:LYS:NZ	4:A:409:HOH:O	2.53	0.41
1:B:263:GLU:CD	1:B:267:ARG:HE	2.28	0.41
1:C:18:PHE:CZ	1:D:129:ARG:HD3	2.56	0.41
1:D:328:LYS:HA	4:D:520:HOH:O	2.20	0.41
1:C:387:MET:HB2	4:C:497:HOH:O	2.21	0.41
1:B:257:LEU:C	1:B:257:LEU:HD13	2.45	0.41
1:B:312:LEU:CB	4:B:479:HOH:O	2.68	0.41
1:B:354:GLY:HA2	1:B:377:LEU:HD11	2.03	0.41
1:C:298:LYS:HD3	1:C:301:GLU:OE1	2.21	0.40
1:C:207:ARG:HG2	4:C:517:HOH:O	2.20	0.40
1:A:153:TYR:CE2	1:A:286:LYS:HG3	2.56	0.40
1:C:257:LEU:HD11	1:C:259:MET:CE	2.51	0.40
1:B:175:GLN:HE22	1:B:240:THR:HG21	1.86	0.40
1:D:161:ALA:HB2	4:D:415:HOH:O	2.21	0.40
1:D:283:VAL:O	1:D:284:ASP:C	2.64	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:B:437:HOH:O	4:B:9890:HOH:O[2_555]	2.19	0.01

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	391/392 (100%)	378 (97%)	13 (3%)	0	100	100
1	B	391/392 (100%)	380 (97%)	11 (3%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	C	391/392 (100%)	374 (96%)	16 (4%)	1 (0%)	36	22
1	D	391/392 (100%)	371 (95%)	19 (5%)	1 (0%)	36	22
All	All	1564/1568 (100%)	1503 (96%)	59 (4%)	2 (0%)	48	31

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	350	ILE
1	C	350	ILE

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	279/278 (100%)	263 (94%)	16 (6%)	18	6
1	B	279/278 (100%)	265 (95%)	14 (5%)	22	8
1	C	279/278 (100%)	266 (95%)	13 (5%)	23	9
1	D	279/278 (100%)	258 (92%)	21 (8%)	12	3
All	All	1116/1112 (100%)	1052 (94%)	64 (6%)	18	6

All (64) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1	SER
1	A	39	LEU
1	A	132	VAL
1	A	136	ASP
1	A	191	LYS
1	A	207	ARG
1	A	220	ARG
1	A	228	MET
1	A	230	LYS
1	A	237	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	238	GLU
1	A	272	LEU
1	A	322	GLN
1	A	328	LYS
1	A	332	TRP
1	A	367	ARG
1	B	39	LEU
1	B	133	LYS
1	B	167	GLN
1	B	191	LYS
1	B	207	ARG
1	B	220	ARG
1	B	237	LYS
1	B	238	GLU
1	B	263	GLU
1	B	272	LEU
1	B	276	VAL
1	B	298	LYS
1	B	322	GLN
1	B	392	LEU
1	C	39	LEU
1	C	187	GLU
1	C	191	LYS
1	C	207	ARG
1	C	220	ARG
1	C	224	THR
1	C	257	LEU
1	C	263	GLU
1	C	272	LEU
1	C	298	LYS
1	C	322	GLN
1	C	328	LYS
1	C	332	TRP
1	D	34	VAL
1	D	39	LEU
1	D	133	LYS
1	D	155	TYR
1	D	187	GLU
1	D	191	LYS
1	D	207	ARG
1	D	220	ARG
1	D	227	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	237	LYS
1	D	238	GLU
1	D	263	GLU
1	D	272	LEU
1	D	276	VAL
1	D	298	LYS
1	D	311	ASP
1	D	322	GLN
1	D	353	SER
1	D	359	ASN
1	D	371	ARG
1	D	391	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (19) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	78	GLN
1	A	175	GLN
1	A	184	ASN
1	B	78	GLN
1	B	175	GLN
1	B	184	ASN
1	C	78	GLN
1	C	167	GLN
1	C	175	GLN
1	C	184	ASN
1	C	316	ASN
1	C	322	GLN
1	D	19	ASN
1	D	78	GLN
1	D	175	GLN
1	D	183	GLN
1	D	184	ASN
1	D	316	ASN
1	D	359	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	SO4	A	9720	-	4,4,4	0.17	0	6,6,6	0.41	0
3	GOL	A	5393	-	5,5,5	1.08	1 (20%)	5,5,5	1.27	1 (20%)
3	GOL	B	6393	-	5,5,5	0.25	0	5,5,5	1.01	0
2	SO4	B	9721	-	4,4,4	0.24	0	6,6,6	0.18	0
2	SO4	B	9719	-	4,4,4	0.27	0	6,6,6	0.25	0
2	SO4	A	9722	-	4,4,4	0.25	0	6,6,6	0.55	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	GOL	A	5393	-	-	3/4/4/4	-
3	GOL	B	6393	-	-	3/4/4/4	-

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	5393	GOL	O3-C3	-2.27	1.32	1.42

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	5393	GOL	C3-C2-C1	-2.19	103.75	111.80

There are no chirality outliers.

All (6) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	5393	GOL	C1-C2-C3-O3
3	B	6393	GOL	C1-C2-C3-O3
3	A	5393	GOL	O2-C2-C3-O3
3	A	5393	GOL	O1-C1-C2-C3
3	B	6393	GOL	O2-C2-C3-O3
3	B	6393	GOL	O1-C1-C2-O2

There are no ring outliers.

2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	5393	GOL	2	0
2	A	9722	SO4	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled '#RSRZ > 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q < 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	392/392 (100%)	-1.22	0 100 100	5, 10, 25, 48	1 (0%)
1	B	392/392 (100%)	-1.20	0 100 100	5, 10, 25, 51	1 (0%)
1	C	392/392 (100%)	-0.94	0 100 100	3, 13, 26, 40	1 (0%)
1	D	392/392 (100%)	-0.87	0 100 100	2, 15, 27, 39	1 (0%)
All	All	1568/1568 (100%)	-1.06	0 100 100	2, 12, 26, 51	4 (0%)

There are no RSRZ outliers to report.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	SO4	A	9722	5/5	0.97	0.06	65,65,68,69	0
2	SO4	B	9719	5/5	0.98	0.05	67,67,68,69	0
3	GOL	B	6393	6/6	0.98	0.05	9,24,30,31	0
2	SO4	B	9721	5/5	0.99	0.04	42,45,51,54	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	GOL	A	5393	6/6	0.99	0.05	17,23,28,28	0
2	SO4	A	9720	5/5	0.99	0.04	44,49,52,55	0

6.5 Other polymers [i](#)

There are no such residues in this entry.