



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 07:42 AM UTC

PDB ID : 6M48 / pdb_00006m48
Title : Crystal structure of pilus adhesin, SpaC from *Lactobacillus rhamnosus* GG - P21212 form
Authors : Kant, A.; Palva, A.; Von Ossowaski, I.; Krishnan, V.
Deposited on : 2020-03-05
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	5829 (2.50-2.50)
Clashscore	190562	6492 (2.50-2.50)
Ramachandran outliers	187476	6378 (2.50-2.50)
Sidechain outliers	187428	6380 (2.50-2.50)
RSRZ outliers	180081	5833 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	836	2% 86% 10% .
1	B	836	4% 86% 11% .

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 12506 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called SpaC.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	813	Total	C	N	O	S	0	0	0
			6118	3803	1041	1261	13			
1	B	812	Total	C	N	O	S	0	0	0
			6081	3779	1045	1244	13			

There are 30 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	?	MET	-	initiating methionine	UNP A0A1Y0DVK9
A	?	GLY	-	expression tag	UNP A0A1Y0DVK9
A	?	ARG	-	expression tag	UNP A0A1Y0DVK9
A	?	ASP	-	expression tag	UNP A0A1Y0DVK9
A	?	PRO	-	expression tag	UNP A0A1Y0DVK9
A	?	ASN	-	expression tag	UNP A0A1Y0DVK9
A	?	SER	-	expression tag	UNP A0A1Y0DVK9
A	?	LEU	-	expression tag	UNP A0A1Y0DVK9
A	?	GLU	-	expression tag	UNP A0A1Y0DVK9
A	?	HIS	-	expression tag	UNP A0A1Y0DVK9
A	?	HIS	-	expression tag	UNP A0A1Y0DVK9
A	?	HIS	-	expression tag	UNP A0A1Y0DVK9
A	?	HIS	-	expression tag	UNP A0A1Y0DVK9
A	?	HIS	-	expression tag	UNP A0A1Y0DVK9
A	?	HIS	-	expression tag	UNP A0A1Y0DVK9
A	?	HIS	-	expression tag	UNP A0A1Y0DVK9
B	?	MET	-	initiating methionine	UNP A0A1Y0DVK9
B	?	GLY	-	expression tag	UNP A0A1Y0DVK9
B	?	ARG	-	expression tag	UNP A0A1Y0DVK9
B	?	ASP	-	expression tag	UNP A0A1Y0DVK9
B	?	PRO	-	expression tag	UNP A0A1Y0DVK9
B	?	ASN	-	expression tag	UNP A0A1Y0DVK9
B	?	SER	-	expression tag	UNP A0A1Y0DVK9
B	?	LEU	-	expression tag	UNP A0A1Y0DVK9
B	?	GLU	-	expression tag	UNP A0A1Y0DVK9
B	?	HIS	-	expression tag	UNP A0A1Y0DVK9

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	?	HIS	-	expression tag	UNP A0A1Y0DVK9
B	?	HIS	-	expression tag	UNP A0A1Y0DVK9
B	?	HIS	-	expression tag	UNP A0A1Y0DVK9
B	?	HIS	-	expression tag	UNP A0A1Y0DVK9
B	?	HIS	-	expression tag	UNP A0A1Y0DVK9

- Molecule 2 is MAGNESIUM ION (CCD ID: MG) (formula: Mg) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total Mg 1 1	0	0
2	B	1	Total Mg 1 1	0	0

- Molecule 3 is CHLORIDE ION (CCD ID: CL) (formula: Cl) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	2	Total Cl 2 2	0	0

- Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	177	Total O 177 177	0	0
4	B	126	Total O 126 126	0	0

i

- Molecule 1: SpaC



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, α , β , γ	116.18Å 128.13Å 136.36Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	44.26 – 2.50 44.26 – 2.50	Depositor EDS
% Data completeness (in resolution range)	99.7 (44.26-2.50) 99.7 (44.26-2.50)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.13 (at 2.51Å)	Xtriage
Refinement program	REFMAC 5.8.0258	Depositor
R, R_{free}	0.192 , 0.235 0.195 , 0.237	Depositor DCC
R_{free} test set	3636 reflections (5.12%)	wwPDB-VP
Wilson B-factor (Å ²)	48.4	Xtriage
Anisotropy	0.386	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 38.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	12506	wwPDB-VP
Average B, all atoms (Å ²)	62.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 10.80% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CL, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.14	4/6236 (0.1%)	1.43	7/8500 (0.1%)
1	B	1.13	1/6198 (0.0%)	1.44	11/8450 (0.1%)
All	All	1.13	5/12434 (0.0%)	1.43	18/16950 (0.1%)

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	646	LEU	C-O	-6.58	1.16	1.23
1	A	719	HIS	CE1-NE2	6.01	1.38	1.32
1	A	149	GLU	N-CA	5.54	1.51	1.46
1	A	223	PRO	C-O	-5.42	1.17	1.23
1	A	51	TYR	N-CA	5.02	1.50	1.46

All (18) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	811	THR	CA-CB-OG1	-7.14	98.89	109.60
1	B	476	THR	CB-CA-C	6.52	116.31	110.44
1	B	786	THR	CB-CA-C	6.44	120.85	110.16
1	A	784	ASP	CA-C-N	5.82	125.51	119.92
1	A	784	ASP	C-N-CA	5.82	125.51	119.92
1	B	409	THR	CA-CB-OG1	-5.59	101.21	109.60
1	A	489	PRO	CB-CA-C	-5.53	103.70	110.95
1	B	151	ASN	CA-C-N	5.43	127.56	120.28
1	B	151	ASN	C-N-CA	5.43	127.56	120.28
1	B	246	THR	CB-CA-C	5.37	118.42	111.50
1	B	37	ASP	CA-CB-CG	5.35	117.95	112.60
1	A	40	ARG	CB-CA-C	5.33	118.04	109.51
1	A	663	THR	CB-CA-C	5.18	116.17	109.80
1	B	654	TYR	CA-C-N	5.15	125.58	121.61

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	654	TYR	C-N-CA	5.15	125.58	121.61
1	B	689	ASP	CA-CB-CG	5.09	117.69	112.60
1	A	698	ASN	CA-CB-CG	-5.05	107.55	112.60
1	A	355	THR	CA-C-O	-5.05	116.14	121.94

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	6118	0	5777	42	0
1	B	6081	0	5711	49	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
3	A	2	0	0	0	0
4	A	177	0	0	0	0
4	B	126	0	0	0	0
All	All	12506	0	11488	90	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (90) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:756:LEU:HA	1:B:789:MET:HA	1.47	0.96
1:A:258:ASP:O	1:A:335:LEU:HD12	1.78	0.83
1:A:799:GLN:NE2	1:A:851:PRO:O	2.26	0.69
1:B:755:THR:C	1:B:789:MET:HG3	2.18	0.68
1:B:789:MET:HG2	1:B:790:SER:N	2.09	0.68
1:A:258:ASP:O	1:A:335:LEU:CD1	2.41	0.67
1:B:756:LEU:CB	1:B:789:MET:HB2	2.26	0.65
1:A:130:GLN:HG3	1:A:385:PHE:O	1.96	0.64
1:B:784:ASP:OD1	1:B:811:THR:HA	2.00	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:755:THR:O	1:B:789:MET:HG3	2.00	0.61
1:A:604:LYS:HE2	1:A:658:GLU:OE2	2.03	0.58
1:B:743:ASP:HB3	1:B:749:LEU:HD21	1.86	0.57
1:B:748:TYR:CB	1:B:770:ALA:HA	2.35	0.57
1:B:743:ASP:HA	1:B:849:ASN:O	2.05	0.56
1:A:739:VAL:HG11	1:A:754:PHE:CE2	2.42	0.55
1:B:812:THR:HB	1:B:814:LYS:HD2	1.88	0.54
1:B:138:ILE:HD13	1:B:252:MET:HE3	1.88	0.54
1:B:189:SER:HB3	1:B:194:ILE:HB	1.90	0.53
1:B:769:SER:CB	1:B:771:THR:HG22	2.40	0.53
1:B:144:MET:HA	1:B:225:PHE:CD2	2.45	0.52
1:B:794:ALA:HB3	1:B:797:GLY:HA2	1.91	0.52
1:A:578:PHE:CE2	1:A:597:GLN:HB2	2.45	0.51
1:A:781:LEU:HB3	1:A:809:VAL:HG21	1.92	0.51
1:B:616:GLN:HA	1:B:663:THR:HG23	1.92	0.51
1:A:194:ILE:HG23	1:A:201:ILE:HG23	1.93	0.51
1:A:144:MET:HA	1:A:225:PHE:CD2	2.46	0.51
1:B:781:LEU:HD12	1:B:781:LEU:N	2.25	0.51
1:B:791:GLU:O	1:B:802:PRO:HB3	2.12	0.50
1:A:624:LEU:HD23	1:A:647:GLN:NE2	2.27	0.49
1:B:189:SER:OG	1:B:227:GLY:HA3	2.13	0.49
1:A:700:GLN:CG	1:A:714:THR:HG22	2.43	0.49
1:B:138:ILE:CD1	1:B:252:MET:HE3	2.43	0.49
1:A:515:THR:HG22	1:A:540:LYS:HG2	1.95	0.49
1:A:138:ILE:HD11	1:A:381:ILE:HD13	1.95	0.48
1:A:93:TYR:OH	1:A:445:GLU:OE2	2.29	0.48
1:B:757:GLN:N	1:B:788:THR:O	2.42	0.48
1:B:617:LEU:HD22	1:B:620:MET:HE2	1.94	0.48
1:B:752:ALA:HB3	1:B:768:SER:CB	2.44	0.47
1:B:273:ILE:CD1	1:B:319:LYS:HE2	2.44	0.47
1:A:756:LEU:HD11	1:A:787:TYR:HB3	1.97	0.47
1:B:331:LEU:HD11	1:B:364:ALA:HB2	1.97	0.46
1:A:806:ALA:HB3	1:A:819:THR:OG1	2.15	0.46
1:B:457:GLU:OE2	1:B:555:ASN:HB2	2.16	0.46
1:A:624:LEU:HD21	1:A:649:LEU:HD21	1.97	0.46
1:B:748:TYR:HB3	1:B:770:ALA:HA	1.97	0.46
1:B:769:SER:HB3	1:B:771:THR:HG22	1.98	0.46
1:B:222:SER:N	1:B:223:PRO:CD	2.78	0.46
1:A:137:ASP:HB2	1:A:251:LYS:HD3	1.97	0.45
1:B:580:SER:HA	1:B:594:THR:O	2.16	0.45
1:B:748:TYR:HB2	1:B:770:ALA:C	2.40	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:769:SER:HB2	1:B:771:THR:HG22	1.99	0.45
1:B:230:TYR:O	1:B:233:ILE:HG22	2.16	0.45
1:A:138:ILE:CD1	1:A:381:ILE:HD13	2.46	0.44
1:A:393:ILE:HA	1:A:474:LEU:O	2.18	0.44
1:B:393:ILE:HA	1:B:474:LEU:O	2.17	0.44
1:B:789:MET:CG	1:B:790:SER:N	2.80	0.44
1:A:721:GLN:HG2	1:A:722:ILE:HG13	1.99	0.44
1:B:517:ASN:OD1	1:B:538:VAL:HG22	2.18	0.43
1:A:106:ILE:HB	1:A:486:PHE:CE2	2.53	0.43
1:A:457:GLU:OE2	1:A:555:ASN:HB2	2.18	0.43
1:A:230:TYR:O	1:A:233:ILE:HG22	2.18	0.43
1:A:799:GLN:HG2	1:A:850:GLN:O	2.19	0.43
1:B:754:PHE:HA	1:B:791:GLU:HA	2.00	0.43
1:B:758:PRO:HA	1:B:787:TYR:CD2	2.54	0.43
1:A:517:ASN:OD1	1:A:538:VAL:HG22	2.18	0.43
1:B:106:ILE:HB	1:B:486:PHE:CE2	2.54	0.43
1:B:756:LEU:HA	1:B:788:THR:O	2.19	0.43
1:A:55:SER:HA	1:A:66:ASN:O	2.19	0.43
1:A:194:ILE:CG2	1:A:201:ILE:HG23	2.49	0.43
1:A:189:SER:HB2	1:A:194:ILE:HD12	2.01	0.42
1:B:574:ASP:OD1	1:B:576:SER:HB3	2.18	0.42
1:A:147:SER:OG	1:A:258:ASP:OD2	2.37	0.42
1:B:186:ILE:HD13	1:B:202:SER:HB3	2.02	0.42
1:A:143:ASP:HB3	1:A:257:THR:HA	2.01	0.42
1:A:129:LYS:HE3	1:A:442:GLN:OE1	2.19	0.42
1:A:222:SER:N	1:A:223:PRO:CD	2.82	0.42
1:A:469:MET:C	1:A:470:ASN:OD1	2.62	0.42
1:A:700:GLN:HG2	1:A:714:THR:HG22	2.01	0.42
1:A:684:TYR:CZ	1:A:686:GLY:HA2	2.53	0.42
1:A:671:THR:O	1:A:687:THR:HA	2.20	0.42
1:B:507:LEU:HD13	1:B:599:GLY:HA3	2.01	0.41
1:A:331:LEU:HD11	1:A:364:ALA:HB2	2.02	0.41
1:A:700:GLN:HG3	1:A:714:THR:HG22	2.01	0.41
1:A:741:LYS:HB2	1:A:768:SER:HB2	2.01	0.41
1:B:684:TYR:CZ	1:B:686:GLY:HA2	2.55	0.41
1:B:756:LEU:HA	1:B:789:MET:CA	2.33	0.41
1:B:850:GLN:H	1:B:850:GLN:HG2	1.56	0.40
1:A:228:GLY:HA2	1:B:857:LEU:O	2.21	0.40
1:B:49:GLY:HA2	1:B:465:PHE:CZ	2.56	0.40
1:B:123:LEU:O	1:B:447:GLN:HA	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	809/836 (97%)	784 (97%)	25 (3%)	0	100	100
1	B	804/836 (96%)	773 (96%)	31 (4%)	0	100	100
All	All	1613/1672 (96%)	1557 (96%)	56 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	648/693 (94%)	632 (98%)	16 (2%)	42	69
1	B	636/693 (92%)	617 (97%)	19 (3%)	36	64
All	All	1284/1386 (93%)	1249 (97%)	35 (3%)	39	67

All (35) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	38	ASN
1	A	74	SER
1	A	81	ILE
1	A	148	MET
1	A	189	SER
1	A	226	GLN
1	A	335	LEU
1	A	550	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	562	SER
1	A	708	ASP
1	A	710	SER
1	A	712	ASP
1	A	741	LYS
1	A	786	THR
1	A	814	LYS
1	A	830	SER
1	B	38	ASN
1	B	39	ILE
1	B	138	ILE
1	B	197	LYS
1	B	384	ASN
1	B	390	ASP
1	B	610	THR
1	B	628	SER
1	B	663	THR
1	B	693	SER
1	B	710	SER
1	B	741	LYS
1	B	759	SER
1	B	772	SER
1	B	775	GLN
1	B	811	THR
1	B	814	LYS
1	B	830	SER
1	B	850	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (16) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	54	ASN
1	A	349	GLN
1	A	377	GLN
1	A	400	GLN
1	A	623	ASN
1	A	757	GLN
1	A	775	GLN
1	B	54	ASN
1	B	124	ASN
1	B	377	GLN
1	B	442	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	447	GLN
1	B	468	GLN
1	B	521	GLN
1	B	535	GLN
1	B	666	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 4 ligands modelled in this entry, 4 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	813/836 (97%)	0.00	20 (2%) 58 54	29, 57, 105, 162	0
1	B	812/836 (97%)	0.07	37 (4%) 37 33	29, 56, 132, 182	0
All	All	1625/1672 (97%)	0.04	57 (3%) 47 42	29, 56, 116, 182	0

All (57) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	857	LEU	4.3
1	B	795	PRO	4.0
1	B	851	PRO	3.8
1	B	801	ASN	3.7
1	A	840	GLY	3.5
1	A	526	ASP	3.4
1	B	798	TYR	3.4
1	A	306	TYR	3.3
1	B	853	ALA	3.3
1	B	754	PHE	3.3
1	B	708	ASP	3.0
1	A	848	ILE	3.0
1	B	568	GLU	3.0
1	A	773	GLU	2.9
1	B	745	GLN	2.9
1	A	146	GLY	2.8
1	B	793	LYS	2.8
1	B	765	THR	2.8
1	B	803	ALA	2.7
1	A	796	ASP	2.6
1	A	420	ALA	2.6
1	B	794	ALA	2.6
1	B	847	ALA	2.5
1	B	739	VAL	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	792	THR	2.5
1	B	764	GLU	2.4
1	B	752	ALA	2.4
1	A	736	THR	2.4
1	A	837	ALA	2.4
1	B	852	LEU	2.4
1	A	38	ASN	2.4
1	B	763	ALA	2.4
1	B	779	THR	2.3
1	B	799	GLN	2.3
1	B	825	LEU	2.3
1	B	791	GLU	2.3
1	A	149	GLU	2.2
1	B	750	ALA	2.2
1	B	753	ALA	2.2
1	B	805	ILE	2.2
1	B	749	LEU	2.2
1	A	297	TRP	2.2
1	A	744	ASN	2.1
1	A	150	SER	2.1
1	B	741	LYS	2.1
1	A	260	VAL	2.1
1	B	756	LEU	2.1
1	A	852	LEU	2.1
1	B	755	THR	2.1
1	B	797	GLY	2.1
1	A	158	ALA	2.0
1	B	800	SER	2.0
1	A	745	GLN	2.0
1	B	510	GLN	2.0
1	B	747	GLN	2.0
1	B	813	GLY	2.0
1	A	769	SER	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

6.4 Ligands




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	CL	A	903	1/1	0.84	0.11	85,85,85,85	0
2	MG	A	901	1/1	0.88	0.08	69,69,69,69	0
3	CL	A	902	1/1	0.96	0.07	67,67,67,67	0
2	MG	B	901	1/1	0.99	0.04	40,40,40,40	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around CL A 903:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MG A 901:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CL A 902:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around MG B 901:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers ⓘ

There are no such residues in this entry.