



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 7, 2026 – 02:24 AM UTC

PDB ID : 1M5A / pdb_00001m5a
Title : Crystal Structure of 2-Co(2+)-Insulin at 1.2A Resolution
Authors : Nicholson, J.M.; Perkins, L.C.; Korber, F.C.
Deposited on : 2002-07-09
Resolution : 1.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Xtriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.20 Å.


Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	1265 (1.20-1.20)
Ramachandran outliers	187476	1226 (1.20-1.20)
Sidechain outliers	187428	1226 (1.20-1.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	21	
1	C	21	
2	B	30	
2	D	30	

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 1005 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called INSULIN A CHAIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	21	Total	C	N	O	S	0	0	0
			163	99	25	35	4			
1	C	21	Total	C	N	O	S	7	0	0
			163	99	25	35	4			

- Molecule 2 is a protein called INSULIN B CHAIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	30	Total	C	N	O	S	8	0	0
			240	157	40	41	2			
2	D	30	Total	C	N	O	S	16	0	0
			240	157	40	41	2			

- Molecule 3 is COBALT (II) ION (CCD ID: CO) (formula: Co).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	1	Total	Co	0	0
			1	1		
3	D	1	Total	Co	0	0
			1	1		

- Molecule 4 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	33	Total	O	0	0
			33	33		
4	B	65	Total	O	1	0
			65	65		
4	C	46	Total	O	0	0
			46	46		
4	D	53	Total	O	0	0
			53	53		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.


• Molecule 1: INSULIN A CHAIN

Chain A: 




• Molecule 1: INSULIN A CHAIN

Chain C: 



• Molecule 2: INSULIN B CHAIN

Chain B: 



• Molecule 2: INSULIN B CHAIN

Chain D: 



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	H 3	Depositor
Cell constants a, b, c, α , β , γ	80.75Å 80.75Å 33.63Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	20.00 – 1.20	Depositor
% Data completeness (in resolution range)	99.1 (20.00-1.20)	Depositor
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	PROLSQ	Depositor
R, R_{free}	0.181 , 0.241	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	1005	wwPDB-VP
Average B, all atoms (Å ²)	24.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section:
CO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	2.55	7/164 (4.3%)	3.64	35/220 (15.9%)
1	C	2.20	4/164 (2.4%)	3.44	31/220 (14.1%)
2	B	2.72	13/247 (5.3%)	4.01	48/332 (14.5%)
2	D	3.22	20/247 (8.1%)	3.65	47/332 (14.2%)
All	All	2.76	44/822 (5.4%)	3.72	161/1104 (14.6%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	C	0	1
2	B	1	1
2	D	0	3
All	All	1	5

All (44) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	2	VAL	CB-CG1	-21.27	0.82	1.52
2	D	1	PHE	C-N	13.22	1.51	1.33
2	B	21	GLU	N-CA	-12.49	1.30	1.46
1	A	9	SER	N-CA	-10.36	1.39	1.46
2	B	21	GLU	CG-CD	-9.95	1.27	1.52
2	B	27	THR	N-CA	9.76	1.57	1.46
2	D	4	GLN	CB-CG	-9.72	1.23	1.52
1	A	10	ILE	C-N	9.45	1.45	1.33
2	D	24	PHE	N-CA	9.17	1.56	1.46
2	D	11	LEU	C-N	8.34	1.44	1.33
2	D	29	LYS	CB-CG	7.93	1.76	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	28	PRO	N-CD	7.69	1.58	1.47
1	A	2	ILE	N-CA	7.59	1.55	1.46
2	D	15	LEU	N-CA	7.54	1.55	1.46
1	C	18	ASN	N-CA	7.38	1.55	1.46
1	C	8	THR	N-CA	7.14	1.55	1.46
2	D	6	LEU	N-CA	6.95	1.55	1.46
2	D	10	HIS	ND1-CE1	6.93	1.39	1.32
2	B	27	THR	CB-OG1	6.72	1.54	1.43
2	B	30	ALA	N-CA	6.67	1.58	1.46
2	D	5	HIS	CA-C	6.64	1.61	1.52
2	D	8	GLY	N-CA	6.57	1.54	1.45
2	D	1	PHE	CA-C	6.14	1.65	1.52
2	B	12	VAL	N-CA	6.14	1.53	1.46
1	C	18	ASN	C-N	6.03	1.41	1.33
2	D	5	HIS	CG-CD2	6.02	1.42	1.35
1	A	18	ASN	CG-OD1	5.79	1.34	1.23
1	A	6	CYS	N-CA	5.78	1.53	1.46
2	D	5	HIS	CE1-NE2	5.67	1.38	1.32
2	B	5	HIS	ND1-CE1	5.66	1.38	1.32
2	D	19	CYS	CA-C	5.62	1.59	1.52
2	B	10	HIS	CG-ND1	5.60	1.44	1.38
1	A	15	GLN	C-N	5.59	1.41	1.34
2	D	12	VAL	CA-CB	5.51	1.61	1.54
2	B	18	VAL	C-O	5.47	1.30	1.24
1	A	1	GLY	N-CA	5.45	1.54	1.45
2	D	1	PHE	CG-CD1	5.39	1.50	1.38
2	B	10	HIS	CA-CB	5.30	1.62	1.53
2	D	27	THR	CB-OG1	5.25	1.52	1.43
2	B	24	PHE	C-N	5.22	1.41	1.33
2	B	26	TYR	CG-CD1	5.12	1.50	1.39
2	D	11	LEU	CA-C	5.09	1.59	1.52
1	C	18	ASN	CG-OD1	5.06	1.33	1.23
2	B	15	LEU	CA-C	5.04	1.59	1.52

All (161) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	3	ASN	CA-CB-CG	-23.41	89.19	112.60
2	B	21	GLU	CB-CG-CD	20.00	146.61	112.60
2	B	29	LYS	CA-C-O	-18.39	101.51	120.82
1	C	21	ASN	OD1-CG-ND2	17.47	140.07	122.60
2	B	3	ASN	OD1-CG-ND2	16.72	139.32	122.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	26	TYR	CA-C-N	-13.66	108.25	122.74
2	B	26	TYR	C-N-CA	-13.66	108.25	122.74
2	B	5	HIS	CA-CB-CG	-12.72	101.08	113.80
1	C	18	ASN	OD1-CG-ND2	12.00	134.60	122.60
1	A	5	GLN	CG-CD-NE2	11.63	133.85	116.40
1	A	3	VAL	CA-C-N	11.16	135.61	120.44
1	A	3	VAL	C-N-CA	11.16	135.61	120.44
2	D	2	VAL	CA-CB-CG2	-10.98	91.74	110.40
1	A	10	ILE	CA-C-O	10.76	132.21	121.45
2	D	1	PHE	CA-C-O	-10.69	102.63	120.80
2	B	21	GLU	CG-CD-OE1	-10.34	94.61	118.40
2	D	22	ARG	CD-NE-CZ	10.28	138.79	124.40
2	B	3	ASN	CA-CB-CG	-10.26	102.34	112.60
2	D	2	VAL	CA-C-O	9.98	133.25	120.78
2	B	30	ALA	CB-CA-C	9.87	125.30	110.50
2	D	1	PHE	N-CA-CB	9.82	127.19	110.50
2	B	21	GLU	CG-CD-OE2	9.80	140.94	118.40
2	B	22	ARG	CA-C-O	-9.73	108.78	119.97
2	D	8	GLY	CA-C-O	9.66	137.39	120.57
2	B	27	THR	N-CA-CB	-9.30	99.55	111.09
1	C	17	GLU	CB-CG-CD	-9.29	96.81	112.60
2	B	18	VAL	CA-C-O	-9.09	111.21	120.85
1	A	5	GLN	CG-CD-OE1	-9.08	102.64	120.80
2	D	11	LEU	O-C-N	8.85	131.50	122.12
1	A	2	ILE	O-C-N	8.75	131.00	121.90
2	B	20	GLY	CA-C-O	8.52	132.21	121.56
2	B	29	LYS	CA-C-N	-8.43	106.53	121.70
2	B	29	LYS	C-N-CA	-8.43	106.53	121.70
1	C	12	SER	CA-CB-OG	8.41	127.91	111.10
2	B	10	HIS	CE1-NE2-CD2	8.25	117.25	109.00
2	D	21	GLU	CB-CG-CD	8.15	126.46	112.60
2	B	24	PHE	CA-C-O	8.12	129.99	121.38
2	D	10	HIS	CA-CB-CG	-8.06	105.74	113.80
2	B	3	ASN	CB-CG-ND2	-7.99	104.42	116.40
2	B	19	CYS	CA-C-O	-7.87	110.06	119.27
1	C	8	THR	CA-CB-OG1	-7.87	97.80	109.60
1	A	14	TYR	CA-CB-CG	-7.76	99.94	113.90
1	C	4	GLU	CA-C-O	7.68	128.56	120.42
2	D	4	GLN	CA-CB-CG	7.67	129.44	114.10
1	A	2	ILE	CA-C-O	-7.62	112.60	121.05
2	D	18	VAL	CA-CB-CG2	7.59	123.30	110.40
2	D	19	CYS	CA-C-O	-7.51	110.69	119.78

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	18	ASN	OD1-CG-ND2	-7.48	115.12	122.60
2	B	12	VAL	O-C-N	7.46	129.10	121.87
1	A	9	SER	N-CA-CB	-7.42	104.69	111.59
1	A	10	ILE	CA-CB-CG1	7.42	123.02	110.40
2	B	27	THR	CB-CA-C	7.34	123.27	111.15
1	A	21	ASN	CA-CB-CG	-7.31	105.29	112.60
2	B	10	HIS	CG-CD2-NE2	-7.30	99.90	107.20
1	C	14	TYR	O-C-N	7.29	129.67	122.09
2	D	13	GLU	CA-CB-CG	-7.24	99.62	114.10
2	B	22	ARG	O-C-N	7.16	131.08	122.27
1	A	6	CYS	O-C-N	7.15	130.58	122.22
2	D	25	PHE	CA-C-O	7.13	128.87	120.66
2	D	1	PHE	CB-CG-CD1	-7.13	108.58	120.70
2	D	11	LEU	CA-C-O	-7.12	113.00	120.55
2	D	30	ALA	CB-CA-C	6.98	120.97	110.50
2	D	16	TYR	CA-C-O	6.95	128.12	120.82
2	D	29	LYS	CA-CB-CG	6.94	127.97	114.10
1	A	6	CYS	CA-C-O	-6.89	112.32	120.10
1	C	21	ASN	CA-CB-CG	-6.89	105.71	112.60
1	C	9	SER	CA-C-O	6.88	130.35	120.51
1	C	15	GLN	CA-C-N	-6.79	109.74	120.60
1	C	15	GLN	C-N-CA	-6.79	109.74	120.60
2	B	21	GLU	N-CA-C	6.76	125.20	110.80
1	C	15	GLN	O-C-N	6.76	129.85	122.15
1	A	9	SER	O-C-N	6.67	126.90	122.03
2	D	23	GLY	CA-C-O	6.65	129.51	122.59
2	B	18	VAL	O-C-N	6.64	128.67	121.83
2	D	7	CYS	O-C-N	6.58	131.78	123.23
2	D	3	ASN	CB-CA-C	6.54	120.57	109.72
2	B	10	HIS	CA-C-N	-6.51	111.05	120.29
2	B	10	HIS	C-N-CA	-6.51	111.05	120.29
1	C	2	ILE	O-C-N	-6.36	115.58	121.94
2	D	5	HIS	CA-C-N	-6.33	114.12	123.11
2	D	5	HIS	C-N-CA	-6.33	114.12	123.11
2	D	5	HIS	CG-CD2-NE2	-6.29	100.91	107.20
1	A	10	ILE	CB-CG1-CD1	6.26	126.95	113.80
2	D	27	THR	OG1-CB-CG2	-6.23	96.84	109.30
1	A	19	TYR	CA-CB-CG	-6.21	102.72	113.90
1	C	16	LEU	N-CA-C	6.17	119.90	112.38
2	B	26	TYR	N-CA-C	-6.16	98.47	108.52
2	D	2	VAL	N-CA-CB	-6.16	101.07	111.23
1	C	14	TYR	N-CA-CB	6.15	119.10	109.94

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	10	HIS	CA-CB-CG	-6.12	107.69	113.80
2	D	10	HIS	CE1-NE2-CD2	6.11	115.11	109.00
2	B	2	VAL	CB-CA-C	6.09	119.90	111.19
2	D	19	CYS	O-C-N	6.09	131.09	122.20
2	B	25	PHE	CA-CB-CG	-6.07	107.73	113.80
1	C	15	GLN	CA-C-O	-6.04	114.02	120.42
1	C	9	SER	O-C-N	-6.02	114.58	122.59
2	D	26	TYR	CZ-CE2-CD2	-5.97	108.85	119.60
2	B	23	GLY	O-C-N	5.96	129.06	122.68
1	A	15	GLN	CB-CG-CD	-5.94	102.50	112.60
2	D	4	GLN	OE1-CD-NE2	5.91	128.51	122.60
1	C	4	GLU	O-C-N	-5.90	115.43	122.15
2	D	10	HIS	N-CA-CB	-5.87	101.18	110.28
2	B	16	TYR	N-CA-CB	-5.84	101.53	110.12
1	A	5	GLN	CA-C-O	5.84	126.95	120.82
1	C	15	GLN	N-CA-C	-5.81	105.03	111.36
1	C	17	GLU	OE1-CD-OE2	5.76	136.72	122.90
1	A	8	THR	OG1-CB-CG2	5.75	120.80	109.30
1	C	6	CYS	N-CA-CB	-5.70	103.33	110.90
1	C	17	GLU	CA-C-O	-5.69	111.83	119.11
1	A	16	LEU	CA-C-N	-5.67	111.52	120.60
1	A	16	LEU	C-N-CA	-5.67	111.52	120.60
1	A	10	ILE	CB-CA-C	5.66	120.66	110.48
2	D	17	LEU	CA-C-O	5.65	126.95	120.90
1	C	18	ASN	CB-CG-OD1	-5.63	109.53	120.80
2	D	13	GLU	CA-C-O	5.60	126.70	120.82
1	A	6	CYS	N-CA-CB	-5.59	101.61	110.22
2	B	2	VAL	N-CA-CB	-5.56	102.19	112.43
2	D	7	CYS	N-CA-C	5.56	118.46	109.40
2	B	21	GLU	CA-C-O	5.56	128.46	120.51
2	B	19	CYS	N-CA-CB	-5.48	101.89	110.44
1	A	2	ILE	CA-CB-CG2	5.44	119.75	110.50
2	D	23	GLY	N-CA-C	-5.43	103.92	112.61
2	D	10	HIS	CG-CD2-NE2	-5.41	101.79	107.20
2	B	1	PHE	CA-CB-CG	-5.41	108.39	113.80
1	A	7	CYS	N-CA-CB	-5.41	102.14	110.20
1	A	12	SER	CA-C-N	-5.40	112.51	120.28
1	A	12	SER	C-N-CA	-5.40	112.51	120.28
2	D	5	HIS	CB-CG-ND1	-5.38	114.62	122.70
1	C	21	ASN	CB-CG-ND2	-5.36	108.36	116.40
2	D	7	CYS	CA-C-N	-5.36	110.90	121.41
2	D	7	CYS	C-N-CA	-5.36	110.90	121.41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	17	GLU	CG-CD-OE2	-5.31	106.18	118.40
1	C	16	LEU	CA-C-O	5.28	125.88	119.49
1	A	19	TYR	CD1-CG-CD2	5.27	126.00	118.10
2	B	22	ARG	N-CA-CB	5.25	118.42	110.28
2	D	29	LYS	CA-C-O	-5.23	112.83	119.31
2	B	12	VAL	CA-C-O	-5.20	115.54	120.95
2	D	24	PHE	CB-CG-CD2	-5.20	111.86	120.70
2	D	5	HIS	CE1-NE2-CD2	5.18	114.18	109.00
1	C	2	ILE	CA-CB-CG1	-5.17	101.60	110.40
2	B	28	PRO	CA-C-N	-5.17	113.72	120.44
2	B	28	PRO	C-N-CA	-5.17	113.72	120.44
1	C	5	GLN	N-CA-C	5.17	117.00	111.36
2	B	15	LEU	O-C-N	5.15	127.37	122.07
2	B	1	PHE	CA-C-O	5.14	129.54	120.80
2	B	25	PHE	CA-C-N	-5.13	115.87	123.05
2	B	25	PHE	C-N-CA	-5.13	115.87	123.05
1	A	4	GLU	CG-CD-OE1	-5.12	106.63	118.40
1	A	19	TYR	CB-CG-CD2	-5.10	113.15	120.80
2	D	11	LEU	CA-C-N	-5.10	111.52	120.29
2	D	11	LEU	C-N-CA	-5.10	111.52	120.29
1	C	12	SER	N-CA-CB	-5.07	103.18	110.44
2	D	22	ARG	NE-CZ-NH2	-5.07	114.64	119.20
2	B	21	GLU	N-CA-CB	5.07	119.06	110.49
1	C	11	CYS	CA-C-O	5.06	126.93	121.06
2	B	29	LYS	N-CA-CB	5.05	117.33	110.01
1	A	5	GLN	CA-C-N	-5.04	113.02	120.28
1	A	5	GLN	C-N-CA	-5.04	113.02	120.28
1	A	17	GLU	CB-CA-C	-5.04	99.69	110.32
1	C	15	GLN	CB-CA-C	-5.02	102.31	110.85
1	C	17	GLU	O-C-N	5.02	129.76	122.43

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
2	B	30	ALA	CA

All (5) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	B	21	GLU	Sidechain
1	C	19	TYR	Sidechain
2	D	1	PHE	Mainchain,Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
2	D	16	TYR	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	163	0	149	9	2
1	C	163	0	149	14	2
2	B	240	0	230	30	6
2	D	240	0	230	22	4
3	B	1	0	0	0	0
3	D	1	0	0	0	0
4	A	33	0	0	7	5
4	B	65	0	0	18	7
4	C	46	0	0	4	9
4	D	53	0	0	8	11
All	All	1005	0	758	60	25

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 40.

All (60) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:6:LEU:CD2	4:B:361:HOH:O	1.74	1.32
2:B:2:VAL:CG1	4:B:325:HOH:O	1.78	1.28
2:B:6:LEU:HD21	4:B:361:HOH:O	1.28	1.25
2:D:24:PHE:HD2	4:D:339:HOH:O	1.16	1.24
2:B:1:PHE:HB2	4:B:356:HOH:O	1.46	1.12
1:C:14:TYR:HB3	4:C:32:HOH:O	1.49	1.11
2:B:2:VAL:HG13	4:B:325:HOH:O	1.43	1.04
2:B:2:VAL:HB	4:B:329:HOH:O	1.60	1.01
2:B:29:LYS:NZ	4:B:319:HOH:O	1.90	1.01
1:A:12:SER:O	4:A:47:HOH:O	1.79	1.00
2:B:2:VAL:HG11	4:B:325:HOH:O	1.48	0.92
1:C:10:ILE:CD1	2:D:1:PHE:O	2.21	0.89

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:24:PHE:CD2	4:D:339:HOH:O	2.02	0.85
1:A:16:LEU:HG	4:A:47:HOH:O	1.79	0.83
1:C:14:TYR:O	4:C:47:HOH:O	1.95	0.82
1:C:10:ILE:HD11	2:D:1:PHE:O	1.82	0.79
2:B:27:THR:HG22	4:D:322:HOH:O	1.84	0.78
4:A:46:HOH:O	2:B:15:LEU:CD2	2.32	0.78
4:A:46:HOH:O	2:B:19:CYS:SG	2.40	0.77
1:C:10:ILE:HD12	2:D:1:PHE:O	1.84	0.75
2:B:2:VAL:CB	4:B:329:HOH:O	2.27	0.75
4:A:46:HOH:O	2:B:15:LEU:HD23	1.87	0.73
2:B:6:LEU:HD23	4:B:361:HOH:O	1.58	0.72
1:A:21:ASN:HB2	2:B:22:ARG:O	1.90	0.71
2:B:2:VAL:CG2	4:B:329:HOH:O	2.42	0.68
1:C:11:CYS:O	2:D:3:ASN:ND2	2.27	0.68
2:B:17:LEU:HD21	4:B:346:HOH:O	1.94	0.67
2:B:1:PHE:CB	4:B:356:HOH:O	2.19	0.66
2:B:17:LEU:HD22	4:B:323:HOH:O	1.96	0.65
1:A:2:ILE:HG22	4:B:349:HOH:O	1.99	0.63
1:A:3:VAL:HA	2:B:11:LEU:CD2	2.29	0.62
2:D:13:GLU:HG3	4:D:352:HOH:O	2.00	0.61
2:B:13:GLU:O	2:B:17:LEU:HD22	2.02	0.60
2:B:2:VAL:HG23	4:B:329:HOH:O	2.00	0.59
2:B:17:LEU:CD2	4:B:323:HOH:O	2.50	0.58
4:A:46:HOH:O	2:B:15:LEU:HD22	1.99	0.56
1:A:7:CYS:O	2:B:5:HIS:NE2	2.27	0.55
1:A:12:SER:OG	1:A:15:GLN:HG3	2.06	0.55
2:D:21:GLU:HA	4:D:355:HOH:O	2.06	0.54
2:D:19:CYS:HB2	4:D:339:HOH:O	2.07	0.53
1:A:21:ASN:ND2	2:D:27:THR:HG22	2.23	0.53
2:D:9:SER:HA	2:D:12:VAL:HG22	1.89	0.53
1:C:2:ILE:HD11	2:D:11:LEU:HD11	1.91	0.51
1:C:16:LEU:HB3	2:D:18:VAL:HG21	1.90	0.51
4:A:44:HOH:O	2:B:25:PHE:HB2	2.10	0.50
2:D:26:TYR:CZ	2:D:28:PRO:HG3	2.46	0.50
2:B:2:VAL:O	2:B:4:GLN:OE1	2.31	0.48
1:C:2:ILE:HG23	1:C:3:VAL:N	2.30	0.47
1:C:18:ASN:ND2	4:C:46:HOH:O	2.46	0.46
2:B:12:VAL:CG1	2:D:12:VAL:HB	2.48	0.44
1:C:11:CYS:N	2:D:3:ASN:HD22	2.15	0.44
1:A:9:SER:O	1:A:10:ILE:HD12	2.18	0.43
1:C:7:CYS:HB2	2:D:6:LEU:O	2.19	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:14:TYR:CB	4:C:32:HOH:O	2.29	0.42
2:B:16:TYR:OH	2:D:8:GLY:HA2	2.19	0.42
4:B:313:HOH:O	2:D:21:GLU:HB2	2.20	0.41
2:D:26:TYR:CE2	2:D:28:PRO:HG3	2.55	0.41
1:C:19:TYR:HB2	2:D:15:LEU:HD21	2.03	0.41
2:D:7:CYS:HB3	4:D:328:HOH:O	2.21	0.40
2:B:28:PRO:HD2	4:D:306:HOH:O	2.20	0.40

All (25) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:14:TYR:OH	4:A:41:HOH:O[3_555]	0.45	1.75
2:B:22:ARG:NH2	4:D:344:HOH:O[6_455]	1.18	1.02
4:B:320:HOH:O	4:D:354:HOH:O[2_555]	1.18	1.02
2:B:29:LYS:CG	4:C:58:HOH:O[1_556]	1.34	0.86
1:C:14:TYR:CZ	4:A:41:HOH:O[3_555]	1.35	0.85
4:B:303:HOH:O	4:D:337:HOH:O[2_555]	1.46	0.74
4:A:50:HOH:O	4:C:57:HOH:O[6_455]	1.50	0.70
1:A:10:ILE:CG2	4:D:343:HOH:O[7_445]	1.76	0.44
4:B:362:HOH:O	4:C:62:HOH:O[6_455]	1.77	0.43
2:B:29:LYS:CD	4:C:58:HOH:O[1_556]	1.80	0.40
2:B:29:LYS:CB	4:C:58:HOH:O[1_556]	1.83	0.37
4:B:322:HOH:O	4:D:352:HOH:O[2_555]	1.88	0.32
4:D:315:HOH:O	4:D:338:HOH:O[3_555]	1.89	0.31
2:B:29:LYS:CE	4:D:336:HOH:O[1_556]	1.94	0.26
4:B:315:HOH:O	4:D:342:HOH:O[2_555]	1.94	0.26
1:A:14:TYR:CD2	4:C:63:HOH:O[6_455]	2.03	0.17
2:D:1:PHE:CD1	4:C:45:HOH:O[5_554]	2.06	0.14
2:D:21:GLU:OE2	4:D:347:HOH:O[9_555]	2.07	0.13
4:A:34:HOH:O	4:B:358:HOH:O[6_454]	2.10	0.10
4:A:23:HOH:O	4:A:37:HOH:O[6_455]	2.14	0.06
2:B:2:VAL:CG2	2:D:21:GLU:OE2[2_555]	2.15	0.05
4:B:316:HOH:O	4:C:65:HOH:O[1_556]	2.15	0.05
2:D:1:PHE:CE1	4:C:45:HOH:O[5_554]	2.15	0.05
4:D:312:HOH:O	4:D:338:HOH:O[3_555]	2.16	0.04
4:D:315:HOH:O	4:D:324:HOH:O[3_555]	2.18	0.02

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	19/21 (90%)	17 (90%)	2 (10%)	0	100	100
1	C	19/21 (90%)	18 (95%)	1 (5%)	0	100	100
2	B	28/30 (93%)	27 (96%)	1 (4%)	0	100	100
2	D	28/30 (93%)	27 (96%)	1 (4%)	0	100	100
All	All	94/102 (92%)	89 (95%)	5 (5%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	20/20 (100%)	20 (100%)	0	100	100
1	C	20/20 (100%)	19 (95%)	1 (5%)	22	2
2	B	25/25 (100%)	23 (92%)	2 (8%)	11	0
2	D	25/25 (100%)	23 (92%)	2 (8%)	11	0
All	All	90/90 (100%)	85 (94%)	5 (6%)	19	1

All (5) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	B	17	LEU
2	B	27	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	10	ILE
2	D	2	VAL
2	D	4	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
2	B	4	GLN
1	C	18	ASN
2	D	3	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 2 ligands modelled in this entry, 2 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.