



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 02:34 PM UTC

PDB ID : 3M63 / pdb_00003m63
Title : Crystal structure of Ufd2 in complex with the ubiquitin-like (UBL) domain of Dsk2
Authors : Haenzelmann, P.; Schindelin, H.
Deposited on : 2010-03-15
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4912 (2.40-2.40)
Clashscore	190562	5391 (2.40-2.40)
Ramachandran outliers	187476	5320 (2.40-2.40)
Sidechain outliers	187428	5321 (2.40-2.40)
RSRZ outliers	180081	4916 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	968	4% 75% 18% ...
2	B	101	15% 40% 25% 7% 29%

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 8488 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Ubiquitin conjugation factor E4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	953	Total	C	N	O	S	0	4	0
			7718	4959	1277	1453	29			

There are 9 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-6	GLY	-	expression tag	UNP P54860
A	-5	SER	-	expression tag	UNP P54860
A	-4	PRO	-	expression tag	UNP P54860
A	-3	GLU	-	expression tag	UNP P54860
A	-2	PHE	-	expression tag	UNP P54860
A	-1	ARG	-	expression tag	UNP P54860
A	0	SER	-	expression tag	UNP P54860
A	102	LEU	SER	engineered mutation	UNP P54860
A	677	VAL	ASP	engineered mutation	UNP P54860

- Molecule 2 is a protein called Ubiquitin domain-containing protein DSK2.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	B	72	Total	C	N	O	0	0	0
			570	359	102	109			

There are 26 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
B	-25	MET	-	expression tag	UNP P48510
B	-24	LYS	-	expression tag	UNP P48510
B	-23	HIS	-	expression tag	UNP P48510
B	-22	HIS	-	expression tag	UNP P48510
B	-21	HIS	-	expression tag	UNP P48510
B	-20	HIS	-	expression tag	UNP P48510
B	-19	HIS	-	expression tag	UNP P48510

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	-18	HIS	-	expression tag	UNP P48510
B	-17	PRO	-	expression tag	UNP P48510
B	-16	MET	-	expression tag	UNP P48510
B	-15	SER	-	expression tag	UNP P48510
B	-14	ASP	-	expression tag	UNP P48510
B	-13	TYR	-	expression tag	UNP P48510
B	-12	ASP	-	expression tag	UNP P48510
B	-11	ILE	-	expression tag	UNP P48510
B	-10	PRO	-	expression tag	UNP P48510
B	-9	THR	-	expression tag	UNP P48510
B	-8	THR	-	expression tag	UNP P48510
B	-7	GLU	-	expression tag	UNP P48510
B	-6	ASN	-	expression tag	UNP P48510
B	-5	LEU	-	expression tag	UNP P48510
B	-4	TYR	-	expression tag	UNP P48510
B	-3	PHE	-	expression tag	UNP P48510
B	-2	GLN	-	expression tag	UNP P48510
B	-1	GLY	-	expression tag	UNP P48510
B	0	ALA	-	expression tag	UNP P48510

- Molecule 3 is PENTAETHYLENE GLYCOL (CCD ID: 1PE) (formula: $C_{10}H_{22}O_6$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			16	10	6		

- Molecule 4 is POTASSIUM ION (CCD ID: K) (formula: K).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total 1	K 1	0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	183	Total 183	O 183	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Ubiquitin conjugation factor E4



• Molecule 2: Ubiquitin domain-containing protein DSK2



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	65.13Å 125.70Å 181.21Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	73.50 – 2.40 73.50 – 2.40	Depositor EDS
% Data completeness (in resolution range)	98.3 (73.50-2.40) 98.3 (73.50-2.40)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	0.06	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.06 (at 2.40Å)	Xtriage
Refinement program	REFMAC 5.5.0102	Depositor
R, R_{free}	0.206 , 0.270 0.215 , 0.279	Depositor DCC
R_{free} test set	2951 reflections (5.08%)	wwPDB-VP
Wilson B-factor (Å ²)	51.6	Xtriage
Anisotropy	0.273	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 49.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	8488	wwPDB-VP
Average B, all atoms (Å ²)	42.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.18% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: K, 1PE

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.88	2/7895 (0.0%)	1.05	10/10668 (0.1%)
2	B	0.57	0/580	0.87	0/784
All	All	0.86	2/8475 (0.0%)	1.04	10/11452 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	3

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	28	VAL	CA-CB	7.45	1.58	1.54
1	A	437	ALA	CA-CB	5.88	1.62	1.53

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	13	ASP	C-N-CD	-11.02	96.37	120.60
1	A	13	ASP	CA-C-N	8.05	146.32	127.00
1	A	13	ASP	C-N-CA	8.05	146.32	127.00
1	A	642	TYR	N-CA-C	-5.80	104.88	111.14
1	A	429	ASP	N-CA-C	5.64	117.11	111.07
1	A	781	GLY	CA-C-N	5.55	125.07	119.19
1	A	781	GLY	C-N-CA	5.55	125.07	119.19
1	A	236	GLY	CA-C-N	5.49	129.06	120.82
1	A	236	GLY	C-N-CA	5.49	129.06	120.82

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	237	ASP	N-CA-CB	-5.21	101.29	109.78

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	13	ASP	Peptide
1	A	14	PRO	Peptide
1	A	378	LYS	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	7718	0	7708	154	0
2	B	570	0	571	18	0
3	A	16	0	22	0	0
4	A	1	0	0	0	0
5	A	183	0	0	4	0
All	All	8488	0	8301	168	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (168) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:344:ASN:HB3	1:A:372:ARG:O	1.44	1.14
1:A:494:GLN:HE21	1:A:495:ILE:H	1.09	0.92
1:A:50:ASN:O	1:A:51:GLU:HG2	1.68	0.92
1:A:209:GLN:NE2	1:A:209:GLN:H	1.70	0.90
2:B:23:THR:HA	2:B:56:THR:HA	1.58	0.84
1:A:209:GLN:HG2	1:A:304:LYS:O	1.78	0.84
1:A:-5:SER:HB2	1:A:-2:PHE:HB2	1.61	0.82
1:A:382:ILE:HD12	1:A:382:ILE:H	1.47	0.79

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:209:GLN:H	1:A:209:GLN:HE21	1.29	0.79
1:A:117:ILE:HD13	1:A:155:LEU:HD13	1.66	0.78
1:A:494:GLN:HE21	1:A:495:ILE:N	1.82	0.78
1:A:104:ILE:HD11	2:B:71:VAL:HG11	1.66	0.76
1:A:429:ASP:OD1	1:A:433:ARG:NH1	2.20	0.75
2:B:20:PRO:HB2	2:B:58:GLU:HG3	1.69	0.74
1:A:711:GLY:HA3	1:A:713:PRO:HD3	1.69	0.74
1:A:112:ALA:H	1:A:115:ASN:HD22	1.32	0.73
1:A:26:GLU:HB3	1:A:29:PRO:HD2	1.71	0.73
1:A:347:LEU:CD1	1:A:378:LYS:HB3	2.19	0.72
1:A:372:ARG:O	1:A:373:LYS:HB2	1.88	0.72
1:A:11:THR:HB	1:A:14:PRO:HB2	1.71	0.71
1:A:46:GLN:O	1:A:53:LEU:HD22	1.90	0.71
1:A:378:LYS:HE3	1:A:379:PRO:HD3	1.72	0.71
1:A:695:LEU:HD13	1:A:787:LEU:HD21	1.72	0.70
1:A:50:ASN:C	1:A:51:GLU:CG	2.66	0.68
1:A:33:THR:O	1:A:34:LEU:HB2	1.92	0.67
1:A:954:GLU:HG2	1:A:955:ALA:H	1.59	0.67
1:A:46:GLN:NE2	1:A:46:GLN:HA	2.12	0.65
1:A:704:GLU:OE2	1:A:713:PRO:HD2	1.97	0.64
1:A:375:ALA:O	1:A:376:ASP:HB2	1.96	0.64
1:A:46:GLN:NE2	1:A:51:GLU:OE2	2.29	0.64
1:A:344:ASN:N	1:A:344:ASN:OD1	2.30	0.64
1:A:344:ASN:CB	1:A:372:ARG:O	2.36	0.64
1:A:550:PHE:O	1:A:551:ARG:HG2	1.98	0.64
1:A:50:ASN:C	1:A:51:GLU:HG2	2.23	0.63
1:A:494:GLN:NE2	1:A:495:ILE:H	1.91	0.63
1:A:46:GLN:HA	1:A:46:GLN:HE21	1.64	0.62
1:A:207:LYS:HB3	1:A:209:GLN:HE22	1.64	0.62
1:A:39:ILE:HA	1:A:42:LEU:HD12	1.82	0.62
1:A:378:LYS:HB2	1:A:379:PRO:HD3	1.82	0.62
1:A:215:THR:HG21	1:A:285:TYR:OH	2.01	0.61
1:A:347:LEU:HD13	1:A:378:LYS:HB3	1.81	0.61
1:A:938:GLU:HA	1:A:938:GLU:OE1	1.99	0.61
1:A:705:LEU:O	1:A:708:ARG:NH2	2.33	0.61
1:A:343:ASN:HD21	1:A:522:PRO:HB3	1.65	0.60
1:A:92:ARG:NH2	2:B:47:SER:OG	2.34	0.60
1:A:716:ARG:HG2	1:A:718:GLU:H	1.66	0.60
1:A:211:PHE:O	1:A:215:THR:HB	2.02	0.59
1:A:185:VAL:O	1:A:270:LYS:HG2	2.02	0.59
1:A:22:LEU:HD12	1:A:22:LEU:H	1.67	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:637:LYS:O	1:A:641:ARG:HG3	2.03	0.59
1:A:380:ASN:HD22	1:A:383:SER:H	1.51	0.59
1:A:380:ASN:ND2	1:A:383:SER:H	2.01	0.58
1:A:371:ASN:C	1:A:372:ARG:HG3	2.29	0.58
1:A:881:VAL:HG11	1:A:893:ILE:HD13	1.86	0.58
1:A:50:ASN:O	1:A:51:GLU:CG	2.47	0.58
1:A:12:THR:HG22	1:A:13:ASP:CG	2.29	0.58
1:A:489:GLU:HG2	1:A:493:LYS:HD2	1.85	0.58
1:A:814:SER:O	1:A:820:ILE:HD11	2.05	0.57
1:A:117:ILE:HG12	1:A:154:THR:HG22	1.87	0.57
1:A:679:ARG:HH11	1:A:679:ARG:HG2	1.69	0.57
1:A:117:ILE:C	1:A:117:ILE:HD12	2.31	0.56
1:A:344:ASN:ND2	5:A:1088:HOH:O	2.38	0.55
1:A:215:THR:CG2	1:A:285:TYR:OH	2.54	0.55
1:A:268:VAL:HG13	1:A:282:MET:HE2	1.89	0.55
1:A:382:ILE:H	1:A:382:ILE:CD1	2.19	0.55
1:A:378:LYS:HB2	1:A:379:PRO:CD	2.35	0.55
1:A:707:ASN:OD1	1:A:708:ARG:N	2.40	0.54
1:A:107:PHE:CD2	2:B:45:ILE:HD13	2.43	0.53
1:A:344:ASN:ND2	1:A:373:LYS:HD2	2.23	0.53
1:A:379:PRO:O	1:A:380:ASN:HB3	2.07	0.53
1:A:12:THR:HG22	1:A:13:ASP:OD1	2.09	0.53
2:B:32:ASN:HD22	2:B:32:ASN:C	2.17	0.53
1:A:494:GLN:NE2	1:A:494:GLN:HA	2.23	0.52
1:A:14:PRO:HD2	1:A:15:SER:OG	2.10	0.52
1:A:719:GLU:HG3	1:A:721:LYS:H	1.75	0.52
2:B:3:LEU:N	2:B:18:VAL:O	2.42	0.52
1:A:99:VAL:HG12	1:A:103:GLN:NE2	2.25	0.52
2:B:22:SER:OG	2:B:26:GLN:HG3	2.10	0.52
1:A:787:LEU:HD23	1:A:797:PHE:CE2	2.44	0.51
1:A:946:CYS:O	1:A:950:GLN:HG2	2.10	0.51
1:A:711:GLY:CA	1:A:713:PRO:HD3	2.37	0.51
1:A:394:HIS:O	1:A:398:GLY:HA3	2.11	0.50
1:A:898:VAL:HB	1:A:934:VAL:HG13	1.92	0.50
1:A:374:THR:O	1:A:377:SER:HB3	2.11	0.50
1:A:11:THR:HB	1:A:14:PRO:CB	2.40	0.50
1:A:376:ASP:O	1:A:378:LYS:HE2	2.11	0.50
1:A:605:GLU:HB2	1:A:655:ILE:HD13	1.93	0.50
1:A:105:GLU:OE2	1:A:112:ALA:HB1	2.12	0.49
1:A:378:LYS:CE	1:A:379:PRO:HD3	2.41	0.49
1:A:679:ARG:HG2	1:A:679:ARG:NH1	2.28	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:711:GLY:HA3	1:A:713:PRO:CD	2.42	0.49
1:A:334:ILE:HD11	1:A:479:PHE:HA	1.94	0.48
1:A:379:PRO:O	1:A:380:ASN:CB	2.60	0.48
2:B:20:PRO:O	2:B:58:GLU:HB2	2.13	0.48
2:B:24:VAL:HB	2:B:52:LYS:O	2.13	0.48
1:A:28:VAL:HB	1:A:29:PRO:HD3	1.96	0.48
1:A:519:ALA:HB3	1:A:524:LYS:HE2	1.95	0.47
1:A:18:ARG:O	1:A:20:TYR:N	2.44	0.47
1:A:14:PRO:HD3	5:A:1111:HOH:O	2.13	0.47
1:A:181:PHE:O	1:A:185:VAL:HB	2.16	0.46
1:A:434:PHE:O	1:A:438[B]:GLN:HG2	2.14	0.46
1:A:74:THR:HG23	1:A:80:ALA:HA	1.98	0.46
1:A:647:ILE:O	1:A:651:LEU:HG	2.14	0.46
1:A:716:ARG:NH2	1:A:718:GLU:HG2	2.30	0.46
1:A:704:GLU:O	1:A:707:ASN:ND2	2.49	0.46
1:A:33:THR:HB	1:A:34:LEU:H	1.57	0.45
1:A:188:LYS:HB3	1:A:189:PRO:HD3	1.99	0.45
1:A:323:SER:HA	1:A:326:PHE:CZ	2.51	0.45
1:A:357:LEU:HD22	1:A:572:VAL:HG22	1.98	0.45
1:A:683:ASP:HA	1:A:686:PHE:CE2	2.52	0.45
1:A:156:LEU:HD12	1:A:156:LEU:HA	1.65	0.45
2:B:63:GLN:HB2	2:B:66:HIS:CG	2.52	0.45
1:A:24:LYS:HA	1:A:25:SER:HA	1.72	0.45
1:A:755:ILE:O	1:A:756:PRO:C	2.58	0.45
1:A:380:ASN:HD21	1:A:382:ILE:HB	1.82	0.45
1:A:462:HIS:ND1	1:A:465:LEU:HD22	2.32	0.45
1:A:415:LYS:NZ	5:A:1131:HOH:O	2.49	0.45
1:A:173:ILE:O	1:A:177:VAL:HG23	2.17	0.44
1:A:47:LEU:O	1:A:108:CYS:HA	2.17	0.44
1:A:380:ASN:HD22	1:A:383:SER:CB	2.30	0.44
1:A:954:GLU:CG	1:A:955:ALA:H	2.29	0.44
1:A:463:ARG:O	1:A:467:LEU:HB2	2.18	0.44
2:B:4:ASN:HB3	2:B:64:ASP:CG	2.42	0.44
1:A:279:ARG:HG3	1:A:381:PHE:CD1	2.53	0.44
1:A:49:GLU:HG3	2:B:10:GLY:HA2	1.99	0.44
1:A:174:TYR:CD2	1:A:174:TYR:C	2.96	0.44
1:A:89:GLU:OE2	1:A:92:ARG:NH1	2.50	0.44
1:A:804:LYS:HE2	1:A:848:LEU:O	2.18	0.43
2:B:20:PRO:CB	2:B:58:GLU:HG3	2.44	0.43
1:A:574:ASN:OD1	1:A:574:ASN:C	2.61	0.43
1:A:931:LEU:O	1:A:934:VAL:HB	2.19	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:679:ARG:NH2	1:A:682[B]:ASN:HD22	2.16	0.43
1:A:-2:PHE:O	1:A:2:THR:HG23	2.19	0.43
1:A:266:PHE:CD2	1:A:266:PHE:C	2.97	0.43
1:A:51:GLU:HB2	1:A:52:LYS:H	1.63	0.43
2:B:43:ARG:HD2	2:B:73:SER:HB2	1.99	0.43
1:A:117:ILE:HA	1:A:120:ILE:HD12	2.00	0.43
1:A:558:PHE:HE2	1:A:584:LEU:CD2	2.32	0.42
1:A:555:LEU:HD22	1:A:559:VAL:HG23	2.01	0.42
1:A:14:PRO:CD	5:A:1111:HOH:O	2.67	0.42
1:A:18:ARG:C	1:A:20:TYR:H	2.27	0.42
1:A:881:VAL:HG21	1:A:886:LEU:HD21	2.02	0.42
1:A:371:ASN:O	1:A:372:ARG:HG3	2.20	0.42
1:A:372:ARG:O	1:A:373:LYS:CB	2.64	0.42
1:A:633:GLN:HE21	1:A:633:GLN:HB2	1.70	0.42
1:A:70:GLN:O	1:A:74:THR:HB	2.20	0.41
1:A:250:HIS:O	1:A:254:GLN:HG3	2.19	0.41
1:A:380:ASN:ND2	1:A:382:ILE:HB	2.35	0.41
1:A:701:ILE:HG21	1:A:727:LEU:HB2	2.01	0.41
2:B:43:ARG:O	2:B:70:LEU:HD12	2.20	0.41
2:B:37:ILE:HA	2:B:38:PRO:HD3	1.87	0.41
1:A:42:LEU:O	1:A:46:GLN:HG2	2.21	0.41
1:A:675:ARG:HE	1:A:675:ARG:HB3	1.75	0.41
1:A:665:GLN:NE2	1:A:669:ASN:HB3	2.35	0.41
1:A:859:ASN:ND2	1:A:863:LYS:HE2	2.36	0.41
1:A:905:MET:HG3	1:A:924:PHE:CD1	2.55	0.41
1:A:421:VAL:HG21	1:A:442:MET:HE1	2.03	0.41
1:A:637:LYS:HE3	1:A:638:PHE:CZ	2.56	0.41
1:A:707:ASN:O	1:A:709:ALA:N	2.52	0.41
1:A:893:ILE:H	1:A:893:ILE:HG12	1.38	0.41
1:A:8:LEU:HB2	1:A:10:ILE:HG22	2.02	0.41
1:A:13:ASP:N	1:A:14:PRO:HB3	2.36	0.41
1:A:712:ALA:HA	1:A:713:PRO:HD3	1.88	0.41
1:A:117:ILE:HD13	1:A:155:LEU:CD1	2.41	0.41
1:A:209:GLN:H	1:A:209:GLN:CD	2.20	0.40
1:A:74:THR:HG21	1:A:87:PHE:HE2	1.85	0.40
1:A:344:ASN:HB3	1:A:372:ARG:C	2.34	0.40
2:B:25:LEU:HB2	2:B:53:ASP:O	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	949/968 (98%)	884 (93%)	48 (5%)	17 (2%)	6	9
2	B	70/101 (69%)	59 (84%)	11 (16%)	0	100	100
All	All	1019/1069 (95%)	943 (92%)	59 (6%)	17 (2%)	7	10

All (17) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	14	PRO
1	A	17	THR
1	A	34	LEU
1	A	51	GLU
1	A	373	LYS
1	A	378	LYS
1	A	379	PRO
1	A	636	ASP
1	A	19	GLY
1	A	710	ARG
1	A	50	ASN
1	A	708	ARG
1	A	16	ASP
1	A	78	PRO
1	A	372	ARG
1	A	380	ASN
1	A	-4	PRO

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was

analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	864/873 (99%)	784 (91%)	80 (9%)	8	14
2	B	64/91 (70%)	51 (80%)	13 (20%)	1	1
All	All	928/964 (96%)	835 (90%)	93 (10%)	7	11

All (93) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	-2	PHE
1	A	1	MET
1	A	2	THR
1	A	9	GLN
1	A	11	THR
1	A	12	THR
1	A	20	TYR
1	A	22	LEU
1	A	26	GLU
1	A	32	SER
1	A	33	THR
1	A	34	LEU
1	A	49	GLU
1	A	51	GLU
1	A	52	LYS
1	A	65	ARG
1	A	70	GLN
1	A	73	ILE
1	A	74	THR
1	A	75	LYS
1	A	77	LYS
1	A	104	ILE
1	A	109	MET
1	A	117	ILE
1	A	163	VAL
1	A	185	VAL
1	A	209	GLN
1	A	215	THR
1	A	223	LEU
1	A	248[A]	MET
1	A	248[B]	MET
1	A	252	SER
1	A	258	LYS
1	A	270	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	279	ARG
1	A	327	LEU
1	A	344	ASN
1	A	346	SER
1	A	372	ARG
1	A	378	LYS
1	A	388	LEU
1	A	419	GLU
1	A	436	THR
1	A	440	SER
1	A	465	LEU
1	A	494	GLN
1	A	511	ASN
1	A	524	LYS
1	A	530	VAL
1	A	555	LEU
1	A	570	GLU
1	A	595	ASN
1	A	602	ASP
1	A	633	GLN
1	A	662	LEU
1	A	679	ARG
1	A	684	LEU
1	A	705	LEU
1	A	708	ARG
1	A	718	GLU
1	A	722	GLU
1	A	726	ARG
1	A	742	ASP
1	A	750	ILE
1	A	770	SER
1	A	788	LYS
1	A	789	VAL
1	A	798	ASN
1	A	827	GLU
1	A	845	LYS
1	A	848	LEU
1	A	881	VAL
1	A	883	ASP
1	A	884	GLU
1	A	893	ILE
1	A	932	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	934	VAL
1	A	950	GLN
1	A	951	LYS
1	A	953	GLU
2	B	9	SER
2	B	17	ASN
2	B	22	SER
2	B	26	GLN
2	B	29	GLU
2	B	33	LYS
2	B	35	ASN
2	B	43	ARG
2	B	47	SER
2	B	57	VAL
2	B	58	GLU
2	B	66	HIS
2	B	73	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (29) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	69	GLN
1	A	70	GLN
1	A	76	ASN
1	A	88	GLN
1	A	103	GLN
1	A	115	ASN
1	A	209	GLN
1	A	343	ASN
1	A	371	ASN
1	A	380	ASN
1	A	428	HIS
1	A	488	HIS
1	A	494	GLN
1	A	511	ASN
1	A	613	ASN
1	A	633	GLN
1	A	639	ASN
1	A	665	GLN
1	A	667	GLN
1	A	669	ASN
1	A	700	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	733	GLN
1	A	831	ASN
1	A	859	ASN
1	A	942	GLN
2	B	4	ASN
2	B	32	ASN
2	B	61	HIS
2	B	74	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 2 ligands modelled in this entry, 1 is monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	1PE	A	962	4	15,15,15	0.63	0	14,14,14	0.30	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	1PE	A	962	4	-	3/13/13/13	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	962	1PE	C25-C15-OH6-C26
3	A	962	1PE	C12-C22-OH3-C23
3	A	962	1PE	C24-C14-OH5-C25

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	953/968 (98%)	0.08	37 (3%) 43 39	19, 38, 68, 104	4 (0%)
2	B	72/101 (71%)	1.38	15 (20%) 2 2	24, 51, 66, 106	0
All	All	1025/1069 (95%)	0.17	52 (5%) 33 30	19, 38, 68, 106	4 (0%)

All (52) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	375	ALA	4.7
1	A	346	SER	4.3
1	A	28	VAL	4.2
1	A	509	VAL	4.1
1	A	629	GLY	3.5
2	B	27	PHE	3.5
1	A	634	PHE	3.5
1	A	377	SER	3.4
1	A	955	ALA	3.4
1	A	13	ASP	3.4
2	B	40	ALA	3.4
2	B	39	VAL	3.2
1	A	34	LEU	3.1
1	A	84	HIS	3.0
1	A	376	ASP	3.0
1	A	374	THR	3.0
1	A	78	PRO	3.0
2	B	34	ALA	2.9
1	A	22	LEU	2.9
2	B	72	LYS	2.8
1	A	24	LYS	2.7
1	A	372	ARG	2.7
1	A	718	GLU	2.7
2	B	61	HIS	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	30	ALA	2.7
1	A	17	THR	2.6
2	B	48	GLY	2.6
1	A	-2	PHE	2.6
2	B	9	SER	2.5
2	B	33	LYS	2.4
1	A	31	GLY	2.4
1	A	248[A]	MET	2.4
1	A	25	SER	2.3
1	A	32	SER	2.3
2	B	31	ILE	2.3
2	B	38	PRO	2.3
1	A	15	SER	2.3
1	A	38	PHE	2.3
1	A	33	THR	2.2
1	A	946	CYS	2.2
1	A	347	LEU	2.2
2	B	73	SER	2.2
1	A	52	LYS	2.2
1	A	709	ALA	2.2
2	B	17	ASN	2.2
1	A	633	GLN	2.2
1	A	829	SER	2.2
2	B	32	ASN	2.1
1	A	14	PRO	2.1
1	A	708	ARG	2.1
1	A	19	GLY	2.1
1	A	716	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,

median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	1PE	A	962	16/16	0.91	0.14	73,77,82,84	0
4	K	A	963	1/1	0.96	0.05	72,72,72,72	0

6.5 Other polymers [i](#)

There are no such residues in this entry.