



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 02:19 AM UTC

PDB ID : 4M69 / pdb_00004m69
Title : Crystal structure of the mouse RIP3-MLKL complex
Authors : Xie, T.; Peng, W.; Yan, C.; Wu, J.; Shi, Y.
Deposited on : 2013-08-09
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	5829 (2.50-2.50)
Clashscore	190562	6492 (2.50-2.50)
Ramachandran outliers	187476	6378 (2.50-2.50)
Sidechain outliers	187428	6380 (2.50-2.50)
RSRZ outliers	180081	5833 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	313	5% 61% 24% 6% 8%
2	B	283	4% 65% 23% 6% 7%

2 Entry composition [i](#)

There are 7 unique types of molecules in this entry. The entry contains 4613 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Receptor-interacting serine/threonine-protein kinase 3.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	287	Total	C	N	O	P	S	0	1	0
			2284	1454	390	427	3	10			

- Molecule 2 is a protein called Mixed lineage kinase domain-like protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	264	Total	C	N	O	S	0	0	0
			2118	1347	365	396	10			

- Molecule 3 is PHOSPHOAMINOPHOSPHONIC ACID-ADENYLATE ESTER (CCD ID: ANP) (formula: $C_{10}H_{17}N_6O_{12}P_3$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			31	10	6	12	3		

- Molecule 4 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	O	S	0	0
			5	4	1		
4	B	1	Total	O	S	0	0
			5	4	1		

- Molecule 5 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	1	Total	Mg	0	0
			1	1		

- Molecule 6 is CHLORIDE ION (CCD ID: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	2	Total	Cl	0	0
			2	2		


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	109	Total	O	0	0
			109	109		
7	B	58	Total	O	0	0
			58	58		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Receptor-interacting serine/threonine-protein kinase 3



- Molecule 2: Mixed lineage kinase domain-like protein



4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	106.44Å 141.95Å 107.13Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	39.57 – 2.50 39.57 – 2.50	Depositor EDS
% Data completeness (in resolution range)	99.8 (39.57-2.50) 95.6 (39.57-2.50)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.78 (at 2.51Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.7.3_928)	Depositor
R, R_{free}	0.220 , 0.246 0.216 , 0.240	Depositor DCC
R_{free} test set	1439 reflections (5.04%)	wwPDB-VP
Wilson B-factor (Å ²)	42.1	Xtriage
Anisotropy	0.445	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 38.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	4613	wwPDB-VP
Average B, all atoms (Å ²)	51.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.72% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: TPO, MG, ANP, SO4, SEP, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.56	6/2303 (0.3%)	0.86	6/3123 (0.2%)
2	B	0.51	4/2160 (0.2%)	0.84	4/2913 (0.1%)
All	All	0.53	10/4463 (0.2%)	0.85	10/6036 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	278	ARG	C-N	6.20	1.41	1.33
2	B	371	ASN	C-N	5.67	1.41	1.34
2	B	223	ASN	C-N	5.66	1.41	1.34
1	A	279	PRO	N-CD	5.43	1.55	1.47
1	A	153	PRO	N-CD	5.38	1.55	1.47
1	A	15	PRO	N-CD	5.35	1.55	1.47
2	B	224	PRO	N-CD	5.29	1.55	1.47
1	A	138	PRO	N-CD	5.23	1.55	1.47
2	B	372	PRO	N-CD	5.14	1.54	1.47
1	A	152	ASP	C-N	5.00	1.41	1.33

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	278	ARG	CA-C-N	-7.59	113.00	120.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	278	ARG	C-N-CA	-7.59	113.00	120.52
2	B	223	ASN	CA-C-N	-6.48	113.02	119.56
2	B	223	ASN	C-N-CA	-6.48	113.02	119.56
2	B	371	ASN	CA-C-N	-6.36	113.14	119.56
2	B	371	ASN	C-N-CA	-6.36	113.14	119.56
1	A	152	ASP	CA-C-N	-5.39	113.22	119.47
1	A	152	ASP	C-N-CA	-5.39	113.22	119.47
1	A	192	ASP	CA-C-N	5.07	124.85	119.28
1	A	192	ASP	C-N-CA	5.07	124.85	119.28

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	231	TPO	Mainchain
1	A	232	SEP	Mainchain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2284	0	2287	71	0
2	B	2118	0	2150	72	0
3	A	31	0	13	0	0
4	A	5	0	0	1	0
4	B	5	0	0	0	0
5	A	1	0	0	0	0
6	A	2	0	0	0	0
7	A	109	0	0	8	0
7	B	58	0	0	5	0
All	All	4613	0	4450	136	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 15.

All (136) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:202:LYS:HG2	2:B:203:MET:HG2	1.36	1.07
1:A:228:VAL:HG21	1:A:233:LEU:HD23	1.35	1.03
2:B:202:LYS:HD3	2:B:203:MET:H	1.21	1.02
2:B:359:SER:O	2:B:362:ILE:HG12	1.65	0.95
1:A:297:ASP:C	1:A:298:LYS:HG2	1.94	0.90
1:A:197:PHE:HD2	1:A:239:CYS:SG	1.96	0.89
1:A:197:PHE:CE2	1:A:239:CYS:HB2	2.08	0.88
2:B:202:LYS:CD	2:B:203:MET:H	1.87	0.86
1:A:197:PHE:HD2	1:A:239:CYS:HG	0.84	0.82
1:A:286:PRO:O	1:A:290:GLU:HG3	1.80	0.81
1:A:228:VAL:CG2	1:A:233:LEU:HD23	2.12	0.79
2:B:202:LYS:HG2	2:B:203:MET:CG	2.13	0.79
1:A:197:PHE:CD2	1:A:239:CYS:SG	2.73	0.78
2:B:202:LYS:CG	2:B:203:MET:HG2	2.13	0.78
1:A:265:GLU:OE2	1:A:269[B]:HIS:CD2	2.39	0.76
1:A:163:GLY:HA2	7:A:585:HOH:O	1.86	0.75
1:A:154:GLU:O	1:A:155:LEU:HB2	1.88	0.74
2:B:183:ILE:HG13	2:B:184:LYS:H	1.51	0.74
1:A:228:VAL:HG21	1:A:233:LEU:CD2	2.13	0.73
1:A:228:VAL:HG22	2:B:372:PRO:HB3	1.70	0.73
1:A:184:SEP:O	1:A:187:THR:HG22	1.88	0.72
1:A:197:PHE:HE2	1:A:239:CYS:HB2	1.51	0.72
2:B:291:THR:HG23	7:B:608:HOH:O	1.88	0.71
2:B:183:ILE:HG23	2:B:184:LYS:N	2.04	0.71
1:A:53:VAL:CG1	1:A:55:SER:OG	2.38	0.70
1:A:194:GLU:O	1:A:198:LYS:HB2	1.93	0.69
2:B:202:LYS:HD3	2:B:203:MET:N	2.03	0.69
2:B:288:LYS:N	2:B:288:LYS:HD2	2.09	0.68
1:A:84:GLN:HG2	1:A:89:SER:HB3	1.76	0.68
1:A:30:LYS:HE3	7:A:571:HOH:O	1.94	0.68
1:A:296:LYS:O	1:A:299:VAL:HG22	1.95	0.67
1:A:265:GLU:OE2	1:A:269[B]:HIS:HD2	1.77	0.67
1:A:297:ASP:O	1:A:298:LYS:HG2	1.94	0.67
2:B:202:LYS:CD	2:B:203:MET:N	2.59	0.65
2:B:279:THR:HG22	2:B:282:GLU:H	1.62	0.65
1:A:227:LEU:CD2	2:B:372:PRO:HB2	2.27	0.65
1:A:129:MET:HE1	1:A:141:HIS:HB2	1.79	0.65
1:A:261:GLU:H	1:A:261:GLU:CD	2.04	0.65
1:A:72:ASN:ND2	7:A:505:HOH:O	2.21	0.61
2:B:202:LYS:HD2	2:B:202:LYS:N	2.15	0.61
2:B:281:ARG:HH11	2:B:281:ARG:HA	1.66	0.61
2:B:368:ARG:HH21	2:B:368:ARG:CG	2.15	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:227:LEU:HD22	2:B:372:PRO:HB2	1.85	0.58
1:A:297:ASP:O	1:A:298:LYS:CG	2.51	0.58
2:B:288:LYS:CB	7:B:645:HOH:O	2.51	0.58
1:A:296:LYS:NZ	7:A:578:HOH:O	2.36	0.58
2:B:281:ARG:HH12	2:B:284:LEU:HB2	1.69	0.58
2:B:202:LYS:CG	2:B:203:MET:N	2.67	0.57
2:B:225:GLN:O	2:B:226:ALA:HB3	2.05	0.56
2:B:316:HIS:O	2:B:317:ARG:HB2	2.05	0.56
2:B:235:THR:HG22	2:B:338:GLU:HG2	1.88	0.55
2:B:368:ARG:NH2	2:B:374:CYS:O	2.39	0.55
2:B:281:ARG:NH1	2:B:284:LEU:HB2	2.20	0.55
1:A:184:SEP:O	1:A:187:THR:N	2.39	0.55
2:B:375:LEU:HD22	2:B:376:TYR:N	2.21	0.55
2:B:368:ARG:NH1	7:B:619:HOH:O	2.40	0.55
1:A:56:LYS:HA	1:A:90:GLY:HA3	1.88	0.54
1:A:19:ARG:HB3	1:A:83:LEU:CD2	2.38	0.54
1:A:56:LYS:CD	1:A:89:SER:O	2.56	0.54
1:A:232:SEP:O2P	2:B:404:SER:OG	2.21	0.53
2:B:242:THR:O	2:B:245:LYS:HB3	2.08	0.53
1:A:184:SEP:N	1:A:187:THR:HG22	2.22	0.53
1:A:198:LYS:HB3	1:A:201:LEU:HB2	1.90	0.53
2:B:361:THR:HG22	2:B:369:LEU:HD21	1.91	0.52
1:A:260:LEU:HG	1:A:264:LYS:HE3	1.92	0.52
1:A:197:PHE:CE2	1:A:239:CYS:CB	2.90	0.52
1:A:197:PHE:CZ	1:A:235:ARG:HA	2.43	0.52
1:A:192:ASP:HB3	1:A:195:LEU:HD12	1.90	0.52
1:A:228:VAL:HG12	2:B:368:ARG:NE	2.25	0.52
2:B:288:LYS:H	2:B:288:LYS:CD	2.23	0.52
2:B:264:LYS:HD2	2:B:265:PRO:HA	1.91	0.51
1:A:56:LYS:HD3	1:A:89:SER:O	2.11	0.51
1:A:58:ILE:HG12	1:A:91:GLN:HB2	1.92	0.51
2:B:364:VAL:CG1	2:B:368:ARG:HB3	2.41	0.51
2:B:368:ARG:CG	2:B:368:ARG:NH2	2.73	0.51
2:B:399:PHE:HB3	2:B:402:CYS:HB2	1.94	0.50
1:A:254:SER:HB3	7:A:519:HOH:O	2.11	0.50
2:B:368:ARG:NH2	2:B:368:ARG:HG2	2.26	0.50
2:B:367:GLU:HG2	2:B:368:ARG:N	2.27	0.49
2:B:229:VAL:HG11	2:B:266:PRO:O	2.13	0.49
1:A:241:ARG:NH1	7:A:563:HOH:O	2.46	0.49
2:B:246:PHE:HA	2:B:308:ARG:NH1	2.27	0.49
2:B:399:PHE:O	2:B:402:CYS:HB2	2.12	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:276:GLU:H	1:A:276:GLU:CD	2.21	0.49
2:B:331:GLN:HB3	7:B:628:HOH:O	2.12	0.48
1:A:228:VAL:O	1:A:228:VAL:HG23	2.14	0.48
2:B:183:ILE:HG23	2:B:184:LYS:H	1.78	0.48
2:B:299:VAL:HG23	2:B:392:ILE:HG21	1.96	0.48
1:A:212:PHE:O	1:A:216:VAL:HG23	2.13	0.48
1:A:266:LEU:HD11	1:A:284:CYS:SG	2.54	0.47
1:A:185:GLY:HA3	1:A:227:LEU:O	2.14	0.47
1:A:24:LYS:HB2	1:A:85:TRP:CZ3	2.49	0.47
1:A:62:VAL:HG13	1:A:65:MET:HE2	1.96	0.47
2:B:224:PRO:HD2	2:B:225:GLN:OE1	2.15	0.47
2:B:420:VAL:HG12	2:B:421:GLY:H	1.80	0.47
1:A:53:VAL:HG12	1:A:55:SER:OG	2.14	0.47
2:B:202:LYS:HG2	2:B:203:MET:N	2.30	0.46
2:B:389:LEU:HD23	2:B:389:LEU:HA	1.72	0.46
1:A:56:LYS:HD2	1:A:89:SER:O	2.16	0.46
2:B:281:ARG:HH11	2:B:281:ARG:CA	2.27	0.46
2:B:225:GLN:H	2:B:225:GLN:CD	2.23	0.46
2:B:430:GLU:O	2:B:434:GLU:HG3	2.15	0.46
1:A:128:GLY:HA3	1:A:159:LEU:HD22	1.98	0.45
2:B:279:THR:HG22	2:B:281:ARG:N	2.32	0.45
2:B:288:LYS:HD2	2:B:288:LYS:H	1.79	0.45
1:A:53:VAL:HG11	1:A:55:SER:OG	2.15	0.45
1:A:297:ASP:O	1:A:298:LYS:CB	2.65	0.45
1:A:110:GLU:HB2	7:A:568:HOH:O	2.15	0.45
1:A:19:ARG:HB3	1:A:83:LEU:HD23	2.00	0.44
1:A:27:PHE:HE1	1:A:35:VAL:HG13	1.83	0.44
2:B:277:LEU:O	2:B:286:ARG:NH2	2.51	0.44
2:B:281:ARG:NH1	2:B:281:ARG:O	2.51	0.44
1:A:24:LYS:HB3	1:A:85:TRP:CZ2	2.53	0.43
2:B:235:THR:CG2	2:B:338:GLU:HG2	2.47	0.43
2:B:202:LYS:HD2	2:B:202:LYS:H	1.81	0.43
1:A:152:ASP:OD1	1:A:156:HIS:N	2.44	0.43
2:B:183:ILE:HG13	2:B:184:LYS:N	2.25	0.43
2:B:387:ILE:O	2:B:391:GLU:HG3	2.18	0.43
1:A:87:PHE:O	2:B:228:SER:HB3	2.18	0.43
2:B:279:THR:HG23	2:B:322:SER:HA	1.99	0.43
1:A:158:LYS:NZ	4:A:402:SO4:O2	2.51	0.42
2:B:375:LEU:HD13	2:B:377:ASP:HB3	2.01	0.42
1:A:154:GLU:O	1:A:155:LEU:CB	2.62	0.42
2:B:324:PHE:CE2	2:B:334:LEU:HD13	2.54	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:225:ALA:HA	7:A:503:HOH:O	2.18	0.42
1:A:303:VAL:HG12	1:A:307:LYS:HD3	2.02	0.42
2:B:246:PHE:HB3	2:B:308:ARG:CG	2.50	0.42
2:B:394:THR:HB	2:B:396:LYS:HG3	2.02	0.42
2:B:397:ILE:HB	2:B:400:GLU:HG3	2.02	0.42
1:A:130:CYS:O	1:A:134:SER:HB3	2.20	0.41
2:B:428:LEU:HD23	2:B:428:LEU:HA	1.84	0.41
1:A:245:PRO:HG3	2:B:373:PHE:CD1	2.56	0.41
2:B:290:LEU:HA	7:B:608:HOH:O	2.21	0.41
2:B:185:GLU:HG2	2:B:257:ILE:HD11	2.02	0.41
1:A:55:SER:C	1:A:57:LYS:H	2.29	0.41
1:A:191:LEU:HD23	1:A:196:LEU:HG	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	281/313 (90%)	259 (92%)	21 (8%)	1 (0%)	30	49
2	B	260/283 (92%)	247 (95%)	12 (5%)	1 (0%)	30	49
All	All	541/596 (91%)	506 (94%)	33 (6%)	2 (0%)	30	49

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	298	LYS
2	B	183	ILE

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	252/269 (94%)	219 (87%)	33 (13%)	4	8
2	B	240/257 (93%)	212 (88%)	28 (12%)	5	11
All	All	492/526 (94%)	431 (88%)	61 (12%)	4	9

All (61) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	14	VAL
1	A	16	LEU
1	A	26	GLU
1	A	56	LYS
1	A	57	LYS
1	A	68	LEU
1	A	82	ASP
1	A	84	GLN
1	A	106	LEU
1	A	110	GLU
1	A	151	LEU
1	A	154	GLU
1	A	159	LEU
1	A	165	SER
1	A	198	LYS
1	A	201	LEU
1	A	215	LEU
1	A	230	LYS
1	A	237	THR
1	A	239	CYS
1	A	242	GLN
1	A	248	THR
1	A	261	GLU
1	A	262	LYS
1	A	265	GLU
1	A	276	GLU
1	A	294	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	296	LYS
1	A	297	ASP
1	A	298	LYS
1	A	299	VAL
1	A	304	SER
1	A	312	GLN
2	B	182	GLN
2	B	184	LYS
2	B	189	GLU
2	B	199	LYS
2	B	200	THR
2	B	202	LYS
2	B	225	GLN
2	B	244	LYS
2	B	269	SER
2	B	279	THR
2	B	281	ARG
2	B	287	GLU
2	B	288	LYS
2	B	291	THR
2	B	308	ARG
2	B	339	LEU
2	B	344	ASN
2	B	358	SER
2	B	360	SER
2	B	368	ARG
2	B	375	LEU
2	B	400	GLU
2	B	420	VAL
2	B	422	GLN
2	B	428	LEU
2	B	430	GLU
2	B	453	LEU
2	B	456	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	45	ASN
1	A	54	ASN
1	A	72	ASN
2	B	182	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	311	HIS
2	B	331	GLN
2	B	422	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

3 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
1	SEP	A	232	1	8,9,10	0.79	0	7,12,14	1.45	1 (14%)
1	TPO	A	231	1	8,10,11	0.85	0	10,14,16	1.40	1 (10%)
1	SEP	A	184	1	8,9,10	0.81	0	7,12,14	1.22	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	SEP	A	232	1	-	2/6/8/10	-
1	TPO	A	231	1	-	1/9/11/13	-
1	SEP	A	184	1	-	3/6/8/10	-

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	231	TPO	O-C-CA	-2.69	117.86	124.77
1	A	232	SEP	OG-CB-CA	2.62	110.69	108.14

There are no chirality outliers.

All (6) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	184	SEP	CB-OG-P-O1P
1	A	184	SEP	CB-OG-P-O2P
1	A	184	SEP	CB-OG-P-O3P
1	A	232	SEP	C-CA-CB-OG
1	A	232	SEP	N-CA-CB-OG
1	A	231	TPO	N-CA-CB-CG2

There are no ring outliers.

2 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	A	232	SEP	1	0
1	A	184	SEP	3	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 6 ligands modelled in this entry, 3 are monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	ANP	A	401	5	33,33,33	1.99	11 (33%)	45,52,52	2.05	13 (28%)
4	SO4	B	501	-	4,4,4	0.43	0	6,6,6	0.07	0
4	SO4	A	402	-	4,4,4	0.42	0	6,6,6	0.07	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	ANP	A	401	5	-	3/18/38/38	0/3/3/3

All (11) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	401	ANP	C5-C4	4.62	1.47	1.39
3	A	401	ANP	PB-N3B	4.51	1.75	1.63
3	A	401	ANP	PG-N3B	4.48	1.75	1.63
3	A	401	ANP	PB-O1B	3.25	1.51	1.46
3	A	401	ANP	PG-O1G	3.12	1.50	1.46
3	A	401	ANP	C5-C6	2.73	1.48	1.41
3	A	401	ANP	C5-N7	-2.30	1.34	1.39
3	A	401	ANP	C8-N7	2.25	1.36	1.31
3	A	401	ANP	PG-O3G	-2.23	1.50	1.56
3	A	401	ANP	PB-O2B	-2.22	1.50	1.56
3	A	401	ANP	PG-O2G	-2.15	1.51	1.56

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	401	ANP	C5-C4-N3	-5.81	118.71	126.72
3	A	401	ANP	O1G-PG-N3B	-5.04	104.35	111.77
3	A	401	ANP	N3-C4-N9	4.60	135.00	127.17
3	A	401	ANP	O2B-PB-O1B	3.88	118.19	109.87
3	A	401	ANP	C2-N3-C4	3.70	120.86	111.83
3	A	401	ANP	C4-C5-N7	-3.52	106.56	110.58
3	A	401	ANP	N3-C2-N1	-3.21	123.72	128.58
3	A	401	ANP	C4-N9-C8	2.70	108.57	105.74
3	A	401	ANP	C5-N7-C8	2.58	107.50	103.45
3	A	401	ANP	O2G-PG-O3G	2.34	113.87	107.59
3	A	401	ANP	O1B-PB-N3B	-2.12	108.65	111.77
3	A	401	ANP	C6-C5-N7	2.11	136.16	132.09
3	A	401	ANP	N9-C8-N7	-2.02	111.08	113.94

There are no chirality outliers.

All (3) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	A	401	ANP	PB-N3B-PG-O1G
3	A	401	ANP	PG-N3B-PB-O3A
3	A	401	ANP	PB-O3A-PA-O1A

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	402	SO4	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	284/313 (90%)	0.19	16 (5%) 30 26	24, 44, 78, 124	1 (0%)
2	B	264/283 (93%)	0.33	12 (4%) 38 33	32, 51, 84, 123	0
All	All	548/596 (91%)	0.26	28 (5%) 33 29	24, 48, 82, 124	1 (0%)

All (28) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	183	ILE	4.9
2	B	456	VAL	4.2
1	A	13	ALA	4.0
1	A	185	GLY	3.9
2	B	458	GLU	3.5
1	A	183	ASP	3.2
2	B	358	SER	3.1
1	A	12	SER	3.0
2	B	457	GLU	2.9
2	B	344	ASN	2.8
1	A	197	PHE	2.8
1	A	167	PHE	2.8
1	A	57	LYS	2.7
1	A	25	LEU	2.7
1	A	295	VAL	2.6
1	A	297	ASP	2.6
1	A	14	VAL	2.4
1	A	99	GLU	2.4
2	B	429	ARG	2.3
2	B	455	ALA	2.3
1	A	311	SER	2.3
2	B	203	MET	2.2
1	A	33	PHE	2.2
2	B	360	SER	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	38	ARG	2.1
1	A	226	GLU	2.1
2	B	454	SER	2.0
2	B	189	GLU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	SEP	A	184	10/11	0.78	0.17	122,125,126,126	0
1	TPO	A	231	11/12	0.85	0.19	99,99,100,100	0
1	SEP	A	232	10/11	0.88	0.11	66,67,67,67	0

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	SO4	A	402	5/5	0.82	0.21	106,106,107,107	0
4	SO4	B	501	5/5	0.85	0.14	97,97,97,97	0
6	CL	A	405	1/1	0.87	0.23	81,81,81,81	0
6	CL	A	404	1/1	0.95	0.08	75,75,75,75	0
3	ANP	A	401	31/31	0.97	0.07	30,31,34,35	0
5	MG	A	403	1/1	0.99	0.03	35,35,35,35	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers [i](#)

There are no such residues in this entry.