



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 04:32 AM UTC

PDB ID : 1M76 / pdb_00001m76
Title : Crystal Structure of the S137C Mutant of L-3-HYDROXYACYL-COA Dehydrogenase in Complex with NAD and Acetoacetyl-COA
Authors : Barycki, J.J.; Banaszak, L.J.
Deposited on : 2002-07-18
Resolution : 2.15 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.15 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	2159 (2.16-2.16)
Ramachandran outliers	187476	2134 (2.16-2.16)
Sidechain outliers	187428	2133 (2.16-2.16)
RSRZ outliers	180081	2059 (2.16-2.16)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	302	6% 77% 19% .
1	B	302	2% 78% 18% .

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 5182 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called 3-HYDROXYACYL-COA DEHYDROGENASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	291	Total	C	N	O	S	0	0	0
			2243	1435	375	424	9			
1	B	291	Total	C	N	O	S	0	0	0
			2243	1435	375	424	9			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	137	CYS	SER	engineered mutation	UNP Q16836
B	137	CYS	SER	engineered mutation	UNP Q16836

- Molecule 2 is ACETOACETYL-COENZYME A (CCD ID: CAA) (formula: C₂₅H₄₀N₇O₁₈P₃S).




Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	S	3	0
			54	25	7	18	3	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
			Total	C	N	O	P	S		
2	B	1	54	25	7	18	3	1	3	0

- Molecule 3 is NICOTINAMIDE-ADENINE-DINUCLEOTIDE (CCD ID: NAD) (formula: C₂₁H₂₇N₇O₁₄P₂).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
3	A	1	44	21	7	14	2	0	0
3	B	1	44	21	7	14	2	0	0


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	223	Total	O	0	0
			223	223		
4	B	277	Total	O	0	0
			277	277		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: 3-HYDROXYACYL-COA DEHYDROGENASE



• Molecule 1: 3-HYDROXYACYL-COA DEHYDROGENASE



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	50.39Å 87.99Å 158.97Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	31.21 – 2.15 31.21 – 2.15	Depositor EDS
% Data completeness (in resolution range)	98.4 (31.21-2.15) 98.4 (31.21-2.15)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	6.29 (at 2.16Å)	Xtriage
Refinement program	CNS	Depositor
R, R_{free}	0.208 , 0.257 0.214 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å ²)	22.2	Xtriage
Anisotropy	0.316	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 48.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.35$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	5182	wwPDB-VP
Average B, all atoms (Å ²)	23.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.97% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CAA, NAD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.37	0/2285	0.90	6/3085 (0.2%)
1	B	0.39	0/2285	0.92	8/3085 (0.3%)
All	All	0.38	0/4570	0.91	14/6170 (0.2%)

There are no bond length outliers.

All (14) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	46	GLN	N-CA-C	8.31	120.42	111.36
1	B	46	GLN	N-CA-C	8.22	121.28	111.33
1	A	174	THR	N-CA-C	-8.12	97.92	110.58
1	B	97	VAL	N-CA-C	7.43	117.92	111.90
1	A	147	ALA	N-CA-C	-6.40	105.47	113.28
1	B	98	VAL	N-CA-C	6.12	120.70	111.89
1	B	207	VAL	N-CA-C	5.93	116.40	110.23
1	B	298	PHE	N-CA-C	-5.93	104.94	111.82
1	B	147	ALA	N-CA-C	-5.92	106.06	113.28
1	B	270	ALA	N-CA-C	5.86	119.25	111.75
1	A	207	VAL	N-CA-C	5.84	116.30	110.23
1	A	41	VAL	N-CA-C	5.70	116.69	108.48
1	A	172	ILE	N-CA-C	5.63	115.96	107.80
1	B	172	ILE	N-CA-C	5.60	116.19	107.28

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2243	0	2293	36	0
1	B	2243	0	2293	39	0
2	A	54	0	36	0	0
2	B	54	0	36	1	0
3	A	44	0	26	2	0
3	B	44	0	26	0	0
4	A	223	0	0	8	0
4	B	277	0	0	8	0
All	All	5182	0	4710	75	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (75) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:60:GLU:O	1:B:64:LYS:HD3	1.71	0.88
1:A:269:ASP:OD2	1:A:272:ASN:HB2	1.76	0.85
1:A:293:LYS:HG3	4:A:823:HOH:O	1.77	0.83
1:B:116:ASN:HD21	1:B:144:ILE:HA	1.46	0.80
1:A:173:LYS:HE3	1:A:182:PHE:CG	2.17	0.78
1:B:56:LYS:O	1:B:60:GLU:HG3	1.92	0.69
1:B:263:ASP:O	1:B:267:GLU:HG3	1.92	0.69
1:B:116:ASN:ND2	1:B:144:ILE:HA	2.10	0.65
1:A:59:GLU:HG3	1:A:85:LEU:HD11	1.79	0.64
1:A:70:PHE:HB3	1:A:73:ASN:O	1.99	0.62
1:B:269:ASP:OD2	1:B:272:ASN:HB2	2.01	0.61
1:A:273:PRO:HA	1:A:276:GLN:HG2	1.83	0.61
1:B:63:ARG:O	1:B:67:LYS:HG2	2.02	0.60
1:B:12:LYS:N	1:B:180:LYS:HE2	2.18	0.58
1:A:190:LYS:HD2	4:A:1003:HOH:O	2.04	0.57
1:B:221:LEU:HD22	1:B:232:ILE:HD11	1.89	0.55
1:B:173:LYS:HG2	4:B:860:HOH:O	2.07	0.55
1:B:22:GLY:O	1:B:27:GLY:HA3	2.06	0.55
1:A:221:LEU:HD12	1:A:224:ARG:HH21	1.72	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:300:LYS:HD2	4:B:1280:HOH:O	2.06	0.54
1:A:219:ILE:O	1:A:223:GLU:HG3	2.07	0.54
1:B:200:LYS:NZ	4:B:1282:HOH:O	2.38	0.54
1:A:150:ARG:HG2	1:A:153:ARG:HB2	1.90	0.53
1:A:78:ASP:O	1:A:82:GLU:HG3	2.08	0.53
1:A:22:GLY:O	1:A:27:GLY:HA3	2.08	0.53
1:A:296:GLU:HG3	1:A:300:LYS:HG2	1.91	0.52
1:B:64:LYS:N	1:B:64:LYS:HD2	2.24	0.52
1:B:268:MET:HE3	4:B:1235:HOH:O	2.10	0.52
1:A:150:ARG:HG2	1:A:150:ARG:O	2.10	0.51
1:B:63:ARG:HH11	1:B:63:ARG:HG2	1.75	0.51
1:B:64:LYS:N	1:B:64:LYS:CD	2.73	0.51
1:A:283:LYS:O	1:A:287:GLU:HG3	2.10	0.51
1:B:68:LYS:NZ	2:B:751:CAA:H3B	2.26	0.50
1:A:172:ILE:HD12	1:A:172:ILE:N	2.27	0.50
1:A:212:VAL:HB	1:A:213:PRO:HD3	1.94	0.50
1:B:150:ARG:HG2	1:B:150:ARG:O	2.11	0.50
1:A:99:HIS:HB2	4:A:1240:HOH:O	2.11	0.49
1:A:95:ALA:HB2	1:A:121:ARG:HH12	1.79	0.48
1:B:292:LYS:HD2	4:B:1158:HOH:O	2.14	0.47
1:A:292:LYS:HD2	4:A:1067:HOH:O	2.15	0.47
1:B:63:ARG:HG2	1:B:63:ARG:NH1	2.30	0.46
1:B:283:LYS:O	1:B:287:GLU:HG3	2.16	0.46
1:B:138:SER:HB3	1:B:261:ILE:HG23	1.97	0.46
1:B:150:ARG:HG2	1:B:153:ARG:HB2	1.98	0.46
1:B:243:PRO:HD2	4:B:805:HOH:O	2.14	0.46
1:A:221:LEU:HD12	1:A:224:ARG:NH2	2.30	0.46
1:A:47:THR:OG1	1:A:50:ILE:HG13	2.16	0.46
1:A:53:LYS:HD3	4:A:1226:HOH:O	2.16	0.45
1:B:221:LEU:C	1:B:221:LEU:HD23	2.42	0.45
1:B:259:LYS:HE3	4:B:913:HOH:O	2.16	0.45
1:A:138:SER:HB3	1:A:261:ILE:HG23	1.99	0.44
1:A:140:GLN:HG3	1:A:201:ASP:OD2	2.17	0.44
1:A:67:LYS:HE2	4:A:1233:HOH:O	2.18	0.44
1:B:133:ALA:HA	1:B:155:ALA:O	2.18	0.44
1:B:99:HIS:O	1:B:127:ALA:HB2	2.18	0.43
1:A:87:THR:HG22	1:A:87:THR:O	2.19	0.43
1:B:12:LYS:HA	1:B:180:LYS:NZ	2.33	0.43
1:A:98:VAL:O	1:A:99:HIS:C	2.61	0.43
1:B:51:LEU:HD13	1:B:90:THR:HB	1.99	0.43
1:A:138:SER:HB2	1:A:265:TRP:NE1	2.34	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:103:LEU:HD12	1:A:131:ILE:O	2.19	0.42
1:A:24:GLY:HA3	3:A:350:NAD:O5B	2.18	0.42
1:A:137:CYS:SG	3:A:350:NAD:C6N	3.08	0.42
1:B:162:PRO:HG2	1:B:165:VAL:HB	2.02	0.42
1:A:243:PRO:HG3	4:B:1000:HOH:O	2.21	0.41
1:A:278:SER:HA	1:A:279:PRO:HD3	1.91	0.41
1:B:173:LYS:HB2	1:B:177:THR:HB	2.02	0.41
1:B:179:GLN:O	1:B:183:GLU:HG3	2.20	0.41
1:B:12:LYS:CA	1:B:180:LYS:HZ1	2.33	0.41
1:A:108:ILE:HD13	1:A:118:LEU:HD22	2.03	0.41
1:B:259:LYS:HE2	1:B:282:ASN:OD1	2.21	0.41
1:A:225:GLY:HA2	4:A:829:HOH:O	2.21	0.40
1:B:41:VAL:HG12	1:B:42:VAL:N	2.36	0.40
1:B:87:THR:O	1:B:87:THR:HG22	2.21	0.40
4:A:998:HOH:O	1:B:243:PRO:HG3	2.19	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	289/302 (96%)	278 (96%)	11 (4%)	0	100	100
1	B	289/302 (96%)	278 (96%)	11 (4%)	0	100	100
All	All	578/604 (96%)	556 (96%)	22 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar

resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	245/253 (97%)	245 (100%)	0	100	100
1	B	245/253 (97%)	245 (100%)	0	100	100
All	All	490/506 (97%)	490 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	179	GLN
1	B	32	GLN
1	B	116	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	CAA	A	351	-	53,56,56	1.92	12 (22%)	77,83,83	1.78	14 (18%)
2	CAA	B	751	-	53,56,56	1.90	12 (22%)	77,83,83	1.76	12 (15%)
3	NAD	B	750	-	46,48,48	2.28	10 (21%)	64,73,73	1.40	10 (15%)
3	NAD	A	350	-	46,48,48	2.28	11 (23%)	64,73,73	1.49	14 (21%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	CAA	A	351	-	-	13/55/71/71	0/3/3/3
2	CAA	B	751	-	-	14/55/71/71	0/3/3/3
3	NAD	B	750	-	-	8/30/62/62	0/5/5/5
3	NAD	A	350	-	-	9/30/62/62	0/5/5/5

All (45) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	750	NAD	C4N-C3N	7.13	1.50	1.39
3	A	350	NAD	C4N-C3N	7.01	1.50	1.39
3	B	750	NAD	C2N-C3N	6.16	1.48	1.39
3	B	750	NAD	C5N-C4N	6.02	1.49	1.38
3	A	350	NAD	C5N-C4N	6.00	1.49	1.38
3	A	350	NAD	C2N-C3N	5.86	1.48	1.39
3	A	350	NAD	C2N-N1N	5.15	1.40	1.35
3	B	750	NAD	C2N-N1N	4.90	1.40	1.35
2	A	351	CAA	C8A-N7A	4.86	1.41	1.31
2	B	751	CAA	C8A-N7A	4.76	1.40	1.31
2	A	351	CAA	C2A-N1A	4.72	1.42	1.33
2	B	751	CAA	C2A-N1A	4.69	1.42	1.33
2	A	351	CAA	C2A-N3A	4.53	1.42	1.33
2	B	751	CAA	C2A-N3A	4.45	1.41	1.33
3	A	350	NAD	PN-O3	4.36	1.64	1.59
3	B	750	NAD	PN-O3	4.25	1.64	1.59
2	A	351	CAA	C4A-N3A	4.25	1.42	1.34
2	B	751	CAA	C4A-N3A	4.24	1.42	1.34
3	A	350	NAD	PA-O3	-3.96	1.55	1.59
3	B	750	NAD	PA-O3	-3.71	1.55	1.59
2	A	351	CAA	C6A-N6A	3.63	1.43	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	751	CAA	C6A-N6A	3.62	1.43	1.34
3	B	750	NAD	C6N-N1N	3.55	1.43	1.35
3	A	350	NAD	C6N-N1N	3.50	1.43	1.35
2	B	751	CAA	C9P-N8P	3.47	1.41	1.33
2	A	351	CAA	C5P-N4P	3.47	1.41	1.33
2	A	351	CAA	C9P-N8P	3.30	1.41	1.33
3	A	350	NAD	C6N-C5N	-3.14	1.32	1.38
2	B	751	CAA	C5P-N4P	3.14	1.40	1.33
3	B	750	NAD	C5B-C4B	-3.09	1.42	1.51
3	A	350	NAD	C5B-C4B	-3.06	1.42	1.51
3	B	750	NAD	C6N-C5N	-3.03	1.32	1.38
2	B	751	CAA	C7P-N8P	-2.71	1.40	1.46
3	B	750	NAD	C2A-N1A	2.52	1.38	1.33
2	A	351	CAA	C6A-N1A	2.45	1.42	1.35
3	A	350	NAD	C3N-C7N	-2.42	1.47	1.50
2	B	751	CAA	C3P-N4P	-2.42	1.40	1.46
2	A	351	CAA	C3P-N4P	-2.39	1.40	1.46
2	B	751	CAA	C6A-N1A	2.37	1.42	1.35
2	A	351	CAA	C7P-N8P	-2.36	1.40	1.46
2	A	351	CAA	O1-C1	2.33	1.24	1.21
2	A	351	CAA	C8A-N9A	2.32	1.41	1.37
2	B	751	CAA	C8A-N9A	2.29	1.41	1.37
3	A	350	NAD	C2A-N1A	2.28	1.38	1.33
2	B	751	CAA	C1-S1P	2.27	1.81	1.76

All (50) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	351	CAA	N3A-C2A-N1A	-8.52	115.68	128.58
2	B	751	CAA	N3A-C2A-N1A	-8.20	116.17	128.58
3	A	350	NAD	C3N-C7N-N7N	4.20	122.91	117.74
3	B	750	NAD	O4D-C4D-C5D	-3.99	96.55	109.33
3	B	750	NAD	C3N-C7N-N7N	3.97	122.63	117.74
2	A	351	CAA	O4B-C1B-N9A	3.84	115.47	108.09
2	A	351	CAA	C2A-N3A-C4A	3.81	121.14	111.83
2	B	751	CAA	C2A-N3A-C4A	3.81	121.14	111.83
2	A	351	CAA	O3A-P1A-O1A	-3.63	99.79	110.70
3	A	350	NAD	O4D-C4D-C5D	-3.61	97.78	109.33
2	B	751	CAA	O4B-C1B-N9A	3.46	114.73	108.09
2	B	751	CAA	C5A-C4A-N3A	-3.44	121.98	126.72
2	A	351	CAA	C2-C1-S1P	3.33	117.85	113.63
2	B	751	CAA	O3A-P1A-O1A	-3.28	100.83	110.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	750	NAD	O3-PN-O1N	-3.28	100.83	110.70
2	B	751	CAA	C2-C1-S1P	3.28	117.79	113.63
2	B	751	CAA	O2A-P1A-O3A	-3.19	98.65	107.27
2	A	351	CAA	C5A-C4A-N3A	-3.02	122.56	126.72
3	B	750	NAD	C4D-O4D-C1D	2.99	112.66	109.92
2	A	351	CAA	C2A-N1A-C6A	2.94	123.56	118.73
2	A	351	CAA	O1-C1-S1P	-2.89	119.00	122.68
3	A	350	NAD	C6N-N1N-C1D	-2.83	114.18	119.73
3	B	750	NAD	C5D-C4D-C3D	2.81	125.32	115.21
2	B	751	CAA	C2A-N1A-C6A	2.78	123.29	118.73
2	A	351	CAA	C3B-C2B-C1B	2.75	105.93	99.89
2	B	751	CAA	C3B-C2B-C1B	2.72	105.87	99.89
3	A	350	NAD	C5N-C4N-C3N	-2.72	117.69	120.36
3	A	350	NAD	O2N-PN-O5D	2.66	119.63	107.57
3	A	350	NAD	C4D-O4D-C1D	2.64	112.34	109.92
2	A	351	CAA	O2A-P1A-O3A	-2.62	100.20	107.27
3	A	350	NAD	C5D-C4D-C3D	2.60	124.57	115.21
2	B	751	CAA	C5A-C4A-N9A	2.52	108.56	105.81
2	A	351	CAA	O2A-P1A-O5B	2.48	118.82	107.57
2	B	751	CAA	O2A-P1A-O5B	2.48	118.79	107.57
3	A	350	NAD	O3D-C3D-C4D	-2.47	103.98	111.08
3	A	350	NAD	O3-PN-O1N	-2.40	103.48	110.70
3	B	750	NAD	C5N-C4N-C3N	-2.40	118.01	120.36
2	A	351	CAA	C2P-S1P-C1	2.39	108.90	101.84
3	B	750	NAD	C6N-N1N-C1D	-2.38	115.06	119.73
3	A	350	NAD	O3-PA-O1A	-2.34	103.66	110.70
2	A	351	CAA	O4B-C4B-C3B	2.27	109.70	104.92
3	A	350	NAD	C2N-N1N-C1D	2.23	124.05	119.13
3	B	750	NAD	O2N-PN-O5D	2.19	117.51	107.57
3	A	350	NAD	C2B-C1B-N9A	2.17	118.70	113.30
3	A	350	NAD	C6N-C5N-C4N	2.17	122.58	119.45
3	B	750	NAD	O7N-C7N-C3N	-2.11	117.01	119.60
2	A	351	CAA	C5A-C4A-N9A	2.10	108.11	105.81
3	A	350	NAD	O7N-C7N-C3N	-2.10	117.03	119.60
2	B	751	CAA	C2P-S1P-C1	2.08	107.99	101.84
3	B	750	NAD	C2N-C3N-C4N	-2.01	115.92	118.26

There are no chirality outliers.

All (44) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	351	CAA	O4B-C4B-C5B-O5B

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	A	351	CAA	C2-C1-S1P-C2P
2	A	351	CAA	S1P-C1-C2-C3
2	A	351	CAA	C1-C2-C3-O3
2	A	351	CAA	C1-C2-C3-C4
2	B	751	CAA	O4B-C4B-C5B-O5B
2	B	751	CAA	CDP-CBP-CCP-O6A
2	B	751	CAA	CEP-CBP-CCP-O6A
2	B	751	CAA	CAP-CBP-CCP-O6A
3	A	350	NAD	C5D-O5D-PN-O3
3	A	350	NAD	C5D-O5D-PN-O2N
3	A	350	NAD	O4D-C1D-N1N-C2N
3	A	350	NAD	O4D-C1D-N1N-C6N
3	A	350	NAD	C2D-C1D-N1N-C2N
3	A	350	NAD	C2D-C1D-N1N-C6N
3	B	750	NAD	C5D-O5D-PN-O3
3	B	750	NAD	C5D-O5D-PN-O2N
3	B	750	NAD	O4D-C1D-N1N-C2N
3	B	750	NAD	O4D-C1D-N1N-C6N
3	B	750	NAD	C2D-C1D-N1N-C2N
3	B	750	NAD	C2D-C1D-N1N-C6N
2	A	351	CAA	C3B-C4B-C5B-O5B
2	B	751	CAA	C3B-C4B-C5B-O5B
2	B	751	CAA	C4B-C3B-O3B-P3B
2	B	751	CAA	C2B-C3B-O3B-P3B
2	B	751	CAA	C1-C2-C3-O3
2	B	751	CAA	C1-C2-C3-C4
3	B	750	NAD	C3D-C4D-C5D-O5D
2	B	751	CAA	P1A-O3A-P2A-O4A
2	A	351	CAA	CEP-CBP-CCP-O6A
2	B	751	CAA	C4B-C5B-O5B-P1A
2	A	351	CAA	CAP-CBP-CCP-O6A
2	A	351	CAA	CCP-O6A-P2A-O4A
2	B	751	CAA	CCP-O6A-P2A-O4A
3	A	350	NAD	C5D-O5D-PN-O1N
3	B	750	NAD	C5D-O5D-PN-O1N
3	A	350	NAD	C3D-C4D-C5D-O5D
2	B	751	CAA	C3B-O3B-P3B-O8A
2	A	351	CAA	C4B-C3B-O3B-P3B
2	A	351	CAA	C4B-C5B-O5B-P1A
2	A	351	CAA	C3B-O3B-P3B-O8A
2	A	351	CAA	CDP-CBP-CCP-O6A
2	B	751	CAA	C2B-C1B-N9A-C8A

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
3	A	350	NAD	PA-O3-PN-O2N



There are no ring outliers.


2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	751	CAA	1	0
3	A	350	NAD	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	291/302 (96%)	0.31	18 (6%) 26 30	12, 21, 45, 57	0
1	B	291/302 (96%)	0.03	7 (2%) 59 63	12, 18, 35, 49	0
All	All	582/604 (96%)	0.17	25 (4%) 40 45	12, 19, 40, 57	0

All (25) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	70	PHE	5.6
1	A	71	ALA	5.4
1	A	74	PRO	4.9
1	A	73	ASN	4.6
1	A	65	VAL	4.0
1	B	68	LYS	3.9
1	B	13	ILE	3.8
1	A	72	GLU	3.7
1	B	268	MET	3.5
1	A	69	LYS	3.5
1	A	66	ALA	3.4
1	A	64	LYS	3.2
1	A	13	ILE	3.1
1	A	68	LYS	3.0
1	A	268	MET	3.0
1	A	271	GLU	2.7
1	A	302	LYS	2.7
1	B	128	GLU	2.6
1	A	270	ALA	2.6
1	B	269	ASP	2.3
1	A	269	ASP	2.1
1	B	302	LYS	2.1
1	B	12	LYS	2.1
1	A	267	GLU	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	100	SER	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)



In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	CAA	B	751	54/54	0.87	0.16	15,53,83,84	3
2	CAA	A	351	54/54	0.88	0.16	12,52,80,81	3
3	NAD	A	350	44/44	0.96	0.07	14,17,25,27	0
3	NAD	B	750	44/44	0.97	0.06	11,16,20,21	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around CAA B 751:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around CAA A 351:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NAD A 350:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around NAD B 750:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers ⓘ

There are no such residues in this entry.