



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 06:06 AM UTC

PDB ID : 5M7K / pdb_00005m7k
Title : Blastochloris viridis photosynthetic reaction center - RC_vir_xfel
Authors : Sharma, A.S.; Johansson, L.; Dunevall, E.; Wahlgren, W.Y.; Neutze, R.; Kato, G.
Deposited on : 2016-10-28
Resolution : 3.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1085 (3.54-3.46)
Clashscore	190562	1140 (3.54-3.46)
Ramachandran outliers	187476	1113 (3.54-3.46)
Sidechain outliers	187428	1114 (3.54-3.46)
RSRZ outliers	180081	1084 (3.54-3.46)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	356	5% 83% 10% 7%
2	B	274	86% 14%
3	C	324	93% 7%
4	D	258	5% 90% 5% 6%

2 Entry composition

There are 14 unique types of molecules in this entry. The entry contains 9890 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Photosynthetic reaction center cytochrome c subunit.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	332	Total	C	N	O	S	0	0	0
			2598	1637	465	478	18			

- Molecule 2 is a protein called Reaction center protein L chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	273	Total	C	N	O	S	0	2	0
			2170	1458	350	355	7			


- Molecule 3 is a protein called Reaction center protein M chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	323	Total	C	N	O	S	0	0	0
			2546	1696	417	422	11			

- Molecule 4 is a protein called Reaction center protein H chain.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	D	243	Total	C	N	O	S	0	0	0
			1771	1140	297	332	2			

- Molecule 5 is HEME C (CCD ID: HEC) (formula: $C_{34}H_{34}FeN_4O_4$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	A	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
5	A	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
5	A	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
5	A	1	Total 43	C 34	Fe 1	N 4	O 4	0	0

- Molecule 6 is DIACYL GLYCEROL (CCD ID: DGA) (formula: C₃₉H₇₆O₅).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	5	0
			37	33	4		

- Molecule 7 is BACTERIOCHLOROPHYLL A (CCD ID: BCL) (formula: $C_{55}H_{74}MgN_4O_6$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
7	B	1	Total	C	Mg	N	O	15	0
			65	54	1	4	6		
7	B	1	Total	C	Mg	N	O	0	0
			66	55	1	4	6		
7	B	1	Total	C	Mg	N	O	0	0
			66	55	1	4	6		
7	C	1	Total	C	Mg	N	O	0	0
			66	55	1	4	6		

- Molecule 8 is BACTERIOPHEOPHYTIN B (CCD ID: BPB) (formula: $C_{55}H_{74}N_4O_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
8	B	1	Total	C	N	O	0	0
			65	55	4	6		
8	C	1	Total	C	N	O	0	0
			61	51	4	6		

- Molecule 9 is [(Z)-octadec-9-enyl] (2R)-2,3-bis(oxidanyl)propanoate (CCD ID: MPG) (formula: C₂₁H₄₀O₄).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
9	B	1	Total	C	O	22	0
			25	21	4		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
9	B	1	Total C O 25 21 4	3	0
9	C	1	Total C 17 17	8	0

- Molecule 10 is FE (II) ION (CCD ID: FE2) (formula: Fe).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
10	C	1	Total Fe 1 1	0	0

- Molecule 11 is MENAQUINONE-7 (CCD ID: MQ7) (formula: C₄₆H₆₄O₂).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
11	C	1	Total C O 48 46 2	0	0

- Molecule 12 is 15-cis-1,2-dihydroneurosporene (CCD ID: NS5) (formula: C₄₀H₆₀).




Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
12	C	1	Total	C	9	0
			40	40		

- Molecule 13 is (2E,6E,10E,14E,18E,22E,26E)-3,7,11,15,19,23,27,31-OCTAMETHYLDOTRIACONTA-2,6,10,14,18,22,26,30-OCTAENYL TRIHYDROGEN DIPHOSPHATE (CCD ID: OTP) (formula: $C_{40}H_{68}O_7P_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
13	C	1	Total	C	O	0	0
			41	40	1		

- Molecule 14 is PHOSPHATE ION (CCD ID: PO4) (formula: O_4P).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
14	C	1	Total	O	P	5	0
			5	4	1		
14	C	1	Total	O	P	0	0
			5	4	1		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Photosynthetic reaction center cytochrome c subunit




- Molecule 2: Reaction center protein L chain



- Molecule 3: Reaction center protein M chain



- Molecule 4: Reaction center protein H chain



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	57.90Å 84.80Å 384.30Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	55.44 – 3.50 55.44 – 3.50	Depositor EDS
% Data completeness (in resolution range)	100.0 (55.44-3.50) 99.9 (55.44-3.50)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.91 (at 3.49Å)	Xtriage
Refinement program	PHENIX (1.10_2155: ???)	Depositor
R, R_{free}	0.253 , 0.274 0.255 , 0.276	Depositor DCC
R_{free} test set	1294 reflections (5.19%)	wwPDB-VP
Wilson B-factor (Å ²)	77.1	Xtriage
Anisotropy	0.197	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 86.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.34$, $\langle L^2 \rangle = 0.17$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.82	EDS
Total number of atoms	9890	wwPDB-VP
Average B, all atoms (Å ²)	62.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.77% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: FME, NS5, BPB, FE2, MQ7, BCL, HEC, OTP, DGA, PO4, MPG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.16	0/2665	0.38	0/3633
2	B	0.13	0/2263	0.32	0/3089
3	C	0.12	0/2650	0.30	0/3629
4	D	0.12	0/1804	0.30	0/2485
All	All	0.14	0/9382	0.33	0/12836

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	248	HIS	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2598	0	2576	29	0
2	B	2170	0	2100	24	0
3	C	2546	0	2430	16	0
4	D	1771	0	1656	7	0
5	A	172	0	128	10	0
6	A	37	0	58	2	0
7	B	197	0	218	6	0
7	C	66	0	74	1	0
8	B	65	0	74	2	0
8	C	61	0	63	1	0
9	B	50	0	80	0	0
9	C	17	0	31	0	0
10	C	1	0	0	0	0
11	C	48	0	64	1	0
12	C	40	0	60	2	0
13	C	41	0	65	2	0
14	C	10	0	0	0	0
All	All	9890	0	9677	76	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (76) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:244:CYS:HB3	5:A:403:HEC:C3B	2.28	0.63
1:A:153:PRO:HD3	1:A:160:PRO:HB3	1.81	0.61
1:A:80:TRP:CD1	1:A:133:TYR:HB2	2.36	0.61
1:A:244:CYS:SG	2:B:162:TYR:HB3	2.41	0.60
1:A:99:GLU:OE2	1:A:108:ARG:NH2	2.35	0.59
1:A:305:CYS:HA	5:A:404:HEC:HHC	1.86	0.57
4:D:160:ALA:HB3	4:D:214:LEU:HD23	1.88	0.56
1:A:136:HIS:NE2	5:A:402:HEC:NB	2.54	0.55
4:D:202:ASP:HB3	4:D:209:VAL:HB	1.87	0.55
3:C:100:TYR:OH	3:C:109:ASP:OD2	2.21	0.52
1:A:220:ARG:NH2	3:C:171:GLU:OE2	2.42	0.51
1:A:247:CYS:HA	1:A:261:THR:OG1	2.09	0.51
1:A:282:LEU:HA	1:A:285:LEU:HD12	1.94	0.49
2:B:133:VAL:HA	2:B:142:TRP:HZ3	1.77	0.49
2:B:193:LEU:HD22	2:B:216:PHE:HE2	1.78	0.49
2:B:224:ILE:HG12	2:B:228:SER:HB2	1.94	0.49
2:B:75:LEU:HA	2:B:142:TRP:CD1	2.46	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:70:LEU:HD21	12:C:405:NS5:H29	1.94	0.49
7:B:302:BCL:H193	11:C:404:MQ7:H292	1.94	0.49
1:A:244:CYS:HB3	5:A:403:HEC:C4B	2.43	0.48
7:B:301:BCL:HBB3	7:C:401:BCL:H62	1.96	0.48
1:A:142:PRO:HD2	5:A:402:HEC:HBD2	1.96	0.48
2:B:16:LEU:HD13	2:B:106:GLU:HG2	1.96	0.48
2:B:233:GLY:HA3	3:C:214:PHE:CE1	2.49	0.48
2:B:132:GLN:OE1	2:B:145:ALA:HB1	2.14	0.48
3:C:98:ALA:HB3	3:C:100:TYR:CZ	2.48	0.48
7:B:301:BCL:H3C	3:C:184:LEU:HD21	1.97	0.47
4:D:10:LEU:HD21	4:D:15:LEU:HD21	1.97	0.47
2:B:218:ASP:O	3:C:130:ARG:NH2	2.47	0.47
2:B:226:ALA:O	2:B:229:ILE:HG22	2.15	0.47
3:C:162:HIS:O	3:C:166:VAL:HG22	2.15	0.46
1:A:107:ALA:CB	5:A:401:HEC:HAC	2.46	0.46
4:D:106:ASN:HB3	4:D:109:VAL:HG22	1.98	0.46
2:B:168:HIS:CE1	7:B:302:BCL:HMC2	2.52	0.45
1:A:22:VAL:HG12	2:B:256:THR:HB	1.99	0.45
1:A:270:GLY:O	1:A:274:VAL:HG23	2.17	0.45
7:B:303:BCL:HED3	13:C:406:OTP:H282	1.98	0.45
4:D:142:ASP:OD1	4:D:142:ASP:N	2.43	0.45
3:C:227:PHE:HB2	3:C:242:ALA:HB2	1.99	0.45
6:A:405:DGA:HA22	6:A:405:DGA:HG11	1.76	0.44
3:C:261:GLU:OE2	4:D:66:LYS:NZ	2.51	0.44
12:C:405:NS5:H18	12:C:405:NS5:H161	1.81	0.44
1:A:18:SER:HB2	2:B:156:TRP:CD1	2.52	0.44
2:B:181:PHE:HB3	8:C:402:BPB:HBBA	1.99	0.44
1:A:80:TRP:HB3	1:A:132:CYS:HB2	1.99	0.44
2:B:60:ASP:HB3	2:B:63:ALA:HB3	2.00	0.43
4:D:115:ALA:HB2	4:D:244:GLY:HA3	2.00	0.43
1:A:187:TYR:CE2	3:C:97:LYS:HD3	2.54	0.43
1:A:244:CYS:HB3	5:A:403:HEC:CAB	2.48	0.43
3:C:87:GLN:O	3:C:91:LEU:HG	2.18	0.43
13:C:406:OTP:H51	13:C:406:OTP:H81	1.69	0.43
1:A:267:ALA:CB	5:A:403:HEC:HAC	2.48	0.43
1:A:301:PRO:HG2	5:A:402:HEC:HBD1	2.01	0.43
2:B:179:PHE:HA	2:B:182:VAL:HG12	1.99	0.43
3:C:177:ILE:O	3:C:180:HIS:ND1	2.52	0.43
2:B:170:ASN:HB3	2:B:173:HIS:HB2	2.01	0.42
3:C:259:THR:H	3:C:262:SER:HG	1.64	0.42
1:A:12:THR:HG23	1:A:20:GLY:HA2	2.02	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:102:TYR:CG	1:A:103:PRO:HD3	2.54	0.42
8:B:304:BPB:HHB	8:B:304:BPB:HBBB	2.01	0.42
1:A:237:SER:OG	5:A:403:HEC:HAB	2.19	0.42
2:B:239:ASN:HA	2:B:242:LEU:HB2	2.02	0.42
8:B:304:BPB:H14	8:B:304:BPB:H16A	1.83	0.41
1:A:121:TRP:O	1:A:125:VAL:HG22	2.20	0.41
1:A:216:ARG:NH2	3:C:287:THR:O	2.52	0.41
6:A:405:DGA:HB22	2:B:262:TRP:HH2	1.85	0.41
3:C:197:CYS:O	3:C:200:HIS:HB3	2.21	0.41
1:A:19:MET:HE3	1:A:248:HIS:O	2.20	0.41
7:B:302:BCL:H61	7:B:302:BCL:H41	1.85	0.41
2:B:207:LYS:HB3	2:B:211:HIS:CG	2.55	0.41
1:A:254:GLU:H	1:A:254:GLU:CD	2.28	0.41
1:A:90:CYS:SG	1:A:103:PRO:HB2	2.61	0.40
2:B:3:LEU:HB2	2:B:6:GLU:HB2	2.04	0.40
2:B:62:PHE:HB3	2:B:151:LEU:HD12	2.02	0.40
2:B:193:LEU:HD22	2:B:216:PHE:CE2	2.55	0.40
2:B:79:PRO:HB2	2:B:82[B]:GLU:HB2	2.02	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	330/356 (93%)	313 (95%)	17 (5%)	0	100	100
2	B	273/274 (100%)	262 (96%)	11 (4%)	0	100	100
3	C	321/324 (99%)	313 (98%)	7 (2%)	1 (0%)	36	67
4	D	239/258 (93%)	234 (98%)	5 (2%)	0	100	100
All	All	1163/1212 (96%)	1122 (96%)	40 (3%)	1 (0%)	48	79

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	C	177	ILE

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	280/297 (94%)	280 (100%)	0	100	100
2	B	218/219 (100%)	218 (100%)	0	100	100
3	C	247/250 (99%)	247 (100%)	0	100	100
4	D	167/212 (79%)	167 (100%)	0	100	100
All	All	912/978 (93%)	912 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	162	HIS
2	B	87	GLN
2	B	190	HIS
3	C	4	GLN
3	C	9	GLN
4	D	102	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The

Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	FME	D	1	4	8,9,10	0.96	0	8,9,11	0.93	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	FME	D	1	4	-	4/7/9/11	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	D	1	FME	CB-CA-N-CN
4	D	1	FME	C-CA-CB-CG
4	D	1	FME	N-CA-CB-CG
4	D	1	FME	CA-CB-CG-SD

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 20 ligands modelled in this entry, 1 is monoatomic - leaving 19 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and

the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	DGA	A	405	-	36,36,43	1.20	3 (8%)	38,38,45	3.17	6 (15%)
13	OTP	C	406	-	40,40,48	0.64	0	47,47,61	1.85	15 (31%)
7	BCL	B	302	-	69,74,74	1.16	4 (5%)	79,115,115	1.46	11 (13%)
5	HEC	A	402	1	46,50,50	1.86	7 (15%)	58,82,82	1.12	3 (5%)
8	BPB	C	402	-	53,66,70	1.18	6 (11%)	50,96,101	1.98	9 (18%)
5	HEC	A	404	1	46,50,50	1.86	6 (13%)	58,82,82	1.05	2 (3%)
7	BCL	B	301	-	68,73,74	1.16	5 (7%)	77,113,115	1.30	6 (7%)
11	MQ7	C	404	-	49,49,49	1.83	10 (20%)	61,63,63	1.61	15 (24%)
5	HEC	A	401	1	46,50,50	1.85	6 (13%)	58,82,82	1.04	2 (3%)
7	BCL	B	303	-	69,74,74	1.19	6 (8%)	79,115,115	1.35	11 (13%)
12	NS5	C	405	-	39,39,39	2.08	13 (33%)	46,46,46	2.38	14 (30%)
14	PO4	C	408	-	4,4,4	0.96	0	6,6,6	0.47	0
9	MPG	C	407	-	16,16,24	0.84	0	15,15,25	0.75	0
14	PO4	C	409	-	4,4,4	0.93	0	6,6,6	0.53	0
5	HEC	A	403	1	46,50,50	1.87	7 (15%)	58,82,82	1.15	2 (3%)
7	BCL	C	401	-	69,74,74	1.17	6 (8%)	79,115,115	1.43	11 (13%)
9	MPG	B	305	-	24,24,24	1.25	1 (4%)	24,25,25	1.42	3 (12%)
9	MPG	B	306	-	24,24,24	1.27	1 (4%)	24,25,25	1.20	2 (8%)
8	BPB	B	304	-	57,70,70	1.18	6 (10%)	55,101,101	1.90	9 (16%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
12	NS5	C	405	-	-	13/43/43/43	-
9	MPG	B	306	-	-	9/25/25/25	-
6	DGA	A	405	-	-	13/37/37/45	-
7	BCL	B	301	-	-	8/40/136/137	-
13	OTP	C	406	-	-	12/45/45/55	-
11	MQ7	C	404	-	-	3/41/61/61	0/2/2/2

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	BCL	B	302	-	-	3/41/137/137	-
9	MPG	C	407	-	-	6/14/14/25	-
5	HEC	A	401	1	-	2/14/54/54	-
8	BPB	B	304	-	-	5/37/105/105	0/5/6/6
7	BCL	B	303	-	-	5/41/137/137	-
5	HEC	A	402	1	-	5/14/54/54	-
7	BCL	C	401	-	-	4/41/137/137	-
8	BPB	C	402	-	-	9/33/101/105	0/5/6/6
9	MPG	B	305	-	-	14/25/25/25	-
5	HEC	A	403	1	-	0/14/54/54	-
5	HEC	A	404	1	-	0/14/54/54	-

All (87) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	C	404	MQ7	C3-C2	7.32	1.48	1.35
5	A	403	HEC	CAB-C3B	6.53	1.56	1.35
5	A	402	HEC	CAC-C3C	6.48	1.56	1.35
5	A	404	HEC	CAC-C3C	6.41	1.55	1.35
5	A	401	HEC	CAC-C3C	6.33	1.55	1.35
5	A	401	HEC	CAB-C3B	6.28	1.55	1.35
5	A	404	HEC	CAB-C3B	6.27	1.55	1.35
5	A	403	HEC	CAC-C3C	6.26	1.55	1.35
5	A	402	HEC	CAB-C3B	6.18	1.55	1.35
7	B	302	BCL	MG-NA	4.96	2.18	2.06
7	B	301	BCL	MG-NA	4.77	2.17	2.06
9	B	305	MPG	O1-CX3	4.73	1.43	1.33
9	B	306	MPG	O1-CX3	4.73	1.43	1.33
7	C	401	BCL	MG-NA	4.67	2.17	2.06
7	B	303	BCL	MG-NA	4.61	2.17	2.06
12	C	405	NS5	C14-C15	4.26	1.55	1.46
5	A	403	HEC	CBC-CAC	-4.19	1.34	1.49
5	A	402	HEC	CBB-CAB	-4.17	1.34	1.49
5	A	401	HEC	CBC-CAC	-4.13	1.34	1.49
5	A	403	HEC	CBB-CAB	-4.13	1.34	1.49
5	A	402	HEC	CBC-CAC	-4.12	1.34	1.49
5	A	404	HEC	CBB-CAB	-4.09	1.34	1.49
11	C	404	MQ7	C5-C4	4.03	1.56	1.48
5	A	401	HEC	CBB-CAB	-4.01	1.34	1.49
5	A	404	HEC	CBC-CAC	-4.00	1.34	1.49

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
12	C	405	NS5	C19-C20	3.87	1.55	1.43
8	B	304	BPB	CBD-CGD	-3.84	1.47	1.52
11	C	404	MQ7	C10-C1	3.73	1.55	1.48
7	B	303	BCL	MG-NC	3.65	2.14	2.06
12	C	405	NS5	C18-C17	3.56	1.54	1.43
12	C	405	NS5	C28-C26	3.53	1.53	1.46
6	A	405	DGA	CG1-CG2	3.50	1.58	1.50
6	A	405	DGA	OG1-CA1	3.44	1.43	1.33
7	B	301	BCL	MG-NC	3.43	2.14	2.06
8	C	402	BPB	CBD-CGD	-3.41	1.48	1.52
12	C	405	NS5	C29-C30	3.38	1.53	1.43
7	B	302	BCL	MG-NC	3.37	2.14	2.06
12	C	405	NS5	C23-C21	3.36	1.53	1.46
7	C	401	BCL	C3B-C4B	3.35	1.47	1.41
12	C	405	NS5	C24-C25	3.31	1.53	1.43
8	B	304	BPB	C3B-C4B	3.21	1.46	1.41
6	A	405	DGA	OG2-CB1	3.18	1.43	1.34
8	C	402	BPB	C3B-C4B	3.13	1.46	1.41
7	B	303	BCL	C3B-C4B	3.11	1.47	1.41
12	C	405	NS5	C13-C12	3.04	1.52	1.43
12	C	405	NS5	C4-C5	3.01	1.57	1.51
7	C	401	BCL	MG-NC	2.99	2.13	2.06
7	B	301	BCL	C3B-C4B	2.91	1.46	1.41
7	B	302	BCL	C3B-C4B	2.88	1.46	1.41
8	B	304	BPB	OBD-CAD	2.83	1.26	1.22
7	B	303	BCL	CHD-C1D	2.82	1.43	1.38
8	B	304	BPB	C3D-CAD	-2.74	1.42	1.47
7	B	302	BCL	CHD-C1D	2.73	1.43	1.38
8	C	402	BPB	C3D-CAD	-2.72	1.42	1.47
12	C	405	NS5	C7-C5	2.71	1.39	1.33
11	C	404	MQ7	C20-C18	2.66	1.56	1.51
8	C	402	BPB	C1D-C2D	2.66	1.42	1.39
8	C	402	BPB	CHA-CBD	2.64	1.54	1.51
11	C	404	MQ7	C12-C13	2.59	1.39	1.33
11	C	404	MQ7	C17-C18	2.56	1.39	1.33
12	C	405	NS5	C33-C31	2.54	1.56	1.51
8	B	304	BPB	C1D-C2D	2.45	1.42	1.39
11	C	404	MQ7	C27-C28	2.43	1.38	1.33
7	C	401	BCL	CHD-C1D	2.40	1.43	1.38
7	B	301	BCL	CHD-C1D	2.38	1.43	1.38
11	C	404	MQ7	C32-C33	2.35	1.38	1.33
12	C	405	NS5	C13-C14	2.35	1.40	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	C	402	BPB	OBD-CAD	2.23	1.25	1.22
8	B	304	BPB	CHA-CBD	2.22	1.54	1.51
5	A	402	HEC	CMB-C2B	2.20	1.55	1.50
5	A	401	HEC	CMA-C3A	2.17	1.55	1.50
5	A	402	HEC	CMD-C2D	2.15	1.55	1.50
11	C	404	MQ7	C22-C23	2.11	1.37	1.33
5	A	403	HEC	CMC-C2C	2.11	1.55	1.50
12	C	405	NS5	C29-C28	2.11	1.40	1.34
5	A	402	HEC	CMC-C2C	2.11	1.55	1.50
5	A	404	HEC	CMD-C2D	2.09	1.55	1.50
7	B	303	BCL	C3D-C4D	-2.09	1.39	1.44
7	C	401	BCL	C1D-ND	2.09	1.40	1.37
7	C	401	BCL	C3D-C4D	-2.08	1.39	1.44
5	A	401	HEC	CMB-C2B	2.08	1.55	1.50
7	B	303	BCL	OBD-CAD	2.07	1.26	1.22
7	B	301	BCL	C3D-C4D	-2.06	1.39	1.44
5	A	403	HEC	CMD-C2D	2.05	1.55	1.50
5	A	403	HEC	CMB-C2B	2.02	1.54	1.50
5	A	404	HEC	CMC-C2C	2.01	1.54	1.50
11	C	404	MQ7	C11-C3	2.01	1.55	1.51

All (121) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	A	405	DGA	OG2-CG2-CG3	-13.12	78.58	107.96
6	A	405	DGA	OG2-CG2-CG1	-10.18	82.77	106.21
8	B	304	BPB	C4D-CHA-CBD	-9.80	103.75	108.45
8	C	402	BPB	C4D-CHA-CBD	-9.56	103.87	108.45
12	C	405	NS5	C29-C30-C31	-7.74	116.80	127.69
6	A	405	DGA	CG3-CG2-CG1	7.14	132.75	112.69
12	C	405	NS5	C18-C17-C15	-6.55	118.10	127.28
12	C	405	NS5	C19-C20-C21	-6.06	118.78	127.28
7	B	302	BCL	C4D-CHA-C1A	5.31	127.58	121.24
7	B	301	BCL	C4D-CHA-C1A	5.29	127.55	121.24
7	C	401	BCL	C4D-CHA-C1A	5.11	127.34	121.24
13	C	406	OTP	C33-C32-C31	4.69	123.36	115.23
9	B	305	MPG	O1-CX3-CXD	4.64	122.52	111.78
7	B	303	BCL	C4D-CHA-C1A	4.35	126.44	121.24
12	C	405	NS5	C13-C12-C10	-4.17	121.83	127.69
7	B	301	BCL	C1D-ND-C4D	-3.94	103.55	106.31
8	B	304	BPB	C4D-ND-C1D	-3.89	104.21	108.87
7	B	303	BCL	C1D-ND-C4D	-3.87	103.60	106.31

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	C	401	BCL	CHD-C1D-ND	-3.84	119.40	124.80
8	C	402	BPB	C4D-ND-C1D	-3.82	104.29	108.87
7	B	302	BCL	CHD-C1D-ND	-3.80	119.45	124.80
9	B	306	MPG	O1-CX3-CXD	3.78	120.53	111.78
11	C	404	MQ7	C21-C22-C23	-3.73	119.08	127.62
7	B	301	BCL	CHD-C1D-ND	-3.70	119.59	124.80
8	B	304	BPB	C3D-C4D-ND	3.68	112.43	107.71
7	C	401	BCL	C2A-C1A-CHA	3.67	130.23	123.87
8	C	402	BPB	C3D-C4D-ND	3.63	112.36	107.71
7	B	303	BCL	CHD-C1D-ND	-3.63	119.70	124.80
6	A	405	DGA	OG2-CB1-CB2	3.58	119.22	111.48
7	C	401	BCL	CHA-C1A-NA	-3.50	118.46	126.39
7	B	302	BCL	C1-C2-C3	-3.47	120.52	126.20
7	C	401	BCL	C1D-ND-C4D	-3.39	103.93	106.31
8	C	402	BPB	OBD-CAD-CBD	-3.36	120.89	125.82
12	C	405	NS5	C11-C10-C9	3.35	121.04	115.23
7	B	302	BCL	C2A-C1A-CHA	3.31	129.61	123.87
7	B	302	BCL	C4A-NA-C1A	3.29	108.18	106.68
7	B	301	BCL	CHA-C1A-NA	-3.28	118.96	126.39
11	C	404	MQ7	C11-C12-C13	-3.25	121.23	126.83
7	B	302	BCL	C1D-ND-C4D	-3.25	104.03	106.31
7	B	302	BCL	CHA-C1A-NA	-3.20	119.14	126.39
13	C	406	OTP	C35-C34-C32	-3.17	120.36	127.62
11	C	404	MQ7	C26-C27-C28	-3.17	120.36	127.62
13	C	406	OTP	C15-C14-C12	-3.09	120.56	127.62
13	C	406	OTP	C38-C37-C36	3.08	120.58	115.23
11	C	404	MQ7	C31-C32-C33	-3.07	120.59	127.62
13	C	406	OTP	C8-C7-C6	3.06	120.53	115.23
12	C	405	NS5	C6-C5-C4	3.04	120.51	115.23
8	B	304	BPB	OBD-CAD-CBD	-3.04	121.36	125.82
12	C	405	NS5	C25-C24-C23	-2.99	114.55	123.20
12	C	405	NS5	C24-C25-C26	-2.97	123.12	127.28
13	C	406	OTP	C10-C9-C7	-2.96	120.84	127.62
13	C	406	OTP	C28-C27-C26	2.96	120.37	115.23
7	B	303	BCL	C2A-C1A-CHA	2.94	128.98	123.87
13	C	406	OTP	C23-C22-C21	2.94	120.33	115.23
7	C	401	BCL	C4A-NA-C1A	2.93	108.02	106.68
7	B	303	BCL	CHA-C1A-NA	-2.91	119.80	126.39
13	C	406	OTP	C13-C12-C11	2.86	120.20	115.23
13	C	406	OTP	C30-C29-C27	-2.85	121.09	127.62
11	C	404	MQ7	C39-C38-C40	2.84	120.16	115.23
9	B	305	MPG	O1-CX3-O4	-2.82	118.98	124.14

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	C	404	MQ7	C16-C17-C18	-2.78	121.26	127.62
6	A	405	DGA	OG1-CA1-CA2	2.77	120.30	111.83
5	A	404	HEC	C2A-C1A-NA	-2.74	107.68	110.32
13	C	406	OTP	C18-C17-C16	2.74	119.98	115.23
5	A	402	HEC	C2A-C1A-NA	-2.73	107.69	110.32
7	C	401	BCL	C1C-NC-C4C	2.72	107.92	106.68
8	C	402	BPB	O2D-CGD-CBD	2.70	113.92	110.95
11	C	404	MQ7	C24-C23-C25	2.69	119.90	115.23
7	B	303	BCL	CMB-C2B-C1B	-2.67	121.35	125.42
7	C	401	BCL	C11-C10-C8	-2.67	107.08	115.97
11	C	404	MQ7	C29-C28-C30	2.67	119.86	115.23
5	A	403	HEC	C2A-C1A-NA	-2.66	107.76	110.32
11	C	404	MQ7	C34-C33-C35	2.66	119.84	115.23
7	B	301	BCL	C4A-NA-C1A	2.65	107.89	106.68
8	C	402	BPB	C11-C10-C8	2.64	124.76	115.97
11	C	404	MQ7	C19-C18-C20	2.62	119.78	115.23
11	C	404	MQ7	C11-C3-C2	-2.62	120.40	124.89
12	C	405	NS5	C34-C35-C36	-2.61	118.93	127.64
7	B	301	BCL	C2A-C1A-CHA	2.60	128.38	123.87
7	B	303	BCL	C1-C2-C3	-2.60	121.94	126.20
7	B	302	BCL	C1C-NC-C4C	2.60	107.86	106.68
7	B	303	BCL	C1C-NC-C4C	2.56	107.85	106.68
7	B	303	BCL	CAB-C3B-C2B	2.45	132.84	127.74
8	B	304	BPB	CMB-C2B-C3B	2.42	129.53	124.68
12	C	405	NS5	CM4-C36-CM3	2.42	120.15	114.59
7	B	303	BCL	C4A-NA-C1A	2.41	107.78	106.68
12	C	405	NS5	C13-C14-C15	-2.38	119.84	126.36
11	C	404	MQ7	C2M-C2-C3	-2.37	120.56	124.45
7	B	302	BCL	CMB-C2B-C1B	-2.36	121.83	125.42
11	C	404	MQ7	C14-C13-C15	2.35	119.31	115.23
8	B	304	BPB	C2D-C1D-ND	2.34	111.12	109.43
8	C	402	BPB	CMD-C2D-C3D	2.33	129.34	124.68
7	C	401	BCL	CMB-C2B-C1B	-2.32	121.89	125.42
13	C	406	OTP	C1-C2-C3	2.31	119.91	114.59
5	A	402	HEC	CBA-CAA-C2A	-2.29	106.20	112.53
8	C	402	BPB	CMB-C2B-C3B	2.29	129.26	124.68
8	B	304	BPB	CMD-C2D-C3D	2.29	129.26	124.68
11	C	404	MQ7	C36-C37-C38	-2.28	122.40	127.62
12	C	405	NS5	C32-C31-C33	2.25	119.14	115.23
8	B	304	BPB	C17-C16-C15	2.25	123.38	113.28
13	C	406	OTP	C18-C17-C19	-2.23	117.89	123.63
5	A	401	HEC	C2A-C1A-NA	-2.21	108.19	110.32

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	B	302	BCL	CAB-C3B-C2B	2.20	132.31	127.74
5	A	404	HEC	C3D-C4D-ND	-2.18	107.74	110.15
11	C	404	MQ7	C45-C43-C44	2.17	119.58	114.59
8	B	304	BPB	OBB-CAB-CBB	-2.16	115.59	120.19
13	C	406	OTP	C33-C32-C34	-2.13	118.16	123.63
8	C	402	BPB	C2D-C1D-ND	2.12	110.96	109.43
5	A	403	HEC	CAA-CBA-CGA	-2.11	108.06	113.67
7	B	303	BCL	OBB-CAB-CBB	-2.11	115.05	119.77
12	C	405	NS5	C34-C33-C31	-2.10	106.23	113.19
5	A	402	HEC	CMB-C2B-C1B	-2.10	122.22	125.42
9	B	305	MPG	O4-CX3-CXD	-2.09	118.49	123.56
7	B	302	BCL	OBB-CAB-CBB	-2.08	115.11	119.77
12	C	405	NS5	C16-C15-C17	-2.07	119.47	122.82
5	A	401	HEC	CBD-CAD-C3D	-2.06	106.84	112.53
7	C	401	BCL	OBB-CAB-CBB	-2.06	115.16	119.77
9	B	306	MPG	O4-CX3-CXD	-2.04	118.62	123.56
6	A	405	DGA	CG2-OG2-CB1	-2.04	114.83	117.78
13	C	406	OTP	C5-C4-C2	-2.02	120.90	127.64
7	C	401	BCL	CAB-C3B-C2B	2.00	131.91	127.74

There are no chirality outliers.

All (111) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	A	405	DGA	CA2-CA1-OG1-CG1
6	A	405	DGA	OA1-CA1-OG1-CG1
6	A	405	DGA	OG1-CG1-CG2-OG2
7	B	301	BCL	C4B-C3B-CAB-CBB
7	C	401	BCL	CAD-CBD-CGD-O1D
7	C	401	BCL	CAD-CBD-CGD-O2D
8	C	402	BPB	C4-C3-C5-C6
8	C	402	BPB	C11-C10-C8-C9
9	B	305	MPG	CXD-CX3-O1-C1
9	B	305	MPG	O4-CX3-O1-C1
9	B	305	MPG	O3-C21-CXD-O2
9	B	305	MPG	O1-CX3-CXD-C21
9	B	305	MPG	O4-CX3-CXD-C21
9	B	306	MPG	O3-C21-CXD-O2
12	C	405	NS5	C2-C3-C4-C5
7	B	302	BCL	C4-C3-C5-C6
12	C	405	NS5	C3-C4-C5-C6
13	C	406	OTP	C30-C31-C32-C33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
13	C	406	OTP	C5-C6-C7-C8
7	B	302	BCL	C2-C3-C5-C6
8	C	402	BPB	C2-C3-C5-C6
12	C	405	NS5	C3-C4-C5-C7
13	C	406	OTP	C30-C31-C32-C34
12	C	405	NS5	C11-C10-C9-C8
12	C	405	NS5	C12-C10-C9-C8
13	C	406	OTP	C5-C6-C7-C9
13	C	406	OTP	C14-C15-C16-C17
13	C	406	OTP	C9-C10-C11-C12
12	C	405	NS5	C28-C29-C30-C31
7	B	301	BCL	C14-C13-C15-C16
12	C	405	NS5	C27-C26-C28-C29
12	C	405	NS5	C25-C26-C28-C29
13	C	406	OTP	C24-C25-C26-C27
7	B	302	BCL	C15-C16-C17-C18
7	C	401	BCL	C2A-CAA-CBA-CGA
7	B	301	BCL	C4B-C3B-CAB-OB
7	B	303	BCL	C16-C17-C18-C19
9	B	305	MPG	C5-C6-C7-C8
9	B	306	MPG	C11-C12-C13-C14
6	A	405	DGA	CBB-CAB-CB9-CB8
6	A	405	DGA	CCB-CDB-CEB-CFB
9	B	305	MPG	C2-C3-C4-C5
9	B	306	MPG	C3-C4-C5-C6
7	B	303	BCL	C16-C17-C18-C20
6	A	405	DGA	CA5-CA6-CA7-CA8
9	B	305	MPG	C10-C11-C12-C13
9	C	407	MPG	C10-C11-C12-C13
8	B	304	BPB	C4-C3-C5-C6
13	C	406	OTP	C34-C35-C36-C37
6	A	405	DGA	CA7-CA8-CA9-CAA
8	B	304	BPB	C2-C3-C5-C6
6	A	405	DGA	CB9-CAB-CBB-CCB
9	B	305	MPG	O4-CX3-CXD-O2
6	A	405	DGA	CB4-CB5-CB6-CB7
8	C	402	BPB	C6-C7-C8-C10
8	C	402	BPB	C11-C10-C8-C7
6	A	405	DGA	CB6-CB7-CB8-CB9
9	B	305	MPG	C6-C7-C8-C9
9	B	306	MPG	C12-C13-C14-C15
9	B	306	MPG	O3-C21-CXD-CX3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
7	B	301	BCL	C2-C3-C5-C6
12	C	405	NS5	C1-C2-C3-C4
7	B	301	BCL	C2B-C3B-CAB-OBB
7	B	301	BCL	C2B-C3B-CAB-CBB
8	B	304	BPB	O2A-C1-C2-C3
12	C	405	NS5	CM2-C1-C2-C3
9	C	407	MPG	C4-C5-C6-C7
7	B	301	BCL	C4-C3-C5-C6
13	C	406	OTP	C15-C16-C17-C18
8	C	402	BPB	C6-C7-C8-C9
6	A	405	DGA	CEB-CFB-CGB-CHB
5	A	402	HEC	C3D-CAD-CBD-CGD
12	C	405	NS5	CM1-C1-C2-C3
9	B	305	MPG	C12-C13-C14-C15
8	C	402	BPB	C8-C10-C11-C12
9	B	305	MPG	C15-C16-C17-C18
9	B	305	MPG	C13-C14-C15-C16
9	C	407	MPG	C13-C14-C15-C16
9	C	407	MPG	C2-C3-C4-C5
12	C	405	NS5	C26-C28-C29-C30
13	C	406	OTP	C20-C21-C22-C23
9	C	407	MPG	C7-C8-C9-C10
12	C	405	NS5	C15-C17-C18-C19
7	B	303	BCL	C11-C12-C13-C15
6	A	405	DGA	CBB-CCB-CDB-CEB
11	C	404	MQ7	C39-C38-C40-C41
7	B	303	BCL	C11-C12-C13-C14
11	C	404	MQ7	C37-C38-C40-C41
5	A	402	HEC	CAA-CBA-CGA-O2A
9	B	306	MPG	C6-C7-C8-C9
5	A	402	HEC	CAA-CBA-CGA-O1A
13	C	406	OTP	C15-C16-C17-C19
7	B	303	BCL	C15-C16-C17-C18
5	A	402	HEC	CAD-CBD-CGD-O1D
8	B	304	BPB	CHA-CBD-CGD-O1D
13	C	406	OTP	C20-C21-C22-C24
5	A	401	HEC	CAA-CBA-CGA-O2A
9	B	305	MPG	C7-C8-C9-C10
9	C	407	MPG	C9-C10-C11-C12
5	A	401	HEC	CAA-CBA-CGA-O1A
8	C	402	BPB	C11-C12-C13-C15
11	C	404	MQ7	C38-C40-C41-C42

Continued on next page...

Continued from previous page...





Mol	Chain	Res	Type	Atoms
9	B	306	MPG	C7-C8-C9-C10
9	B	306	MPG	C1-C2-C3-C4
9	B	306	MPG	C2-C3-C4-C5
5	A	402	HEC	CAD-CBD-CGD-O2D
7	B	301	BCL	C12-C13-C15-C16
7	C	401	BCL	O2A-C1-C2-C3
8	C	402	BPB	C11-C12-C13-C14
8	B	304	BPB	C8-C10-C11-C12
6	A	405	DGA	OG2-CB1-CB2-CB3



There are no ring outliers.





14 monomers are involved in 24 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	A	405	DGA	2	0
13	C	406	OTP	2	0
7	B	302	BCL	3	0
5	A	402	HEC	3	0
8	C	402	BPB	1	0
5	A	404	HEC	1	0
7	B	301	BCL	2	0
11	C	404	MQ7	1	0
5	A	401	HEC	1	0
7	B	303	BCL	1	0
12	C	405	NS5	2	0
5	A	403	HEC	5	0
7	C	401	BCL	1	0
8	B	304	BPB	2	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

Ligand DGA A 405	
 Bond lengths	 Bond angles
 Torsions	 Rings


Ligand OTP C 406	
 Bond lengths	 Bond angles
 Torsions	 Rings

Ligand BCL B 302	
 Bond lengths	 Bond angles
 Torsions	 Rings


Ligand HEC A 402




Ligand BPB C 402









Ligand HEC A 404










Ligand BCL B 301






Ligand BCL B 303	
	
Bond lengths	Bond angles
	
Torsions	Rings


Ligand NS5 C 405	
	
Bond lengths	Bond angles
	
Torsions	Rings



Ligand MPG C 407	
	
Bond lengths	Bond angles
	
Torsions	Rings


Ligand HEC A 403



Ligand BCL C 401







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	332/356 (93%)	-0.24	0 100 100	30, 44, 65, 82	0
2	B	273/274 (99%)	0.01	1 (0%) 88 72	32, 56, 91, 111	2 (0%)
3	C	323/324 (99%)	0.02	1 (0%) 90 76	33, 61, 90, 110	0
4	D	242/258 (93%)	0.66	12 (4%) 34 19	53, 96, 116, 146	0
All	All	1170/1212 (96%)	0.07	14 (1%) 76 52	30, 58, 104, 146	2 (0%)

All (14) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
4	D	7	ALA	4.1
4	D	78	VAL	3.0
4	D	84	GLU	2.9
4	D	85	THR	2.5
4	D	188	ALA	2.5
4	D	63	PRO	2.3
2	B	222	TYR	2.3
4	D	86	ARG	2.3
3	C	226	ARG	2.3
4	D	83	PRO	2.2
4	D	154	GLY	2.2
4	D	67	THR	2.2
4	D	128	VAL	2.1
4	D	82	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	FME	D	1	10/11	0.83	0.21	57,67,76,92	0

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
9	MPG	C	407	17/25	0.76	0.34	73,81,109,112	8
14	PO4	C	409	5/5	0.80	0.17	95,95,101,106	0
6	DGA	A	405	37/44	0.83	0.21	50,71,91,92	5
9	MPG	B	306	25/25	0.83	0.24	69,82,90,94	3
12	NS5	C	405	40/40	0.84	0.26	47,68,89,96	9
9	MPG	B	305	25/25	0.88	0.39	64,91,97,99	22
13	OTP	C	406	41/49	0.91	0.17	45,67,80,85	0
11	MQ7	C	404	48/48	0.92	0.16	43,63,70,72	0
8	BPB	C	402	61/65	0.93	0.13	52,64,78,80	0
7	BCL	B	302	66/66	0.93	0.13	40,45,52,58	0
8	BPB	B	304	65/65	0.94	0.12	38,47,56,57	0
7	BCL	B	303	66/66	0.95	0.11	34,40,47,52	0
7	BCL	B	301	65/66	0.95	0.10	42,50,158,164	15
5	HEC	A	403	43/43	0.96	0.11	24,35,39,45	0
5	HEC	A	401	43/43	0.96	0.11	42,49,54,57	0
7	BCL	C	401	66/66	0.96	0.10	41,45,58,60	0
5	HEC	A	402	43/43	0.96	0.10	39,44,48,62	0
5	HEC	A	404	43/43	0.97	0.11	36,43,50,53	0
14	PO4	C	408	5/5	-	-	81,82,84,85	5
10	FE2	C	403	1/1	0.98	0.06	67,67,67,67	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



Electron density around MPG C 407:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around DGA A 405:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MPG B 306:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NS5 C 405:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




Electron density around MPG B 305:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



**Electron density around OTP C 406:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MQ7 C 404:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



**Electron density around BPB C 402:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around BCL B 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around BPB B 304:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around BCL B 303:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around BCL B 301:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC A 403:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC A 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around BCL C 401:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC A 402:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around HEC A 404:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.