



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 03:32 AM UTC

PDB ID : 1M8I / pdb_00001m8i
Title : inducible nitric oxide synthase with 5-nitroindazole bound
Authors : Rosenfeld, R.J.; Garcin, E.D.; Panda, K.; Andersson, G.; Aberg, A.; Wallace, A.V.; Stuehr, D.J.; Tainer, J.A.; Getzoff, E.D.
Deposited on : 2002-07-24
Resolution : 2.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	3843 (2.70-2.70)
Ramachandran outliers	187476	3778 (2.70-2.70)
Sidechain outliers	187428	3778 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	434	
1	B	434	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	H4B	A	902	X	-	-	-
3	H4B	B	903	X	-	-	-

2 Entry composition [i](#)


There are 5 unique types of molecules in this entry. The entry contains 6937 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called inducible Nitric oxide synthase.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	413	Total	C	N	O	S	0	0	0
			3363	2157	580	606	20			
1	B	412	Total	C	N	O	S	0	0	0
			3353	2152	578	603	20			

- Molecule 2 is PROTOPORPHYRIN IX CONTAINING FE (CCD ID: HEM) (formula: $C_{34}H_{32}FeN_4O_4$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
2	B	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		

- Molecule 3 is 5,6,7,8-TETRAHYDROBIOPTERIN (CCD ID: H4B) (formula: $C_9H_{15}N_5O_3$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			17	9	5	3		
3	B	1	Total	C	N	O	0	0
			17	9	5	3		

- Molecule 4 is 5-NITROINDAZOLE (CCD ID: 5NI) (formula: $C_7H_5N_3O_2$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N	O	0	0
			12	7	3	2		
4	B	1	Total	C	N	O	0	0
			12	7	3	2		

- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	41	Total 41	O 41	0	0
5	B	36	Total 36	O 36	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.


• Molecule 1: inducible Nitric oxide synthase

Chain A: 



• Molecule 1: inducible Nitric oxide synthase

Chain B: 



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 61 2 2	Depositor
Cell constants a, b, c, α , β , γ	213.96 Å 213.96 Å 114.52 Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	19.93 – 2.70	Depositor
% Data completeness (in resolution range)	86.6 (19.93-2.70)	Depositor
R_{merge}	0.06	Depositor
R_{sym}	0.06	Depositor
Refinement program	CNS	Depositor
R, R_{free}	0.238 , 0.283	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	6937	wwPDB-VP
Average B, all atoms (Å ²)	64.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: H4B, 5NI, HEM

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.49	0/3461	0.97	17/4706 (0.4%)
1	B	0.48	0/3451	0.98	17/4693 (0.4%)
All	All	0.48	0/6912	0.98	34/9399 (0.4%)

There are no bond length outliers.

All (34) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	378	CYS	N-CA-C	7.75	123.03	113.50
1	A	378	CYS	N-CA-C	7.63	122.88	113.50
1	B	122	GLY	CA-C-N	7.03	126.99	120.03
1	B	122	GLY	C-N-CA	7.03	126.99	120.03
1	A	266	MET	CA-C-N	6.99	126.50	119.24
1	A	266	MET	C-N-CA	6.99	126.50	119.24
1	A	386	LEU	N-CA-C	6.91	118.46	111.07
1	A	365	GLY	N-CA-C	-6.75	100.04	110.77
1	B	266	MET	CA-C-N	6.75	126.25	119.24
1	B	266	MET	C-N-CA	6.75	126.25	119.24
1	A	459	VAL	CA-C-N	6.09	124.11	119.66
1	A	459	VAL	C-N-CA	6.09	124.11	119.66
1	B	128	THR	CA-C-N	5.81	125.83	119.90
1	B	128	THR	C-N-CA	5.81	125.83	119.90
1	B	234	ILE	N-CA-C	5.66	117.61	109.51
1	A	430	HIS	N-CA-C	5.62	118.17	111.71
1	A	347	ALA	N-CA-C	5.61	121.16	113.97
1	B	424	ASN	N-CA-C	5.49	119.15	111.74
1	B	133	LEU	N-CA-C	5.46	117.04	111.14
1	A	358	PHE	CA-C-N	5.46	125.55	119.87
1	A	358	PHE	C-N-CA	5.46	125.55	119.87
1	B	303	LEU	N-CA-C	5.40	118.29	109.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	153	ILE	N-CA-C	5.39	115.59	110.42
1	B	373	GLY	N-CA-C	5.39	119.19	112.73
1	A	348	ASN	N-CA-C	5.36	119.33	112.26
1	B	358	PHE	CA-C-N	5.34	125.01	119.56
1	B	358	PHE	C-N-CA	5.34	125.01	119.56
1	A	303	LEU	N-CA-C	5.30	118.45	109.76
1	B	176	THR	N-CA-C	-5.24	102.73	110.48
1	A	488	GLU	CA-C-N	5.07	126.18	119.84
1	A	488	GLU	C-N-CA	5.07	126.18	119.84
1	B	393	MET	N-CA-C	-5.03	106.06	113.61
1	A	197	ARG	N-CA-C	5.03	121.51	110.80
1	B	122	GLY	N-CA-C	5.03	118.32	112.23

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3363	0	3256	64	0
1	B	3353	0	3245	67	0
2	A	43	0	30	1	0
2	B	43	0	30	1	0
3	A	17	0	14	1	0
3	B	17	0	14	0	0
4	A	12	0	5	2	0
4	B	12	0	5	2	0
5	A	41	0	0	4	0
5	B	36	0	0	2	0
All	All	6937	0	6599	133	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (133) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:371:GLU:HG3	4:A:906:5NI:N2	1.71	1.04
1:B:371:GLU:HG3	4:B:907:5NI:N2	1.79	0.96
1:A:334:GLN:HE21	1:A:334:GLN:H	1.04	0.94
1:B:217:MET:HE3	1:B:303:LEU:HB3	1.53	0.88
1:A:407:ARG:HA	5:A:1007:HOH:O	1.72	0.87
1:A:134:LEU:HD11	1:A:164:THR:HG22	1.58	0.85
1:B:334:GLN:HE21	1:B:334:GLN:H	1.25	0.84
1:B:117:LYS:HD3	1:B:117:LYS:H	1.44	0.82
1:A:334:GLN:H	1:A:334:GLN:NE2	1.81	0.79
1:B:215:GLN:HE21	1:B:219:GLN:HE21	1.32	0.78
1:A:327:HIS:HE2	1:A:411:GLU:HG3	1.48	0.77
1:B:266:MET:HE2	1:B:272:ARG:HE	1.51	0.76
1:B:81:ILE:HD11	1:B:475:LEU:HD13	1.68	0.74
1:A:217:MET:HE2	1:A:305:ALA:HB2	1.69	0.74
1:B:124:ARG:NH2	1:B:128:THR:HB	2.04	0.72
1:A:334:GLN:HE21	1:A:334:GLN:N	1.83	0.71
1:A:190:ASN:O	1:A:192:PRO:HD3	1.93	0.69
1:B:130:LEU:HD22	1:B:130:LEU:H	1.57	0.69
1:B:215:GLN:HE21	1:B:219:GLN:NE2	1.91	0.67
1:A:134:LEU:O	1:A:138:ILE:HG12	1.94	0.67
1:A:346:VAL:HB	1:A:363:PHE:CE1	2.32	0.65
1:B:209:ARG:O	1:B:242:PRO:HG3	1.97	0.64
1:B:194:CYS:O	1:B:197:ARG:HD3	1.98	0.64
1:A:266:MET:HG3	1:A:267:PRO:HD2	1.79	0.63
1:A:327:HIS:NE2	1:A:411:GLU:HG3	2.14	0.62
1:B:124:ARG:HH22	1:B:128:THR:HB	1.65	0.61
1:B:117:LYS:HD3	1:B:117:LYS:N	2.14	0.60
1:A:410:THR:O	1:A:414:VAL:HG23	2.03	0.59
1:B:366:TRP:O	4:B:907:5NI:H71	2.02	0.59
1:B:327:HIS:HE2	1:B:411:GLU:HG3	1.68	0.59
1:B:334:GLN:H	1:B:334:GLN:NE2	1.98	0.58
1:B:252:ARG:HH21	1:B:489:PRO:HD3	1.70	0.57
1:A:132:GLU:O	1:A:135:PRO:HD2	2.05	0.57
1:B:188:TRP:CE3	1:B:200:TRP:HA	2.40	0.56
1:A:301:LEU:HB3	1:A:303:LEU:HD21	1.87	0.56
1:B:81:ILE:HD11	1:B:475:LEU:CD1	2.35	0.56
1:B:117:LYS:H	1:B:117:LYS:CD	2.09	0.56
1:B:138:ILE:HG23	1:B:160:LEU:HD22	1.88	0.56
1:B:252:ARG:NH2	1:B:489:PRO:HD3	2.21	0.56
1:A:465:SER:O	1:A:471:HIS:HE1	1.89	0.55
2:B:901:HEM:HMC2	2:B:901:HEM:HBC2	1.88	0.55
1:A:368:MET:HE3	1:A:370:THR:OG1	2.07	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:289:TRP:O	1:A:291:PRO:HD3	2.07	0.54
1:B:361:CYS:SG	1:B:361:CYS:O	2.66	0.54
1:A:188:TRP:CE3	1:A:200:TRP:HA	2.43	0.54
1:A:480:SER:HA	1:A:481:PRO:C	2.32	0.54
1:A:167:ILE:HG23	1:A:171:GLY:O	2.09	0.52
1:A:303:LEU:O	1:A:310:PRO:HA	2.10	0.52
1:B:214:ALA:HA	1:B:217:MET:HE2	1.93	0.51
1:B:301:LEU:HB3	1:B:303:LEU:HD21	1.92	0.51
1:A:163:VAL:O	1:A:167:ILE:HG13	2.10	0.51
1:B:396:GLU:HB2	1:B:398:HIS:CE1	2.45	0.50
1:B:124:ARG:O	1:B:247:GLY:HA3	2.10	0.50
1:A:152:LYS:H	1:A:152:LYS:HD2	1.76	0.49
1:A:387:GLU:HG2	1:A:391:ARG:HH12	1.77	0.49
2:A:901:HEM:HMC2	2:A:901:HEM:HBC2	1.94	0.49
1:A:366:TRP:O	4:A:906:5NI:H71	2.12	0.49
1:A:138:ILE:HG22	1:A:142:ASN:ND2	2.28	0.49
1:A:298:VAL:HG21	1:A:320:VAL:HG11	1.94	0.49
1:A:239:THR:O	1:A:361:CYS:HA	2.12	0.49
1:B:137:ALA:O	1:B:141:ILE:HG12	2.12	0.49
1:A:259:ILE:HD12	1:A:320:VAL:HG22	1.95	0.49
1:A:324:THR:H	1:A:423:GLN:HE22	1.61	0.48
1:A:124:ARG:O	1:A:247:GLY:HA3	2.13	0.48
1:A:265:GLN:C	1:A:265:GLN:HE21	2.20	0.48
1:A:159:ARG:O	1:A:163:VAL:HG23	2.13	0.48
1:B:346:VAL:HB	1:B:363:PHE:CE1	2.49	0.48
1:B:332:TRP:CE3	1:B:392:ARG:HD2	2.48	0.48
1:A:350:LEU:C	1:A:350:LEU:HD23	2.38	0.47
1:B:398:HIS:HB3	5:B:1014:HOH:O	2.13	0.47
1:A:138:ILE:HG22	1:A:142:ASN:HD21	1.79	0.47
1:B:289:TRP:O	1:B:291:PRO:HD3	2.15	0.47
1:B:249:HIS:HA	1:B:307:GLY:HA3	1.96	0.47
1:A:193:ARG:HD2	5:A:1062:HOH:O	2.13	0.47
1:B:188:TRP:CZ3	1:B:200:TRP:HA	2.50	0.47
1:B:194:CYS:HB3	1:B:197:ARG:HD2	1.97	0.47
1:B:410:THR:O	1:B:414:VAL:HG23	2.15	0.47
1:B:370:THR:HA	1:B:413:ASN:HD21	1.80	0.47
1:A:360:ALA:HA	5:A:1064:HOH:O	2.15	0.46
1:B:197:ARG:NH1	1:B:452:PRO:O	2.48	0.46
1:B:221:ILE:HG21	1:B:301:LEU:HD11	1.96	0.46
1:B:385:ILE:O	1:B:389:VAL:HG23	2.16	0.46
1:A:134:LEU:CD1	1:A:164:THR:HG22	2.38	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:188:TRP:CZ3	1:A:200:TRP:HA	2.50	0.46
1:B:138:ILE:HG23	1:B:160:LEU:CD2	2.46	0.46
1:B:388:GLU:HB3	5:B:1070:HOH:O	2.17	0.46
1:B:480:SER:HA	1:B:481:PRO:C	2.41	0.46
1:B:327:HIS:NE2	1:B:411:GLU:HG3	2.29	0.45
1:A:349:MET:HE3	1:A:485:TYR:CD1	2.51	0.45
1:B:239:THR:O	1:B:361:CYS:HA	2.16	0.45
1:B:441:MET:HE1	1:B:472:GLN:CD	2.41	0.45
1:A:134:LEU:HB3	1:A:135:PRO:HD3	1.97	0.45
1:A:138:ILE:HG23	1:A:160:LEU:HD22	1.99	0.45
1:B:163:VAL:O	1:B:167:ILE:HG13	2.17	0.45
1:A:138:ILE:HG23	1:A:160:LEU:CD2	2.47	0.44
1:B:252:ARG:HD3	1:B:359:PRO:HB3	1.98	0.44
1:A:309:ASP:OD2	1:A:496:GLN:HB2	2.17	0.44
1:B:127:PRO:HG3	1:B:246:ASP:HA	1.99	0.44
1:B:130:LEU:H	1:B:130:LEU:CD2	2.27	0.44
1:A:217:MET:CE	1:A:303:LEU:HB3	2.48	0.44
1:B:378:CYS:SG	1:B:386:LEU:HD13	2.58	0.44
1:B:389:VAL:O	1:B:393:MET:HB2	2.18	0.43
1:B:441:MET:HE1	1:B:472:GLN:HG2	2.00	0.43
1:A:209:ARG:O	1:A:242:PRO:HG3	2.19	0.43
1:B:303:LEU:O	1:B:310:PRO:HA	2.19	0.43
1:A:316:PRO:HD2	1:A:319:LEU:HD12	1.99	0.43
1:A:370:THR:HA	1:A:413:ASN:HD21	1.82	0.43
1:A:81:ILE:HD11	1:A:475:LEU:HG	2.00	0.43
1:B:79:VAL:HG23	1:B:95:HIS:CE1	2.54	0.42
1:B:264:TYR:CE1	1:B:293:TYR:HA	2.54	0.42
1:A:227:TYR:CD2	1:A:227:TYR:C	2.97	0.42
1:A:254:TRP:HB2	1:A:302:VAL:HB	2.01	0.42
1:B:327:HIS:ND1	1:B:328:PRO:HD2	2.34	0.42
1:A:325:MET:HB2	1:A:338:LEU:HB2	2.01	0.42
1:B:152:LYS:HD2	1:B:155:GLU:HB3	2.01	0.42
1:A:174:GLN:HA	5:A:1037:HOH:O	2.19	0.41
1:B:128:THR:HA	1:B:129:PRO:HD3	1.92	0.41
1:A:252:ARG:HD3	1:A:359:PRO:HB3	2.02	0.41
1:A:305:ALA:O	1:A:308:GLN:HB2	2.19	0.41
1:B:131:GLU:H	1:B:131:GLU:CD	2.28	0.41
1:A:375:ARG:HH12	3:A:902:H4B:C4	2.34	0.41
1:B:286:ASP:C	1:B:288:GLY:H	2.29	0.41
1:A:77:GLN:O	1:A:96:HIS:HE1	2.03	0.41
1:B:243:GLN:HB3	1:B:358:PHE:CE2	2.56	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:137:ALA:O	1:A:141:ILE:HG12	2.20	0.41
1:B:94:LEU:HB3	1:B:450:GLY:HA3	2.02	0.41
1:B:357:GLU:O	1:B:359:PRO:HD3	2.21	0.41
1:A:133:LEU:HD21	1:A:172:THR:HA	2.03	0.40
1:A:453:ALA:HB3	1:A:474:MET:HB2	2.03	0.40
1:B:193:ARG:HB3	1:B:457:TRP:CE3	2.56	0.40
1:A:387:GLU:HG2	1:A:391:ARG:NH1	2.36	0.40
1:B:190:ASN:O	1:B:192:PRO:HD3	2.21	0.40
1:A:147:SER:O	1:A:148:PHE:HB2	2.20	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	409/434 (94%)	370 (90%)	33 (8%)	6 (2%)	8	22
1	B	408/434 (94%)	362 (89%)	39 (10%)	7 (2%)	7	19
All	All	817/868 (94%)	732 (90%)	72 (9%)	13 (2%)	7	20

All (13) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	110	LEU
1	A	110	LEU
1	B	308	GLN
1	B	369	GLY
1	A	369	GLY
1	A	84	TRP
1	A	293	TYR
1	B	266	MET
1	A	197	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	268	ASP
1	B	496	GLN
1	A	111	GLY
1	B	316	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	359/382 (94%)	346 (96%)	13 (4%)	31	60
1	B	357/382 (94%)	346 (97%)	11 (3%)	35	65
All	All	716/764 (94%)	692 (97%)	24 (3%)	32	62

All (24) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	129	PRO
1	A	152	LYS
1	A	154	GLU
1	A	178	ASP
1	A	217	MET
1	A	265	GLN
1	A	308	GLN
1	A	334	GLN
1	A	382	ARG
1	A	388	GLU
1	A	411	GLU
1	A	413	ASN
1	A	441	MET
1	B	110	LEU
1	B	117	LYS
1	B	128	THR
1	B	130	LEU
1	B	165	LYS
1	B	223	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	265	GLN
1	B	334	GLN
1	B	400	LEU
1	B	411	GLU
1	B	475	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (20) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	96	HIS
1	A	115	ASN
1	A	174	GLN
1	A	219	GLN
1	A	249	HIS
1	A	265	GLN
1	A	334	GLN
1	A	364	ASN
1	A	413	ASN
1	A	423	GLN
1	A	471	HIS
1	B	96	HIS
1	B	142	ASN
1	B	143	GLN
1	B	219	GLN
1	B	308	GLN
1	B	334	GLN
1	B	398	HIS
1	B	442	GLN
1	B	476	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	H4B	B	903	-	17,18,18	4.22	4 (23%)	14,26,26	2.02	6 (42%)
2	HEM	A	901	1	50,50,50	1.42	6 (12%)	67,82,82	1.10	3 (4%)
4	5NI	B	907	-	13,13,13	1.86	5 (38%)	14,18,18	3.98	2 (14%)
2	HEM	B	901	1	50,50,50	1.43	8 (16%)	67,82,82	0.99	5 (7%)
3	H4B	A	902	-	17,18,18	3.72	4 (23%)	14,26,26	2.00	4 (28%)
4	5NI	A	906	-	13,13,13	1.94	4 (30%)	14,18,18	4.00	2 (14%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	H4B	B	903	-	1/1/3/5	2/8/17/17	0/2/2/2
2	HEM	A	901	1	-	3/14/54/54	-
4	5NI	B	907	-	-	2/2/4/4	0/2/2/2
2	HEM	B	901	1	-	4/14/54/54	-
3	H4B	A	902	-	1/1/3/5	2/8/17/17	0/2/2/2
4	5NI	A	906	-	-	2/2/4/4	0/2/2/2

All (31) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	903	H4B	C7-C6	-13.27	1.39	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	902	H4B	C7-C6	-10.65	1.42	1.52
3	B	903	H4B	C7-N8	-7.54	1.38	1.46
3	A	902	H4B	C7-N8	-7.15	1.39	1.46
3	B	903	H4B	C6-N5	-7.14	1.33	1.47
3	A	902	H4B	C6-N5	-7.11	1.33	1.47
2	A	901	HEM	FE-NB	4.02	2.07	1.94
4	A	906	5NI	C9-C3	3.56	1.46	1.42
2	B	901	HEM	CAC-C3C	-3.45	1.38	1.47
2	A	901	HEM	FE-ND	3.22	2.04	1.94
2	B	901	HEM	FE-NB	3.20	2.04	1.94
4	B	907	5NI	C9-C3	2.99	1.45	1.42
4	A	906	5NI	N1-N2	-2.99	1.34	1.36
2	A	901	HEM	CAC-C3C	-2.98	1.39	1.47
4	B	907	5NI	N1-N2	-2.93	1.34	1.36
3	A	902	H4B	C4-N3	-2.91	1.33	1.38
4	B	907	5NI	C3-N2	2.78	1.34	1.32
4	A	906	5NI	C9-C8	2.77	1.45	1.41
3	B	903	H4B	C4-N3	-2.71	1.33	1.38
2	A	901	HEM	C1A-C2A	2.64	1.49	1.44
4	A	906	5NI	C3-N2	2.57	1.34	1.32
2	B	901	HEM	C4D-ND	-2.57	1.35	1.40
4	B	907	5NI	C9-C8	2.52	1.44	1.41
2	B	901	HEM	FE-NA	2.44	2.03	1.95
2	B	901	HEM	FE-NC	2.40	2.03	1.95
2	B	901	HEM	CAB-C3B	-2.37	1.41	1.47
2	B	901	HEM	FE-ND	2.36	2.02	1.94
2	A	901	HEM	FE-NC	2.25	2.02	1.95
2	A	901	HEM	FE-NA	2.18	2.02	1.95
2	B	901	HEM	C1B-NB	-2.09	1.36	1.40
4	B	907	5NI	O11-N10	-2.02	1.21	1.35

All (22) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	906	5NI	C3-N2-N1	11.04	111.79	106.02
4	B	907	5NI	C3-N2-N1	10.90	111.71	106.02
4	B	907	5NI	C9-C3-N2	-9.34	104.88	111.68
4	A	906	5NI	C9-C3-N2	-9.20	104.98	111.68
3	A	902	H4B	O4-C4-C4A	-4.04	117.51	127.26
3	B	903	H4B	C2-N1-C8A	4.03	120.47	113.36
3	B	903	H4B	O4-C4-C4A	-3.72	118.28	127.26
3	A	902	H4B	C2-N1-C8A	3.72	119.93	113.36

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	901	HEM	C4B-C3B-C2B	-3.15	104.38	107.28
3	A	902	H4B	C4A-C4-N3	2.79	119.78	112.13
2	A	901	HEM	C3B-C2B-C1B	2.68	108.42	106.41
3	B	903	H4B	C4A-C4-N3	2.67	119.47	112.13
3	A	902	H4B	C2-N3-C4	-2.61	120.38	125.11
3	B	903	H4B	C2-N3-C4	-2.50	120.59	125.11
2	B	901	HEM	C4B-C3B-C2B	-2.30	105.16	107.28
2	A	901	HEM	C4C-C3C-C2C	-2.29	104.83	106.81
2	B	901	HEM	CAB-C3B-C2B	-2.26	121.08	128.43
2	B	901	HEM	CAB-C3B-C4B	2.11	133.70	124.39
2	B	901	HEM	C3B-C4B-NB	2.10	110.98	109.47
3	B	903	H4B	O9-C9-C6	2.09	114.29	109.28
2	B	901	HEM	CHC-C4B-NB	-2.07	122.19	124.42
3	B	903	H4B	C4-C4A-N5	2.01	121.74	116.27

All (2) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
3	A	902	H4B	C6
3	B	903	H4B	C6

All (15) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	A	902	H4B	C7-C6-C9-O9
3	A	902	H4B	C7-C6-C9-C10
3	B	903	H4B	C7-C6-C9-O9
3	B	903	H4B	C7-C6-C9-C10
4	A	906	5NI	C6-C5-N10-O12
4	A	906	5NI	C4-C5-N10-O12
4	B	907	5NI	C6-C5-N10-O12
4	B	907	5NI	C4-C5-N10-O12
2	B	901	HEM	C4B-C3B-CAB-CBB
2	B	901	HEM	CAD-CBD-CGD-O1D
2	B	901	HEM	CAD-CBD-CGD-O2D
2	B	901	HEM	C3D-CAD-CBD-CGD
2	A	901	HEM	CAA-CBA-CGA-O1A
2	A	901	HEM	CAA-CBA-CGA-O2A
2	A	901	HEM	CAD-CBD-CGD-O2D


There are no ring outliers.

5 monomers are involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	901	HEM	1	0
4	B	907	5NI	2	0
2	B	901	HEM	1	0
3	A	902	H4B	1	0
4	A	906	5NI	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.