



wwPDB X-ray Structure Validation Summary Report ⓘ

Mar 5, 2026 – 12:49 PM UTC

PDB ID : 3M82 / pdb_00003m82
Title : Crystal structure of Acetyl xylan esterase (TM0077) from THERMOTOGA MARITIMA at 2.40 Å resolution (PMSF inhibitor complex structure)
Authors : Joint Center for Structural Genomics (JCSG)
Deposited on : 2010-03-17
Resolution : 2.40 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4912 (2.40-2.40)
Clashscore	190562	5391 (2.40-2.40)
Ramachandran outliers	187476	5320 (2.40-2.40)
Sidechain outliers	187428	5321 (2.40-2.40)
RSRZ outliers	180081	4916 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	337	 88% 7% • 5%
1	B	337	 91% • 5%
1	C	337	 89% 6% • 5%
1	D	337	 90% 6% 5%
1	E	337	 87% 8% 5%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	337	91% 5%5%

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 16721 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Acetyl xylan esterase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	321	Total	C	N	O	S	0	2	0
			2620	1703	432	474	11			
1	B	321	Total	C	N	O	S	0	3	0
			2631	1709	437	474	11			
1	C	321	Total	C	N	O	S	0	1	0
			2611	1698	431	471	11			
1	D	321	Total	C	N	O	S	0	1	0
			2611	1698	431	471	11			
1	E	321	Total	C	N	O	S	0	4	0
			2635	1712	436	476	11			
1	F	321	Total	C	N	O	S	0	2	0
			2621	1704	432	474	11			

There are 72 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-11	MET	-	expression tag	UNP Q9WXT2
A	-10	GLY	-	expression tag	UNP Q9WXT2
A	-9	SER	-	expression tag	UNP Q9WXT2
A	-8	ASP	-	expression tag	UNP Q9WXT2
A	-7	LYS	-	expression tag	UNP Q9WXT2
A	-6	ILE	-	expression tag	UNP Q9WXT2
A	-5	HIS	-	expression tag	UNP Q9WXT2
A	-4	HIS	-	expression tag	UNP Q9WXT2
A	-3	HIS	-	expression tag	UNP Q9WXT2
A	-2	HIS	-	expression tag	UNP Q9WXT2
A	-1	HIS	-	expression tag	UNP Q9WXT2
A	0	HIS	-	expression tag	UNP Q9WXT2
B	-11	MET	-	expression tag	UNP Q9WXT2
B	-10	GLY	-	expression tag	UNP Q9WXT2
B	-9	SER	-	expression tag	UNP Q9WXT2
B	-8	ASP	-	expression tag	UNP Q9WXT2
B	-7	LYS	-	expression tag	UNP Q9WXT2

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	-6	ILE	-	expression tag	UNP Q9WXT2
B	-5	HIS	-	expression tag	UNP Q9WXT2
B	-4	HIS	-	expression tag	UNP Q9WXT2
B	-3	HIS	-	expression tag	UNP Q9WXT2
B	-2	HIS	-	expression tag	UNP Q9WXT2
B	-1	HIS	-	expression tag	UNP Q9WXT2
B	0	HIS	-	expression tag	UNP Q9WXT2
C	-11	MET	-	expression tag	UNP Q9WXT2
C	-10	GLY	-	expression tag	UNP Q9WXT2
C	-9	SER	-	expression tag	UNP Q9WXT2
C	-8	ASP	-	expression tag	UNP Q9WXT2
C	-7	LYS	-	expression tag	UNP Q9WXT2
C	-6	ILE	-	expression tag	UNP Q9WXT2
C	-5	HIS	-	expression tag	UNP Q9WXT2
C	-4	HIS	-	expression tag	UNP Q9WXT2
C	-3	HIS	-	expression tag	UNP Q9WXT2
C	-2	HIS	-	expression tag	UNP Q9WXT2
C	-1	HIS	-	expression tag	UNP Q9WXT2
C	0	HIS	-	expression tag	UNP Q9WXT2
D	-11	MET	-	expression tag	UNP Q9WXT2
D	-10	GLY	-	expression tag	UNP Q9WXT2
D	-9	SER	-	expression tag	UNP Q9WXT2
D	-8	ASP	-	expression tag	UNP Q9WXT2
D	-7	LYS	-	expression tag	UNP Q9WXT2
D	-6	ILE	-	expression tag	UNP Q9WXT2
D	-5	HIS	-	expression tag	UNP Q9WXT2
D	-4	HIS	-	expression tag	UNP Q9WXT2
D	-3	HIS	-	expression tag	UNP Q9WXT2
D	-2	HIS	-	expression tag	UNP Q9WXT2
D	-1	HIS	-	expression tag	UNP Q9WXT2
D	0	HIS	-	expression tag	UNP Q9WXT2
E	-11	MET	-	expression tag	UNP Q9WXT2
E	-10	GLY	-	expression tag	UNP Q9WXT2
E	-9	SER	-	expression tag	UNP Q9WXT2
E	-8	ASP	-	expression tag	UNP Q9WXT2
E	-7	LYS	-	expression tag	UNP Q9WXT2
E	-6	ILE	-	expression tag	UNP Q9WXT2
E	-5	HIS	-	expression tag	UNP Q9WXT2
E	-4	HIS	-	expression tag	UNP Q9WXT2
E	-3	HIS	-	expression tag	UNP Q9WXT2
E	-2	HIS	-	expression tag	UNP Q9WXT2
E	-1	HIS	-	expression tag	UNP Q9WXT2

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
E	0	HIS	-	expression tag	UNP Q9WXT2
F	-11	MET	-	expression tag	UNP Q9WXT2
F	-10	GLY	-	expression tag	UNP Q9WXT2
F	-9	SER	-	expression tag	UNP Q9WXT2
F	-8	ASP	-	expression tag	UNP Q9WXT2
F	-7	LYS	-	expression tag	UNP Q9WXT2
F	-6	ILE	-	expression tag	UNP Q9WXT2
F	-5	HIS	-	expression tag	UNP Q9WXT2
F	-4	HIS	-	expression tag	UNP Q9WXT2
F	-3	HIS	-	expression tag	UNP Q9WXT2
F	-2	HIS	-	expression tag	UNP Q9WXT2
F	-1	HIS	-	expression tag	UNP Q9WXT2
F	0	HIS	-	expression tag	UNP Q9WXT2

- Molecule 2 is CALCIUM ION (CCD ID: CA) (formula: Ca).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	2	Total 2 Ca 2	0	0
2	B	1	Total 1 Ca 1	0	0
2	C	1	Total 1 Ca 1	0	0
2	D	2	Total 2 Ca 2	0	0
2	E	1	Total 1 Ca 1	0	0
2	F	1	Total 1 Ca 1	0	0

- Molecule 3 is ACETATE ION (CCD ID: ACT) (formula: C₂H₃O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			4	2	2		
3	B	1	Total	C	O	0	0
			4	2	2		
3	E	1	Total	C	O	0	0
			4	2	2		

- Molecule 4 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: $C_2H_6O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			4	2	2		

Continued on next page...


Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			4	2	2		
4	B	1	Total	C	O	0	0
			4	2	2		
4	C	1	Total	C	O	0	0
			4	2	2		
4	E	1	Total	C	O	0	0
			4	2	2		
4	F	1	Total	C	O	0	0
			4	2	2		

- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	174	Total	O	0	0
			174	174		
5	B	163	Total	O	0	1
			164	164		
5	C	164	Total	O	0	1
			165	165		
5	D	161	Total	O	0	0
			161	161		
5	E	141	Total	O	0	0
			141	141		
5	F	143	Total	O	0	0
			143	143		

- Molecule 1: Acetyl xylan esterase





● Molecule 1: Acetyl xylan esterase

Chain F:

91%

5%

5%



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	103.57Å 104.50Å 221.61Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	48.97 – 2.40 48.97 – 2.40	Depositor EDS
% Data completeness (in resolution range)	100.0 (48.97-2.40) 100.0 (48.97-2.40)	Depositor EDS
R_{merge}	0.18	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.21 (at 2.39Å)	Xtriage
Refinement program	REFMAC 5.2.0019, PHENIX	Depositor
R, R_{free}	0.160 , 0.208 0.164 , 0.209	Depositor DCC
R_{free} test set	4742 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å ²)	25.4	Xtriage
Anisotropy	0.436	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 35.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	0.025 for k,h,-l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	16721	wwPDB-VP
Average B, all atoms (Å ²)	23.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.35% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: EDO, ACT, CA, SEB

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.95	1/2683 (0.0%)	0.95	0/3637
1	B	1.00	1/2694 (0.0%)	0.95	0/3651
1	C	0.98	0/2674	0.98	4/3625 (0.1%)
1	D	0.99	3/2674 (0.1%)	0.97	0/3625
1	E	1.02	2/2698 (0.1%)	0.94	0/3657
1	F	1.01	2/2684 (0.1%)	0.94	1/3638 (0.0%)
All	All	0.99	9/16107 (0.1%)	0.95	5/21833 (0.0%)

The worst 5 of 9 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	F	278	PRO	CA-C	8.26	1.56	1.51
1	A	211	VAL	CA-CB	6.01	1.61	1.54
1	E	111	ILE	CA-CB	5.98	1.60	1.54
1	F	87	VAL	CA-CB	5.64	1.60	1.53
1	D	278	PRO	CA-C	5.48	1.54	1.51

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	F	41	ASP	CB-CA-C	7.67	116.64	111.20
1	C	278	PRO	O-C-N	5.54	123.86	121.31
1	C	47	MET	CB-CA-C	-5.30	100.55	109.50
1	C	277	CYS	CA-C-N	-5.22	115.85	119.66
1	C	277	CYS	C-N-CA	-5.22	115.85	119.66

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2620	0	2517	12	0
1	B	2631	0	2531	9	0
1	C	2611	0	2512	9	0
1	D	2611	0	2512	5	0
1	E	2635	0	2529	11	0
1	F	2621	0	2519	6	0
2	A	2	0	0	0	0
2	B	1	0	0	0	0
2	C	1	0	0	0	0
2	D	2	0	0	0	0
2	E	1	0	0	0	0
2	F	1	0	0	0	0
3	A	4	0	3	0	0
3	B	4	0	3	1	0
3	E	4	0	3	1	0
4	A	8	0	12	2	0
4	B	4	0	6	0	0
4	C	4	0	6	0	0
4	E	4	0	6	0	0
4	F	4	0	6	1	0
5	A	174	0	0	1	0
5	B	164	0	0	1	0
5	C	165	0	0	0	0
5	D	161	0	0	0	0
5	E	141	0	0	0	0
5	F	143	0	0	1	0
All	All	16721	0	15165	52	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

The worst 5 of 52 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:185:ALA:HB1	4:F:417:EDO:H12	1.71	0.71

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:34:GLU:OE1	4:A:412:EDO:H12	1.99	0.61
1:B:142:PRO:HA	3:B:409:ACT:H1	1.84	0.58
1:B:47:MET:HE2	5:B:1131:HOH:O	2.03	0.58
1:E:93:ASN:HB3	1:E:123:GLY:HA3	1.85	0.57

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	320/337 (95%)	309 (97%)	11 (3%)	0	100	100
1	B	321/337 (95%)	311 (97%)	10 (3%)	0	100	100
1	C	319/337 (95%)	309 (97%)	10 (3%)	0	100	100
1	D	319/337 (95%)	310 (97%)	9 (3%)	0	100	100
1	E	322/337 (96%)	311 (97%)	11 (3%)	0	100	100
1	F	320/337 (95%)	312 (98%)	8 (2%)	0	100	100
All	All	1921/2022 (95%)	1862 (97%)	59 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	269/284 (95%)	264 (98%)	5 (2%)	50	71
1	B	270/284 (95%)	267 (99%)	3 (1%)	65	82
1	C	268/284 (94%)	264 (98%)	4 (2%)	57	77
1	D	268/284 (94%)	263 (98%)	5 (2%)	50	71
1	E	270/284 (95%)	267 (99%)	3 (1%)	65	82
1	F	269/284 (95%)	266 (99%)	3 (1%)	65	82
All	All	1614/1704 (95%)	1591 (99%)	23 (1%)	59	79

5 of 23 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	D	195	LEU
1	E	221	VAL
1	D	223	LEU
1	E	223	LEU
1	B	221	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 11 such sidechains are listed below:

Mol	Chain	Res	Type
1	D	50	HIS
1	D	176	GLN
1	F	234	ASN
1	F	176	GLN
1	B	50	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

6 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the

expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
1	SEB	B	188	1	15,16,17	2.45	2 (13%)	16,21,23	2.05	3 (18%)
1	SEB	F	188	1	15,16,17	2.62	2 (13%)	16,21,23	1.46	2 (12%)
1	SEB	C	188	1	15,16,17	2.68	2 (13%)	16,21,23	1.12	2 (12%)
1	SEB	E	188	1	15,16,17	2.92	2 (13%)	16,21,23	1.34	3 (18%)
1	SEB	A	188	1	15,16,17	2.48	2 (13%)	16,21,23	0.99	1 (6%)
1	SEB	D	188	1	15,16,17	2.61	2 (13%)	16,21,23	1.72	2 (12%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	SEB	B	188	1	-	1/10/13/15	0/1/1/1
1	SEB	F	188	1	-	1/10/13/15	0/1/1/1
1	SEB	C	188	1	-	1/10/13/15	0/1/1/1
1	SEB	E	188	1	-	0/10/13/15	0/1/1/1
1	SEB	A	188	1	-	1/10/13/15	0/1/1/1
1	SEB	D	188	1	-	1/10/13/15	0/1/1/1

The worst 5 of 12 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	E	188	SEB	CE-SD	-9.62	1.68	1.78
1	C	188	SEB	CE-SD	-9.11	1.69	1.78
1	F	188	SEB	CE-SD	-8.62	1.69	1.78
1	D	188	SEB	CE-SD	-8.46	1.69	1.78
1	A	188	SEB	CE-SD	-8.08	1.70	1.78

The worst 5 of 13 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	188	SEB	OG-CB-CA	5.66	114.56	107.63
1	D	188	SEB	OG-CB-CA	5.33	114.16	107.63
1	F	188	SEB	CB-OG-SD	4.30	128.54	119.30
1	B	188	SEB	CB-OG-SD	4.04	127.99	119.30
1	C	188	SEB	OG-SD-CE	3.67	114.29	104.18

There are no chirality outliers.

All (5) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	C	188	SEB	CB-OG-SD-OD2
1	A	188	SEB	CA-CB-OG-SD
1	B	188	SEB	CA-CB-OG-SD
1	D	188	SEB	CA-CB-OG-SD
1	F	188	SEB	CA-CB-OG-SD

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 17 ligands modelled in this entry, 8 are monoatomic - leaving 9 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	ACT	B	409	-	3,3,3	1.13	0	3,3,3	1.81	1 (33%)
4	EDO	F	417	-	3,3,3	0.50	0	2,2,2	0.15	0
3	ACT	E	411	-	3,3,3	0.98	0	3,3,3	1.67	1 (33%)
4	EDO	A	412	-	3,3,3	0.68	0	2,2,2	0.17	0
4	EDO	C	415	-	3,3,3	0.45	0	2,2,2	0.34	0
4	EDO	B	414	-	3,3,3	0.50	0	2,2,2	0.44	0
3	ACT	A	410	-	3,3,3	0.98	0	3,3,3	2.25	2 (66%)
4	EDO	A	413	-	3,3,3	0.45	0	2,2,2	0.24	0
4	EDO	E	416	-	3,3,3	0.62	0	2,2,2	0.18	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral

centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	EDO	F	417	-	-	1/1/1/1	-
4	EDO	C	415	-	-	1/1/1/1	-
4	EDO	A	412	-	-	1/1/1/1	-
4	EDO	B	414	-	-	1/1/1/1	-
4	EDO	A	413	-	-	0/1/1/1	-
4	EDO	E	416	-	-	0/1/1/1	-

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	410	ACT	OXT-C-CH3	2.81	126.83	115.05
3	A	410	ACT	OXT-C-O	-2.69	112.04	122.03
3	B	409	ACT	OXT-C-O	-2.62	112.30	122.03
3	E	411	ACT	OXT-C-O	-2.35	113.30	122.03

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	412	EDO	O1-C1-C2-O2
4	F	417	EDO	O1-C1-C2-O2
4	B	414	EDO	O1-C1-C2-O2
4	C	415	EDO	O1-C1-C2-O2

There are no ring outliers.

5 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	409	ACT	1	0
4	F	417	EDO	1	0
3	E	411	ACT	1	0
4	A	412	EDO	1	0
4	A	413	EDO	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	320/337 (94%)	-0.71	1 (0%) 90 88	10, 20, 37, 54	2 (0%)
1	B	320/337 (94%)	-0.73	2 (0%) 85 83	10, 20, 38, 55	3 (0%)
1	C	320/337 (94%)	-0.71	3 (0%) 81 78	10, 20, 38, 54	1 (0%)
1	D	320/337 (94%)	-0.68	3 (0%) 81 78	10, 20, 38, 55	1 (0%)
1	E	320/337 (94%)	-0.63	1 (0%) 90 88	10, 21, 38, 54	4 (1%)
1	F	320/337 (94%)	-0.62	1 (0%) 90 88	10, 21, 38, 54	2 (0%)
All	All	1920/2022 (94%)	-0.68	11 (0%) 85 83	10, 20, 38, 55	13 (0%)

The worst 5 of 11 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	3	PHE	3.7
1	D	3	PHE	3.4
1	B	79	GLU	2.9
1	E	3	PHE	2.7
1	F	3	PHE	2.6

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	SEB	D	188	16/17	0.89	0.16	19,42,53,54	0
1	SEB	E	188	16/17	0.89	0.16	20,41,53,54	0
1	SEB	A	188	16/17	0.91	0.15	19,39,53,54	0
1	SEB	B	188	16/17	0.91	0.16	19,40,53,53	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
1	SEB	F	188	16/17	0.91	0.14	19,41,54,54	0
1	SEB	C	188	16/17	0.93	0.16	19,39,54,54	0

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	CA	F	406	1/1	0.82	0.11	65,65,65,65	0
4	EDO	A	412	4/4	0.82	0.21	45,53,55,56	0
2	CA	E	407	1/1	0.84	0.09	65,65,65,65	0
2	CA	A	404	1/1	0.88	0.09	64,64,64,64	0
2	CA	B	408	1/1	0.88	0.09	64,64,64,64	0
2	CA	D	405	1/1	0.88	0.08	65,65,65,65	0
3	ACT	A	410	4/4	0.92	0.10	23,25,28,28	0
2	CA	C	403	1/1	0.92	0.06	60,60,60,60	0
3	ACT	E	411	4/4	0.95	0.09	34,34,37,37	0
4	EDO	B	414	4/4	0.96	0.09	20,25,28,32	0
4	EDO	A	413	4/4	0.97	0.08	21,24,24,31	0
4	EDO	C	415	4/4	0.97	0.06	23,24,28,30	0
4	EDO	E	416	4/4	0.97	0.07	25,25,32,34	0
4	EDO	F	417	4/4	0.97	0.07	24,32,36,38	0
2	CA	D	402	1/1	0.98	0.02	22,22,22,22	0
3	ACT	B	409	4/4	0.98	0.07	18,19,19,20	0
2	CA	A	401	1/1	0.98	0.04	21,21,21,21	0

6.5 Other polymers [i](#)

There are no such residues in this entry.