



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 05:26 AM UTC

PDB ID : 5M8T / pdb_00005m8t
Title : Crystal structure of human tyrosinase related protein 1 (T391V-R374S-Y362F)
in complex with tropolone
Authors : Lai, X.; Soler-Lopez, M.; Wichers, H.J.; Dijkstra, B.W.
Deposited on : 2016-10-29
Resolution : 2.35 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.35 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.











Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1596 (2.36-2.36)
Clashscore	190562	1663 (2.36-2.36)
Ramachandran outliers	187476	1646 (2.36-2.36)
Sidechain outliers	187428	1646 (2.36-2.36)
RSRZ outliers	180081	1598 (2.36-2.36)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	446	 2% 90% 10%
1	B	446	 2% 88% 11%
1	C	446	 2% 87% 13%
1	D	446	 2% 88% 12%
2	E	3	 33% 67%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	N	3	
2	S	3	
3	F	2	
3	J	2	
4	G	2	
4	H	2	
4	K	2	
4	M	2	
4	P	2	
4	Q	2	
4	R	2	
4	U	2	
4	W	2	
5	I	5	
6	L	3	
6	O	3	
7	T	4	
7	V	4	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
10	OTR	A	513	-	-	X	-

2 Entry composition

There are 11 unique types of molecules in this entry. The entry contains 15515 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called 5,6-dihydroxyindole-2-carboxylic acid oxidase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	446	Total	C	N	O	S	0	0	0
			3554	2231	629	671	23			
1	B	446	Total	C	N	O	S	0	0	0
			3554	2231	629	671	23			
1	C	446	Total	C	N	O	S	0	0	0
			3554	2231	629	671	23			
1	D	446	Total	C	N	O	S	0	0	0
			3554	2231	629	671	23			

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	362	PHE	TYR	engineered mutation	UNP P17643
A	374	SER	ARG	engineered mutation	UNP P17643
A	391	VAL	THR	engineered mutation	UNP P17643
B	362	PHE	TYR	engineered mutation	UNP P17643
B	374	SER	ARG	engineered mutation	UNP P17643
B	391	VAL	THR	engineered mutation	UNP P17643
C	362	PHE	TYR	engineered mutation	UNP P17643
C	374	SER	ARG	engineered mutation	UNP P17643
C	391	VAL	THR	engineered mutation	UNP P17643
D	362	PHE	TYR	engineered mutation	UNP P17643
D	374	SER	ARG	engineered mutation	UNP P17643
D	391	VAL	THR	engineered mutation	UNP P17643

- Molecule 2 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	E	3	Total	C	N	O	0	0	0
			38	22	2	14			
2	N	3	Total	C	N	O	0	0	0
			38	22	2	14			
2	S	3	Total	C	N	O	0	0	0
			38	22	2	14			

- Molecule 3 is an oligosaccharide called alpha-L-fucopyranose-(1-6)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	F	2	Total	C	N	O	0	0	0
			24	14	1	9			
3	J	2	Total	C	N	O	0	0	0
			24	14	1	9			

- Molecule 4 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
4	G	2	Total	C	N	O	0	0	0
			28	16	2	10			
4	H	2	Total	C	N	O	0	0	0
			28	16	2	10			
4	K	2	Total	C	N	O	0	0	0
			28	16	2	10			
4	M	2	Total	C	N	O	0	0	0
			28	16	2	10			
4	P	2	Total	C	N	O	0	0	0
			28	16	2	10			
4	Q	2	Total	C	N	O	0	0	0
			28	16	2	10			
4	R	2	Total	C	N	O	0	0	0
			28	16	2	10			

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
4	U	2	Total	C	N	O	0	0	0
			28	16	2	10			
4	W	2	Total	C	N	O	0	0	0
			28	16	2	10			

- Molecule 5 is an oligosaccharide called alpha-D-mannopyranose-(1-6)-alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
5	I	5	Total	C	N	O	0	0	0
			60	34	2	24			

- Molecule 6 is an oligosaccharide called alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
6	L	3	Total	C	N	O	0	0	0
			39	22	2	15			
6	O	3	Total	C	N	O	0	0	0
			39	22	2	15			

- Molecule 7 is an oligosaccharide called alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
7	T	4	Total	C	N	O	0	0	0
			49	28	2	19			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
7	V	4	Total	C	N	O	0	0	0
			49	28	2	19			

- Molecule 8 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: $C_8H_{15}NO_6$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
8	A	1	Total	C	N	O	0	0
			14	8	1	5		
8	C	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 9 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	A	2	Total	Zn	0	0
			2	2		
9	B	2	Total	Zn	0	0
			2	2		
9	C	2	Total	Zn	0	0
			2	2		
9	D	2	Total	Zn	0	0
			2	2		

- Molecule 10 is 2-HYDROXYCYCLOHEPTA-2,4,6-TRIEN-1-ONE (CCD ID: 0TR) (formula: $C_7H_6O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
10	A	1	Total	C	O	0	0
			9	7	2		
10	B	1	Total	C	O	0	0
			9	7	2		
10	C	1	Total	C	O	0	0
			9	7	2		
10	D	1	Total	C	O	0	0
			9	7	2		


- Molecule 11 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
11	A	148	Total	O	0	0
			148	148		
11	B	156	Total	O	0	0
			156	156		
11	C	128	Total	O	0	0
			128	128		
11	D	145	Total	O	0	0
			145	145		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 5,6-dihydroxyindole-2-carboxylic acid oxidase




- Molecule 1: 5,6-dihydroxyindole-2-carboxylic acid oxidase




- Molecule 1: 5,6-dihydroxyindole-2-carboxylic acid oxidase



- Molecule 1: 5,6-dihydroxyindole-2-carboxylic acid oxidase





- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain E: 33% 67%



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain N: 33% 67%



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain S: 33% 67%



- Molecule 3: alpha-L-fucopyranose-(1-6)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain F: 100%



- Molecule 3: alpha-L-fucopyranose-(1-6)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain J: 100%




- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain G: 50% 50%



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain H:  100%



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain K:  50% 50%



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain M:  50% 50%



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain P:  50% 50%




- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Q:  50% 50%




- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain R:  100%



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain U:  100%




- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 5: alpha-D-mannopyranose-(1-6)-alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 6: alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 6: alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 7: alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 7: alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	89.73Å 140.60Å 191.25Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	48.75 – 2.35 48.75 – 2.35	Depositor EDS
% Data completeness (in resolution range)	99.6 (48.75-2.35) 92.8 (48.75-2.35)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.12 (at 2.34Å)	Xtriage
Refinement program	PHENIX	Depositor
R, R_{free}	0.183 , 0.225 0.185 , 0.227	Depositor DCC
R_{free} test set	4972 reflections (4.91%)	wwPDB-VP
Wilson B-factor (Å ²)	36.1	Xtriage
Anisotropy	0.375	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 29.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	15515	wwPDB-VP
Average B, all atoms (Å ²)	43.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.98% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: OTR, FUC, MAN, NAG, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.44	0/3661	0.65	0/4990
1	B	0.46	0/3661	0.64	1/4990 (0.0%)
1	C	0.43	0/3661	0.60	0/4990
1	D	0.48	2/3661 (0.1%)	0.69	5/4990 (0.1%)
All	All	0.45	2/14644 (0.0%)	0.65	6/19960 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	C	0	1
1	D	0	1
All	All	0	2

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	125	ARG	CD-NE	-7.00	1.36	1.46
1	D	125	ARG	CB-CG	-5.47	1.36	1.52

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	125	ARG	CG-CD-NE	-7.66	95.15	112.00
1	D	125	ARG	CB-CG-CD	-7.15	94.86	111.30
1	B	25	GLN	CA-CB-CG	-6.52	101.06	114.10
1	D	125	ARG	NE-CZ-NH2	-6.05	113.75	119.20
1	D	255	LYS	CA-C-N	5.15	130.16	121.14

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	255	LYS	C-N-CA	5.15	130.16	121.14

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	C	469	PRO	Peptide
1	D	71	ASP	Sidechain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3554	0	3320	30	0
1	B	3554	0	3320	47	0
1	C	3554	0	3319	42	0
1	D	3554	0	3320	45	0
2	E	38	0	34	1	0
2	N	38	0	34	4	0
2	S	38	0	34	1	0
3	F	24	0	22	0	0
3	J	24	0	22	0	0
4	G	28	0	25	0	0
4	H	28	0	25	0	0
4	K	28	0	25	0	0
4	M	28	0	25	1	0
4	P	28	0	25	0	0
4	Q	28	0	25	0	0
4	R	28	0	25	0	0
4	U	28	0	25	0	0
4	W	28	0	25	0	0
5	I	60	0	52	1	0
6	L	39	0	34	1	0
6	O	39	0	34	0	0
7	T	49	0	43	1	0
7	V	49	0	43	1	0
8	A	14	0	13	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
8	C	14	0	13	0	0
9	A	2	0	0	0	0
9	B	2	0	0	0	0
9	C	2	0	0	0	0
9	D	2	0	0	0	0
10	A	9	0	6	4	0
10	B	9	0	6	1	0
10	C	9	0	6	3	0
10	D	9	0	6	1	0
11	A	148	0	0	3	0
11	B	156	0	0	5	0
11	C	128	0	0	3	0
11	D	145	0	0	3	0
All	All	15515	0	13906	170	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (170) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
10:A:513:0TR:OA2	11:A:601:HOH:O	1.58	1.17
1:B:142:ASN:OD1	1:B:146:ARG:NH2	1.96	0.97
1:D:150:MET:HE3	1:D:238:MET:HG2	1.50	0.93
1:D:40:MET:HE2	1:D:97:ARG:HE	1.36	0.88
1:A:25:GLN:HG3	1:A:26:PHE:H	1.41	0.84
1:D:25:GLN:HG3	1:D:26:PHE:H	1.45	0.82
1:D:117:TRP:CD2	1:D:125:ARG:NH2	2.51	0.79
1:C:25:GLN:HG3	1:C:26:PHE:H	1.45	0.79
1:D:106:SER:HB2	1:D:114:ARG:HG2	1.66	0.78
1:B:331:GLN:NE2	1:B:332:ASP:OD1	2.18	0.77
1:D:118:ARG:NH1	1:D:124:GLN:OE1	2.17	0.77
1:C:150:MET:HE3	1:C:238:MET:HG2	1.68	0.76
1:B:52:GLY:HA2	1:B:55:ARG:HH11	1.51	0.75
1:B:73:ARG:NH1	1:B:428:GLU:OE2	2.20	0.74
1:C:25:GLN:HG3	1:C:26:PHE:N	2.02	0.71
1:A:25:GLN:HG2	1:A:161:ILE:HA	1.72	0.71
1:D:269:ARG:NH1	1:D:314:ASN:OD1	2.23	0.69
1:B:40:MET:HE2	1:B:97:ARG:HD3	1.74	0.69
1:A:25:GLN:HG3	1:A:26:PHE:N	2.08	0.68
1:B:269:ARG:NH1	1:B:314:ASN:OD1	2.24	0.67

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:218:PRO:HD2	1:C:434:HIS:HB3	1.76	0.66
1:D:417:ARG:NH1	11:D:602:HOH:O	2.01	0.65
1:D:25:GLN:HG3	1:D:26:PHE:N	2.10	0.65
1:A:73:ARG:HB3	1:A:428:GLU:HG2	1.78	0.64
1:C:313:ARG:HG2	1:C:315:PRO:HD3	1.80	0.64
1:D:389:GLY:C	10:D:518:OTR:HB3	2.24	0.63
1:B:256:ASN:ND2	11:B:607:HOH:O	2.33	0.62
1:C:208:PHE:CZ	1:C:210:GLU:HB2	2.35	0.62
1:C:84:ARG:NH2	1:C:201:LEU:O	2.32	0.62
10:C:516:OTR:OA1	11:C:601:HOH:O	2.16	0.61
1:D:25:GLN:HE21	1:D:162:ALA:H	1.46	0.61
1:D:25:GLN:HG2	1:D:161:ILE:HA	1.82	0.61
1:D:352:THR:HG22	1:D:369:TYR:H	1.66	0.60
6:L:2:NAG:O3	6:L:3:MAN:H2	2.02	0.59
7:V:2:NAG:O3	7:V:3:MAN:H2	2.02	0.59
1:C:128:ILE:HG23	1:C:245:SER:HB3	1.85	0.59
1:B:73:ARG:HB3	1:B:428:GLU:HG2	1.83	0.59
1:C:25:GLN:HG2	1:C:161:ILE:HA	1.85	0.58
1:D:118:ARG:HD2	1:D:124:GLN:HB2	1.85	0.58
1:D:133:LEU:HD21	1:D:265:LEU:HD13	1.84	0.58
1:D:165:ARG:NH2	1:D:167:GLU:OE1	2.36	0.58
1:A:294:GLU:OE1	11:A:602:HOH:O	2.17	0.58
1:B:389:GLY:C	10:B:517:OTR:HB3	2.28	0.58
1:D:66:GLU:OE1	1:D:100:HIS:ND1	2.36	0.58
1:D:133:LEU:CD2	1:D:265:LEU:HD13	2.34	0.57
1:A:118:ARG:HD3	1:A:126:VAL:HG11	1.86	0.57
1:B:142:ASN:ND2	11:B:609:HOH:O	2.37	0.57
1:B:25:GLN:OE1	1:B:162:ALA:N	2.36	0.56
1:D:104:ASN:OD1	1:D:117:TRP:CH2	2.58	0.56
1:C:73:ARG:HB3	1:C:428:GLU:HG2	1.88	0.56
1:D:117:TRP:CE2	1:D:125:ARG:NH2	2.73	0.55
1:B:34:GLU:CD	1:B:34:GLU:H	2.15	0.55
1:D:150:MET:HE3	1:D:238:MET:CG	2.31	0.55
1:C:33:VAL:HG13	1:C:37:ARG:HH12	1.72	0.55
1:A:44:ASP:HB3	1:A:47:PRO:HD3	1.88	0.54
1:C:150:MET:HG2	1:C:238:MET:SD	2.48	0.54
1:C:96:ASN:HD22	2:N:1:NAG:H83	1.72	0.53
1:A:104:ASN:HA	1:A:114:ARG:HG3	1.91	0.53
1:B:73:ARG:HD2	1:B:428:GLU:HG2	1.90	0.53
1:C:233:LYS:O	1:C:237:GLU:HG2	2.08	0.53
1:D:139:GLU:H	1:D:139:GLU:CD	2.17	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:25:GLN:HE21	1:A:162:ALA:H	1.55	0.52
1:A:224:HIS:CD2	1:A:404:HIS:CE1	2.96	0.52
1:D:113:CYS:HB3	1:D:117:TRP:HB2	1.91	0.52
1:B:392:HIS:CD2	1:B:393:LEU:HG	2.45	0.51
1:A:40:MET:HE2	1:A:97:ARG:HD3	1.92	0.51
1:D:124:GLN:NE2	11:D:603:HOH:O	2.18	0.51
1:C:217:GLY:O	1:C:356:ARG:HD3	2.10	0.51
1:B:142:ASN:HD21	1:B:146:ARG:HH12	1.58	0.51
1:D:68:VAL:CG1	1:D:98:THR:HG23	2.41	0.51
1:A:149:ASP:OD2	1:A:153:ARG:NH1	2.43	0.50
1:D:392:HIS:NE2	1:D:393:LEU:HG	2.26	0.50
1:B:218:PRO:HD2	1:B:434:HIS:HB3	1.93	0.50
1:C:49:SER:HB2	1:C:53:THR:OG1	2.13	0.49
1:C:416:ARG:HH21	1:C:417:ARG:HG2	1.76	0.49
1:B:25:GLN:HG3	1:B:26:PHE:H	1.78	0.49
1:D:217:GLY:O	1:D:356:ARG:HD3	2.13	0.49
1:B:224:HIS:CD2	1:B:404:HIS:CE1	3.01	0.49
1:C:165:ARG:HD3	1:C:300:GLY:O	2.13	0.49
1:B:106:SER:HB2	1:B:114:ARG:HG2	1.95	0.48
1:B:49:SER:C	1:B:53:THR:HG21	2.38	0.48
1:B:142:ASN:CG	1:B:146:ARG:NH2	2.70	0.48
1:A:265:LEU:HD12	1:A:265:LEU:O	2.13	0.48
1:A:307:GLU:OE1	11:A:603:HOH:O	2.20	0.48
1:C:294:GLU:H	1:C:294:GLU:CD	2.21	0.48
1:D:150:MET:HE2	1:D:238:MET:HE3	1.96	0.48
1:A:25:GLN:OE1	1:A:25:GLN:HA	2.14	0.48
2:N:1:NAG:O4	2:N:2:NAG:O7	2.31	0.48
1:B:52:GLY:HA2	1:B:55:ARG:NH1	2.23	0.47
1:D:25:GLN:HA	1:D:25:GLN:OE1	2.13	0.47
1:B:142:ASN:ND2	1:B:146:ARG:NH1	2.63	0.47
1:A:391:VAL:HA	10:A:513:0TR:CA3	2.44	0.47
1:B:318:ASN:OD1	4:M:1:NAG:H62	2.15	0.47
1:C:370:ASP:O	1:C:373:VAL:HG22	2.14	0.47
1:B:352:THR:HG22	1:B:369:TYR:H	1.80	0.46
1:D:218:PRO:HD2	1:D:434:HIS:HB3	1.98	0.46
7:T:2:NAG:O3	7:T:3:MAN:H2	2.15	0.46
1:C:389:GLY:C	10:C:516:0TR:HB3	2.40	0.46
1:C:25:GLN:HA	1:C:25:GLN:OE1	2.15	0.46
1:A:80:PRO:HG2	1:A:81:HIS:CD2	2.50	0.46
1:B:338:GLU:OE2	1:B:417:ARG:NH2	2.49	0.46
1:C:33:VAL:HG22	1:C:170:LEU:HD22	1.96	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:29:GLN:NE2	11:C:613:HOH:O	2.49	0.45
1:A:156:HIS:NE2	1:A:234:ASP:OD2	2.48	0.45
1:D:208:PHE:CZ	1:D:210:GLU:HB2	2.50	0.45
1:A:392:HIS:CD2	1:A:393:LEU:HG	2.51	0.45
1:B:142:ASN:HD21	1:B:146:ARG:NH1	2.14	0.45
1:D:49:SER:HB2	1:D:53:THR:HG21	1.97	0.45
1:B:142:ASN:ND2	1:B:146:ARG:HH12	2.13	0.45
1:B:142:ASN:OD1	1:B:146:ARG:CZ	2.63	0.45
1:C:391:VAL:HA	10:C:516:OTR:HA3	1.98	0.45
1:A:391:VAL:HA	10:A:513:OTR:HA3	1.97	0.44
1:D:165:ARG:HD3	1:D:300:GLY:O	2.18	0.44
1:B:66:GLU:HG3	1:B:100:HIS:ND1	2.33	0.44
1:C:29:GLN:HG3	1:C:43:PRO:HB3	1.99	0.44
1:A:45:LEU:HB3	1:A:54:ASP:OD2	2.17	0.44
1:B:29:GLN:HG3	1:B:43:PRO:HB3	1.99	0.44
1:B:66:GLU:HA	1:B:97:ARG:NH2	2.32	0.44
1:A:66:GLU:HG3	1:A:100:HIS:HB2	1.99	0.44
1:B:31:ALA:HB1	1:B:179:PHE:CD2	2.52	0.44
1:B:217:GLY:O	1:B:356:ARG:HD3	2.18	0.44
1:B:87:ARG:HG2	1:B:441:VAL:HG11	1.98	0.43
1:C:370:ASP:HB3	1:C:373:VAL:HG13	2.00	0.43
1:B:25:GLN:HG3	1:B:26:PHE:N	2.33	0.43
1:D:150:MET:CE	1:D:239:LEU:HD23	2.48	0.43
1:C:308:ASP:HB3	11:C:612:HOH:O	2.18	0.43
1:C:91:PRO:HG3	1:C:446:PRO:HG3	1.99	0.43
1:D:93:ARG:NH1	11:D:619:HOH:O	2.51	0.43
1:A:81:HIS:HB3	1:A:84:ARG:HG3	2.00	0.43
1:A:218:PRO:HD2	1:A:434:HIS:HB3	2.01	0.43
1:C:68:VAL:HG11	1:C:91:PRO:HD2	2.01	0.43
1:B:73:ARG:HD2	1:B:428:GLU:CG	2.49	0.43
1:A:43:PRO:HG2	1:A:109:ASN:HB3	2.01	0.42
1:C:33:VAL:CG1	1:C:37:ARG:HH12	2.31	0.42
1:D:265:LEU:O	1:D:266:MET:HB2	2.20	0.42
1:B:265:LEU:HD12	1:B:265:LEU:O	2.19	0.42
1:D:117:TRP:CE3	1:D:125:ARG:NH2	2.87	0.42
1:B:294:GLU:H	1:B:294:GLU:CD	2.28	0.42
1:B:392:HIS:NE2	1:B:393:LEU:HG	2.35	0.42
1:C:269:ARG:HD3	1:C:274:SER:HB2	2.02	0.42
1:C:180:GLU:OE1	1:C:304:ASN:HB2	2.20	0.42
1:C:441:VAL:HA	1:C:442:PRO:HA	1.82	0.42
1:D:104:ASN:CG	1:D:117:TRP:CZ2	2.98	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:25:GLN:CG	1:A:26:PHE:N	2.81	0.41
1:A:139:GLU:H	1:A:139:GLU:CD	2.28	0.41
1:C:93:ARG:HH21	2:N:3:FUC:C4	2.34	0.41
1:D:25:GLN:NE2	1:D:162:ALA:H	2.17	0.41
1:B:50:GLY:O	1:B:53:THR:HG23	2.20	0.41
1:C:92:LEU:HD23	1:C:92:LEU:HA	1.82	0.41
1:C:469:PRO:O	1:C:470:SER:HB2	2.20	0.41
1:D:96:ASN:HD22	2:S:1:NAG:H83	1.86	0.41
1:B:94:PHE:O	5:I:5:FUC:H61	2.19	0.41
1:D:260:ILE:O	1:D:265:LEU:O	2.38	0.41
1:C:260:ILE:O	1:C:266:MET:HB2	2.21	0.41
1:D:43:PRO:HG2	1:D:109:ASN:HB3	2.03	0.41
1:D:352:THR:CG2	1:D:369:TYR:H	2.32	0.41
1:A:260:ILE:O	1:A:265:LEU:O	2.39	0.41
1:C:31:ALA:HB1	1:C:179:PHE:CD2	2.56	0.41
1:D:229:LEU:HA	1:D:229:LEU:HD12	1.90	0.41
1:B:25:GLN:HA	11:B:636:HOH:O	2.19	0.41
1:B:233:LYS:O	1:B:237:GLU:HG3	2.21	0.41
1:A:96:ASN:HD22	2:E:1:NAG:H83	1.86	0.41
1:B:117:TRP:O	1:B:118:ARG:HD3	2.21	0.41
1:D:197:LYS:HE2	1:D:197:LYS:HB2	1.94	0.41
1:B:331:GLN:HB3	11:B:673:HOH:O	2.20	0.40
1:A:377:HIS:HE1	10:A:513:O ² TR:OA1	2.03	0.40
1:B:256:ASN:ND2	11:B:625:HOH:O	2.55	0.40
1:C:25:GLN:HE21	1:C:162:ALA:H	1.69	0.40
1:C:224:HIS:CD2	1:C:404:HIS:CE1	3.09	0.40
1:C:93:ARG:O	2:N:3:FUC:H62	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	444/446 (100%)	426 (96%)	17 (4%)	1 (0%)	43	52
1	B	444/446 (100%)	425 (96%)	19 (4%)	0	100	100
1	C	444/446 (100%)	419 (94%)	25 (6%)	0	100	100
1	D	444/446 (100%)	427 (96%)	17 (4%)	0	100	100
All	All	1776/1784 (100%)	1697 (96%)	78 (4%)	1 (0%)	48	59

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	49	SER

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	395/395 (100%)	394 (100%)	1 (0%)	86	92
1	B	395/395 (100%)	393 (100%)	2 (0%)	81	89
1	C	395/395 (100%)	393 (100%)	2 (0%)	81	89
1	D	395/395 (100%)	391 (99%)	4 (1%)	68	81
All	All	1580/1580 (100%)	1571 (99%)	9 (1%)	78	87

All (9) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	175	ASN
1	B	25	GLN
1	B	60	SER
1	C	336	CYS
1	C	470	SER
1	D	60	SER
1	D	89	VAL
1	D	97	ARG
1	D	352	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	78	GLN
1	A	81	HIS
1	A	143	HIS
1	A	314	ASN
1	A	390	GLN
1	B	78	GLN
1	B	390	GLN
1	C	390	GLN
1	D	78	GLN
1	D	205	GLN
1	D	459	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

50 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	NAG	E	1	2,1	14,14,15	0.48	0	17,19,21	0.75	0
2	NAG	E	2	2	14,14,15	0.49	0	17,19,21	0.36	0
2	FUC	E	3	2	10,10,11	0.73	0	14,14,16	1.61	2 (14%)
3	NAG	F	1	3,1	14,14,15	2.03	3 (21%)	17,19,21	1.24	2 (11%)
3	FUC	F	2	3	10,10,11	2.17	4 (40%)	14,14,16	1.64	3 (21%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	NAG	G	1	4,1	14,14,15	0.28	0	17,19,21	0.72	1 (5%)
4	NAG	G	2	4	14,14,15	0.62	0	17,19,21	0.54	0
4	NAG	H	1	4,1	14,14,15	0.15	0	17,19,21	0.76	0
4	NAG	H	2	4	14,14,15	0.36	0	17,19,21	0.41	0
5	NAG	I	1	5,1	14,14,15	0.40	0	17,19,21	0.72	0
5	NAG	I	2	5	14,14,15	0.56	0	17,19,21	0.92	1 (5%)
5	MAN	I	3	5	11,11,12	1.82	3 (27%)	15,15,17	1.85	3 (20%)
5	MAN	I	4	5	11,11,12	2.14	3 (27%)	15,15,17	1.74	5 (33%)
5	FUC	I	5	5	10,10,11	1.39	1 (10%)	14,14,16	1.56	3 (21%)
3	NAG	J	1	3,1	14,14,15	1.99	3 (21%)	17,19,21	1.20	2 (11%)
3	FUC	J	2	3	10,10,11	1.91	2 (20%)	14,14,16	1.62	3 (21%)
4	NAG	K	1	4,1	14,14,15	0.30	0	17,19,21	0.68	1 (5%)
4	NAG	K	2	4	14,14,15	0.57	0	17,19,21	0.57	0
6	NAG	L	1	6,1	14,14,15	0.18	0	17,19,21	0.96	1 (5%)
6	NAG	L	2	6	14,14,15	0.42	0	17,19,21	0.62	0
6	MAN	L	3	6	11,11,12	2.11	5 (45%)	15,15,17	2.44	6 (40%)
4	NAG	M	1	4,1	14,14,15	1.19	1 (7%)	17,19,21	0.98	1 (5%)
4	NAG	M	2	4	14,14,15	0.46	0	17,19,21	0.49	0
2	NAG	N	1	2,1	14,14,15	0.68	1 (7%)	17,19,21	0.86	1 (5%)
2	NAG	N	2	2	14,14,15	0.47	0	17,19,21	0.73	0
2	FUC	N	3	2	10,10,11	1.03	0	14,14,16	1.10	2 (14%)
6	NAG	O	1	6,1	14,14,15	0.65	1 (7%)	17,19,21	0.69	0
6	NAG	O	2	6	14,14,15	0.57	0	17,19,21	1.86	1 (5%)
6	MAN	O	3	6	11,11,12	2.07	3 (27%)	15,15,17	1.48	3 (20%)
4	NAG	P	1	4,1	14,14,15	0.40	0	17,19,21	0.66	0
4	NAG	P	2	4	14,14,15	0.90	2 (14%)	17,19,21	0.60	0
4	NAG	Q	1	4,1	14,14,15	0.42	0	17,19,21	0.49	0
4	NAG	Q	2	4	14,14,15	0.43	0	17,19,21	0.85	1 (5%)
4	NAG	R	1	4,1	14,14,15	0.28	0	17,19,21	0.92	1 (5%)
4	NAG	R	2	4	14,14,15	0.79	1 (7%)	17,19,21	0.59	0
2	NAG	S	1	2,1	14,14,15	0.37	0	17,19,21	0.64	0
2	NAG	S	2	2	14,14,15	0.46	0	17,19,21	0.39	0
2	FUC	S	3	2	10,10,11	0.95	1 (10%)	14,14,16	1.76	2 (14%)
7	NAG	T	1	7,1	14,14,15	0.45	0	17,19,21	0.71	0
7	NAG	T	2	7	14,14,15	0.37	0	17,19,21	0.69	0
7	MAN	T	3	7	11,11,12	2.25	4 (36%)	15,15,17	2.56	7 (46%)
7	FUC	T	4	7	10,10,11	2.12	3 (30%)	14,14,16	1.75	3 (21%)
4	NAG	U	1	4,1	14,14,15	0.49	0	17,19,21	0.66	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	NAG	U	2	4	14,14,15	0.41	0	17,19,21	0.41	0
7	NAG	V	1	7,1	14,14,15	0.70	1 (7%)	17,19,21	0.67	0
7	NAG	V	2	7	14,14,15	0.84	1 (7%)	17,19,21	2.44	1 (5%)
7	MAN	V	3	7	11,11,12	1.97	3 (27%)	15,15,17	2.09	4 (26%)
7	FUC	V	4	7	10,10,11	1.10	1 (10%)	14,14,16	1.01	1 (7%)
4	NAG	W	1	4,1	14,14,15	0.27	0	17,19,21	0.81	1 (5%)
4	NAG	W	2	4	14,14,15	0.26	0	17,19,21	0.63	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	E	1	2,1	-	2/6/23/26	0/1/1/1
2	NAG	E	2	2	-	2/6/23/26	0/1/1/1
2	FUC	E	3	2	-	-	0/1/1/1
3	NAG	F	1	3,1	-	2/6/23/26	0/1/1/1
3	FUC	F	2	3	-	-	0/1/1/1
4	NAG	G	1	4,1	-	0/6/23/26	0/1/1/1
4	NAG	G	2	4	-	2/6/23/26	0/1/1/1
4	NAG	H	1	4,1	-	0/6/23/26	0/1/1/1
4	NAG	H	2	4	-	0/6/23/26	0/1/1/1
5	NAG	I	1	5,1	-	2/6/23/26	0/1/1/1
5	NAG	I	2	5	-	0/6/23/26	0/1/1/1
5	MAN	I	3	5	-	2/2/19/22	1/1/1/1
5	MAN	I	4	5	-	2/2/19/22	0/1/1/1
5	FUC	I	5	5	-	-	0/1/1/1
3	NAG	J	1	3,1	-	2/6/23/26	0/1/1/1
3	FUC	J	2	3	-	-	0/1/1/1
4	NAG	K	1	4,1	-	0/6/23/26	0/1/1/1
4	NAG	K	2	4	-	2/6/23/26	0/1/1/1
6	NAG	L	1	6,1	-	2/6/23/26	0/1/1/1
6	NAG	L	2	6	-	4/6/23/26	0/1/1/1
6	MAN	L	3	6	-	1/2/19/22	0/1/1/1
4	NAG	M	1	4,1	-	3/6/23/26	0/1/1/1
4	NAG	M	2	4	-	0/6/23/26	0/1/1/1
2	NAG	N	1	2,1	-	2/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	N	2	2	-	3/6/23/26	0/1/1/1
2	FUC	N	3	2	-	-	0/1/1/1
6	NAG	O	1	6,1	-	4/6/23/26	0/1/1/1
6	NAG	O	2	6	-	3/6/23/26	0/1/1/1
6	MAN	O	3	6	-	1/2/19/22	0/1/1/1
4	NAG	P	1	4,1	-	0/6/23/26	0/1/1/1
4	NAG	P	2	4	-	2/6/23/26	0/1/1/1
4	NAG	Q	1	4,1	-	2/6/23/26	0/1/1/1
4	NAG	Q	2	4	-	4/6/23/26	0/1/1/1
4	NAG	R	1	4,1	-	0/6/23/26	0/1/1/1
4	NAG	R	2	4	-	0/6/23/26	0/1/1/1
2	NAG	S	1	2,1	-	2/6/23/26	0/1/1/1
2	NAG	S	2	2	-	1/6/23/26	0/1/1/1
2	FUC	S	3	2	-	-	0/1/1/1
7	NAG	T	1	7,1	-	0/6/23/26	0/1/1/1
7	NAG	T	2	7	-	1/6/23/26	0/1/1/1
7	MAN	T	3	7	-	2/2/19/22	0/1/1/1
7	FUC	T	4	7	-	-	0/1/1/1
4	NAG	U	1	4,1	-	0/6/23/26	0/1/1/1
4	NAG	U	2	4	-	2/6/23/26	0/1/1/1
7	NAG	V	1	7,1	-	3/6/23/26	0/1/1/1
7	NAG	V	2	7	-	4/6/23/26	0/1/1/1
7	MAN	V	3	7	-	2/2/19/22	1/1/1/1
7	FUC	V	4	7	-	-	0/1/1/1
4	NAG	W	1	4,1	-	0/6/23/26	0/1/1/1
4	NAG	W	2	4	-	0/6/23/26	0/1/1/1

All (47) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	F	1	NAG	O5-C1	-5.86	1.33	1.43
5	I	4	MAN	C4-C3	4.93	1.65	1.52
3	J	1	NAG	O5-C1	-4.90	1.35	1.43
3	J	1	NAG	C1-C2	4.88	1.59	1.52
7	T	3	MAN	O5-C1	4.61	1.51	1.43
7	V	3	MAN	C2-C3	-4.43	1.45	1.52
4	M	1	NAG	O5-C1	-4.41	1.36	1.43
3	J	2	FUC	C1-C2	4.33	1.62	1.52
7	T	4	FUC	O5-C5	4.27	1.52	1.43
3	F	1	NAG	C1-C2	4.15	1.58	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	O	3	MAN	C2-C3	4.13	1.58	1.52
3	F	2	FUC	O5-C5	3.99	1.51	1.43
5	I	3	MAN	C4-C5	3.97	1.61	1.53
7	T	3	MAN	O5-C5	3.77	1.50	1.43
6	L	3	MAN	O5-C5	3.67	1.50	1.43
6	O	3	MAN	O5-C5	3.65	1.50	1.43
5	I	5	FUC	C6-C5	3.52	1.60	1.51
5	I	4	MAN	C4-C5	3.40	1.60	1.53
3	F	2	FUC	C1-C2	3.37	1.60	1.52
7	T	4	FUC	C4-C5	3.33	1.60	1.52
7	T	4	FUC	C2-C3	-3.17	1.47	1.52
5	I	3	MAN	C1-C2	3.15	1.59	1.52
3	F	2	FUC	C2-C3	3.10	1.57	1.52
7	V	3	MAN	O5-C5	3.00	1.49	1.43
3	J	2	FUC	O5-C5	2.89	1.49	1.43
7	V	2	NAG	O5-C1	2.87	1.48	1.43
6	L	3	MAN	O5-C1	2.80	1.48	1.43
6	L	3	MAN	C2-C3	-2.77	1.48	1.52
7	T	3	MAN	O3-C3	2.72	1.49	1.43
4	R	2	NAG	C1-C2	2.70	1.56	1.52
6	L	3	MAN	O3-C3	2.57	1.49	1.43
7	V	1	NAG	O5-C1	-2.50	1.39	1.43
6	O	3	MAN	C4-C3	2.48	1.58	1.52
7	T	3	MAN	C1-C2	2.44	1.58	1.52
5	I	4	MAN	C1-C2	2.44	1.58	1.52
4	P	2	NAG	O5-C1	2.44	1.47	1.43
5	I	3	MAN	C4-C3	2.43	1.58	1.52
3	F	2	FUC	C4-C5	2.40	1.58	1.52
6	L	3	MAN	C1-C2	2.36	1.57	1.52
3	J	1	NAG	C3-C2	2.31	1.57	1.52
6	O	1	NAG	C1-C2	2.25	1.55	1.52
4	P	2	NAG	C1-C2	2.22	1.55	1.52
2	S	3	FUC	O5-C5	2.15	1.47	1.43
7	V	3	MAN	O2-C2	-2.12	1.38	1.43
3	F	1	NAG	C3-C2	2.11	1.56	1.52
7	V	4	FUC	C2-C3	2.02	1.55	1.52
2	N	1	NAG	O5-C1	2.01	1.47	1.43

All (62) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	V	2	NAG	C1-O5-C5	9.55	124.98	112.19

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	O	2	NAG	C1-O5-C5	6.80	121.29	112.19
7	V	3	MAN	O2-C2-C3	-5.80	98.13	110.15
6	L	3	MAN	C1-O5-C5	5.69	119.81	112.19
7	T	3	MAN	C1-O5-C5	5.25	119.22	112.19
6	L	3	MAN	O2-C2-C3	-4.57	100.68	110.15
2	S	3	FUC	O5-C5-C4	4.56	117.75	109.55
7	T	4	FUC	O5-C5-C4	4.53	117.70	109.55
7	T	3	MAN	C3-C4-C5	-4.45	102.16	110.23
5	I	4	MAN	C1-C2-C3	-4.16	103.59	109.64
6	L	3	MAN	C1-C2-C3	3.72	115.06	109.64
6	O	3	MAN	C1-O5-C5	3.70	117.15	112.19
3	J	1	NAG	C4-C3-C2	3.68	116.41	111.02
5	I	5	FUC	O5-C5-C4	3.68	116.17	109.55
3	F	1	NAG	C4-C3-C2	3.67	116.40	111.02
3	J	2	FUC	O2-C2-C1	3.60	117.47	109.22
2	E	3	FUC	O5-C5-C4	3.59	116.02	109.55
5	I	3	MAN	C1-O5-C5	-3.52	107.47	112.19
7	T	3	MAN	O5-C5-C6	3.48	114.43	107.66
2	E	3	FUC	C1-O5-C5	3.44	121.08	112.97
4	R	1	NAG	C1-O5-C5	3.42	116.77	112.19
5	I	3	MAN	O5-C5-C6	-3.40	101.05	107.66
6	L	1	NAG	C1-O5-C5	3.18	116.44	112.19
5	I	2	NAG	O4-C4-C5	-3.08	101.74	109.32
7	V	3	MAN	C2-C3-C4	-3.08	105.45	110.86
7	T	3	MAN	O3-C3-C4	3.07	117.61	110.38
2	S	3	FUC	C1-O5-C5	3.06	120.19	112.97
3	J	2	FUC	O5-C5-C4	3.05	115.04	109.55
2	N	1	NAG	C1-O5-C5	2.92	116.10	112.19
3	F	2	FUC	O5-C5-C4	2.90	114.77	109.55
3	F	2	FUC	C1-O5-C5	2.87	119.73	112.97
3	F	2	FUC	O2-C2-C1	2.81	115.65	109.22
4	M	1	NAG	C1-O5-C5	2.76	115.88	112.19
7	T	3	MAN	C1-C2-C3	2.73	113.61	109.64
4	Q	2	NAG	C1-O5-C5	2.72	115.84	112.19
3	J	1	NAG	O5-C5-C4	-2.71	104.23	110.83
7	V	3	MAN	C1-O5-C5	2.69	115.80	112.19
7	T	3	MAN	O5-C1-C2	2.68	117.19	110.79
3	F	1	NAG	O5-C5-C4	-2.66	104.36	110.83
3	J	2	FUC	C1-O5-C5	2.61	119.12	112.97
5	I	3	MAN	C2-C3-C4	-2.55	106.37	110.86
7	V	4	FUC	C1-C2-C3	2.55	113.35	109.64
5	I	4	MAN	O4-C4-C3	2.50	116.26	110.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	T	4	FUC	C3-C4-C5	2.49	113.60	109.81
7	T	4	FUC	C1-O5-C5	2.48	118.81	112.97
6	L	3	MAN	C2-C3-C4	-2.47	106.51	110.86
4	W	1	NAG	C1-O5-C5	2.47	115.50	112.19
7	T	3	MAN	O3-C3-C2	2.46	115.07	110.05
6	O	3	MAN	O2-C2-C1	2.44	114.81	109.22
6	O	3	MAN	C1-C2-C3	-2.34	106.24	109.64
5	I	4	MAN	O2-C2-C1	2.33	114.56	109.22
5	I	4	MAN	C1-O5-C5	-2.28	109.12	112.19
6	L	3	MAN	O5-C1-C2	2.16	115.95	110.79
7	V	3	MAN	C1-C2-C3	2.16	112.78	109.64
5	I	4	MAN	O3-C3-C4	2.12	115.38	110.38
6	L	3	MAN	O5-C5-C6	2.12	111.79	107.66
2	N	3	FUC	O5-C5-C4	2.12	113.36	109.55
5	I	5	FUC	C3-C4-C5	2.10	113.01	109.81
4	K	1	NAG	C1-O5-C5	2.08	114.98	112.19
2	N	3	FUC	C1-O5-C5	2.08	117.87	112.97
5	I	5	FUC	C1-O5-C5	2.08	117.87	112.97
4	G	1	NAG	C1-O5-C5	2.07	114.97	112.19

There are no chirality outliers.

All (66) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	K	2	NAG	O5-C5-C6-O6
4	P	2	NAG	O5-C5-C6-O6
7	V	3	MAN	O5-C5-C6-O6
3	F	1	NAG	O5-C5-C6-O6
3	J	1	NAG	O5-C5-C6-O6
3	F	1	NAG	C4-C5-C6-O6
4	M	1	NAG	O5-C5-C6-O6
4	U	2	NAG	O5-C5-C6-O6
5	I	4	MAN	O5-C5-C6-O6
3	J	1	NAG	C4-C5-C6-O6
4	Q	2	NAG	C4-C5-C6-O6
5	I	4	MAN	C4-C5-C6-O6
7	V	2	NAG	O5-C5-C6-O6
2	E	2	NAG	C4-C5-C6-O6
4	K	2	NAG	C4-C5-C6-O6
7	V	3	MAN	C4-C5-C6-O6
5	I	3	MAN	O5-C5-C6-O6
7	T	3	MAN	O5-C5-C6-O6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	P	2	NAG	C4-C5-C6-O6
5	I	3	MAN	C4-C5-C6-O6
7	V	2	NAG	C4-C5-C6-O6
4	U	2	NAG	C4-C5-C6-O6
4	Q	2	NAG	O5-C5-C6-O6
2	E	2	NAG	O5-C5-C6-O6
7	T	3	MAN	C4-C5-C6-O6
4	G	2	NAG	O5-C5-C6-O6
2	E	1	NAG	C8-C7-N2-C2
2	E	1	NAG	O7-C7-N2-C2
2	N	1	NAG	C8-C7-N2-C2
2	N	1	NAG	O7-C7-N2-C2
2	S	1	NAG	C8-C7-N2-C2
2	S	1	NAG	O7-C7-N2-C2
4	Q	1	NAG	C8-C7-N2-C2
4	Q	1	NAG	O7-C7-N2-C2
4	Q	2	NAG	C8-C7-N2-C2
4	Q	2	NAG	O7-C7-N2-C2
5	I	1	NAG	C8-C7-N2-C2
5	I	1	NAG	O7-C7-N2-C2
6	L	1	NAG	C8-C7-N2-C2
6	L	1	NAG	O7-C7-N2-C2
6	L	2	NAG	C8-C7-N2-C2
6	L	2	NAG	O7-C7-N2-C2
6	O	1	NAG	C8-C7-N2-C2
6	O	1	NAG	O7-C7-N2-C2
6	O	2	NAG	C8-C7-N2-C2
6	O	2	NAG	O7-C7-N2-C2
7	V	1	NAG	C8-C7-N2-C2
7	V	1	NAG	O7-C7-N2-C2
7	V	2	NAG	C8-C7-N2-C2
7	V	2	NAG	O7-C7-N2-C2
4	G	2	NAG	C4-C5-C6-O6
2	N	2	NAG	C4-C5-C6-O6
4	M	1	NAG	C4-C5-C6-O6
6	O	3	MAN	O5-C5-C6-O6
6	O	2	NAG	O5-C5-C6-O6
7	T	2	NAG	O5-C5-C6-O6
2	S	2	NAG	O5-C5-C6-O6
2	N	2	NAG	O5-C5-C6-O6
6	O	1	NAG	C4-C5-C6-O6
6	L	2	NAG	C4-C5-C6-O6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
6	O	1	NAG	O5-C5-C6-O6
7	V	1	NAG	C4-C5-C6-O6
2	N	2	NAG	C1-C2-N2-C7
4	M	1	NAG	C1-C2-N2-C7
6	L	2	NAG	O5-C5-C6-O6
6	L	3	MAN	O5-C5-C6-O6


All (2) ring outliers are listed below:


Mol	Chain	Res	Type	Atoms
5	I	3	MAN	C1-C2-C3-C4-C5-O5
7	V	3	MAN	C1-C2-C3-C4-C5-O5


13 monomers are involved in 11 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
7	V	2	NAG	1	0
7	T	2	NAG	1	0
2	N	1	NAG	2	0
7	V	3	MAN	1	0
2	N	2	NAG	1	0
2	E	1	NAG	1	0
6	L	3	MAN	1	0
6	L	2	NAG	1	0
4	M	1	NAG	1	0
5	I	5	FUC	1	0
2	S	1	NAG	1	0
7	T	3	MAN	1	0
2	N	3	FUC	2	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.










Oligosaccharide Chain J





Oligosaccharide Chain G


































5.6 Ligand geometry [i](#)

Of 14 ligands modelled in this entry, 8 are monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
8	NAG	A	508	1	14,14,15	0.56	0	17,19,21	0.61	0
10	OTR	A	513	-	9,9,9	2.54	2 (22%)	11,11,11	2.23	2 (18%)
10	OTR	D	518	-	9,9,9	2.29	2 (22%)	11,11,11	1.82	1 (9%)
8	NAG	C	507	1	14,14,15	1.05	1 (7%)	17,19,21	0.77	1 (5%)
10	OTR	C	516	-	9,9,9	2.45	2 (22%)	11,11,11	2.27	1 (9%)
10	OTR	B	517	-	9,9,9	2.29	2 (22%)	11,11,11	2.19	1 (9%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	NAG	A	508	1	-	2/6/23/26	0/1/1/1
10	0TR	A	513	-	-	-	0/1/1/1
10	0TR	D	518	-	-	-	0/1/1/1
8	NAG	C	507	1	-	0/6/23/26	0/1/1/1
10	0TR	C	516	-	-	-	0/1/1/1
10	0TR	B	517	-	-	-	0/1/1/1

All (9) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
10	C	516	0TR	OA1-CA1	6.14	1.40	1.24
10	A	513	0TR	OA1-CA1	5.91	1.40	1.24
10	D	518	0TR	OA1-CA1	5.86	1.40	1.24
10	B	517	0TR	OA1-CA1	5.77	1.39	1.24
10	A	513	0TR	OA2-CA2	3.65	1.43	1.33
8	C	507	NAG	O5-C1	-3.23	1.38	1.43
10	C	516	0TR	OA2-CA2	3.02	1.41	1.33
10	B	517	0TR	OA2-CA2	2.76	1.41	1.33
10	D	518	0TR	OA2-CA2	2.48	1.40	1.33

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
10	C	516	0TR	CA6-CA1-CA2	6.66	130.79	122.52
10	A	513	0TR	CA6-CA1-CA2	6.52	130.61	122.52
10	B	517	0TR	CA6-CA1-CA2	6.23	130.25	122.52
10	D	518	0TR	CA6-CA1-CA2	5.00	128.73	122.52
10	A	513	0TR	OA2-CA2-CA3	2.20	120.02	116.63
8	C	507	NAG	C4-C3-C2	2.11	114.12	111.02

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
8	A	508	NAG	C8-C7-N2-C2
8	A	508	NAG	O7-C7-N2-C2

There are no ring outliers.

4 monomers are involved in 9 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
10	A	513	0TR	4	0
10	D	518	0TR	1	0
10	C	516	0TR	3	0
10	B	517	0TR	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	446/446 (100%)	-0.03	11 (2%) 58 64	27, 42, 59, 90	0
1	B	446/446 (100%)	-0.07	7 (1%) 70 76	28, 40, 56, 90	0
1	C	446/446 (100%)	0.03	8 (1%) 67 72	29, 43, 61, 92	0
1	D	446/446 (100%)	-0.03	7 (1%) 70 76	27, 42, 59, 85	0
All	All	1784/1784 (100%)	-0.03	33 (1%) 67 72	27, 42, 59, 92	0

All (33) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	48	VAL	6.9
1	C	49	SER	5.2
1	A	48	VAL	4.6
1	D	117	TRP	4.2
1	A	49	SER	3.9
1	D	470	SER	3.8
1	B	48	VAL	3.5
1	C	47	PRO	3.4
1	A	470	SER	3.4
1	C	470	SER	3.4
1	C	50	GLY	3.2
1	B	61	GLY	3.2
1	B	470	SER	3.1
1	A	373	VAL	2.9
1	D	265	LEU	2.9
1	B	25	GLN	2.8
1	A	46	SER	2.8
1	A	47	PRO	2.8
1	B	51	PRO	2.5
1	D	469	PRO	2.5
1	C	51	PRO	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	265	LEU	2.4
1	A	25	GLN	2.4
1	A	51	PRO	2.3
1	A	237	GLU	2.3
1	B	265	LEU	2.2
1	A	50	GLY	2.2
1	C	72	SER	2.2
1	B	49	SER	2.1
1	D	373	VAL	2.1
1	D	206	GLU	2.1
1	D	71	ASP	2.1
1	A	429	ASN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	NAG	N	2	14/15	0.56	0.19	72,88,91,94	0
6	MAN	O	3	11/12	0.58	0.20	55,69,73,75	0
3	NAG	F	1	14/15	0.60	0.16	67,72,78,81	0
5	MAN	I	3	11/12	0.65	0.17	64,71,78,78	0
3	NAG	J	1	14/15	0.66	0.16	48,66,73,80	0
4	NAG	Q	2	14/15	0.70	0.19	73,77,79,81	0
2	NAG	N	1	14/15	0.70	0.14	57,65,77,77	0
2	FUC	N	3	10/11	0.70	0.16	65,76,81,86	0
7	MAN	T	3	11/12	0.70	0.17	48,56,60,71	0
4	NAG	H	2	14/15	0.73	0.15	62,73,83,87	0
3	FUC	F	2	10/11	0.74	0.15	63,72,82,85	0
4	NAG	R	2	14/15	0.76	0.14	63,72,77,79	0
2	NAG	E	2	14/15	0.77	0.13	54,66,69,69	0
3	FUC	J	2	10/11	0.79	0.14	67,76,82,85	0
4	NAG	G	2	14/15	0.79	0.14	61,71,78,78	0
4	NAG	K	2	14/15	0.80	0.14	56,64,70,71	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
7	MAN	V	3	11/12	0.80	0.15	38,45,52,55	0
2	FUC	E	3	10/11	0.82	0.14	57,61,71,72	0
4	NAG	W	2	14/15	0.82	0.14	66,69,81,81	0
4	NAG	P	2	14/15	0.83	0.12	60,66,74,77	0
5	MAN	I	4	11/12	0.83	0.14	56,63,67,73	0
6	NAG	O	2	14/15	0.83	0.13	55,59,65,74	0
2	FUC	S	3	10/11	0.83	0.14	56,58,69,75	0
2	NAG	S	2	14/15	0.83	0.12	58,73,79,80	0
7	FUC	T	4	10/11	0.83	0.14	49,56,65,70	0
4	NAG	M	2	14/15	0.83	0.11	54,65,70,74	0
7	FUC	V	4	10/11	0.84	0.15	63,68,72,75	0
4	NAG	Q	1	14/15	0.86	0.12	57,65,71,77	0
5	FUC	I	5	10/11	0.86	0.11	39,46,49,53	0
6	MAN	L	3	11/12	0.86	0.12	45,49,55,61	0
4	NAG	H	1	14/15	0.87	0.10	44,57,64,66	0
6	NAG	O	1	14/15	0.87	0.10	50,55,56,57	0
4	NAG	M	1	14/15	0.88	0.10	47,54,61,63	0
2	NAG	E	1	14/15	0.88	0.11	46,52,61,62	0
4	NAG	U	2	14/15	0.88	0.11	49,55,58,59	0
6	NAG	L	2	14/15	0.90	0.11	41,49,54,55	0
2	NAG	S	1	14/15	0.90	0.10	56,59,67,69	0
4	NAG	W	1	14/15	0.90	0.09	44,52,63,65	0
5	NAG	I	2	14/15	0.91	0.10	47,54,66,67	0
7	NAG	V	2	14/15	0.91	0.12	44,49,55,55	0
7	NAG	T	2	14/15	0.92	0.09	47,50,57,58	0
4	NAG	R	1	14/15	0.92	0.09	47,56,63,63	0
4	NAG	P	1	14/15	0.93	0.08	45,48,52,60	0
4	NAG	U	1	14/15	0.94	0.08	37,42,48,51	0
5	NAG	I	1	14/15	0.94	0.07	33,44,46,50	0
4	NAG	K	1	14/15	0.94	0.08	44,49,54,57	0
7	NAG	T	1	14/15	0.94	0.08	34,43,49,52	0
4	NAG	G	1	14/15	0.94	0.09	40,47,53,60	0
7	NAG	V	1	14/15	0.95	0.08	43,48,53,59	0
6	NAG	L	1	14/15	0.95	0.07	39,44,49,49	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around Chain E:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain N:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain S:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain F:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain J:**

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain G:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain H:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain K:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain M:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain P:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain Q:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain R:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain U:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain W:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain I:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain L:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain O:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain T:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around Chain V:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.4 Ligands

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
8	NAG	C	507	14/15	0.71	0.17	58,69,75,76	0
10	OTR	C	516	9/9	0.79	0.18	52,52,53,54	0
10	OTR	A	513	9/9	0.82	0.17	52,52,53,54	0
8	NAG	A	508	14/15	0.84	0.12	57,61,69,71	0
10	OTR	B	517	9/9	0.85	0.16	52,52,52,52	0
10	OTR	D	518	9/9	0.89	0.16	52,52,52,52	9
9	ZN	D	516	1/1	0.97	0.04	41,41,41,41	0
9	ZN	C	514	1/1	0.98	0.04	47,47,47,47	0
9	ZN	A	512	1/1	0.98	0.04	47,47,47,47	0
9	ZN	C	515	1/1	0.99	0.03	34,34,34,34	0
9	ZN	B	515	1/1	0.99	0.03	40,40,40,40	0
9	ZN	A	511	1/1	1.00	0.03	33,33,33,33	0
9	ZN	D	517	1/1	1.00	0.04	31,31,31,31	0
9	ZN	B	516	1/1	1.00	0.04	32,32,32,32	0

6.5 Other polymers

There are no such residues in this entry.