



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 07:11 PM UTC

PDB ID : 1M9E / pdb_00001m9e
Title : X-ray crystal structure of Cyclophilin A/HIV-1 CA N-terminal domain (1-146)
M-type H87A Complex.
Authors : Howard, B.R.; Vajdos, F.F.; Li, S.; Sundquist, W.I.; Hill, C.P.
Deposited on : 2002-07-28
Resolution : 1.72 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.72 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1039 (1.72-1.72)
Clashscore	190562	1049 (1.72-1.72)
Ramachandran outliers	187476	1041 (1.72-1.72)
Sidechain outliers	187428	1041 (1.72-1.72)
RSRZ outliers	180081	1039 (1.72-1.72)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	164	84% 15% ..
1	B	164	79% 16% ..
2	C	146	4% 65% 31% .
2	D	146	14% 51% 32% 8% 8%

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 5057 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Cyclophilin A.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	164	Total	C	N	O	S	0	0	0
			1257	797	217	234	9			
1	B	162	Total	C	N	O	S	0	0	0
			1242	787	215	232	8			

- Molecule 2 is a protein called HIV-1 Capsid.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	C	146	Total	C	N	O	S	0	0	0
			1131	715	198	210	8			
2	D	135	Total	C	N	O	S	0	0	0
			1047	662	183	195	7			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	87	ALA	HIS	engineered mutation	UNP Q72497
C	120	HIS	ASN	SEE REMARK 999	UNP Q72497
D	87	ALA	HIS	engineered mutation	UNP Q72497
D	120	HIS	ASN	SEE REMARK 999	UNP Q72497



- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	138	Total	O	0	0
			138	138		
3	B	95	Total	O	0	0
			95	95		
3	C	101	Total	O	0	0
			101	101		
3	D	46	Total	O	0	0
			46	46		



3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Cyclophilin A




- Molecule 1: Cyclophilin A




- Molecule 2: HIV-1 Capsid



- Molecule 2: HIV-1 Capsid





4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	38.29Å 110.99Å 67.69Å 90.00° 101.02° 90.00°	Depositor
Resolution (Å)	25.73 – 1.72 25.73 – 1.72	Depositor EDS
% Data completeness (in resolution range)	77.7 (25.73-1.72) 77.7 (25.73-1.72)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	0.06	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.14 (at 1.72Å)	Xtriage
Refinement program	REFMAC 5.0	Depositor
R, R_{free}	0.173 , 0.226 0.185 , 0.232	Depositor DCC
R_{free} test set	4623 reflections (10.12%)	wwPDB-VP
Wilson B-factor (Å ²)	19.9	Xtriage
Anisotropy	0.452	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 39.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	5057	wwPDB-VP
Average B, all atoms (Å ²)	22.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.88% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.98	2/1285 (0.2%)	1.79	20/1721 (1.2%)
1	B	0.97	1/1270 (0.1%)	1.86	25/1701 (1.5%)
2	C	0.97	1/1158 (0.1%)	1.97	32/1575 (2.0%)
2	D	0.93	2/1073 (0.2%)	1.95	30/1460 (2.1%)
All	All	0.96	6/4786 (0.1%)	1.89	107/6457 (1.7%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	C	0	2
2	D	1	0
All	All	1	2

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	39	MET	SD-CE	-11.96	1.49	1.79
2	C	66	MET	SD-CE	-9.14	1.56	1.79
1	A	136	MET	SD-CE	-6.83	1.62	1.79
1	A	61	MET	SD-CE	6.17	1.95	1.79
2	D	68	MET	SD-CE	6.01	1.94	1.79
1	B	20	VAL	CA-CB	-5.34	1.47	1.54

All (107) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	57	ILE	CA-C-O	9.30	127.20	120.88
1	B	58	PRO	CA-C-O	8.80	130.65	121.23
2	D	32	PHE	CB-CA-C	8.71	127.76	110.42
2	C	90	PRO	CA-C-O	8.37	131.52	121.48

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	114	GLN	N-CA-C	-8.18	102.32	111.07
2	D	110	THR	N-CA-C	8.17	122.94	109.95
2	C	19	THR	N-CA-C	7.99	119.99	111.28
1	B	93	THR	OG1-CB-CG2	-7.96	93.37	109.30
1	A	19	ARG	NE-CZ-NH2	-7.81	112.17	119.20
2	D	99	PRO	CA-C-O	-7.48	112.55	121.67
2	D	143	ARG	CG-CD-NE	7.48	128.45	112.00
2	D	15	ILE	CB-CA-C	-7.37	99.20	111.29
2	C	85	PRO	N-CD-CG	-7.32	92.22	103.20
2	C	124	ILE	N-CA-C	-7.29	100.94	108.15
2	D	12	HIS	N-CA-C	7.22	131.22	111.00
2	C	8	GLY	CA-C-O	7.17	126.70	118.96
2	D	39	MET	CG-SD-CE	7.09	116.49	100.90
2	C	89	GLY	O-C-N	6.97	128.74	121.77
2	D	134	ILE	N-CA-C	-6.90	103.80	110.42
1	B	141	ALA	N-CA-C	6.90	118.80	111.28
2	D	110	THR	CA-C-O	6.77	128.81	121.16
2	D	98	GLU	N-CA-C	-6.73	101.29	109.83
2	D	32	PHE	N-CA-CB	-6.66	99.24	110.49
1	B	136	MET	CG-SD-CE	-6.66	86.26	100.90
1	A	55	ARG	NE-CZ-NH2	-6.52	113.33	119.20
1	B	143	GLU	N-CA-C	6.42	119.09	111.71
1	A	135	GLY	CA-C-O	6.41	127.03	119.46
2	C	2	ILE	CA-CB-CG1	-6.39	99.53	110.40
1	B	134	GLU	CA-C-N	-6.34	113.44	122.00
1	B	134	GLU	C-N-CA	-6.34	113.44	122.00
1	B	32	THR	CA-C-O	6.33	127.13	120.42
2	D	33	SER	N-CA-C	-6.23	102.23	110.40
2	C	125	PRO	CA-C-O	-6.19	112.61	122.82
1	A	102	ASN	N-CA-C	6.14	123.88	110.80
1	A	142	MET	CA-C-O	6.14	127.04	120.10
1	A	18	GLY	N-CA-C	-6.09	101.85	110.75
2	D	118	MET	N-CA-C	-6.04	105.17	112.54
1	A	144	ARG	CB-CG-CD	6.03	125.18	111.30
1	B	20	VAL	CB-CA-C	-6.00	101.67	110.62
2	C	124	ILE	CB-CA-C	-5.96	105.42	111.08
2	C	45	GLU	CB-CA-C	-5.87	101.90	110.06
1	A	160	ASP	CA-C-O	-5.86	115.01	121.33
1	A	6	VAL	CA-CB-CG2	-5.84	100.47	110.40
1	B	69	ARG	N-CA-C	-5.84	107.15	114.56
2	C	100	ARG	NE-CZ-NH2	5.83	124.45	119.20
1	B	25	PHE	N-CA-C	5.83	118.37	109.62

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	16	SER	CB-CA-C	-5.77	100.20	109.37
2	C	18	ARG	N-CA-C	-5.77	105.07	111.36
2	C	19	THR	N-CA-CB	-5.76	101.65	110.12
1	B	60	PHE	CA-C-O	-5.73	112.32	120.51
1	A	19	ARG	CA-C-N	-5.69	115.21	123.06
1	A	19	ARG	C-N-CA	-5.69	115.21	123.06
2	C	51	ASP	CB-CA-C	-5.69	101.95	110.88
1	A	61	MET	N-CA-C	5.64	116.84	108.60
1	A	137	ASN	N-CA-C	-5.63	105.14	111.28
1	B	138	ILE	N-CA-C	5.61	115.80	110.42
1	B	159	ALA	N-CA-C	-5.61	105.32	111.82
2	D	23	TRP	N-CA-C	-5.56	105.22	111.28
2	D	97	ARG	CA-C-O	-5.54	115.67	121.55
2	D	39	MET	N-CA-C	5.53	117.39	111.36
1	A	14	GLY	CA-C-O	-5.53	113.07	119.10
2	C	124	ILE	N-CA-CB	5.52	117.05	111.36
2	C	120	HIS	CA-C-N	-5.52	115.17	122.56
2	C	120	HIS	C-N-CA	-5.52	115.17	122.56
2	C	41	SER	N-CA-CB	-5.50	102.01	110.16
2	C	64	ALA	N-CA-C	-5.50	105.20	111.14
1	B	156	ILE	CB-CG1-CD1	-5.43	102.39	113.80
2	D	68	MET	CB-CA-C	-5.42	101.79	110.79
1	B	59	GLY	N-CA-C	-5.41	107.86	115.32
1	B	15	GLU	N-CA-C	5.39	117.73	110.29
1	B	80	GLY	N-CA-C	-5.39	102.73	110.38
1	B	99	SER	N-CA-CB	-5.38	102.90	111.62
2	D	42	ALA	N-CA-C	5.36	117.20	111.36
2	C	12	HIS	CB-CA-C	-5.36	100.47	109.53
1	B	120	GLU	N-CA-C	5.35	117.86	111.71
2	D	28	GLU	O-C-N	-5.34	116.46	122.12
2	D	125	PRO	N-CA-CB	-5.33	98.84	102.73
1	B	145	PHE	N-CA-C	-5.33	106.46	113.17
2	D	21	ASN	CA-C-O	5.32	126.60	120.90
2	D	110	THR	CB-CA-C	5.32	119.10	109.37
1	A	15	GLU	CA-C-O	-5.30	115.31	119.66
2	D	29	GLU	N-CA-C	-5.26	107.41	113.88
1	A	115	CYS	N-CA-C	5.26	117.85	110.23
1	B	55	ARG	NE-CZ-NH2	-5.26	114.47	119.20
2	C	89	GLY	N-CA-C	-5.24	101.65	112.34
1	B	130	GLY	CA-C-O	5.24	127.11	121.61
2	C	124	ILE	O-C-N	5.19	125.95	120.96
2	C	22	ALA	CA-C-O	5.18	126.04	120.55

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	22	PHE	CA-C-O	5.13	126.59	120.28
1	B	106	ASN	N-CA-C	5.12	118.50	111.54
2	C	132	ARG	CA-CB-CG	-5.10	103.90	114.10
1	A	133	LYS	N-CA-C	-5.10	99.94	110.80
2	C	89	GLY	CA-C-O	-5.09	114.23	121.52
2	D	128	GLU	N-CA-CB	5.09	117.61	110.12
2	D	100	ARG	CG-CD-NE	-5.08	100.81	112.00
2	C	91	ILE	N-CA-CB	-5.08	104.99	110.53
2	C	85	PRO	N-CA-CB	-5.08	98.93	103.35
2	C	26	VAL	CB-CA-C	-5.07	105.48	111.97
1	A	131	LYS	N-CA-CB	-5.06	102.11	111.52
2	C	107	THR	CA-CB-OG1	-5.06	102.01	109.60
2	C	116	GLY	N-CA-C	5.06	119.24	112.77
2	D	28	GLU	CA-C-N	-5.03	113.71	122.36
2	D	28	GLU	C-N-CA	-5.03	113.71	122.36
2	D	110	THR	N-CA-CB	-5.02	102.81	110.85
1	A	115	CYS	CB-CA-C	-5.02	101.39	109.72
2	C	10	MET	CA-C-N	-5.02	116.20	123.03
2	C	10	MET	C-N-CA	-5.02	116.20	123.03

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
2	D	12	HIS	CA

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	C	88	ALA	Peptide,Mainchain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1257	0	1231	7	0
1	B	1242	0	1210	10	0
2	C	1131	0	1133	35	1

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	D	1047	0	1041	45	1
3	A	138	0	0	3	1
3	B	95	0	0	1	0
3	C	101	0	0	4	1
3	D	46	0	0	1	0
All	All	5057	0	4615	92	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (92) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:5:ASN:ND2	2:C:7:GLN:OE1	1.93	1.01
2:C:11:VAL:HG22	2:C:12:HIS:N	1.84	0.92
2:C:11:VAL:HG23	3:C:169:HOH:O	1.73	0.88
2:C:96:MET:HE1	2:C:113:GLU:HA	1.55	0.86
2:C:11:VAL:HG22	2:C:12:HIS:H	1.42	0.84
2:C:5:ASN:ND2	2:C:7:GLN:H	1.76	0.83
1:A:148:ARG:HG2	3:A:260:HOH:O	1.79	0.82
2:D:37:ILE:HB	2:D:38:PRO:HD3	1.65	0.78
2:D:92:ALA:O	2:D:95:GLN:HB2	1.84	0.77
2:D:115:ILE:HA	2:D:118:MET:CE	2.17	0.73
2:D:114:GLN:O	2:D:118:MET:HE2	1.88	0.73
2:C:9:GLN:HA	2:C:9:GLN:OE1	1.92	0.70
2:D:115:ILE:HA	2:D:118:MET:HE2	1.74	0.67
2:C:5:ASN:HD21	2:C:7:GLN:CD	2.03	0.67
2:C:11:VAL:CG2	2:C:12:HIS:N	2.58	0.67
2:C:142:VAL:HG21	2:D:143:ARG:HD2	1.78	0.65
2:C:5:ASN:ND2	2:C:7:GLN:CD	2.54	0.65
2:D:68:MET:HB3	2:D:140:LYS:HE3	1.78	0.64
2:D:100:ARG:O	2:D:103:ASP:HB2	1.98	0.64
2:C:11:VAL:CG2	2:C:12:HIS:H	2.11	0.63
2:C:138:LEU:O	2:C:142:VAL:HG13	1.99	0.63
2:D:49:PRO:HD2	2:D:114:GLN:OE1	1.98	0.62
1:A:103:ALA:HB1	2:D:86:VAL:HG23	1.81	0.62
2:D:114:GLN:C	2:D:118:MET:HE2	2.24	0.62
2:C:142:VAL:HG21	2:D:143:ARG:CD	2.30	0.61
2:C:142:VAL:CG2	2:D:143:ARG:HD3	2.30	0.61
2:D:15:ILE:HG13	2:D:20:LEU:HD21	1.81	0.61
1:B:20:VAL:HG22	1:B:138:ILE:HB	1.82	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:39:MET:HE3	2:C:39:MET:HA	1.83	0.60
2:D:39:MET:O	2:D:43:LEU:HG	2.01	0.60
1:B:56:ILE:CD1	1:B:156:ILE:HD12	2.32	0.59
2:C:6:LEU:HB2	3:C:246:HOH:O	2.02	0.59
2:C:68:MET:SD	2:C:141:ILE:HG22	2.44	0.58
2:C:142:VAL:CG2	2:D:143:ARG:CD	2.82	0.58
2:C:15:ILE:HD12	2:C:16:SER:N	2.19	0.58
2:D:119:THR:O	2:D:120:HIS:C	2.47	0.56
1:B:31:LYS:NZ	1:B:84:GLU:OE2	2.38	0.55
2:D:37:ILE:HB	2:D:38:PRO:CD	2.36	0.53
2:D:15:ILE:O	2:D:15:ILE:HG12	2.06	0.53
2:C:5:ASN:OD1	2:C:9:GLN:N	2.39	0.52
2:D:67:GLN:O	2:D:71:GLU:HG3	2.10	0.52
1:A:131:LYS:NZ	3:A:175:HOH:O	2.43	0.52
2:C:5:ASN:CG	2:C:7:GLN:H	2.17	0.51
1:B:56:ILE:HD12	1:B:156:ILE:HD12	1.91	0.51
2:C:15:ILE:HD12	2:C:16:SER:H	1.75	0.51
1:B:80:GLY:O	1:B:81:GLU:C	2.51	0.50
2:D:30:LYS:O	2:D:32:PHE:N	2.45	0.50
2:D:100:ARG:H	2:D:103:ASP:HB2	1.75	0.50
2:D:15:ILE:HD11	2:D:54:THR:HG21	1.93	0.49
2:D:116:GLY:O	2:D:120:HIS:ND1	2.42	0.49
2:C:68:MET:SD	2:C:140:LYS:HG2	2.52	0.48
2:D:21:ASN:O	2:D:24:VAL:HB	2.14	0.47
2:D:32:PHE:N	2:D:32:PHE:CD1	2.79	0.47
2:D:102:SER:HB2	2:D:108:THR:HG23	1.96	0.47
2:C:39:MET:HE3	2:C:39:MET:CA	2.44	0.47
1:B:145:PHE:HB2	1:B:156:ILE:HD11	1.97	0.46
1:A:18:GLY:HA3	1:A:138:ILE:HD12	1.98	0.46
2:C:61:GLY:O	2:C:62:HIS:C	2.58	0.46
2:C:66:MET:O	2:C:70:LYS:HG3	2.16	0.46
1:B:84:GLU:H	1:B:84:GLU:CD	2.24	0.46
2:D:26:VAL:HG21	2:D:39:MET:HE2	1.97	0.46
2:D:120:HIS:O	2:D:123:PRO:CA	2.64	0.45
2:C:5:ASN:HD21	2:C:7:GLN:CB	2.30	0.45
2:D:22:ALA:O	2:D:26:VAL:HG23	2.17	0.45
1:B:20:VAL:CG2	1:B:138:ILE:HB	2.48	0.44
2:D:12:HIS:O	2:D:13:GLN:NE2	2.50	0.44
1:A:31:LYS:HG3	1:A:79:TYR:CZ	2.53	0.44
2:C:15:ILE:HD12	3:C:176:HOH:O	2.17	0.44
2:D:15:ILE:HG23	2:D:51:ASP:HB3	2.00	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:112:GLN:HG3	2:D:113:GLU:N	2.33	0.44
1:A:84:GLU:HG2	3:A:246:HOH:O	2.18	0.43
2:C:4:GLN:H	2:C:4:GLN:HG3	1.58	0.43
2:D:115:ILE:CA	2:D:118:MET:HE2	2.47	0.43
2:D:31:ALA:O	2:D:32:PHE:HB2	2.18	0.43
2:C:5:ASN:HD21	2:C:7:GLN:HB2	1.84	0.43
2:C:33:SER:O	2:C:36:VAL:HG22	2.19	0.43
2:D:49:PRO:HA	2:D:52:LEU:HD12	2.01	0.42
2:D:120:HIS:O	2:D:123:PRO:N	2.52	0.42
2:C:31:ALA:O	2:C:36:VAL:HG11	2.20	0.42
1:A:105:PRO:O	1:A:107:THR:HG23	2.18	0.42
2:D:100:ARG:N	2:D:103:ASP:HB2	2.35	0.41
2:D:120:HIS:O	2:D:122:PRO:C	2.63	0.41
2:D:15:ILE:HD13	2:D:51:ASP:OD1	2.20	0.41
2:D:130:TYR:O	2:D:134:ILE:HG13	2.20	0.41
1:B:70:HIS:HD2	3:B:179:HOH:O	2.03	0.41
2:D:132:ARG:NH2	3:D:175:HOH:O	2.54	0.41
2:D:37:ILE:CB	2:D:38:PRO:HD3	2.46	0.41
2:D:94:GLY:O	2:D:95:GLN:NE2	2.53	0.41
2:C:139:ASN:O	2:C:142:VAL:HG22	2.21	0.40
1:B:5:THR:HA	1:B:22:PHE:O	2.21	0.40
2:C:6:LEU:CB	3:C:246:HOH:O	2.64	0.40
2:D:15:ILE:HD11	2:D:54:THR:CG2	2.50	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:29:GLU:OE1	2:D:30:LYS:NZ[1_455]	1.97	0.23
3:A:286:HOH:O	3:C:190:HOH:O[2_756]	2.14	0.06

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was

analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	162/164 (99%)	154 (95%)	7 (4%)	1 (1%)	21	9
1	B	160/164 (98%)	156 (98%)	4 (2%)	0	100	100
2	C	144/146 (99%)	140 (97%)	4 (3%)	0	100	100
2	D	133/146 (91%)	127 (96%)	6 (4%)	0	100	100
All	All	599/620 (97%)	577 (96%)	21 (4%)	1 (0%)	43	31

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	102	ASN

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	132/132 (100%)	130 (98%)	2 (2%)	57	36
1	B	130/132 (98%)	128 (98%)	2 (2%)	57	36
2	C	122/122 (100%)	116 (95%)	6 (5%)	22	4
2	D	112/122 (92%)	101 (90%)	11 (10%)	7	1
All	All	496/508 (98%)	475 (96%)	21 (4%)	26	6

All (21) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	76	LYS
1	A	102	ASN
1	B	27	ASP
1	B	29	VAL
2	C	4	GLN
2	C	13	GLN
2	C	15	ILE
2	C	29	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	C	35	GLU
2	C	39	MET
2	D	15	ILE
2	D	16	SER
2	D	18	ARG
2	D	66	MET
2	D	96	MET
2	D	110	THR
2	D	118	MET
2	D	121	ASN
2	D	123	PRO
2	D	132	ARG
2	D	143	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	70	HIS
2	C	5	ASN
2	C	74	ASN
2	D	13	GLN
2	D	95	GLN
2	D	139	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	164/164 (100%)	-0.29	1 (0%) 85 89	10, 16, 28, 41	0
1	B	162/164 (98%)	-0.12	1 (0%) 85 89	11, 20, 33, 48	0
2	C	146/146 (100%)	0.05	6 (4%) 41 49	12, 19, 41, 54	0
2	D	135/146 (92%)	0.75	20 (14%) 5 9	14, 27, 51, 69	0
All	All	607/620 (97%)	0.07	28 (4%) 37 44	10, 20, 42, 69	0

All (28) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	D	31	ALA	5.6
2	D	32	PHE	4.6
2	D	111	LEU	4.1
2	D	15	ILE	4.0
2	D	120	HIS	3.5
2	D	110	THR	3.3
2	D	14	ALA	3.1
2	D	93	PRO	2.8
2	C	8	GLY	2.8
1	A	15	GLU	2.7
2	D	86	VAL	2.6
2	D	112	GLN	2.6
2	D	12	HIS	2.5
2	C	7	GLN	2.4
2	D	115	ILE	2.4
2	C	146	SER	2.4
2	C	9	GLN	2.3
1	B	80	GLY	2.3
2	D	116	GLY	2.3
2	D	123	PRO	2.2
2	D	17	PRO	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	D	124	ILE	2.2
2	C	3	VAL	2.1
2	D	118	MET	2.1
2	D	29	GLU	2.1
2	D	117	TRP	2.1
2	D	92	ALA	2.0
2	C	144	MET	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.