



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 09:24 AM UTC

PDB ID : 5MA6 / pdb_00005ma6
Title : GFP-binding DARPin 3G124nc
Authors : Hansen, S.; Stueber, J.; Ernst, P.; Koch, A.; Bojar, D.; Batyuk, A.; Plueckthun, A.
Deposited on : 2016-11-03
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6319 (2.30-2.30)
Clashscore	190562	6919 (2.30-2.30)
Ramachandran outliers	187476	6854 (2.30-2.30)
Sidechain outliers	187428	6854 (2.30-2.30)
RSRZ outliers	180081	6325 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	243	6% 54% 29% 8% 7%
2	B	161	2% 71% 24% ...

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 3076 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Green fluorescent protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	227	Total	C	N	O	S	0	0	0
			1816	1155	306	349	6			

There are 13 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-4	GLY	-	expression tag	UNP P42212
A	-3	PRO	-	expression tag	UNP P42212
A	-2	GLY	-	expression tag	UNP P42212
A	-1	SER	-	expression tag	UNP P42212
A	0	MET	-	expression tag	UNP P42212
A	1	VAL	-	expression tag	UNP P42212
A	64	LEU	PHE	conflict	UNP P42212
A	66	CRO	SER	chromophore	UNP P42212
A	66	CRO	TYR	chromophore	UNP P42212
A	66	CRO	GLY	chromophore	UNP P42212
A	231	LEU	HIS	conflict	UNP P42212
A	239	GLN	-	expression tag	UNP P42212
A	240	ALA	-	expression tag	UNP P42212

- Molecule 2 is a protein called 3G124nc.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	159	Total	C	N	O	S	0	0	0
			1186	745	209	231	1			

- Molecule 3 is PHOSPHATE ION (CCD ID: PO4) (formula: O₄P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	P	0	0
			5	4	1		
3	A	1	Total	O	P	0	0
			5	4	1		
3	A	1	Total	O	P	0	0
			5	4	1		
3	B	1	Total	O	P	0	0
			5	4	1		
3	B	1	Total	O	P	0	0
			5	4	1		

- Molecule 4 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: C₂H₆O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			4	2	2		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	28	Total	O	0	0
			28	28		
5	B	17	Total	O	0	0
			17	17		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Green fluorescent protein



• Molecule 2: 3G124nc



4 Data and refinement statistics

Property	Value	Source
Space group	P 61 2 2	Depositor
Cell constants a, b, c, α , β , γ	70.31 Å 70.31 Å 432.72 Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	50.01 – 2.30 50.01 – 2.30	Depositor EDS
% Data completeness (in resolution range)	99.2 (50.01-2.30) 99.2 (50.01-2.30)	Depositor EDS
R_{merge}	0.15	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.18 (at 2.29 Å)	Xtriage
Refinement program	REFMAC 5.8.0155	Depositor
R, R_{free}	0.205 , 0.241 (Not available) , 0.231	Depositor DCC
R_{free} test set	1426 reflections (4.80%)	wwPDB-VP
Wilson B-factor (Å ²)	67.2	Xtriage
Anisotropy	0.432	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 44.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.43$, $\langle L^2 \rangle = 0.26$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	3076	wwPDB-VP
Average B, all atoms (Å ²)	84.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.09% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: PO4, CRO, EDO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.62	26/1834 (1.4%)	1.59	25/2478 (1.0%)
2	B	1.58	11/1205 (0.9%)	1.40	8/1640 (0.5%)
All	All	1.61	37/3039 (1.2%)	1.52	33/4118 (0.8%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (37) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	152	ILE	CA-CB	7.58	1.63	1.54
2	B	36	ASN	CA-C	-7.13	1.43	1.52
2	B	28	ASP	N-CA	6.55	1.54	1.46
2	B	32	ILE	N-CA	-6.54	1.39	1.46
1	A	218	MET	C-O	-6.33	1.16	1.24
1	A	9	THR	C-O	6.32	1.31	1.23
2	B	91	GLY	CA-C	6.29	1.60	1.51
1	A	226	ALA	N-CA	-6.23	1.38	1.46
1	A	118	THR	CA-C	6.20	1.60	1.52
1	A	41	LYS	C-O	-6.01	1.16	1.23
2	B	94	GLU	CD-OE2	5.90	1.36	1.25
1	A	184	GLN	CA-C	5.85	1.59	1.52
1	A	229	ILE	CA-C	5.66	1.59	1.52
1	A	111	GLU	CA-C	-5.62	1.46	1.52
2	B	32	ILE	CA-C	-5.62	1.46	1.52
1	A	126	LYS	N-CA	5.49	1.52	1.46

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	175	SER	CA-C	5.46	1.59	1.52
1	A	199	HIS	C-O	-5.46	1.17	1.23
1	A	30	SER	CA-C	-5.46	1.45	1.52
1	A	176	VAL	CA-C	5.43	1.59	1.52
1	A	168	ARG	C-O	-5.39	1.17	1.24
1	A	149	ASN	C-O	-5.37	1.17	1.24
1	A	167	ILE	CA-CB	5.37	1.64	1.55
2	B	64	GLU	N-CA	5.35	1.53	1.46
1	A	73	ARG	C-O	5.30	1.30	1.24
1	A	196	PRO	C-O	-5.29	1.17	1.23
1	A	94	GLN	C-O	5.26	1.30	1.24
1	A	43	THR	CB-CG2	-5.25	1.35	1.52
1	A	152	ILE	CA-C	5.22	1.59	1.52
2	B	25	GLY	CA-C	5.21	1.58	1.51
2	B	31	ARG	CA-C	5.11	1.60	1.52
2	B	94	GLU	CG-CD	5.10	1.64	1.52
2	B	52	HIS	N-CA	5.07	1.52	1.46
1	A	35	GLY	CA-C	-5.07	1.47	1.52
1	A	220	LEU	C-O	-5.04	1.18	1.24
1	A	36	ASP	CG-OD1	5.03	1.34	1.25
1	A	14	ILE	CA-CB	5.01	1.61	1.54

All (33) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	57	TRP	CA-C-N	-11.16	108.27	119.87
1	A	57	TRP	C-N-CA	-11.16	108.27	119.87
1	A	138	GLY	CA-C-N	-9.30	107.10	122.17
1	A	138	GLY	C-N-CA	-9.30	107.10	122.17
1	A	138	GLY	N-CA-C	-8.11	93.95	113.18
1	A	162	LYS	N-CA-C	-7.55	97.94	109.95
1	A	177	GLN	N-CA-C	6.85	119.90	108.73
1	A	53	LEU	CA-C-N	6.73	126.33	119.19
1	A	53	LEU	C-N-CA	6.73	126.33	119.19
2	B	53	LEU	N-CA-C	6.65	119.36	111.71
1	A	96	ARG	CA-CB-CG	6.39	126.88	114.10
1	A	96	ARG	CB-CA-C	6.23	123.22	109.94
2	B	148	THR	CA-C-N	-6.15	112.67	119.19
2	B	148	THR	C-N-CA	-6.15	112.67	119.19
1	A	61	VAL	N-CA-C	-6.02	104.64	110.42
1	A	214	LYS	N-CA-C	-5.99	105.63	113.12
2	B	115	THR	N-CA-C	-5.98	102.56	110.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	60	LEU	N-CA-C	5.97	118.27	111.11
1	A	203	THR	N-CA-C	5.95	119.42	109.95
1	A	27	PHE	N-CA-C	5.85	117.74	108.79
1	A	136	ILE	CA-C-N	5.79	132.59	121.54
1	A	136	ILE	C-N-CA	5.79	132.59	121.54
1	A	144	ASN	N-CA-CB	-5.69	102.19	111.24
2	B	37	GLY	N-CA-C	5.58	123.13	115.27
1	A	96	ARG	NE-CZ-NH2	5.31	123.98	119.20
1	A	119	LEU	CA-CB-CG	-5.31	97.73	116.30
1	A	173	ASP	N-CA-C	5.11	119.48	112.88
1	A	34	GLU	CA-C-N	-5.05	116.15	121.35
1	A	34	GLU	C-N-CA	-5.05	116.15	121.35
2	B	94	GLU	CG-CD-OE2	5.04	129.99	118.40
2	B	78	LEU	N-CA-C	5.03	118.18	111.75
1	A	210	ASP	CA-C-N	5.01	126.10	119.84
1	A	210	ASP	C-N-CA	5.01	126.10	119.84

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	143	TYR	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1816	0	1764	64	1
2	B	1186	0	1174	37	0
3	A	15	0	0	2	0
3	B	10	0	0	1	0
4	A	4	0	6	0	0
5	A	28	0	0	8	0
5	B	17	0	0	1	0
All	All	3076	0	2944	99	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including

hydrogen atoms). The all-atom clashscore for this structure is 17.

All (99) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:46:VAL:HG11	2:B:79:TRP:CZ3	1.80	1.15
1:A:136:ILE:O	5:A:401:HOH:O	1.66	1.11
2:B:46:VAL:HG11	2:B:79:TRP:CH2	1.86	1.10
2:B:46:VAL:CG1	2:B:79:TRP:CZ3	2.41	1.04
1:A:135:ASN:ND2	1:A:177:GLN:OE1	1.96	0.99
1:A:96:ARG:HH21	1:A:183:GLN:NE2	1.71	0.86
2:B:46:VAL:CG1	2:B:79:TRP:CH2	2.57	0.85
1:A:62:THR:O	1:A:96:ARG:NH1	2.11	0.84
1:A:167:ILE:HD11	1:A:169:HIS:CE1	2.12	0.84
1:A:41:LYS:HZ2	2:B:81:GLN:HE22	1.27	0.81
1:A:66:CRO:O2	1:A:69:GLN:NE2	2.17	0.77
2:B:127:GLU:H	2:B:127:GLU:CD	1.92	0.76
1:A:41:LYS:NZ	2:B:81:GLN:HE22	1.84	0.75
1:A:151:TYR:O	1:A:163:VAL:HG13	1.88	0.73
3:A:303:PO4:O2	2:B:45:ASP:O	2.06	0.73
1:A:100:PHE:CD2	1:A:136:ILE:HD11	2.28	0.69
2:B:56:GLN:HE21	2:B:57:ARG:HE	1.42	0.68
1:A:152:ILE:O	1:A:198:ASN:HA	1.93	0.68
1:A:96:ARG:NH2	1:A:183:GLN:NE2	2.44	0.66
1:A:161:ILE:CD1	1:A:196:PRO:HG3	2.27	0.65
1:A:149:ASN:OD1	5:A:402:HOH:O	2.14	0.64
1:A:88:MET:HE2	1:A:89:PRO:HA	1.80	0.64
1:A:161:ILE:HG22	1:A:163:VAL:HG23	1.80	0.64
1:A:135:ASN:O	1:A:138:GLY:O	2.16	0.64
1:A:164:ASN:HD22	1:A:164:ASN:N	1.93	0.63
1:A:88:MET:HA	1:A:88:MET:HE3	1.81	0.63
1:A:62:THR:CG2	5:A:404:HOH:O	2.47	0.63
2:B:110:ASP:OD2	2:B:114:HIS:HD2	1.83	0.60
2:B:46:VAL:HG11	2:B:79:TRP:HZ3	1.55	0.60
2:B:46:VAL:HG12	2:B:46:VAL:O	2.00	0.60
2:B:127:GLU:CD	2:B:127:GLU:N	2.60	0.60
1:A:164:ASN:N	1:A:164:ASN:ND2	2.49	0.60
2:B:27:ASP:OD1	2:B:62:ILE:HD11	2.02	0.60
2:B:56:GLN:NE2	2:B:57:ARG:HE	2.00	0.59
1:A:88:MET:HE1	1:A:113:LYS:HA	1.85	0.59
1:A:167:ILE:HD11	1:A:169:HIS:NE2	2.17	0.58
1:A:56:PRO:HD2	1:A:136:ILE:HG23	1.85	0.58
2:B:82:THR:H	2:B:85:HIS:HD2	1.50	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:198:ASN:H	1:A:198:ASN:HD22	1.54	0.56
2:B:112:ILE:O	2:B:112:ILE:HG22	2.05	0.56
1:A:62:THR:HG23	5:A:404:HOH:O	2.07	0.55
2:B:94:GLU:H	2:B:94:GLU:CD	2.14	0.54
1:A:164:ASN:O	1:A:165:PHE:HB3	2.08	0.54
1:A:199:HIS:HB2	1:A:228:GLY:O	2.09	0.53
2:B:150:PHE:CE1	2:B:154:ILE:HD13	2.44	0.53
2:B:46:VAL:HG11	2:B:79:TRP:HH2	1.64	0.52
1:A:150:VAL:HB	1:A:201:LEU:HB2	1.92	0.52
1:A:90:GLU:OE1	1:A:90:GLU:N	2.30	0.51
2:B:112:ILE:O	2:B:112:ILE:CG2	2.59	0.51
2:B:115:THR:O	2:B:118:HIS:HB2	2.09	0.51
2:B:110:ASP:OD2	2:B:114:HIS:CD2	2.64	0.51
1:A:154:ALA:HB2	1:A:196:PRO:O	2.10	0.51
1:A:163:VAL:HB	1:A:183:GLN:HB3	1.93	0.50
1:A:152:ILE:HB	1:A:199:HIS:CE1	2.46	0.50
2:B:46:VAL:HG12	2:B:79:TRP:CZ3	2.41	0.49
1:A:143:TYR:CZ	1:A:209:LYS:HE2	2.47	0.49
2:B:62:ILE:HD12	3:B:201:PO4:O3	2.13	0.49
1:A:88:MET:CE	1:A:91:GLY:HA2	2.43	0.48
1:A:95:GLU:HA	1:A:108:THR:O	2.13	0.47
1:A:161:ILE:HB	1:A:185:ASN:HB2	1.97	0.47
2:B:46:VAL:CG1	2:B:79:TRP:HZ3	2.16	0.47
1:A:93:VAL:O	1:A:185:ASN:HA	2.15	0.46
1:A:88:MET:HB3	1:A:89:PRO:HA	1.98	0.46
1:A:62:THR:HG22	5:A:404:HOH:O	2.14	0.46
2:B:108:ALA:O	2:B:115:THR:HA	2.16	0.46
1:A:96:ARG:HD3	1:A:183:GLN:HG3	1.98	0.46
1:A:32:GLU:C	1:A:44:LEU:HD23	2.42	0.45
2:B:34:MET:HB3	2:B:69:TYR:CZ	2.51	0.45
1:A:94:GLN:HB2	1:A:185:ASN:OD1	2.17	0.45
1:A:200:TYR:HB2	5:A:411:HOH:O	2.17	0.45
1:A:105:ASN:O	1:A:127:GLY:HA2	2.17	0.44
1:A:138:GLY:O	1:A:140:LYS:N	2.50	0.44
1:A:43:THR:HG22	1:A:43:THR:O	2.17	0.44
1:A:81:HIS:CE1	1:A:197:ASP:HB3	2.52	0.44
1:A:90:GLU:H	1:A:90:GLU:CD	2.21	0.43
1:A:199:HIS:CB	1:A:228:GLY:O	2.66	0.43
1:A:56:PRO:HA	3:A:302:PO4:O2	2.17	0.43
1:A:168:ARG:HD2	5:A:423:HOH:O	2.17	0.43
2:B:115:THR:H	2:B:118:HIS:HD2	1.66	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:23:ASN:ND2	1:A:130:PHE:HB2	2.34	0.43
1:A:152:ILE:CG2	1:A:161:ILE:HD12	2.49	0.43
2:B:115:THR:H	2:B:118:HIS:CD2	2.37	0.43
1:A:56:PRO:HG2	1:A:59:THR:HG23	1.99	0.42
5:A:420:HOH:O	2:B:45:ASP:HB3	2.19	0.42
1:A:161:ILE:HD11	1:A:196:PRO:HG3	2.00	0.42
1:A:12:VAL:HG12	1:A:13:PRO:O	2.20	0.42
2:B:110:ASP:OD1	2:B:110:ASP:C	2.63	0.42
1:A:162:LYS:O	1:A:163:VAL:HG23	2.20	0.42
2:B:46:VAL:HG13	2:B:78:LEU:HD12	2.02	0.41
2:B:150:PHE:CZ	2:B:154:ILE:HD13	2.56	0.41
1:A:162:LYS:O	1:A:163:VAL:CG2	2.68	0.41
1:A:161:ILE:CD1	1:A:196:PRO:CG	2.95	0.41
1:A:100:PHE:CD2	1:A:136:ILE:CD1	3.03	0.41
2:B:126:LEU:O	2:B:129:VAL:HB	2.21	0.40
1:A:161:ILE:HD11	1:A:196:PRO:HD3	2.03	0.40
1:A:71:PHE:HE2	1:A:119:LEU:HD22	1.87	0.40
2:B:23:ARG:HD2	5:B:310:HOH:O	2.22	0.40
2:B:142:GLN:HA	2:B:147:LYS:O	2.22	0.40
1:A:88:MET:HA	1:A:88:MET:CE	2.50	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:126:LYS:NZ	1:A:200:TYR:OH[8_665]	2.06	0.14

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	222/243 (91%)	210 (95%)	12 (5%)	0	100 100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	B	157/161 (98%)	151 (96%)	6 (4%)	0	100	100
All	All	379/404 (94%)	361 (95%)	18 (5%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	198/210 (94%)	172 (87%)	26 (13%)	4	4
2	B	119/119 (100%)	112 (94%)	7 (6%)	18	26
All	All	317/329 (96%)	284 (90%)	33 (10%)	7	8

All (33) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	5	GLU
1	A	22	VAL
1	A	28	SER
1	A	42	LEU
1	A	43	THR
1	A	69	GLN
1	A	76	ASP
1	A	88	MET
1	A	90	GLU
1	A	96	ARG
1	A	101	LYS
1	A	119	LEU
1	A	128	ILE
1	A	146	ASN
1	A	147	SER
1	A	152	ILE
1	A	153	MET
1	A	164	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	167	ILE
1	A	168	ARG
1	A	178	LEU
1	A	193	VAL
1	A	198	ASN
1	A	201	LEU
1	A	203	THR
1	A	214	LYS
2	B	14	LEU
2	B	94	GLU
2	B	127	GLU
2	B	140	ASN
2	B	154	ILE
2	B	161	ILE
2	B	166	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (18) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	23	ASN
1	A	69	GLN
1	A	81	HIS
1	A	105	ASN
1	A	121	ASN
1	A	139	HIS
1	A	164	ASN
1	A	183	GLN
1	A	185	ASN
1	A	199	HIS
1	A	204	GLN
2	B	52	HIS
2	B	56	GLN
2	B	59	HIS
2	B	81	GLN
2	B	85	HIS
2	B	114	HIS
2	B	142	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
1	CRO	A	66	1	22,23,24	4.24	5 (22%)	30,32,34	4.67	12 (40%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	CRO	A	66	1	-	2/12/31/32	0/2/2/2

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	66	CRO	CB2-CA2	18.21	1.52	1.35
1	A	66	CRO	C1-N2	5.79	1.40	1.32
1	A	66	CRO	C2-N3	-3.17	1.32	1.40
1	A	66	CRO	O2-C2	2.19	1.27	1.23
1	A	66	CRO	CG2-CB2	2.18	1.50	1.46

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	66	CRO	C2-N3-C1	-15.11	101.07	108.07
1	A	66	CRO	CA2-C2-N3	12.85	114.29	103.50
1	A	66	CRO	O2-C2-CA2	-7.90	125.98	131.02
1	A	66	CRO	C2-CA2-N2	-6.83	104.06	108.95
1	A	66	CRO	CA1-C1-N3	-6.64	116.83	124.69
1	A	66	CRO	C1-CA1-N1	-5.55	99.86	109.78
1	A	66	CRO	N3-C1-N2	5.49	115.81	111.48
1	A	66	CRO	O3-C3-CA3	-2.99	112.03	125.47

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	66	CRO	CB2-CA2-C2	2.84	125.80	122.36
1	A	66	CRO	CA1-C1-N2	2.50	127.27	123.88
1	A	66	CRO	OG1-CB1-CA1	2.43	114.18	109.00
1	A	66	CRO	O2-C2-N3	-2.27	119.58	124.31

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	66	CRO	N2-C1-CA1-CB1
1	A	66	CRO	N3-C1-CA1-CB1

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	A	66	CRO	1	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	PO4	A	301	-	4,4,4	1.03	0	6,6,6	1.05	0
4	EDO	A	304	-	3,3,3	0.45	0	2,2,2	0.38	0
3	PO4	A	303	-	4,4,4	0.87	0	6,6,6	0.96	0
3	PO4	A	302	-	4,4,4	0.96	0	6,6,6	0.72	0
3	PO4	B	201	-	4,4,4	0.75	0	6,6,6	0.69	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	PO4	B	202	-	4,4,4	0.99	0	6,6,6	0.49	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	EDO	A	304	-	-	1/1/1/1	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	304	EDO	O1-C1-C2-O2

There are no ring outliers.

3 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	303	PO4	1	0
3	A	302	PO4	1	0
3	B	201	PO4	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	226/243 (93%)	0.44	14 (6%) 26 28	59, 84, 119, 142	0
2	B	159/161 (98%)	0.03	3 (1%) 66 68	56, 77, 102, 124	0
All	All	385/404 (95%)	0.27	17 (4%) 39 41	56, 80, 115, 142	0

All (17) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	150	VAL	5.6
1	A	152	ILE	5.2
1	A	161	ILE	4.0
1	A	153	MET	3.5
1	A	229	ILE	3.4
2	B	46	VAL	3.3
2	B	10	PRO	3.3
1	A	151	TYR	3.1
1	A	230	THR	2.7
1	A	163	VAL	2.6
1	A	154	ALA	2.6
1	A	105	ASN	2.5
2	B	168	ALA	2.3
1	A	162	LYS	2.2
1	A	200	TYR	2.2
1	A	126	LYS	2.0
1	A	165	PHE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q < 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
1	CRO	A	66	22/23	0.97	0.12	64,75,92,99	0

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	PO4	A	303	5/5	0.69	0.12	120,138,146,151	0
3	PO4	B	201	5/5	0.82	0.10	75,86,103,106	0
3	PO4	A	302	5/5	0.85	0.10	101,112,117,118	0
3	PO4	A	301	5/5	0.86	0.08	112,116,122,145	0
4	EDO	A	304	4/4	0.87	0.18	98,99,108,108	0
3	PO4	B	202	5/5	0.94	0.14	154,157,179,180	0

6.5 Other polymers [i](#)

There are no such residues in this entry.