



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 18, 2026 – 04:08 AM UTC

PDB ID : 3MBS / pdb_00003mbs
Title : Crystal structure of 8mer PNA
Authors : Yeh, J.I.; Pohl, E.; Truan, D.; He, W.; Sheldrick, G.M.; Achim, C.
Deposited on : 2010-03-26
Resolution : 1.27 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.27 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	2911 (1.30-1.26)
RSRZ outliers	180081	2832 (1.30-1.26)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	9	100%
1	B	9	89% 11%
1	C	9	100%
1	D	9	89% 11%

2 Entry composition [i](#)


There are 3 unique types of molecules in this entry. The entry contains 892 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a DNA chain called Peptide Nucleic Acid.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
1	A	9	Total	C	N	O	0	0	1
			157	85	48	24			
1	B	8	Total	C	N	O	0	0	0
			156	85	47	24			
1	C	9	Total	C	N	O	0	0	0
			159	87	48	24			
1	D	8	Total	C	N	O	0	0	0
			152	83	46	23			

- Molecule 2 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: C₂H₆O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			4	2	2		
2	A	1	Total	C	O	0	0
			4	2	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	B	1	Total 4	C 2	O 2	0	0
2	D	1	Total 4	C 2	O 2	0	0
2	D	1	Total 4	C 2	O 2	0	0


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	61	Total 61	O 61	0	0
3	B	68	Total 68	O 68	0	0
3	C	60	Total 60	O 60	0	0
3	D	59	Total 59	O 59	0	0

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Peptide Nucleic Acid

Chain A:  100%


GP11001
GP11002
CP11003
AP11004
TP11005
GP11006
CP11007
CP11008
K1009

- Molecule 1: Peptide Nucleic Acid

Chain B:  89% 11%

GP12001
GP12002
CP12003
AP12004
TP12005
GP12006
CP12007
CP12008
LYS

- Molecule 1: Peptide Nucleic Acid

Chain C:  100%

GP13001
GP13002
CP13003
AP13004
TP13005
GP13006
CP13007
CP13008
K3009

- Molecule 1: Peptide Nucleic Acid

Chain D:  89% 11%

GP14001
GP14002
CP14003
AP14004
TP14005
GP14006
CP14007
CP14008
LYS

4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	18.87Å 28.92Å 54.97Å 88.10° 85.75° 79.56°	Depositor
Resolution (Å)	18.51 – 1.27 18.51 – 1.27	Depositor EDS
% Data completeness (in resolution range)	(Not available) (18.51-1.27) 84.4 (18.51-1.27)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.97 (at 1.22Å)	Xtriage
Refinement program	SHELXL-97	Depositor
R, R_{free}	0.179 , 0.220 0.184 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å ²)	10.9	Xtriage
Anisotropy	0.258	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.40 , 85.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.59$, $\langle L^2 \rangle = 0.44$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	892	wwPDB-VP
Average B, all atoms (Å ²)	20.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 17.18% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GPN, EDO, CPN, TPN, APN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	C	8.18	1/2 (50.0%)	6.90	1/1 (100.0%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	3009	LYS	N-CA	-11.36	1.24	1.46

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	3009	LYS	N-CA-C	6.90	130.32	111.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	157	0	65	1	0
1	B	156	0	65	0	0
1	C	159	0	66	0	0
1	D	152	0	63	0	0
2	A	8	0	12	0	0
2	B	4	0	6	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	D	8	0	12	0	0
3	A	61	0	0	1	0
3	B	68	0	0	0	0
3	C	60	0	0	0	0
3	D	59	0	0	0	0
All	All	892	0	289	1	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.

All (1) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1009:LYS:N	3:A:9006:HOH:O	2.48	0.47

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

There are no protein molecules in this entry.

5.3.2 Protein sidechains [i](#)

There are no protein molecules in this entry.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

32 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond

length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	CPN	A	1008	1	18,18,19	1.14	1 (5%)	21,23,25	1.62	4 (19%)
1	CPN	B	2008	1	18,18,19	1.07	1 (5%)	21,23,25	1.01	1 (4%)
1	TPN	D	4005	1	19,19,20	1.23	2 (10%)	24,25,27	2.10	3 (12%)
1	CPN	A	1003	1	18,18,19	1.03	1 (5%)	21,23,25	1.84	5 (23%)
1	CPN	B	2007	1	18,18,19	0.84	0	21,23,25	1.01	1 (4%)
1	GPN	C	3006	1	22,22,23	1.03	2 (9%)	29,30,32	1.34	5 (17%)
1	CPN	D	4008	1	16,16,19	1.15	1 (6%)	20,21,25	0.82	0
1	GPN	D	4001	1	19,20,23	1.15	2 (10%)	27,28,32	1.41	5 (18%)
1	GPN	D	4006	1	22,22,23	0.91	2 (9%)	29,30,32	1.97	9 (31%)
1	APN	A	1004	1	21,21,22	1.35	2 (9%)	27,28,30	1.68	6 (22%)
1	CPN	D	4007	1	18,18,19	1.09	2 (11%)	21,23,25	0.87	0
1	APN	C	3004	1	21,21,22	1.38	2 (9%)	27,28,30	1.99	7 (25%)
1	CPN	D	4003	1	18,18,19	1.13	1 (5%)	21,23,25	0.99	1 (4%)
1	GPN	A	1002	1	22,22,23	0.95	1 (4%)	29,30,32	1.37	3 (10%)
1	GPN	B	2006	1	22,22,23	1.01	2 (9%)	29,30,32	1.47	4 (13%)
1	APN	D	4004	1	21,21,22	1.11	1 (4%)	27,28,30	2.02	11 (40%)
1	CPN	C	3003	1	18,18,19	1.04	1 (5%)	21,23,25	1.12	2 (9%)
1	GPN	B	2002	1	22,22,23	0.99	1 (4%)	29,30,32	2.10	12 (41%)
1	TPN	B	2005	1	19,19,20	1.07	2 (10%)	24,25,27	1.49	5 (20%)
1	GPN	C	3001	1	22,22,23	1.20	2 (9%)	29,30,32	1.71	6 (20%)
1	GPN	A	1001	1	22,22,23	1.12	2 (9%)	29,30,32	1.34	4 (13%)
1	GPN	C	3002	1	22,22,23	1.50	2 (9%)	29,30,32	1.47	4 (13%)
1	CPN	A	1007	1	18,18,19	0.98	1 (5%)	21,23,25	1.12	2 (9%)
1	GPN	D	4002	1	22,22,23	1.15	1 (4%)	29,30,32	1.14	2 (6%)
1	CPN	C	3008	1	18,18,19	1.41	2 (11%)	21,23,25	1.61	3 (14%)
1	TPN	C	3005	1	19,19,20	1.23	3 (15%)	24,25,27	1.85	7 (29%)
1	GPN	A	1006	1	22,22,23	1.19	1 (4%)	29,30,32	2.26	14 (48%)
1	GPN	B	2001	1	22,22,23	1.10	2 (9%)	29,30,32	1.83	10 (34%)
1	TPN	A	1005	1	19,19,20	1.45	2 (10%)	24,25,27	1.68	7 (29%)
1	APN	B	2004	1	21,21,22	1.25	3 (14%)	27,28,30	2.77	11 (40%)
1	CPN	C	3007	1	18,18,19	0.87	0	21,23,25	1.45	4 (19%)
1	CPN	B	2003	1	18,18,19	1.23	2 (11%)	21,23,25	0.97	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	CPN	A	1008	1	-	0/13/14/15	0/1/1/1
1	CPN	B	2008	1	-	0/13/14/15	0/1/1/1
1	TPN	D	4005	1	-	0/13/14/15	0/1/1/1
1	CPN	A	1003	1	-	0/13/14/15	0/1/1/1
1	CPN	B	2007	1	-	0/13/14/15	0/1/1/1
1	GPN	C	3006	1	-	0/13/14/15	0/2/2/2
1	CPN	D	4008	1	-	2/11/11/15	0/1/1/1
1	GPN	D	4001	1	-	1/10/11/15	0/2/2/2
1	GPN	D	4006	1	-	0/13/14/15	0/2/2/2
1	APN	A	1004	1	-	0/13/14/15	0/2/2/2
1	CPN	D	4007	1	-	0/13/14/15	0/1/1/1
1	APN	C	3004	1	-	0/13/14/15	0/2/2/2
1	CPN	D	4003	1	-	0/13/14/15	0/1/1/1
1	GPN	A	1002	1	-	0/13/14/15	0/2/2/2
1	GPN	B	2006	1	-	0/13/14/15	0/2/2/2
1	APN	D	4004	1	-	0/13/14/15	0/2/2/2
1	CPN	C	3003	1	-	0/13/14/15	0/1/1/1
1	GPN	B	2002	1	-	0/13/14/15	0/2/2/2
1	TPN	B	2005	1	-	0/13/14/15	0/1/1/1
1	GPN	C	3001	1	-	0/13/14/15	0/2/2/2
1	GPN	A	1001	1	-	1/13/14/15	0/2/2/2
1	GPN	C	3002	1	-	0/13/14/15	0/2/2/2
1	CPN	A	1007	1	-	0/13/14/15	0/1/1/1
1	GPN	D	4002	1	-	0/13/14/15	0/2/2/2
1	CPN	C	3008	1	-	0/13/14/15	0/1/1/1
1	TPN	C	3005	1	-	0/13/14/15	0/1/1/1
1	GPN	A	1006	1	-	0/13/14/15	0/2/2/2
1	GPN	B	2001	1	-	0/13/14/15	0/2/2/2
1	TPN	A	1005	1	-	0/13/14/15	0/1/1/1
1	APN	B	2004	1	-	0/13/14/15	0/2/2/2
1	CPN	C	3007	1	-	0/13/14/15	0/1/1/1
1	CPN	B	2003	1	-	0/13/14/15	0/1/1/1

All (50) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	3004	APN	C4-N9	-4.85	1.31	1.37
1	C	3002	GPN	C4-N9	-4.51	1.30	1.37
1	C	3008	CPN	C6-N1	3.98	1.42	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	1004	APN	C4-N9	-3.97	1.32	1.37
1	A	1005	TPN	C6-C5	3.73	1.40	1.34
1	A	1005	TPN	C4-C5	-3.60	1.39	1.44
1	D	4002	GPN	C8-N9	-3.40	1.31	1.36
1	C	3001	GPN	C8-N9	-3.35	1.31	1.36
1	C	3002	GPN	C8-N9	-3.34	1.31	1.36
1	A	1006	GPN	C8-N9	-3.33	1.31	1.36
1	D	4004	APN	C4-N9	-3.32	1.33	1.37
1	D	4001	GPN	C8-N9	-3.25	1.31	1.36
1	B	2004	APN	C5'-N4'	3.08	1.52	1.47
1	A	1001	GPN	C8-N9	-3.07	1.31	1.36
1	B	2004	APN	C4-N9	-2.99	1.33	1.37
1	C	3008	CPN	C4-N3	2.90	1.40	1.34
1	D	4005	TPN	C6-C5	2.81	1.39	1.34
1	D	4008	CPN	C4-N3	2.75	1.40	1.34
1	B	2003	CPN	C6-N1	2.72	1.40	1.37
1	B	2001	GPN	C4-N9	-2.68	1.33	1.37
1	B	2005	TPN	C4-C5	-2.66	1.40	1.44
1	D	4003	CPN	C4-N3	2.66	1.39	1.34
1	C	3006	GPN	C8'-C7'	2.66	1.56	1.53
1	B	2008	CPN	C4-N3	2.62	1.39	1.34
1	C	3005	TPN	C4-C5	-2.59	1.40	1.44
1	A	1001	GPN	C4-N9	-2.57	1.33	1.37
1	D	4005	TPN	C4-C5	-2.52	1.40	1.44
1	C	3004	APN	C8-N9	-2.51	1.32	1.36
1	C	3003	CPN	C4-N3	2.47	1.39	1.34
1	A	1008	CPN	C6-N1	2.42	1.40	1.37
1	A	1004	APN	C5-N7	-2.40	1.34	1.39
1	A	1007	CPN	C4-N3	2.40	1.39	1.34
1	B	2005	TPN	C2-N1	2.39	1.41	1.37
1	A	1003	CPN	C4-N3	2.39	1.39	1.34
1	C	3006	GPN	C4-N9	-2.38	1.34	1.37
1	C	3001	GPN	C4-N9	-2.36	1.34	1.37
1	C	3005	TPN	C6-C5	2.35	1.38	1.34
1	A	1002	GPN	C4-N9	-2.31	1.34	1.37
1	B	2001	GPN	C8-N9	-2.30	1.32	1.36
1	C	3005	TPN	C2-N1	2.25	1.40	1.37
1	D	4007	CPN	C6-N1	2.25	1.40	1.37
1	D	4006	GPN	C8-N9	-2.24	1.32	1.36
1	D	4007	CPN	C4-N3	2.24	1.39	1.34
1	B	2006	GPN	C6-N1	2.23	1.43	1.38
1	B	2002	GPN	C8-N9	-2.12	1.33	1.36

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	4001	GPN	C4-N9	-2.07	1.34	1.37
1	B	2006	GPN	C8'-C7'	2.05	1.56	1.53
1	D	4006	GPN	C5-C6	-2.01	1.37	1.44
1	B	2003	CPN	C4-N3	2.00	1.38	1.34
1	B	2004	APN	C8-N9	-2.00	1.33	1.36

All (158) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	4005	TPN	C2'-C3'-N4'	7.79	130.41	112.91
1	B	2004	APN	C4-N9-C8	6.68	110.55	105.75
1	B	2004	APN	N9-C8-N7	-6.38	108.26	114.16
1	A	1006	GPN	C8'-N9-C4	-5.60	119.36	127.02
1	B	2004	APN	C8'-N9-C8	-5.29	122.03	127.27
1	A	1004	APN	N9-C8-N7	-5.12	109.43	114.16
1	D	4006	GPN	C5'-N4'-C3'	4.78	123.84	117.06
1	C	3008	CPN	C5-C6-N1	-4.76	117.60	122.39
1	C	3005	TPN	C5-C4-N3	4.74	119.44	115.32
1	D	4006	GPN	C7'-C8'-N9	-4.60	104.52	110.73
1	C	3001	GPN	C7'-C8'-N9	-4.43	104.74	110.73
1	B	2004	APN	N3-C4-N9	4.35	132.26	126.87
1	D	4004	APN	C8'-N9-C8	-4.34	122.97	127.27
1	D	4004	APN	C5'-N4'-C3'	4.25	123.10	117.06
1	C	3004	APN	C4-N9-C8	4.25	108.80	105.75
1	B	2002	GPN	C8'-C7'-N4'	4.22	122.16	117.04
1	A	1003	CPN	C5-C6-N1	-4.16	118.20	122.39
1	A	1006	GPN	N9-C8-N7	-4.10	109.24	113.52
1	B	2006	GPN	C7'-C8'-N9	-4.10	105.19	110.73
1	C	3006	GPN	C7'-C8'-N9	-4.10	105.19	110.73
1	A	1003	CPN	C6-N1-C2	4.01	124.14	120.06
1	B	2002	GPN	N9-C8-N7	-3.90	109.45	113.52
1	C	3002	GPN	C8-N9-C4	3.88	110.09	105.89
1	A	1006	GPN	C8-N9-C4	3.88	110.08	105.89
1	C	3004	APN	N9-C8-N7	-3.83	110.62	114.16
1	B	2002	GPN	O6-C6-N1	-3.76	113.04	120.11
1	C	3004	APN	C5'-N4'-C3'	3.69	122.31	117.06
1	B	2004	APN	C4-C5-N7	-3.68	106.37	110.58
1	B	2004	APN	C5-C4-N3	-3.64	121.70	126.72
1	B	2001	GPN	C2-N3-C4	3.60	118.50	112.30
1	A	1003	CPN	C5'-N4'-C3'	3.55	122.10	117.06
1	C	3001	GPN	C5'-N4'-C3'	3.50	122.03	117.06
1	B	2004	APN	C5-N7-C8	3.49	108.93	103.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	3002	GPN	N9-C8-N7	-3.31	110.07	113.52
1	A	1002	GPN	N9-C8-N7	-3.29	110.09	113.52
1	B	2001	GPN	C5'-N4'-C3'	3.21	121.62	117.06
1	D	4004	APN	N3-C4-N9	3.15	130.77	126.87
1	A	1008	CPN	C5-C6-N1	-3.12	119.25	122.39
1	A	1001	GPN	C8'-C7'-N4'	3.11	120.82	117.04
1	C	3005	TPN	C5M-C5-C4	3.11	122.10	118.78
1	B	2002	GPN	C2-N3-C4	3.10	117.63	112.30
1	B	2002	GPN	C4-C5-N7	-3.09	105.78	110.67
1	A	1005	TPN	C5'-N4'-C3'	3.06	121.41	117.06
1	A	1001	GPN	C5'-N4'-C3'	3.03	121.37	117.06
1	D	4002	GPN	C8-N9-C4	3.02	109.16	105.89
1	A	1008	CPN	O2-C2-N1	3.01	122.01	119.17
1	D	4002	GPN	C8'-N9-C4	-3.00	122.91	127.02
1	A	1006	GPN	N2-C2-N3	2.99	125.51	119.67
1	C	3004	APN	C8'-N9-C4	-2.97	122.43	126.04
1	B	2001	GPN	C8'-N9-C4	-2.97	122.96	127.02
1	C	3004	APN	C2'-C3'-N4'	2.95	119.53	112.91
1	D	4004	APN	C8'-C7'-N4'	2.93	120.60	117.04
1	D	4004	APN	C4-N9-C8	2.93	107.85	105.75
1	B	2002	GPN	C5-C4-N3	-2.92	123.75	128.39
1	A	1001	GPN	C7'-C8'-N9	-2.91	106.79	110.73
1	A	1004	APN	C4-C5-N7	-2.87	107.30	110.58
1	B	2001	GPN	C8'-C7'-N4'	2.86	120.51	117.04
1	D	4001	GPN	C7'-C8'-N9	-2.85	106.88	110.73
1	A	1008	CPN	C6-N1-C2	2.84	122.95	120.06
1	A	1005	TPN	O4-C4-N3	-2.84	114.77	120.11
1	B	2001	GPN	C7'-C8'-N9	-2.82	106.92	110.73
1	C	3005	TPN	O7'-C7'-N4'	-2.82	117.10	122.12
1	B	2006	GPN	N9-C8-N7	-2.81	110.59	113.52
1	D	4005	TPN	C8'-N1-C2	2.81	121.25	117.73
1	B	2005	TPN	O2-C2-N1	-2.79	120.50	122.87
1	B	2005	TPN	O7'-C7'-N4'	2.77	127.06	122.12
1	A	1005	TPN	C5M-C5-C4	2.76	121.73	118.78
1	C	3007	CPN	C8'-C7'-N4'	2.75	120.38	117.04
1	B	2007	CPN	C5-C6-N1	-2.74	119.63	122.39
1	D	4006	GPN	O7'-C7'-N4'	-2.74	117.25	122.12
1	A	1006	GPN	O7'-C7'-C8'	-2.72	116.55	120.56
1	A	1006	GPN	C2-N1-C6	-2.71	120.19	125.11
1	C	3008	CPN	C8'-C7'-N4'	2.71	120.32	117.04
1	D	4005	TPN	C5-C4-N3	2.70	117.67	115.32
1	C	3003	CPN	C8'-C7'-N4'	2.68	120.29	117.04

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	4006	GPN	C8'-C7'-N4'	2.66	120.27	117.04
1	A	1006	GPN	C8'-N9-C8	2.63	130.48	126.49
1	B	2002	GPN	C8-N7-C5	2.62	108.93	104.26
1	C	3001	GPN	C2-N3-C4	2.60	116.78	112.30
1	C	3002	GPN	C4-C5-N7	-2.59	106.56	110.67
1	D	4004	APN	C8'-N9-C4	2.59	129.17	126.04
1	C	3001	GPN	O7'-C7'-N4'	-2.57	117.54	122.12
1	B	2002	GPN	N9-C4-N3	2.55	129.20	125.46
1	A	1002	GPN	C8-N9-C4	2.55	108.65	105.89
1	C	3007	CPN	C5-C6-N1	-2.53	119.85	122.39
1	B	2002	GPN	C8-N9-C4	2.50	108.60	105.89
1	C	3004	APN	N3-C2-N1	-2.49	124.81	128.58
1	A	1004	APN	C5-N7-C8	2.49	107.36	103.45
1	B	2005	TPN	C5-C4-N3	2.49	117.48	115.32
1	A	1004	APN	C4-N9-C8	2.47	107.52	105.75
1	C	3005	TPN	C8'-C7'-N4'	2.45	120.01	117.04
1	A	1005	TPN	C5M-C5-C6	-2.45	119.54	122.85
1	D	4006	GPN	N1-C2-N3	-2.43	118.87	123.32
1	A	1006	GPN	N9-C4-N3	2.42	129.00	125.46
1	D	4006	GPN	C2-N3-C4	2.41	116.45	112.30
1	B	2001	GPN	N9-C8-N7	-2.40	111.01	113.52
1	D	4006	GPN	C4-C5-N7	-2.39	106.88	110.67
1	D	4004	APN	C2'-C3'-N4'	2.39	118.28	112.91
1	A	1001	GPN	O7'-C7'-N4'	-2.37	117.90	122.12
1	B	2001	GPN	N1-C2-N3	-2.37	118.99	123.32
1	B	2008	CPN	N1-C2-N3	-2.36	116.25	118.48
1	B	2001	GPN	C5-C4-N3	-2.36	124.63	128.39
1	B	2004	APN	C7'-C8'-N9	-2.36	107.73	110.81
1	C	3007	CPN	C5-C4-N4	2.35	124.75	120.63
1	A	1005	TPN	O4-C4-C5	2.35	127.61	124.92
1	A	1006	GPN	C7'-C8'-N9	-2.35	107.56	110.73
1	C	3005	TPN	C4-N3-C2	-2.34	124.27	127.34
1	D	4001	GPN	C5-C4-N3	-2.34	124.67	128.39
1	A	1006	GPN	C2-N3-C4	2.33	116.32	112.30
1	A	1008	CPN	N1-C2-N3	-2.33	116.28	118.48
1	A	1005	TPN	C5-C4-N3	2.33	117.34	115.32
1	D	4006	GPN	C8'-N9-C8	-2.33	122.95	126.49
1	C	3001	GPN	C4-C5-N7	-2.31	107.02	110.67
1	C	3005	TPN	C2'-C3'-N4'	2.30	118.08	112.91
1	C	3008	CPN	C5'-N4'-C3'	2.30	120.33	117.06
1	D	4001	GPN	N9-C4-N3	2.30	128.83	125.46
1	D	4001	GPN	O-C-C5'	-2.30	115.14	125.47

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	4004	APN	N3-C2-N1	-2.29	125.12	128.58
1	A	1006	GPN	C5-C4-N3	-2.29	124.75	128.39
1	B	2002	GPN	C2'-C3'-N4'	2.28	118.04	112.91
1	B	2005	TPN	C8'-N1-C6	2.28	123.11	120.20
1	D	4004	APN	C5'-N4'-C7'	-2.28	112.44	120.88
1	C	3006	GPN	N9-C8-N7	-2.28	111.15	113.52
1	B	2001	GPN	N9-C4-N3	2.24	128.74	125.46
1	C	3002	GPN	C8'-N9-C4	-2.24	123.96	127.02
1	D	4006	GPN	C6-C5-N7	2.22	134.32	130.29
1	C	3006	GPN	N9-C4-N3	2.21	128.70	125.46
1	C	3007	CPN	O7'-C7'-C8'	-2.20	117.31	120.56
1	B	2006	GPN	C8-N9-C4	2.19	108.26	105.89
1	A	1006	GPN	N2-C2-N1	-2.18	112.15	116.76
1	B	2002	GPN	C5'-N4'-C3'	2.17	120.14	117.06
1	B	2002	GPN	O7'-C7'-C8'	-2.16	117.37	120.56
1	C	3004	APN	C4-C5-N7	-2.16	108.12	110.58
1	B	2006	GPN	C8'-N9-C4	-2.15	124.08	127.02
1	A	1005	TPN	C8'-N1-C6	2.14	122.94	120.20
1	B	2001	GPN	C8-N9-C4	2.14	108.21	105.89
1	A	1004	APN	C5-C4-N9	2.14	108.17	105.98
1	D	4004	APN	C5-C4-N3	-2.14	123.77	126.72
1	B	2004	APN	N3-C2-N1	-2.14	125.35	128.58
1	C	3005	TPN	C5M-C5-C6	-2.13	119.97	122.85
1	C	3006	GPN	C5-C4-N3	-2.13	125.01	128.39
1	D	4003	CPN	O-C-C5'	-2.12	115.92	125.47
1	A	1006	GPN	C8'-C7'-N4'	2.12	119.61	117.04
1	A	1007	CPN	C8'-N1-C6	2.11	122.78	119.72
1	A	1003	CPN	C5'-N4'-C7'	-2.11	113.09	120.88
1	D	4004	APN	N9-C8-N7	-2.10	112.22	114.16
1	A	1004	APN	C8'-N9-C4	-2.08	123.51	126.04
1	D	4001	GPN	C2-N3-C4	2.07	115.87	112.30
1	C	3006	GPN	C8-N9-C4	2.06	108.13	105.89
1	A	1002	GPN	O-C-C5'	-2.06	116.18	125.47
1	C	3003	CPN	O7'-C7'-C8'	-2.06	117.52	120.56
1	B	2004	APN	O7'-C7'-C8'	-2.05	117.53	120.56
1	A	1007	CPN	N1-C2-N3	-2.05	116.55	118.48
1	A	1006	GPN	C4-C5-N7	-2.05	107.43	110.67
1	B	2004	APN	C6-C5-N7	2.04	136.03	132.09
1	B	2005	TPN	C5M-C5-C4	2.03	120.95	118.78
1	A	1003	CPN	C7'-C8'-N1	2.02	113.46	110.73
1	C	3001	GPN	C5-C4-N3	-2.01	125.18	128.39

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	1001	GPN	C2'-C3'-N4'-C5'
1	D	4008	CPN	C8'-C7'-N4'-C5'
1	D	4001	GPN	O7'-C7'-N4'-C3'
1	D	4008	CPN	O7'-C7'-N4'-C5'

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

5 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	EDO	D	5001	-	3,3,3	0.59	0	2,2,2	0.22	0
2	EDO	D	5002	-	3,3,3	0.53	0	2,2,2	0.23	0
2	EDO	A	5003	-	3,3,3	0.73	0	2,2,2	0.55	0
2	EDO	B	5004	-	3,3,3	0.48	0	2,2,2	0.43	0
2	EDO	A	5005	-	3,3,3	0.72	0	2,2,2	0.60	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	EDO	D	5001	-	-	0/1/1/1	-
2	EDO	D	5002	-	-	0/1/1/1	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	EDO	A	5003	-	-	0/1/1/1	-
2	EDO	B	5004	-	-	0/1/1/1	-
2	EDO	A	5005	-	-	0/1/1/1	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	1/9 (11%)	1.27	0 100 100	37, 37, 37, 37	0
1	B	0/9	-	-	-	-
1	C	1/9 (11%)	0.52	0 100 100	17, 17, 17, 17	0
1	D	0/9	-	-	-	-
All	All	2/36 (5%)	0.90	0 100 100	17, 17, 17, 37	0

There are no RSRZ outliers to report.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	CPN	A	1008	18/19	0.92	0.11	14,17,25,48	0
1	CPN	D	4007	18/19	0.94	0.10	13,15,22,23	0
1	TPN	D	4005	19/20	0.94	0.09	14,16,20,23	0
1	CPN	C	3003	18/19	0.95	0.08	12,14,18,21	0
1	APN	B	2004	20/21	0.95	0.09	13,14,22,23	0
1	APN	C	3004	20/21	0.95	0.08	11,14,19,22	0
1	TPN	A	1005	19/20	0.95	0.10	12,15,20,20	0
1	GPN	B	2001	21/22	0.95	0.09	15,18,19,20	0
1	GPN	A	1006	21/22	0.95	0.08	12,14,18,23	0
1	GPN	D	4006	21/22	0.95	0.09	11,14,20,26	0
1	GPN	C	3001	21/22	0.95	0.09	14,17,21,23	0
1	CPN	A	1003	18/19	0.95	0.08	8,10,15,18	0
1	CPN	C	3008	18/19	0.95	0.08	8,10,13,21	0
1	CPN	D	4008	16/19	0.95	0.08	14,16,24,24	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
1	TPN	B	2005	19/20	0.96	0.07	11,13,19,19	0
1	GPN	B	2002	21/22	0.96	0.07	13,16,17,18	0
1	CPN	D	4003	18/19	0.96	0.07	9,10,12,13	0
1	APN	A	1004	20/21	0.96	0.08	10,11,18,31	0
1	CPN	A	1007	18/19	0.96	0.09	13,15,22,32	0
1	GPN	C	3002	21/22	0.96	0.07	13,15,17,18	0
1	GPN	D	4001	19/22	0.96	0.08	11,13,15,18	0
1	CPN	B	2008	18/19	0.96	0.07	8,10,18,18	0
1	APN	D	4004	20/21	0.96	0.08	9,12,19,25	0
1	CPN	B	2003	18/19	0.96	0.07	11,14,17,21	0
1	TPN	C	3005	19/20	0.97	0.07	11,14,19,19	0
1	CPN	B	2007	18/19	0.97	0.06	7,8,10,11	0
1	CPN	C	3007	18/19	0.97	0.06	6,8,11,11	0
1	GPN	A	1002	21/22	0.97	0.06	8,10,12,12	0
1	GPN	D	4002	21/22	0.97	0.06	8,10,11,12	0
1	GPN	B	2006	21/22	0.97	0.06	7,8,10,11	0
1	GPN	C	3006	21/22	0.97	0.06	7,9,11,11	0
1	GPN	A	1001	21/22	0.97	0.07	9,12,16,16	0

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	EDO	B	5004	4/4	0.94	0.10	17,19,19,25	0
2	EDO	A	5005	4/4	0.96	0.11	16,22,27,27	0
2	EDO	D	5002	4/4	0.96	0.10	13,14,15,17	0
2	EDO	D	5001	4/4	0.97	0.07	11,13,14,14	0
2	EDO	A	5003	4/4	0.98	0.06	10,12,12,12	0

6.5 Other polymers [i](#)

There are no such residues in this entry.