



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 02:18 PM UTC

PDB ID : 3MDN / pdb_00003mdn
Title : Structure of glutamine aminotransferase class-II domain protein (SPO2029) from silicibacter pomeroyi
Authors : Ramagopal, U.A.; Toro, R.; Burley, S.K.; Almo, S.C.; New York SGX Research Center for Structural Genomics (NYSGXRC)
Deposited on : 2010-03-30
Resolution : 2.09 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.09 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6658 (2.10-2.10)
Clashscore	190562	7164 (2.10-2.10)
Ramachandran outliers	187476	7099 (2.10-2.10)
Sidechain outliers	187428	7100 (2.10-2.10)
RSRZ outliers	180081	6662 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	274	 3% 65% 15% 20%
1	B	274	 8% 59% 17% 22%
1	C	274	 4% 62% 15% 21%
1	D	274	 4% 66% 13% 19%

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 6847 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Glutamine aminotransferase class-II domain protein.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	218	Total	C	N	O	S	Se	0	0	0
			1711	1087	310	307	3	4			
1	B	214	Total	C	N	O	S	Se	0	0	0
			1677	1066	307	297	3	4			
1	C	216	Total	C	N	O	S	Se	0	0	0
			1692	1075	309	301	3	4			
1	D	223	Total	C	N	O	S	Se	0	0	0
			1731	1095	316	313	3	4			

There are 44 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-1	MSE	-	expression tag	UNP Q5LRU5
A	0	SER	-	expression tag	UNP Q5LRU5
A	1	LEU	-	expression tag	UNP Q5LRU5
A	265	GLU	-	expression tag	UNP Q5LRU5
A	266	GLY	-	expression tag	UNP Q5LRU5
A	267	HIS	-	expression tag	UNP Q5LRU5
A	268	HIS	-	expression tag	UNP Q5LRU5
A	269	HIS	-	expression tag	UNP Q5LRU5
A	270	HIS	-	expression tag	UNP Q5LRU5
A	271	HIS	-	expression tag	UNP Q5LRU5
A	272	HIS	-	expression tag	UNP Q5LRU5
B	-1	MSE	-	expression tag	UNP Q5LRU5
B	0	SER	-	expression tag	UNP Q5LRU5
B	1	LEU	-	expression tag	UNP Q5LRU5
B	265	GLU	-	expression tag	UNP Q5LRU5
B	266	GLY	-	expression tag	UNP Q5LRU5
B	267	HIS	-	expression tag	UNP Q5LRU5
B	268	HIS	-	expression tag	UNP Q5LRU5
B	269	HIS	-	expression tag	UNP Q5LRU5
B	270	HIS	-	expression tag	UNP Q5LRU5
B	271	HIS	-	expression tag	UNP Q5LRU5

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	272	HIS	-	expression tag	UNP Q5LRU5
C	-1	MSE	-	expression tag	UNP Q5LRU5
C	0	SER	-	expression tag	UNP Q5LRU5
C	1	LEU	-	expression tag	UNP Q5LRU5
C	265	GLU	-	expression tag	UNP Q5LRU5
C	266	GLY	-	expression tag	UNP Q5LRU5
C	267	HIS	-	expression tag	UNP Q5LRU5
C	268	HIS	-	expression tag	UNP Q5LRU5
C	269	HIS	-	expression tag	UNP Q5LRU5
C	270	HIS	-	expression tag	UNP Q5LRU5
C	271	HIS	-	expression tag	UNP Q5LRU5
C	272	HIS	-	expression tag	UNP Q5LRU5
D	-1	MSE	-	expression tag	UNP Q5LRU5
D	0	SER	-	expression tag	UNP Q5LRU5
D	1	LEU	-	expression tag	UNP Q5LRU5
D	265	GLU	-	expression tag	UNP Q5LRU5
D	266	GLY	-	expression tag	UNP Q5LRU5
D	267	HIS	-	expression tag	UNP Q5LRU5
D	268	HIS	-	expression tag	UNP Q5LRU5
D	269	HIS	-	expression tag	UNP Q5LRU5
D	270	HIS	-	expression tag	UNP Q5LRU5
D	271	HIS	-	expression tag	UNP Q5LRU5
D	272	HIS	-	expression tag	UNP Q5LRU5


- Molecule 2 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	11	Total O 11 11	0	0
2	B	6	Total O 6 6	0	0
2	C	11	Total O 11 11	0	0
2	D	8	Total O 8 8	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Glutamine aminotransferase class-II domain protein



- Molecule 1: Glutamine aminotransferase class-II domain protein





- Molecule 1: Glutamine aminotransferase class-II domain protein





● Molecule 1: Glutamine aminotransferase class-II domain protein



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	66.37Å 72.96Å 106.72Å 90.00° 91.77° 90.00°	Depositor
Resolution (Å)	40.00 – 2.09 40.00 – 2.10	Depositor EDS
% Data completeness (in resolution range)	99.0 (40.00-2.09) 99.0 (40.00-2.10)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.49 (at 2.10Å)	Xtriage
Refinement program	REFMAC	Depositor
R, R_{free}	0.206 , 0.253 0.214 , 0.261	Depositor DCC
R_{free} test set	3004 reflections (5.05%)	wwPDB-VP
Wilson B-factor (Å ²)	46.6	Xtriage
Anisotropy	0.230	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 41.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	0.017 for h,-k,-l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	6847	wwPDB-VP
Average B, all atoms (Å ²)	31.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 51.65 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 5.4428e-05. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.81	0/1759	0.93	1/2380 (0.0%)
1	B	0.81	0/1724	0.96	3/2333 (0.1%)
1	C	0.85	0/1740	0.94	3/2356 (0.1%)
1	D	0.80	0/1779	0.88	0/2413
All	All	0.82	0/7002	0.93	7/9482 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	C	0	1

There are no bond length outliers.

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	C	180	THR	N-CA-CB	-6.90	101.68	110.03
1	B	224	SER	CB-CA-C	-6.56	99.46	110.81
1	C	66	SER	N-CA-C	-6.22	104.90	113.18
1	B	66	SER	N-CA-C	6.22	117.90	110.44
1	B	180	THR	N-CA-CB	-5.93	102.04	110.04
1	C	44	PHE	N-CA-C	5.73	117.55	108.79
1	A	105	ARG	CB-CA-C	-5.09	110.69	116.54

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	C	185	LEU	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1711	0	1601	41	0
1	B	1677	0	1570	41	0
1	C	1692	0	1581	33	0
1	D	1731	0	1608	36	0
2	A	11	0	0	0	0
2	B	6	0	0	0	0
2	C	11	0	0	1	0
2	D	8	0	0	1	0
All	All	6847	0	6360	147	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (147) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:83:LEU:HB3	1:A:110:MSE:CE	1.39	1.53
1:A:83:LEU:HB3	1:A:110:MSE:HE2	1.29	1.12
1:A:83:LEU:CB	1:A:110:MSE:CE	2.30	1.09
1:B:175:ARG:HG3	1:B:175:ARG:HH11	1.15	1.05
1:A:83:LEU:HB3	1:A:110:MSE:HE1	1.12	1.04
1:D:169:ARG:HH11	1:D:169:ARG:CG	1.72	1.03
1:A:83:LEU:CB	1:A:110:MSE:HE1	1.89	1.02
1:D:169:ARG:HG3	1:D:169:ARG:NH1	1.61	0.93
1:D:169:ARG:HH11	1:D:169:ARG:HG3	0.80	0.92
1:A:85:HIS:HB2	1:A:110:MSE:SE	2.20	0.91
1:D:124:GLN:HE21	1:D:124:GLN:H	1.18	0.90
1:B:146:LEU:HD12	1:B:170:LEU:HD12	1.53	0.90
1:B:17:VAL:O	1:B:17:VAL:HG23	1.70	0.90
1:D:85:HIS:HB2	1:D:110:MSE:SE	2.25	0.86
1:B:175:ARG:HH11	1:B:175:ARG:CG	1.90	0.85
1:C:62:TYR:HB2	1:C:63:PRO:HD2	1.61	0.82
1:B:175:ARG:HG3	1:B:175:ARG:NH1	1.89	0.82
1:C:111:HIS:HD2	1:C:143:SER:OG	1.67	0.78
1:B:175:ARG:CG	1:B:175:ARG:NH1	2.44	0.77

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:137:ARG:O	1:C:122:ARG:NH2	2.17	0.77
1:B:160:HIS:CD2	1:B:253:ARG:HD3	2.20	0.76
1:A:179:THR:HG22	1:A:180:THR:H	1.53	0.74
1:A:111:HIS:HD2	1:A:143:SER:OG	1.70	0.73
1:A:123:LYS:HE2	1:A:127:MSE:CE	2.21	0.70
1:C:146:LEU:HD12	1:C:170:LEU:HD12	1.73	0.70
1:C:44:PHE:CD2	1:C:70:LEU:HD21	2.29	0.68
1:B:155:LEU:HD12	1:B:159:PRO:HA	1.76	0.67
1:A:63:PRO:HG2	1:A:66:SER:HB2	1.77	0.66
1:A:83:LEU:CA	1:A:110:MSE:HE1	2.25	0.66
1:C:184:ARG:HD3	1:C:205:ILE:O	1.95	0.66
1:B:111:HIS:HD2	1:B:143:SER:OG	1.78	0.65
1:A:14:LEU:O	1:A:18:ILE:HG13	1.97	0.65
1:A:100:HIS:HD2	1:A:111:HIS:H	1.45	0.64
1:B:124:GLN:HE21	1:B:124:GLN:H	1.45	0.64
1:A:155:LEU:HD12	1:A:159:PRO:HA	1.80	0.63
1:D:146:LEU:HD11	1:D:185:LEU:CD1	2.29	0.63
1:A:44:PHE:CD2	1:A:45:GLY:N	2.67	0.63
1:B:238:ARG:HG3	1:B:241:ARG:HG3	1.79	0.62
1:D:111:HIS:HD2	1:D:143:SER:OG	1.82	0.62
1:C:68:PRO:HA	1:C:71:ARG:HD3	1.81	0.61
1:B:64:ALA:O	1:B:65:TRP:C	2.43	0.61
1:D:85:HIS:CD2	1:D:100:HIS:HB2	2.35	0.61
1:A:71:ARG:NH1	1:A:71:ARG:HG3	2.15	0.61
1:A:212:ARG:HH12	1:A:231:GLU:HB2	1.65	0.60
1:A:71:ARG:HG3	1:A:71:ARG:HH11	1.65	0.60
1:A:83:LEU:C	1:A:110:MSE:HE1	2.27	0.60
1:D:229:THR:O	1:D:229:THR:HG22	2.02	0.59
1:B:100:HIS:HB3	1:B:101:PRO:HA	1.85	0.58
1:B:17:VAL:O	1:B:17:VAL:CG2	2.43	0.57
1:A:123:LYS:HE2	1:A:127:MSE:HE3	1.87	0.57
1:A:123:LYS:HE2	1:A:127:MSE:HE1	1.86	0.56
1:D:124:GLN:HE21	1:D:124:GLN:N	1.98	0.56
1:A:83:LEU:CB	1:A:110:MSE:HE2	2.18	0.56
1:C:146:LEU:HD12	1:C:170:LEU:CD1	2.35	0.55
1:C:82:PHE:C	1:C:83:LEU:HD12	2.32	0.55
1:A:44:PHE:CD1	1:A:64:ALA:HB2	2.42	0.55
1:C:198:ALA:HB2	1:C:242:MSE:HE2	1.88	0.55
1:B:211:TYR:OH	1:B:252:GLU:OE2	2.23	0.54
1:B:123:LYS:NZ	1:C:129:ILE:O	2.30	0.54
1:A:100:HIS:CD2	1:A:111:HIS:H	2.24	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:2:CYS:HA	1:C:112:ASN:ND2	2.23	0.54
1:D:242:MSE:HE3	1:D:255:PHE:CD1	2.42	0.54
1:A:179:THR:HG22	1:A:180:THR:N	2.21	0.53
1:C:109:PHE:CZ	1:C:146:LEU:HD23	2.44	0.53
1:C:109:PHE:HZ	1:C:146:LEU:HD23	1.72	0.53
1:D:124:GLN:H	1:D:124:GLN:NE2	1.99	0.53
1:B:59:ARG:NH1	1:B:99:CYS:O	2.40	0.53
1:C:63:PRO:O	1:C:66:SER:HB3	2.09	0.52
1:D:18:ILE:HG22	1:D:18:ILE:O	2.08	0.52
1:C:62:TYR:CB	1:C:63:PRO:HD2	2.37	0.52
1:A:123:LYS:HG2	1:A:127:MSE:HE2	1.90	0.52
1:B:146:LEU:CD1	1:B:170:LEU:HD12	2.32	0.52
1:D:171:GLU:OE2	1:D:175:ARG:NH2	2.41	0.52
1:D:198:ALA:HB2	1:D:242:MSE:HE2	1.91	0.51
1:D:229:THR:O	1:D:229:THR:CG2	2.57	0.51
1:C:18:ILE:O	1:C:18:ILE:HG22	2.09	0.51
1:D:155:LEU:HD12	1:D:159:PRO:HA	1.92	0.51
1:A:83:LEU:HD23	1:A:110:MSE:CE	2.41	0.51
1:C:17:VAL:HG22	1:C:217:ARG:NH1	2.25	0.51
1:B:17:VAL:HG22	1:B:82:PHE:CE1	2.46	0.50
1:B:186:SER:HB2	1:B:209:VAL:CG2	2.40	0.50
1:D:50:ASP:HB3	2:D:280:HOH:O	2.11	0.50
1:C:97:ASN:ND2	1:C:98:ASN:H	2.09	0.49
1:B:110:MSE:HE2	1:B:188:ALA:HB3	1.94	0.49
1:A:171:GLU:OE2	1:A:175:ARG:NH2	2.44	0.49
1:D:227:LEU:HD12	1:D:228:GLU:H	1.77	0.49
1:A:83:LEU:HD23	1:A:110:MSE:HE2	1.95	0.48
1:C:100:HIS:HB3	1:C:101:PRO:HA	1.95	0.48
1:C:85:HIS:HB2	1:C:110:MSE:SE	2.63	0.48
1:C:256:ALA:O	1:C:257:PRO:C	2.56	0.48
1:A:196:TYR:CD2	1:A:242:MSE:HE3	2.49	0.48
1:B:3:ARG:O	1:B:86:VAL:N	2.47	0.48
1:B:160:HIS:HB2	1:B:253:ARG:NH1	2.29	0.47
1:C:2:CYS:HA	1:C:112:ASN:HD21	1.79	0.47
1:D:169:ARG:CG	1:D:169:ARG:NH1	2.45	0.47
1:B:160:HIS:HD2	1:B:253:ARG:HD3	1.77	0.47
1:B:184:ARG:HD3	1:B:205:ILE:O	2.14	0.47
1:D:100:HIS:CD2	1:D:111:HIS:H	2.32	0.47
1:A:71:ARG:HH11	1:A:71:ARG:CG	2.28	0.47
1:B:75:HIS:CD2	1:D:52:ARG:HE	2.32	0.47
1:C:175:ARG:HH11	1:C:175:ARG:HG2	1.80	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:63:PRO:HG2	1:D:66:SER:OG	2.15	0.47
1:B:85:HIS:HB2	1:B:110:MSE:SE	2.65	0.46
1:C:100:HIS:HD2	1:C:111:HIS:H	1.62	0.46
1:A:67:ASP:C	1:A:67:ASP:OD1	2.59	0.46
1:A:83:LEU:CG	1:A:110:MSE:CE	2.93	0.46
1:C:111:HIS:CD2	1:C:143:SER:OG	2.58	0.46
1:C:217:ARG:O	1:C:218:GLN:HB2	2.16	0.46
1:A:123:LYS:HG2	1:A:127:MSE:CE	2.46	0.46
1:B:47:ALA:HA	1:B:56:GLY:O	2.15	0.45
1:B:62:TYR:O	1:B:63:PRO:C	2.60	0.45
1:D:3:ARG:HA	1:D:224:SER:OG	2.16	0.45
1:A:118:PHE:CE2	1:A:122:ARG:HG3	2.52	0.45
1:D:63:PRO:O	1:D:64:ALA:C	2.59	0.45
1:C:198:ALA:HB2	1:C:242:MSE:CE	2.45	0.44
1:B:100:HIS:N	1:B:100:HIS:ND1	2.65	0.44
1:A:3:ARG:HA	1:A:224:SER:OG	2.18	0.44
1:B:163:LEU:HD23	1:B:242:MSE:CE	2.46	0.44
1:B:163:LEU:HD23	1:B:242:MSE:HE1	2.00	0.44
1:D:63:PRO:O	1:D:65:TRP:N	2.51	0.44
1:D:98:ASN:HD21	1:D:140:SER:H	1.65	0.43
1:B:109:PHE:CD1	1:B:147:PHE:HB2	2.54	0.43
1:B:198:ALA:HB2	1:B:242:MSE:HE3	1.99	0.43
1:C:14:LEU:O	1:C:18:ILE:HD13	2.19	0.43
1:D:200:TYR:CE1	1:D:257:PRO:HD3	2.54	0.43
1:C:65:TRP:O	1:C:71:ARG:NH1	2.51	0.42
1:C:123:LYS:O	1:C:127:MSE:HG2	2.19	0.42
1:A:85:HIS:CD2	1:A:100:HIS:HB2	2.54	0.42
1:D:145:VAL:HG12	1:D:149:LEU:HG	2.02	0.42
1:A:200:TYR:CZ	1:A:257:PRO:HG3	2.54	0.42
1:B:107:TRP:CZ2	1:B:191:ASP:HB3	2.55	0.42
1:B:198:ALA:HB2	1:B:242:MSE:CE	2.49	0.42
1:C:76:HIS:HD2	2:C:283:HOH:O	2.01	0.42
1:C:97:ASN:CG	1:C:98:ASN:N	2.77	0.42
1:B:256:ALA:O	1:B:257:PRO:C	2.62	0.42
1:A:134:TYR:OH	1:D:126:ASP:OD2	2.35	0.42
1:D:78:ARG:HE	1:D:78:ARG:HB2	1.59	0.42
1:D:107:TRP:CZ2	1:D:191:ASP:HB3	2.55	0.41
1:A:256:ALA:HA	1:A:257:PRO:HD2	1.77	0.41
1:B:170:LEU:HD23	1:B:170:LEU:HA	1.93	0.41
1:D:100:HIS:HD2	1:D:111:HIS:H	1.67	0.41
1:A:125:ALA:HB1	1:A:145:VAL:HG11	2.02	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:17:VAL:HG12	1:D:18:ILE:N	2.35	0.40
1:B:100:HIS:HD2	1:B:111:HIS:H	1.68	0.40
1:B:109:PHE:HZ	1:B:146:LEU:HD23	1.86	0.40
1:D:58:TYR:C	1:D:58:TYR:CD1	2.98	0.40
1:D:100:HIS:HB3	1:D:101:PRO:HA	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	210/274 (77%)	207 (99%)	3 (1%)	0	100	100
1	B	206/274 (75%)	197 (96%)	8 (4%)	1 (0%)	24	22
1	C	208/274 (76%)	199 (96%)	8 (4%)	1 (0%)	24	22
1	D	217/274 (79%)	210 (97%)	6 (3%)	1 (0%)	24	22
All	All	841/1096 (77%)	813 (97%)	25 (3%)	3 (0%)	30	28

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	63	PRO
1	D	64	ALA
1	C	64	ALA

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	166/207 (80%)	162 (98%)	4 (2%)	43	49
1	B	162/207 (78%)	153 (94%)	9 (6%)	19	18
1	C	164/207 (79%)	157 (96%)	7 (4%)	26	27
1	D	167/207 (81%)	160 (96%)	7 (4%)	26	28
All	All	659/828 (80%)	632 (96%)	27 (4%)	27	29

All (27) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	66	SER
1	A	214	SER
1	A	238	ARG
1	A	253	ARG
1	B	17	VAL
1	B	100	HIS
1	B	106	ARG
1	B	124	GLN
1	B	149	LEU
1	B	175	ARG
1	B	180	THR
1	B	212	ARG
1	B	253	ARG
1	C	10	THR
1	C	71	ARG
1	C	100	HIS
1	C	146	LEU
1	C	180	THR
1	C	225	GLU
1	C	245	ILE
1	D	17	VAL
1	D	124	GLN
1	D	146	LEU
1	D	149	LEU
1	D	169	ARG
1	D	227	LEU
1	D	253	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (22) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	76	HIS
1	A	85	HIS
1	A	111	HIS
1	A	112	ASN
1	A	157	HIS
1	B	76	HIS
1	B	111	HIS
1	B	112	ASN
1	B	124	GLN
1	B	157	HIS
1	B	215	HIS
1	C	76	HIS
1	C	111	HIS
1	C	112	ASN
1	C	157	HIS
1	D	76	HIS
1	D	85	HIS
1	D	98	ASN
1	D	111	HIS
1	D	112	ASN
1	D	114	GLN
1	D	124	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	214/274 (78%)	0.10	7 (3%) 49 51	19, 29, 49, 56	0
1	B	210/274 (76%)	0.71	21 (10%) 12 13	19, 29, 47, 55	0
1	C	212/274 (77%)	0.20	12 (5%) 29 31	18, 29, 47, 58	0
1	D	219/274 (79%)	0.19	11 (5%) 34 36	19, 28, 51, 57	0
All	All	855/1096 (78%)	0.30	51 (5%) 27 29	18, 29, 49, 58	0

All (51) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	65	TRP	5.0
1	C	42	ASP	4.3
1	B	43	GLY	4.1
1	B	86	VAL	3.9
1	D	228	GLU	3.8
1	B	2	CYS	3.7
1	C	160	HIS	3.7
1	B	44	PHE	3.4
1	A	230	ASP	3.4
1	C	86	VAL	3.3
1	A	65	TRP	3.3
1	B	13	PHE	3.1
1	D	86	VAL	3.1
1	B	216	ALA	3.0
1	B	85	HIS	3.0
1	B	98	ASN	3.0
1	B	9	GLY	3.0
1	D	85	HIS	3.0
1	A	44	PHE	3.0
1	D	227	LEU	2.9
1	C	65	TRP	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	66	SER	2.9
1	C	2	CYS	2.8
1	C	43	GLY	2.7
1	C	66	SER	2.6
1	C	98	ASN	2.6
1	B	176	ALA	2.6
1	B	97	ASN	2.5
1	D	98	ASN	2.5
1	D	97	ASN	2.4
1	B	64	ALA	2.3
1	C	226	PRO	2.3
1	D	99	CYS	2.3
1	A	85	HIS	2.3
1	B	16	ASP	2.3
1	B	173	LEU	2.3
1	B	160	HIS	2.2
1	D	157	HIS	2.2
1	C	44	PHE	2.2
1	D	230	ASP	2.2
1	D	62	TYR	2.2
1	B	123	LYS	2.2
1	D	229	THR	2.1
1	A	86	VAL	2.1
1	B	246	GLY	2.1
1	A	227	LEU	2.1
1	B	180	THR	2.0
1	C	63	PRO	2.0
1	C	62	TYR	2.0
1	B	117	GLY	2.0
1	B	62	TYR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.