



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 04:52 PM UTC

PDB ID : 1MGV / pdb_00001mgv
Title : Crystal Structure of the R391A Mutant of 7,8-Diaminopelargonic Acid Synthase
Authors : Eliot, A.C.; Sandmark, J.; Schneider, G.; Kirsch, J.F.
Deposited on : 2002-08-16
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6658 (2.10-2.10)
Clashscore	190562	7164 (2.10-2.10)
Ramachandran outliers	187476	7099 (2.10-2.10)
Sidechain outliers	187428	7100 (2.10-2.10)
RSRZ outliers	180081	6662 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	429	6% 70% 25% .
1	B	429	4% 76% 22% .

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 7021 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 7,8-diamino-pelargonic acid aminotransferase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	428	Total	C	N	O	S	26	5	0
			3321	2112	574	602	33			
1	B	428	Total	C	N	O	S	19	3	0
			3310	2106	573	599	32			


There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	14	LEU	TRP	SEE REMARK 999	UNP P12995
A	391	ALA	ARG	engineered mutation	UNP P12995
B	14	LEU	TRP	SEE REMARK 999	UNP P12995
B	391	ALA	ARG	engineered mutation	UNP P12995

- Molecule 2 is SODIUM ION (CCD ID: NA) (formula: Na).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Na	0	0
			1	1		
2	B	1	Total	Na	0	0
			1	1		

- Molecule 3 is PYRIDOXAL-5'-PHOSPHATE (CCD ID: PLP) (formula: C₈H₁₀NO₆P).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			15	8	1	5	1		
3	B	1	Total	C	N	O	P	0	0
			15	8	1	5	1		

- Molecule 4 is ISOPROPYL ALCOHOL (CCD ID: IPA) (formula: C_3H_8O).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			4	3	1		
4	B	1	Total	C	O	0	0
			4	3	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	B	1	Total	C	O	0	0
			4	3	1		
4	B	1	Total	C	O	0	0
			4	3	1		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	169	Total	O	0	0
			169	169		
5	B	173	Total	O	0	0
			173	173		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: 7,8-diamino-pelargonic acid aminotransferase



- Molecule 1: 7,8-diamino-pelargonic acid aminotransferase



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	127.88Å 55.90Å 116.24Å 90.00° 110.06° 90.00°	Depositor
Resolution (Å)	20.08 – 2.10 20.08 – 2.10	Depositor EDS
% Data completeness (in resolution range)	(Not available) (20.08-2.10) 99.1 (20.08-2.10)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.07	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.31 (at 2.09Å)	Xtriage
Refinement program	REFMAC 5.0	Depositor
R, R_{free}	0.201 , 0.233 0.209 , 0.233	Depositor DCC
R_{free} test set	2269 reflections (5.04%)	wwPDB-VP
Wilson B-factor (Å ²)	30.9	Xtriage
Anisotropy	0.083	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 38.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	7021	wwPDB-VP
Average B, all atoms (Å ²)	35.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 15.39% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: IPA, PLP, NA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.78	2/3427 (0.1%)	0.99	6/4653 (0.1%)
1	B	0.84	5/3403 (0.1%)	1.01	4/4621 (0.1%)
All	All	0.81	7/6830 (0.1%)	1.00	10/9274 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	2

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	152	MET	SD-CE	-7.64	1.60	1.79
1	B	140[A]	PHE	CA-CB	-7.52	1.41	1.53
1	B	140[B]	PHE	CA-CB	-7.52	1.41	1.53
1	B	220	MET	SD-CE	-7.26	1.61	1.79
1	B	152	MET	SD-CE	-5.97	1.64	1.79
1	A	68	MET	SD-CE	-5.49	1.65	1.79
1	B	12	HIS	CA-C	5.08	1.59	1.52

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	54	ALA	N-CA-C	7.95	120.03	111.36
1	A	184	GLY	N-CA-C	6.48	120.77	111.12
1	B	305	MET	CB-CG-SD	6.23	131.40	112.70
1	B	13	ILE	N-CA-C	5.96	116.19	107.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	54	ALA	N-CA-C	5.78	117.66	111.36
1	A	211	GLU	N-CA-C	-5.51	102.84	109.72
1	B	376	MET	N-CA-C	5.42	116.88	110.97
1	A	106	VAL	N-CA-C	5.29	115.47	107.80
1	A	3	THR	N-CA-C	-5.16	105.84	111.82
1	A	427	PHE	N-CA-C	5.10	117.43	109.52

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	140[A]	PHE	Sidechain
1	B	140[B]	PHE	Sidechain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3321	0	3279	136	3
1	B	3310	0	3257	96	3
2	A	1	0	0	0	0
2	B	1	0	0	0	0
3	A	15	0	6	0	0
3	B	15	0	6	1	0
4	A	4	0	8	0	0
4	B	12	0	24	3	0
5	A	169	0	0	11	1
5	B	173	0	0	12	0
All	All	7021	0	6580	213	5

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 16.

All (213) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:53[A]:TRP:CE3	1:A:400[A]:MET:CE	1.83	1.57
1:A:53[A]:TRP:CZ3	1:A:400[A]:MET:HE1	1.44	1.48
1:A:53[A]:TRP:CE3	1:A:400[A]:MET:HE1	1.49	1.32
1:A:53[A]:TRP:CZ3	1:A:400[A]:MET:CE	2.08	1.28
1:A:53[A]:TRP:CE3	1:A:400[A]:MET:HE3	1.58	1.20
1:A:128:GLN:HE21	1:B:164:LEU:HD22	1.09	1.15
1:A:24:LEU:H	1:A:24:LEU:CD1	1.70	1.04
1:A:53[A]:TRP:CH2	1:A:400[A]:MET:HE1	1.96	1.00
1:B:190:ASP:OD1	5:B:786:HOH:O	1.79	0.97
1:A:53[A]:TRP:CD2	1:A:400[A]:MET:HE1	2.02	0.95
1:A:62:PRO:O	5:A:775:HOH:O	1.85	0.94
1:B:156:ASP:HB3	1:B:159:ASN:HB2	1.48	0.94
1:A:53[A]:TRP:CD2	1:A:400[A]:MET:CE	2.51	0.93
1:B:149[B]:PHE:CD1	1:B:169:LEU:HD23	2.07	0.90
1:A:125:GLN:HG2	1:A:128:GLN:NE2	1.89	0.88
1:A:128:GLN:HE21	1:B:164:LEU:CD2	1.88	0.87
1:B:226:GLU:OE2	1:B:230:ARG:NH1	2.09	0.86
1:A:24:LEU:H	1:A:24:LEU:HD13	1.38	0.86
1:A:130[B]:LYS:HE2	1:A:295:THR:CG2	2.07	0.85
1:A:53[A]:TRP:CZ3	1:A:400[A]:MET:HE2	2.14	0.82
1:A:128:GLN:NE2	1:B:164:LEU:HD22	1.92	0.82
1:B:149[B]:PHE:HD1	1:B:169:LEU:HD23	1.45	0.81
1:A:53[A]:TRP:HE3	1:A:400[A]:MET:HE3	1.44	0.80
1:B:381:LYS:NZ	1:B:385:GLU:OE2	2.13	0.79
1:A:53[A]:TRP:HH2	1:A:398:TYR:OH	1.65	0.79
1:A:130[B]:LYS:HE2	1:A:295:THR:HG23	1.65	0.78
1:A:21:THR:C	1:A:23:PRO:HD3	2.09	0.78
1:B:149[B]:PHE:HD1	1:B:169:LEU:CD2	1.96	0.78
1:A:163:SER:HA	1:A:166:LYS:HG2	1.67	0.77
1:A:24:LEU:H	1:A:24:LEU:HD12	1.48	0.77
1:A:17[B]:TYR:OH	1:A:147:ASP:OD2	2.03	0.76
1:B:142:ASN:HD22	1:B:177:ALA:HB2	1.50	0.75
5:A:857:HOH:O	1:B:303:CYS:SG	2.44	0.75
1:A:290:ARG:NH2	1:B:11:ARG:O	2.20	0.74
1:B:125:GLN:HE22	1:B:305:MET:H	1.36	0.74
1:A:17[A]:TYR:OH	1:A:147:ASP:OD1	2.07	0.73
1:A:198:MET:HG2	1:A:234:ILE:HD11	1.69	0.73
1:B:149[B]:PHE:HE1	1:B:170:PRO:HD2	1.53	0.73
1:A:372:HIS:NE2	5:A:867:HOH:O	2.22	0.72
1:A:186:TRP:HE1	1:A:188:GLU:HG2	1.54	0.72
1:A:125:GLN:HE22	1:A:305:MET:H	1.37	0.72
1:A:24:LEU:HD13	1:A:24:LEU:N	2.05	0.72

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:423:ASP:OD1	1:B:425:THR:OG1	2.06	0.72
1:B:376:MET:HG3	5:B:857:HOH:O	1.90	0.71
1:A:90:GLU:OE2	1:A:94:LYS:NZ	2.23	0.71
1:B:332:TRP:HA	1:B:335:GLN:HE21	1.57	0.70
1:B:145:HIS:HE1	5:B:724:HOH:O	1.73	0.70
1:B:376:MET:HE2	5:B:857:HOH:O	1.93	0.69
1:B:152:MET:SD	5:B:846:HOH:O	2.51	0.69
1:B:149[B]:PHE:CD1	1:B:169:LEU:CD2	2.75	0.66
1:A:198:MET:HE3	1:A:234:ILE:CD1	2.26	0.66
1:B:77:HIS:HA	1:B:314:PRO:HD2	1.78	0.65
1:B:393:PHE:CD2	5:B:836:HOH:O	2.49	0.65
1:B:101:GLN:HB3	1:B:102:PRO:HD3	1.79	0.65
1:B:348:ALA:HB3	1:B:349:PRO:HD3	1.77	0.65
1:A:130[B]:LYS:HE2	1:A:295:THR:HG21	1.79	0.64
1:B:149[B]:PHE:CE1	1:B:170:PRO:HD2	2.33	0.64
1:B:427:PHE:O	1:B:428:CYS:HB2	1.97	0.64
1:A:231:ILE:O	1:A:234:ILE:HG22	1.97	0.64
1:A:302:GLY:O	1:B:19:SER:HB2	1.97	0.64
1:A:381:LYS:HD3	5:A:807:HOH:O	1.97	0.64
1:B:261:GLU:OE2	5:B:830:HOH:O	2.15	0.63
1:A:22:SER:N	1:A:23:PRO:HD3	2.14	0.63
1:A:340:GLU:OE2	1:A:344:ARG:NH1	2.32	0.63
4:B:631:IPA:H12	4:B:632:IPA:C3	2.28	0.63
1:B:346:GLN:NE2	1:B:414:THR:OG1	2.32	0.63
1:A:372:HIS:CE1	5:A:867:HOH:O	2.52	0.63
1:B:91:LEU:HA	1:B:321:ASN:HD21	1.63	0.62
1:A:149:PHE:HB3	1:B:149[B]:PHE:CE2	2.35	0.62
1:A:161:MET:HG3	1:B:305:MET:HE2	1.82	0.62
1:B:149[B]:PHE:CE1	1:B:169:LEU:HD23	2.35	0.62
1:B:145:HIS:HD2	1:B:245:ASP:OD2	1.83	0.62
1:B:354:GLU:HG2	1:B:355:MET:N	2.15	0.62
1:A:163:SER:HA	1:A:166:LYS:CG	2.32	0.60
1:B:423:ASP:CG	1:B:425:THR:HG1	2.08	0.60
1:A:24:LEU:CD1	1:A:24:LEU:N	2.44	0.60
4:B:631:IPA:H12	4:B:632:IPA:H2	1.84	0.60
1:B:140[B]:PHE:CE1	1:B:210:ILE:HB	2.37	0.59
1:B:201:HIS:HD2	1:B:204:GLU:OE2	1.85	0.59
1:A:149:PHE:HB3	1:B:149[B]:PHE:CD2	2.37	0.59
1:B:140[B]:PHE:HZ	1:B:223:TYR:HH	1.50	0.58
1:A:53[A]:TRP:CD2	1:A:400[A]:MET:HE3	2.23	0.58
1:B:274:LYS:NZ	3:B:700:PLP:O3	2.37	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:198:MET:CG	1:A:234:ILE:HD11	2.33	0.58
1:A:53[A]:TRP:CE2	1:A:400[A]:MET:HE1	2.38	0.58
1:B:91:LEU:CA	1:B:321:ASN:HD21	2.17	0.57
1:A:198:MET:SD	1:A:234:ILE:HD11	2.43	0.57
1:A:41:ASP:OD2	1:A:43:ARG:NH1	2.37	0.57
1:A:17[B]:TYR:CE2	1:B:307:GLY:HA3	2.40	0.57
1:A:117:GLU:OE1	1:B:149[A]:PHE:HD2	1.88	0.57
1:A:298:ASN:O	1:A:298:ASN:OD1	2.24	0.56
1:A:234:ILE:C	1:A:234:ILE:HD13	2.31	0.56
1:A:85:HIS:HE1	5:A:759:HOH:O	1.89	0.55
1:A:102:PRO:O	1:A:289:THR:HA	2.07	0.55
1:A:348:ALA:HB3	1:A:349:PRO:HD3	1.88	0.55
1:A:53[A]:TRP:CH2	1:A:398:TYR:CE2	2.94	0.55
1:A:100:PRO:HD3	5:A:815:HOH:O	2.06	0.54
1:A:53[A]:TRP:CZ2	1:A:400[A]:MET:HE1	2.41	0.54
1:A:201:HIS:ND1	1:A:204:GLU:OE1	2.35	0.54
1:A:372:HIS:CD2	5:A:867:HOH:O	2.59	0.54
1:A:53[A]:TRP:HH2	1:A:398:TYR:CZ	2.26	0.53
1:B:142:ASN:HD22	1:B:177:ALA:CB	2.19	0.53
1:B:393:PHE:CE2	5:B:836:HOH:O	2.61	0.53
1:B:312:GLY:O	1:B:313:ASN:C	2.52	0.53
1:B:53:TRP:CZ2	1:B:400:MET:HE1	2.43	0.53
1:B:85:HIS:CE1	1:B:88:ALA:HB2	2.44	0.52
1:A:198:MET:HE3	1:A:234:ILE:HD12	1.90	0.52
1:A:163:SER:CA	1:A:166:LYS:HG2	2.37	0.52
1:A:165:TRP:CH2	1:B:125:GLN:HG3	2.44	0.52
1:A:86:ALA:HB3	1:A:87:PRO:HD3	1.92	0.51
1:A:22:SER:N	1:A:23:PRO:CD	2.74	0.51
1:A:157:PRO:HD3	1:A:174:PHE:CE2	2.46	0.50
1:B:346:GLN:HE22	1:B:411:GLN:HA	1.76	0.50
1:A:53[A]:TRP:CH2	1:A:398:TYR:OH	2.46	0.50
1:A:125:GLN:HG2	1:A:128:GLN:HE22	1.70	0.50
1:A:231:ILE:HA	1:A:234:ILE:HG22	1.94	0.50
1:B:342:GLN:NE2	5:B:823:HOH:O	2.44	0.50
1:A:41:ASP:OD2	1:A:43:ARG:HD3	2.12	0.50
4:B:631:IPA:H12	4:B:632:IPA:C2	2.41	0.49
1:A:152:MET:HE1	1:A:165:TRP:CE2	2.47	0.49
1:B:393:PHE:CZ	1:B:396:LEU:HD12	2.48	0.49
1:A:198:MET:HE3	1:A:234:ILE:HD11	1.95	0.49
1:B:313:ASN:ND2	1:B:316:ALA:H	2.10	0.49
1:A:198:MET:HG2	1:A:234:ILE:CD1	2.40	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:376:MET:CG	5:B:857:HOH:O	2.57	0.49
1:A:231:ILE:O	1:A:234:ILE:CG2	2.61	0.49
1:A:243:ILE:HG12	1:A:269:ILE:HB	1.95	0.48
1:B:340:GLU:O	1:B:344:ARG:HG3	2.14	0.48
1:A:156:ASP:HB3	1:A:159:ASN:HB2	1.96	0.48
1:A:128:GLN:NE2	1:B:164:LEU:CD2	2.63	0.48
1:B:2:THR:O	1:B:5:ASP:HB2	2.14	0.48
1:A:53[A]:TRP:CZ3	1:A:398:TYR:HE2	2.32	0.47
1:B:148:THR:O	1:B:152:MET:HG3	2.13	0.47
1:A:77:HIS:HA	1:A:314:PRO:HD2	1.96	0.47
1:B:20:MET:O	1:B:23:PRO:HD3	2.14	0.47
1:A:24:LEU:HD13	1:A:24:LEU:O	2.15	0.47
1:A:43:ARG:HH21	1:A:384:VAL:HG12	1.80	0.47
1:B:53:TRP:CE2	1:B:400:MET:HE1	2.50	0.47
1:A:157:PRO:HA	1:A:162:HIS:CG	2.50	0.47
1:B:1:MET:HE2	1:B:1:MET:HB3	1.66	0.46
1:A:43:ARG:HH21	1:A:384:VAL:CG1	2.29	0.46
1:A:303:CYS:HB2	1:B:18:THR:C	2.41	0.46
1:A:24:LEU:C	1:A:24:LEU:HD22	2.41	0.46
1:A:263:ALA:O	1:A:265:ILE:HG23	2.15	0.46
1:A:400[A]:MET:HE2	1:A:400[A]:MET:HB2	1.88	0.46
1:A:68:MET:HE1	1:B:76:SER:OG	2.16	0.46
1:A:17[A]:TYR:OH	1:A:147:ASP:CG	2.59	0.46
1:A:125:GLN:HA	1:A:128:GLN:HB3	1.97	0.46
1:A:185:GLU:OE1	1:A:186:TRP:N	2.49	0.46
1:A:261:GLU:O	1:A:263:ALA:N	2.49	0.45
1:A:313:ASN:ND2	1:A:316:ALA:H	2.14	0.45
1:B:140[B]:PHE:CZ	1:B:223:TYR:CZ	3.04	0.45
1:A:72:ILE:HG13	1:A:315:LEU:HD13	1.99	0.45
1:B:127:TRP:CD2	1:B:134:ARG:HD2	2.51	0.45
1:A:53[A]:TRP:CH2	1:A:398:TYR:CZ	3.05	0.45
1:A:93:ARG:HA	1:B:8:PHE:CZ	2.51	0.45
1:B:201:HIS:CD2	1:B:204:GLU:OE2	2.68	0.45
1:A:261:GLU:C	1:A:263:ALA:N	2.72	0.45
1:B:140[A]:PHE:CZ	1:B:231:ILE:HD11	2.52	0.45
1:B:140[B]:PHE:CE1	1:B:223:TYR:OH	2.68	0.45
1:A:117:GLU:OE1	1:B:149[A]:PHE:CD2	2.69	0.44
1:A:127:TRP:CD2	1:A:134:ARG:HD2	2.53	0.44
1:A:11:ARG:HG3	5:A:771:HOH:O	2.18	0.44
1:B:91:LEU:HA	1:B:321:ASN:ND2	2.29	0.44
1:A:379:LEU:HG	1:A:383:PHE:CE2	2.52	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:210:ILE:CG2	5:B:779:HOH:O	2.65	0.43
1:A:224:HIS:ND1	1:A:225:PRO:HD2	2.33	0.43
1:A:43:ARG:NH2	1:A:384:VAL:CG1	2.82	0.43
1:A:27:TYR:HA	1:A:28:PRO:HD3	1.89	0.43
1:A:297:SER:C	1:A:299:GLY:H	2.26	0.43
1:B:6:LEU:HD21	1:B:28:PRO:HG3	2.01	0.43
1:B:145:HIS:CE1	5:B:724:HOH:O	2.58	0.43
1:A:348:ALA:N	1:A:349:PRO:CD	2.82	0.42
1:A:424:GLU:O	1:A:425:THR:C	2.61	0.42
1:B:16:PRO:O	1:B:17:TYR:C	2.62	0.42
1:A:186:TRP:CE3	1:A:226:GLU:HB3	2.54	0.42
1:A:6:LEU:HB2	5:A:828:HOH:O	2.20	0.42
1:A:53[A]:TRP:CH2	1:A:398:TYR:HE2	2.37	0.42
1:A:261:GLU:O	1:A:262:HIS:C	2.61	0.42
1:B:41:ASP:OD1	1:B:43:ARG:HG3	2.19	0.42
1:B:53:TRP:HB2	1:B:274:LYS:HD3	2.01	0.42
1:A:306:HIS:CE1	1:B:147:ASP:HB3	2.55	0.42
1:A:147:ASP:HB3	1:B:306:HIS:CE1	2.55	0.42
1:A:18:THR:HG21	1:A:24:LEU:HD11	2.02	0.41
1:A:17[A]:TYR:HH	1:A:147:ASP:CG	2.26	0.41
1:A:141:ARG:HG3	1:A:175:ALA:O	2.21	0.41
1:A:231:ILE:C	1:A:234:ILE:HG22	2.44	0.41
1:A:13:ILE:HD11	1:B:89:ILE:HA	2.01	0.41
1:B:20:MET:C	1:B:23:PRO:HD3	2.45	0.41
1:B:273:GLY:O	1:B:274:LYS:C	2.63	0.41
1:A:152:MET:HE1	1:A:165:TRP:NE1	2.36	0.41
1:A:92:CYS:O	1:A:96:VAL:HG23	2.19	0.41
1:A:309:THR:OG1	1:B:274:LYS:HE3	2.21	0.41
1:A:274:LYS:HE3	1:B:309:THR:OG1	2.20	0.41
1:A:342:GLN:HE21	1:A:342:GLN:HB2	1.64	0.41
1:B:149[B]:PHE:CE1	1:B:170:PRO:CD	3.03	0.41
1:B:355:MET:HE2	1:B:427:PHE:CG	2.55	0.41
1:A:230:ARG:HA	1:A:233[B]:LYS:HE2	2.01	0.41
1:B:140[B]:PHE:CE1	1:B:223:TYR:CZ	3.09	0.41
1:A:383:PHE:CD2	1:A:390:ILE:HB	2.56	0.40
1:A:324:LEU:O	1:A:328:GLU:HG3	2.21	0.40
1:A:411:GLN:NE2	5:A:824:HOH:O	2.55	0.40
1:B:53:TRP:CH2	1:B:400:MET:HE1	2.57	0.40
1:A:263:ALA:O	1:A:264:GLU:C	2.63	0.40
1:A:290:ARG:NH2	1:B:11:ARG:HG3	2.36	0.40
1:B:22:SER:N	1:B:23:PRO:HD3	2.36	0.40

All (5) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:A:828:HOH:O	5:A:828:HOH:O[2_656]	1.66	0.54
1:A:351:ARG:O	1:A:408:GLN:NE2[4_646]	1.92	0.28
1:B:21:THR:O	1:B:21:THR:O[2_655]	2.10	0.10
1:A:333:GLN:OE1	1:B:237:ARG:NH1[3_555]	2.13	0.07
1:A:333:GLN:NE2	1:B:237:ARG:NH1[3_555]	2.15	0.05

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	431/429 (100%)	406 (94%)	22 (5%)	3 (1%)	18	15
1	B	429/429 (100%)	409 (95%)	17 (4%)	3 (1%)	18	15
All	All	860/858 (100%)	815 (95%)	39 (4%)	6 (1%)	18	15

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	274	LYS
1	B	274	LYS
1	A	262	HIS
1	A	307	GLY
1	B	25	PRO
1	B	307	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was

analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	348/344 (101%)	317 (91%)	31 (9%)	9	6
1	B	345/344 (100%)	330 (96%)	15 (4%)	26	27
All	All	693/688 (101%)	647 (93%)	46 (7%)	16	13

All (46) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	11	ARG
1	A	18	THR
1	A	24	LEU
1	A	40	SER
1	A	53[A]	TRP
1	A	53[B]	TRP
1	A	60	ASN
1	A	63	GLN
1	A	80	PHE
1	A	110	ASP
1	A	128	GLN
1	A	132	GLU
1	A	161	MET
1	A	179	GLN
1	A	182	MET
1	A	183	ASP
1	A	185	GLU
1	A	188	GLU
1	A	233[A]	LYS
1	A	233[B]	LYS
1	A	234	ILE
1	A	264	GLU
1	A	265	ILE
1	A	290	ARG
1	A	300	GLU
1	A	354	GLU
1	A	380	GLN
1	A	381	LYS
1	A	400[A]	MET
1	A	400[B]	MET
1	A	410	LEU
1	B	3	THR
1	B	22	SER
1	B	33	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	60	ASN
1	B	110	ASP
1	B	165	TRP
1	B	166	LYS
1	B	192	VAL
1	B	196	ARG
1	B	229	LYS
1	B	233	LYS
1	B	237	ARG
1	B	290	ARG
1	B	354	GLU
1	B	376	MET

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (25) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	63	GLN
1	A	125	GLN
1	A	128	GLN
1	A	135	GLN
1	A	142	ASN
1	A	262	HIS
1	A	298	ASN
1	A	333	GLN
1	A	334	GLN
1	A	335	GLN
1	A	380	GLN
1	A	418	ASN
1	B	125	GLN
1	B	142	ASN
1	B	145	HIS
1	B	201	HIS
1	B	262	HIS
1	B	313	ASN
1	B	321	ASN
1	B	334	GLN
1	B	335	GLN
1	B	342	GLN
1	B	346	GLN
1	B	380	GLN
1	B	418	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 8 ligands modelled in this entry, 2 are monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	IPA	B	630	-	3,3,3	0.56	0	3,3,3	0.29	0
4	IPA	B	631	-	3,3,3	0.49	0	3,3,3	0.33	0
4	IPA	B	632	-	3,3,3	0.55	0	3,3,3	0.24	0
4	IPA	A	530	-	3,3,3	0.57	0	3,3,3	0.22	0
3	PLP	A	700	1	15,15,16	1.98	3 (20%)	21,22,23	1.77	4 (19%)
3	PLP	B	700	1	15,15,16	1.91	2 (13%)	21,22,23	2.46	4 (19%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	PLP	B	700	1	-	3/6/6/8	0/1/1/1
3	PLP	A	700	1	-	0/6/6/8	0/1/1/1

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	700	PLP	O3-C3	-6.22	1.22	1.36
3	A	700	PLP	O3-C3	-5.51	1.24	1.36
3	A	700	PLP	C3-C2	-2.57	1.38	1.41
3	A	700	PLP	C2-N1	2.28	1.37	1.33
3	B	700	PLP	P-O2P	-2.03	1.47	1.54

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	700	PLP	O4P-C5A-C5	7.49	123.39	109.36
3	A	700	PLP	O4P-C5A-C5	5.46	119.58	109.36
3	B	700	PLP	O3P-P-O4P	-5.34	92.75	106.67
3	B	700	PLP	C6-C5-C4	3.11	120.65	118.10
3	B	700	PLP	C5A-C5-C6	-2.59	115.14	119.36
3	A	700	PLP	C5-C6-N1	-2.16	120.32	123.83
3	A	700	PLP	C4A-C4-C3	-2.12	116.99	120.52
3	A	700	PLP	C2A-C2-N1	2.10	121.60	117.64

There are no chirality outliers.

All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	B	700	PLP	C4-C5-C5A-O4P
3	B	700	PLP	C6-C5-C5A-O4P
3	B	700	PLP	C5A-O4P-P-O1P

There are no ring outliers.

3 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	B	631	IPA	3	0
4	B	632	IPA	3	0
3	B	700	PLP	1	0

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	428/429 (99%)	0.42	24 (5%) 30 32	17, 33, 59, 74	11 (2%)
1	B	428/429 (99%)	0.18	16 (3%) 45 47	18, 31, 50, 68	8 (1%)
All	All	856/858 (99%)	0.30	40 (4%) 36 38	17, 32, 55, 74	19 (2%)

All (40) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	133	ALA	4.1
1	A	133	ALA	3.8
1	A	299	GLY	3.7
1	B	162	HIS	3.5
1	A	183	ASP	3.4
1	A	166	LYS	2.8
1	B	20	MET	2.8
1	A	184	GLY	2.8
1	B	161	MET	2.8
1	A	264	GLU	2.8
1	B	428	CYS	2.8
1	A	128	GLN	2.6
1	A	234	ILE	2.6
1	A	97	ALA	2.6
1	B	163	SER	2.6
1	B	167	GLY	2.6
1	B	2	THR	2.6
1	A	233[A]	LYS	2.6
1	B	183	ASP	2.6
1	A	325	ALA	2.5
1	B	165	TRP	2.5
1	A	186	TRP	2.5
1	A	129	ALA	2.4
1	B	53	TRP	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	161	MET	2.4
1	B	21	THR	2.3
1	A	195	ALA	2.3
1	A	423	ASP	2.3
1	A	191	MET	2.3
1	A	185	GLU	2.2
1	B	424	GLU	2.2
1	A	298	ASN	2.2
1	A	177	ALA	2.2
1	A	192	VAL	2.2
1	B	160	SER	2.2
1	B	24	LEU	2.1
1	B	149[A]	PHE	2.1
1	A	180	SER	2.1
1	A	301	ALA	2.1
1	A	160	SER	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	IPA	B	632	4/4	0.61	0.14	54,54,54,54	0
4	IPA	A	530	4/4	0.64	0.18	55,55,55,55	0
4	IPA	B	631	4/4	0.74	0.13	62,62,62,63	0
4	IPA	B	630	4/4	0.74	0.17	57,57,57,58	0
2	NA	A	501	1/1	0.89	0.23	25,25,25,25	0
2	NA	B	502	1/1	0.93	0.18	13,13,13,13	0
3	PLP	A	700	15/16	0.97	0.06	22,23,29,29	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	PLP	B	700	15/16	0.97	0.05	16,20,25,25	0

6.5 Other polymers [i](#)

There are no such residues in this entry.