



Full wwPDB EM Validation Report ⓘ

Mar 25, 2026 – 09:54 PM UTC

PDB ID : 7MGE / pdb_00007mge
EMDB ID : EMD-23827
Title : Structure of C9orf72:SMCR8:WDR41 in complex with ARF1
Authors : Su, M.-Y.; Hurley, J.H.
Deposited on : 2021-04-12
Resolution : 3.94 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev132
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49



1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.94 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	7757 (3.44 - 4.43)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	459	10% 63% 12% 24%
2	B	937	6% 36% 11% 53%
3	C	481	12% 64% 11% 24%
4	E	166	35% 62% 37% .

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
6	BEF	E	201	-	-	X	-

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 9010 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called WD repeat-containing protein 41.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	349	Total	C	N	O	S	0	0
			2080	1288	386	399	7		

- Molecule 2 is a protein called Guanine nucleotide exchange protein SMCR8.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	B	442	Total	C	N	O	S	0	0
			3189	2041	551	581	16		

- Molecule 3 is a protein called Guanine nucleotide exchange C9orf72.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	C	365	Total	C	N	O	S	0	0
			2381	1524	411	438	8		


- Molecule 4 is a protein called ADP-ribosylation factor 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	E	166	Total	C	N	O	S	0	0
			1327	837	233	251	6		

There are 2 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
E	15	ALA	-	expression tag	UNP P84077
E	16	THR	-	expression tag	UNP P84077

- Molecule 5 is GUANOSINE-5'-DIPHOSPHATE (CCD ID: GDP) (formula: C₁₀H₁₅N₅O₁₁P₂).



Mol	Chain	Residues	Atoms					AltConf
5	E	1	Total	C	N	O	P	0
			28	10	5	11	2	

- Molecule 6 is BERYLLIUM TRIFLUORIDE ION (CCD ID: BEF) (formula: BeF₃).



Mol	Chain	Residues	Atoms			AltConf
6	E	1	Total	Be	F	0
			4	1	3	


- Molecule 7 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
7	E	1	Total	Mg	0
			1	1	


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: WD repeat-containing protein 41




• Molecule 2: Guanine nucleotide exchange protein SMCR8







• Molecule 4: ADP-ribosylation factor 1



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	796219	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	NONE	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	1.966	Depositor
Minimum map value	-0.002	Depositor
Average map value	0.002	Depositor
Map value standard deviation	0.036	Depositor
Recommended contour level	0.27	Depositor
Map size ($\text{\AA}$)	248.16, 248.16, 248.16	wwPDB
Map dimensions	264, 264, 264	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing ($\text{\AA}$)	0.94, 0.94, 0.94	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GDP, BEF, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.19	0/2104	0.42	0/2898
2	B	0.22	0/3249	0.57	8/4412 (0.2%)
3	C	0.37	2/2425 (0.1%)	0.51	2/3325 (0.1%)
4	E	0.15	0/1350	0.39	1/1829 (0.1%)
All	All	0.26	2/9128 (0.0%)	0.50	11/12464 (0.1%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	33	TRP	N-CA	6.38	1.54	1.46
3	C	31	ALA	N-CA	5.26	1.52	1.46

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	199	LEU	CA-C-N	-7.71	109.95	120.28
2	B	199	LEU	C-N-CA	-7.71	109.95	120.28
3	C	31	ALA	N-CA-C	7.45	120.54	108.76
3	C	29	THR	N-CA-C	7.39	117.73	108.19
2	B	199	LEU	N-CA-C	-6.64	104.04	111.28
2	B	251	LYS	CA-C-N	6.42	133.80	121.54
2	B	251	LYS	C-N-CA	6.42	133.80	121.54
4	E	129	ASP	CB-CA-C	-5.90	109.21	117.23
2	B	191	PHE	N-CA-C	-5.80	104.15	111.11
2	B	250	LEU	CA-C-N	-5.24	111.54	121.54
2	B	250	LEU	C-N-CA	-5.24	111.54	121.54

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2080	0	1392	37	0
2	B	3189	0	2841	74	0
3	C	2381	0	1995	46	0
4	E	1327	0	1306	48	0
5	E	28	0	12	4	0
6	E	4	0	0	2	0
7	E	1	0	0	0	0
All	All	9010	0	7546	202	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (202) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:189:LYS:O	2:B:192:ALA:HB3	1.14	1.25
2:B:189:LYS:O	2:B:192:ALA:CB	1.99	1.10
1:A:33:TYR:HA	1:A:432:LYS:O	1.55	1.06
3:C:173:ILE:H	3:C:174:PRO:HD2	1.37	0.89
3:C:33:TRP:HA	3:C:33:TRP:CE3	2.10	0.84
2:B:80:LYS:HG2	2:B:81:VAL:HG23	1.60	0.83
1:A:434:GLY:O	1:A:437:GLU:N	2.12	0.80
3:C:33:TRP:HA	3:C:33:TRP:HE3	1.46	0.79
2:B:330:TYR:HD1	2:B:333:GLN:HE22	1.31	0.77
2:B:714:ILE:O	2:B:716:GLN:N	2.19	0.75
2:B:738:GLU:HG3	2:B:739:ASP:H	1.50	0.75
2:B:62:GLU:O	4:E:73:LYS:NZ	2.19	0.73
4:E:111:LEU:HD13	4:E:151:ARG:HE	1.56	0.70
1:A:295:ASN:OD1	1:A:296:VAL:N	2.25	0.70
1:A:308:SER:N	1:A:313:ARG:O	2.24	0.69
3:C:408:LYS:NZ	3:C:437:LEU:O	2.26	0.68
2:B:250:LEU:O	2:B:251:LYS:C	2.32	0.68
2:B:732:THR:HB	2:B:807:THR:HG22	1.74	0.68
4:E:36:LYS:HZ1	4:E:42:ILE:HG12	1.60	0.67
2:B:159:SER:HB2	2:B:165:ILE:HD11	1.78	0.66

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:250:LEU:O	2:B:251:LYS:O	2.15	0.65
2:B:826:LEU:HD21	2:B:854:LEU:HD11	1.80	0.64
4:E:158:THR:HG22	4:E:165:GLY:HA3	1.80	0.64
4:E:57:GLU:HA	4:E:62:SER:HA	1.80	0.64
4:E:152:ASN:OD1	4:E:153:TRP:N	2.31	0.64
2:B:765:LYS:HB3	2:B:783:ILE:HG22	1.81	0.63
2:B:175:GLU:HB3	2:B:341:ILE:HG12	1.81	0.63
2:B:832:ASP:O	2:B:834:ARG:N	2.32	0.63
3:C:70:GLU:O	3:C:72:LEU:N	2.32	0.62
2:B:197:LYS:O	2:B:200:LYS:N	2.32	0.62
4:E:29:GLY:O	4:E:32:THR:OG1	2.13	0.62
2:B:343:HIS:HA	2:B:346:ARG:HH12	1.64	0.62
4:E:30:LYS:N	5:E:200:GDP:O3B	2.29	0.62
3:C:173:ILE:H	3:C:174:PRO:CD	2.09	0.62
2:B:735:VAL:HG12	2:B:810:LEU:HD23	1.81	0.61
4:E:71:GLN:HB2	4:E:74:ILE:HG12	1.80	0.61
4:E:38:LYS:HG3	4:E:39:LEU:HG	1.82	0.61
3:C:100:ASP:HA	3:C:109:THR:HA	1.81	0.61
2:B:197:LYS:O	2:B:201:ASP:N	2.33	0.60
3:C:33:TRP:CE3	3:C:33:TRP:CA	2.85	0.60
1:A:201:VAL:N	1:A:211:ASP:O	2.33	0.59
4:E:114:ASP:HA	4:E:117:ARG:HB2	1.84	0.58
1:A:51:GLN:OE1	1:A:52:LEU:N	2.36	0.58
3:C:204:THR:HG22	3:C:206:LEU:H	1.68	0.58
2:B:717:TYR:HD2	2:B:720:ALA:HB2	1.67	0.58
4:E:68:VAL:O	6:E:201:BEF:F1	2.12	0.58
2:B:813:ASP:OD1	2:B:814:ASN:N	2.35	0.58
2:B:857:LYS:HD3	2:B:892:LEU:HD12	1.84	0.58
1:A:44:ASP:OD1	1:A:45:ILE:N	2.36	0.58
1:A:436:ARG:HG3	1:A:436:ARG:O	2.03	0.57
2:B:835:THR:HG22	2:B:837:ILE:H	1.70	0.57
2:B:712:LYS:O	2:B:716:GLN:N	2.38	0.56
2:B:190:ALA:O	2:B:191:PHE:C	2.44	0.56
4:E:30:LYS:HG2	5:E:200:GDP:PB	2.45	0.56
2:B:360:ALA:HA	2:B:363:LYS:NZ	2.20	0.56
2:B:765:LYS:HB2	2:B:780:TRP:CD1	2.41	0.56
3:C:227:HIS:CD2	3:C:232:GLY:HA2	2.40	0.56
4:E:31:THR:OG1	6:E:201:BEF:F2	2.13	0.56
2:B:707:GLY:O	2:B:711:LEU:N	2.33	0.56
3:C:32:TYR:CE1	3:C:33:TRP:CZ3	2.93	0.55
4:E:98:GLU:O	4:E:99:ARG:HD3	2.06	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:32:TYR:O	3:C:33:TRP:CD2	2.59	0.55
1:A:406:SER:OG	1:A:425:ASP:OD1	2.18	0.55
1:A:105:LEU:HB3	1:A:119:ASP:HA	1.89	0.54
2:B:731:ARG:NH1	2:B:820:PRO:HD3	2.22	0.54
3:C:32:TYR:C	3:C:32:TYR:CD1	2.85	0.54
3:C:32:TYR:CD1	3:C:32:TYR:N	2.70	0.54
3:C:453:GLU:OE1	3:C:460:HIS:HB2	2.08	0.54
2:B:133:PHE:CE2	2:B:135:TYR:HB2	2.42	0.54
2:B:186:GLY:O	2:B:189:LYS:N	2.36	0.54
1:A:405:SER:HA	2:B:802:ARG:HH22	1.73	0.54
3:C:32:TYR:O	3:C:33:TRP:CE3	2.61	0.54
2:B:779:LYS:HE3	2:B:780:TRP:CH2	2.43	0.54
2:B:832:ASP:HB2	2:B:835:THR:OG1	2.08	0.53
1:A:78:LEU:HD23	1:A:79:GLU:N	2.23	0.53
3:C:205:VAL:HG21	3:C:220:LEU:HD11	1.91	0.53
2:B:732:THR:HG23	2:B:782:LEU:HA	1.90	0.52
1:A:49:LEU:HB2	1:A:410:MET:SD	2.50	0.52
2:B:756:SER:OG	2:B:757:TYR:N	2.43	0.52
4:E:174:SER:O	4:E:178:ARG:HG2	2.08	0.52
4:E:56:VAL:O	4:E:63:PHE:N	2.32	0.51
3:C:459:LEU:O	3:C:463:ILE:HG12	2.10	0.51
3:C:379:ALA:O	3:C:383:GLN:HG3	2.10	0.51
2:B:927:PHE:HE2	2:B:929:TYR:HE1	1.58	0.51
3:C:114:ILE:HD12	3:C:135:LEU:HD11	1.92	0.51
2:B:199:LEU:O	2:B:200:LYS:C	2.50	0.51
3:C:463:ILE:HG13	3:C:464:PHE:N	2.26	0.51
1:A:326:VAL:HA	1:A:341:SER:HA	1.92	0.51
2:B:62:GLU:CD	2:B:63:PHE:H	2.19	0.51
2:B:808:SER:HG	2:B:819:CYS:N	2.08	0.51
4:E:29:GLY:HA3	5:E:200:GDP:H8	1.76	0.51
1:A:87:ILE:HA	1:A:110:SER:HA	1.92	0.51
3:C:259:GLU:HG3	3:C:279:PHE:CD2	2.46	0.50
1:A:224:ASN:O	1:A:241:HIS:N	2.38	0.50
4:E:23:VAL:HG23	4:E:90:PHE:HD1	1.75	0.50
3:C:227:HIS:ND1	3:C:251:LEU:HD11	2.27	0.50
2:B:343:HIS:HA	2:B:346:ARG:NH1	2.26	0.50
1:A:240:SER:HB2	1:A:244:GLU:H	1.76	0.50
2:B:99:TYR:O	2:B:102:SER:OG	2.27	0.50
3:C:463:ILE:HG13	3:C:464:PHE:H	1.77	0.50
2:B:735:VAL:O	2:B:784:GLY:HA2	2.12	0.50
2:B:765:LYS:HB2	2:B:780:TRP:HD1	1.75	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:867:LEU:HD11	2:B:887:PHE:CG	2.47	0.49
4:E:93:ASP:OD1	4:E:94:SER:N	2.45	0.49
1:A:307:TYR:HA	1:A:314:VAL:HA	1.94	0.49
4:E:72:ASP:HA	4:E:75:ARG:HD3	1.95	0.49
4:E:98:GLU:C	4:E:99:ARG:HD3	2.38	0.49
2:B:147:ARG:NH1	5:E:200:GDP:O1A	2.45	0.49
1:A:332:LEU:N	1:A:336:GLN:O	2.43	0.49
1:A:404:HIS:NE2	1:A:422:CYS:SG	2.86	0.49
3:C:181:ILE:O	3:C:185:GLU:N	2.46	0.49
2:B:779:LYS:HE3	2:B:780:TRP:CZ2	2.48	0.48
4:E:173:LEU:HD12	4:E:177:LEU:HD13	1.94	0.48
2:B:714:ILE:HG12	2:B:831:ALA:HB1	1.96	0.48
2:B:802:ARG:HH21	2:B:803:TYR:HE1	1.62	0.48
1:A:110:SER:OG	1:A:111:ALA:N	2.47	0.48
2:B:332:THR:O	2:B:335:LEU:HG	2.13	0.48
3:C:210:ASP:OD2	3:C:212:GLY:N	2.33	0.48
3:C:263:SER:OG	3:C:264:ARG:N	2.47	0.48
4:E:72:ASP:OD1	4:E:73:LYS:HD3	2.14	0.47
4:E:33:ILE:HD11	4:E:126:ASN:HD22	1.80	0.47
2:B:778:GLN:HG3	2:B:923:PRO:HB3	1.96	0.47
1:A:149:LEU:HA	1:A:157:VAL:HA	1.96	0.47
2:B:738:GLU:HG3	2:B:739:ASP:N	2.25	0.47
4:E:70:GLY:HA2	4:E:78:TRP:HZ2	1.80	0.47
3:C:270:SER:HB3	3:C:272:PHE:HE1	1.80	0.47
3:C:415:TYR:HE2	3:C:433:LEU:HA	1.79	0.47
4:E:19:ARG:HB3	4:E:85:THR:HA	1.97	0.47
2:B:164:LYS:HA	2:B:349:LEU:HD22	1.95	0.47
1:A:33:TYR:CA	1:A:432:LYS:O	2.45	0.46
4:E:108:MET:HA	4:E:111:LEU:HG	1.97	0.46
4:E:21:LEU:HB2	4:E:85:THR:HG21	1.97	0.46
4:E:138:GLU:HA	4:E:141:ASP:HB2	1.97	0.46
1:A:155:LEU:H	1:A:168:THR:HG22	1.80	0.46
2:B:362:LEU:HD12	2:B:369:ASN:ND2	2.31	0.46
1:A:236:PHE:O	1:A:248:TRP:N	2.46	0.46
3:C:234:SER:O	3:C:280:VAL:HA	2.17	0.45
2:B:358:ASP:O	2:B:362:LEU:HD23	2.16	0.45
4:E:56:VAL:HG23	4:E:63:PHE:HB2	1.99	0.45
2:B:778:GLN:NE2	2:B:919:GLY:O	2.34	0.45
3:C:29:THR:HG22	3:C:44:ILE:H	1.55	0.45
3:C:101:GLY:HA2	3:C:107:ARG:NH2	2.31	0.45
4:E:36:LYS:NZ	4:E:42:ILE:HG12	2.30	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:308:SER:OG	1:A:313:ARG:N	2.42	0.44
3:C:259:GLU:HG3	3:C:279:PHE:HD2	1.81	0.44
2:B:919:GLY:HA2	2:B:923:PRO:HA	1.98	0.44
3:C:270:SER:OG	3:C:271:SER:N	2.50	0.44
2:B:917:SER:HB3	2:B:920:THR:OG1	2.17	0.44
4:E:16:THR:O	4:E:62:SER:N	2.47	0.44
2:B:215:ILE:O	2:B:219:ALA:N	2.51	0.44
4:E:129:ASP:HB3	4:E:130:LEU:H	1.52	0.43
2:B:164:LYS:HG3	2:B:349:LEU:HB2	1.99	0.43
3:C:420:THR:HG23	3:C:423:GLY:H	1.83	0.43
3:C:316:LYS:HA	3:C:316:LYS:HE2	2.00	0.43
1:A:51:GLN:NE2	1:A:414:PHE:HE1	2.17	0.43
3:C:33:TRP:HE3	3:C:33:TRP:CA	2.25	0.43
3:C:19:LEU:HA	3:C:19:LEU:HD23	1.84	0.43
3:C:32:TYR:C	3:C:32:TYR:HD1	2.26	0.43
1:A:434:GLY:O	1:A:437:GLU:CA	2.67	0.42
1:A:441:ARG:O	1:A:444:ARG:HG2	2.19	0.42
1:A:404:HIS:O	2:B:802:ARG:NH2	2.52	0.42
3:C:34:ASP:N	3:C:34:ASP:OD1	2.51	0.42
2:B:365:GLN:O	2:B:369:ASN:HB2	2.19	0.42
2:B:880:VAL:O	2:B:884:GLN:HG3	2.19	0.42
4:E:52:ASN:HB2	4:E:67:ASP:HB3	2.00	0.42
1:A:290:THR:HG21	1:A:330:ALA:HA	2.00	0.42
2:B:132:ALA:HB3	2:B:157:TYR:O	2.19	0.42
3:C:461:SER:HA	3:C:465:GLY:HA3	2.01	0.42
1:A:434:GLY:O	1:A:437:GLU:CB	2.68	0.42
2:B:894:LEU:HD11	2:B:902:VAL:HG21	2.02	0.42
2:B:912:HIS:CD2	2:B:916:GLU:HG3	2.55	0.42
4:E:18:MET:HB3	4:E:63:PHE:HA	2.02	0.42
4:E:106:GLU:O	4:E:109:ARG:HG2	2.19	0.42
2:B:724:ILE:HD12	2:B:724:ILE:H	1.85	0.42
3:C:32:TYR:O	3:C:33:TRP:CG	2.73	0.41
3:C:59:ILE:HD12	3:C:59:ILE:H	1.85	0.41
4:E:79:ARG:HA	4:E:82:PHE:CD2	2.56	0.41
2:B:165:ILE:H	2:B:165:ILE:HD12	1.86	0.41
2:B:370:PHE:HE1	2:B:909:LEU:HD23	1.85	0.41
4:E:145:LEU:HD11	4:E:155:ILE:HD13	2.03	0.41
4:E:58:TYR:HB3	4:E:63:PHE:HE2	1.85	0.41
4:E:72:ASP:OD1	4:E:73:LYS:N	2.54	0.41
1:A:39:LEU:HD13	1:A:69:TRP:CE3	2.56	0.41
1:A:67:VAL:HG13	1:A:69:TRP:HE1	1.84	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:E:139:ILE:HD12	4:E:139:ILE:H	1.86	0.41
1:A:412:LEU:HD23	1:A:413:TYR:N	2.36	0.41
2:B:860:LEU:HD22	2:B:892:LEU:HD21	2.03	0.41
3:C:316:LYS:HD3	3:C:317:GLN:N	2.35	0.41
4:E:59:LYS:O	4:E:61:ILE:HD12	2.20	0.41
4:E:105:GLU:HB3	4:E:109:ARG:HH21	1.86	0.41
4:E:145:LEU:HD22	4:E:153:TRP:CG	2.56	0.41
1:A:63:ASP:OD1	1:A:63:ASP:N	2.54	0.41
1:A:417:HIS:O	1:A:432:LYS:HG3	2.21	0.41
3:C:374:ASP:OD1	3:C:374:ASP:N	2.51	0.41
4:E:30:LYS:HA	4:E:33:ILE:HD12	2.03	0.41
2:B:787:ARG:HH22	2:B:813:ASP:H	1.68	0.40
2:B:96:SER:HB3	2:B:99:TYR:HB3	2.02	0.40
2:B:744:ARG:HA	2:B:747:VAL:HG12	2.03	0.40
4:E:18:MET:HE2	4:E:173:LEU:HD11	2.03	0.40
4:E:73:LYS:HE2	4:E:73:LYS:HB2	1.94	0.40
2:B:340:HIS:O	2:B:343:HIS:HB3	2.21	0.40
3:C:227:HIS:NE2	3:C:232:GLY:HA2	2.36	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	333/459 (72%)	282 (85%)	49 (15%)	2 (1%)	21	56
2	B	418/937 (45%)	361 (86%)	52 (12%)	5 (1%)	10	42
3	C	353/481 (73%)	312 (88%)	38 (11%)	3 (1%)	16	51
4	E	164/166 (99%)	149 (91%)	15 (9%)	0	100	100
All	All	1268/2043 (62%)	1104 (87%)	154 (12%)	10 (1%)	18	51

All (10) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	424	ALA
2	B	81	VAL
2	B	252	GLN
2	B	253	ILE
3	C	173	ILE
3	C	33	TRP
2	B	251	LYS
2	B	896	ASN
3	C	71	ILE
1	A	31	ASN

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	105/405 (26%)	103 (98%)	2 (2%)	50	67
2	B	285/837 (34%)	285 (100%)	0	100	100
3	C	187/431 (43%)	183 (98%)	4 (2%)	47	65
4	E	141/143 (99%)	141 (100%)	0	100	100
All	All	718/1816 (40%)	712 (99%)	6 (1%)	70	77

All (6) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	432	LYS
1	A	436	ARG
3	C	29	THR
3	C	30	PHE
3	C	32	TYR
3	C	33	TRP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
2	B	340	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	356	GLN
2	B	814	ASN
4	E	175	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 3 ligands modelled in this entry, 1 is monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
6	BEF	E	201	-	0,3,3	-	-	-		
5	GDP	E	200	7	29,30,30	1.17	4 (13%)	45,47,47	1.76	8 (17%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	GDP	E	200	7	-	3/16/32/32	0/3/3/3

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	E	200	GDP	C5-C4	3.05	1.47	1.38
5	E	200	GDP	C6-N1	-2.44	1.34	1.38
5	E	200	GDP	PA-O3A	2.12	1.61	1.59
5	E	200	GDP	C5-N7	-2.04	1.35	1.39

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	E	200	GDP	C5-C4-N3	-5.88	119.03	128.39
5	E	200	GDP	C2-N3-C4	4.80	120.57	112.30
5	E	200	GDP	N9-C4-N3	4.36	134.67	125.95
5	E	200	GDP	C6-C5-N7	3.28	136.26	130.29
5	E	200	GDP	C4-C5-N7	-2.61	106.54	110.67
5	E	200	GDP	O2A-PA-O3A	2.17	113.14	107.27
5	E	200	GDP	O6-C6-C5	-2.13	120.90	126.53
5	E	200	GDP	O2B-PB-O3A	2.08	111.63	104.64

There are no chirality outliers.

All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	E	200	GDP	C5'-O5'-PA-O1A
5	E	200	GDP	PB-O3A-PA-O1A
5	E	200	GDP	PB-O3A-PA-O2A


There are no ring outliers.

2 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	E	201	BEF	2	0
5	E	200	GDP	4	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the

average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-23827. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y



Z

The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 132



Y Index: 132



Z Index: 132

The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)

6.3.1 Primary map



X Index: 134



Y Index: 118



Z Index: 163


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.27. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 48 nm^3 ; this corresponds to an approximate mass of 44 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ



*Reported resolution corresponds to spatial frequency of 0.254 Å⁻¹


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-23827 and PDB model 7MGE. Per-residue inclusion information can be found in section [3](#) on page [7](#).


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.27 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.27).

9.4 Atom inclusion [i](#)



At the recommended contour level, 81% of all backbone atoms, 63% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.27) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.6330	0.3450
A	0.6920	0.3980
B	0.6350	0.3450
C	0.6530	0.3790
E	0.4990	0.2070

