



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 09:52 PM UTC

PDB ID : 1MHC / pdb_00001mhc
Title : MODEL OF MHC CLASS I H2-M3 WITH NONAPEPTIDE FROM RAT
ND1 REFINED AT 2.3 ANGSTROMS RESOLUTION
Authors : Wang, C.-R.; Fischer Lindahl, K.; Deisenhofer, J.
Deposited on : 1995-08-23
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	7164 (2.10-2.10)
Ramachandran outliers	187476	7099 (2.10-2.10)
Sidechain outliers	187428	7100 (2.10-2.10)
RSRZ outliers	180081	6662 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	282	
1	D	282	
2	B	99	
2	E	99	
3	C	9	
3	F	9	

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 6668 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called MHC CLASS I ANTIGEN H2-M3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	276	Total	C	N	O	S	0	0	0
			2239	1411	397	420	11			
1	D	276	Total	C	N	O	S	0	0	0
			2239	1411	397	420	11			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	?	-	GLY	deletion	UNP Q31093
D	?	-	GLY	deletion	UNP Q31093

- Molecule 2 is a protein called MHC CLASS I ANTIGEN H2-M3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	99	Total	C	N	O	S	0	0	0
			821	524	138	152	7			
2	E	99	Total	C	N	O	S	0	0	0
			821	524	138	152	7			

- Molecule 3 is a protein called NONAPEPTIDE FROM RAT NADH DEHYDROGENASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	9	Total	C	N	O	S	0	0	0
			81	56	10	14	1			
3	F	9	Total	C	N	O	S	0	0	0
			81	56	10	14	1			

- Molecule 4 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: C₈H₁₅NO₆).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	D	1	Total	C	N	O	0	0
			14	8	1	5		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	127	Total	O	0	0
			127	127		
5	B	59	Total	O	0	0
			59	59		
5	D	131	Total	O	0	0
			131	131		
5	E	55	Total	O	0	0
			55	55		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: MHC CLASS I ANTIGEN H2-M3




• Molecule 1: MHC CLASS I ANTIGEN H2-M3




• Molecule 2: MHC CLASS I ANTIGEN H2-M3




• Molecule 2: MHC CLASS I ANTIGEN H2-M3



- Molecule 3: NONAPEPTIDE FROM RAT NADH DEHYDROGENASE

Chain C:  11% 67% 22%



- Molecule 3: NONAPEPTIDE FROM RAT NADH DEHYDROGENASE

Chain F:  11% 67% 11% 22%



4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	65.25Å 66.10Å 55.17Å 102.71° 96.28° 110.19°	Depositor
Resolution (Å)	20.00 – 2.10 20.00 – 2.10	Depositor EDS
% Data completeness (in resolution range)	70.0 (20.00-2.10) 71.4 (20.00-2.10)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.10 (at 2.00Å)	Xtriage
Refinement program	X-PLOR	Depositor
R, R_{free}	0.190 , (Not available) 0.192 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å ²)	22.5	Xtriage
Anisotropy	0.232	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.26 , 72.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	6668	wwPDB-VP
Average B, all atoms (Å ²)	27.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.52% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, FME

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.78	0/2299	1.14	21/3119 (0.7%)
1	D	0.78	1/2299 (0.0%)	1.14	19/3119 (0.6%)
2	B	0.81	0/847	1.04	3/1148 (0.3%)
2	E	0.77	1/847 (0.1%)	1.11	6/1148 (0.5%)
3	C	1.04	0/72	1.23	1/96 (1.0%)
3	F	0.70	0/72	1.29	1/96 (1.0%)
All	All	0.78	2/6436 (0.0%)	1.13	51/8726 (0.6%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	D	0	1
3	F	0	1
All	All	0	3

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	E	39	MET	SD-CE	-5.18	1.66	1.79
1	D	249	VAL	CA-CB	5.02	1.60	1.55

All (51) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	89	GLU	N-CA-C	8.32	122.53	112.38
1	A	16	GLY	N-CA-C	-8.20	102.01	111.85

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	14	ARG	CA-C-N	8.16	127.46	118.97
1	A	14	ARG	C-N-CA	8.16	127.46	118.97
1	D	273	LYS	N-CA-C	-7.59	97.87	109.41
1	D	163	GLU	N-CA-C	7.37	119.31	111.28
1	D	28	VAL	N-CA-C	-7.09	96.01	107.28
3	F	5	ASN	N-CA-C	6.99	120.29	107.99
1	D	16	GLY	N-CA-C	-6.77	100.98	111.00
1	A	56	ARG	CA-C-N	6.53	128.00	119.84
1	A	56	ARG	C-N-CA	6.53	128.00	119.84
1	A	254	GLU	N-CA-C	6.46	118.32	111.28
1	A	28	VAL	N-CA-C	-6.39	97.12	107.28
1	D	254	GLU	N-CA-C	6.38	118.23	111.28
1	A	141	GLN	N-CA-C	-6.37	104.44	111.82
1	A	257	TYR	N-CA-C	6.36	120.64	109.96
1	A	163	GLU	N-CA-C	6.05	117.88	111.28
1	A	178	ILE	CB-CA-C	-6.03	104.68	111.80
1	D	2	SER	N-CA-C	5.91	118.21	111.11
1	A	186	LYS	N-CA-C	-5.91	99.10	108.73
2	E	6	GLN	N-CA-C	-5.90	100.08	109.76
1	D	207	GLY	N-CA-C	5.88	122.97	114.10
1	D	156	PHE	N-CA-C	-5.86	104.81	111.14
1	D	49	ALA	CA-C-N	5.86	125.33	119.24
1	D	49	ALA	C-N-CA	5.86	125.33	119.24
1	D	249	VAL	N-CA-C	5.83	115.45	108.45
1	A	199	VAL	N-CA-C	5.69	118.13	108.86
2	B	6	GLN	N-CA-C	-5.68	100.44	109.76
1	D	194	ARG	CA-C-N	5.67	126.05	119.47
1	D	194	ARG	C-N-CA	5.67	126.05	119.47
2	B	29	GLN	N-CA-C	5.63	119.35	111.74
1	A	225	THR	N-CA-C	5.49	118.03	111.71
2	E	4	THR	CA-C-N	5.46	125.38	119.76
2	E	4	THR	C-N-CA	5.46	125.38	119.76
1	D	41	GLU	N-CA-C	5.42	124.37	113.31
1	D	3	HIS	N-CA-C	5.39	117.88	109.52
1	D	199	VAL	N-CA-C	5.38	117.53	108.81
1	A	107	MET	N-CA-C	5.35	119.39	112.86
2	E	19	LYS	CA-C-N	5.28	126.44	119.84
2	E	19	LYS	C-N-CA	5.28	126.44	119.84
2	B	97	ARG	N-CA-C	5.26	118.49	111.75
1	A	152	THR	N-CA-C	5.23	121.94	110.80
1	A	273	LYS	N-CA-C	-5.23	101.47	109.41
1	D	127	ASN	N-CA-C	5.23	117.61	110.55

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	7	LEU	N-CA-C	5.19	117.90	109.24
1	A	21	GLN	N-CA-C	-5.13	106.70	113.17
2	E	28	THR	N-CA-C	5.09	116.73	109.14
1	A	42	ILE	CA-C-N	5.05	124.96	119.76
1	A	42	ILE	C-N-CA	5.05	124.96	119.76
1	D	46	GLU	CA-C-N	5.03	125.47	120.14
1	D	46	GLU	C-N-CA	5.03	125.47	120.14

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	209	TYR	Sidechain
1	D	7	TYR	Sidechain
3	F	2	TYR	Sidechain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2239	0	2154	49	0
1	D	2239	0	2153	40	0
2	B	821	0	796	13	0
2	E	821	0	796	24	0
3	C	81	0	85	15	0
3	F	81	0	85	18	0
4	D	14	0	13	1	0
5	A	127	0	0	7	0
5	B	59	0	0	1	0
5	D	131	0	0	4	0
5	E	55	0	0	2	0
All	All	6668	0	6082	136	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (136) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:84:TYR:HD2	3:C:7:LEU:HD13	1.29	0.95
1:A:84:TYR:CD2	3:C:7:LEU:HD13	2.10	0.87
1:A:14:ARG:HH11	1:A:14:ARG:HB3	1.51	0.74
3:C:5:ASN:HB3	3:C:9:LEU:HA	1.67	0.74
3:C:2:TYR:HE2	3:C:4:ILE:HG13	1.55	0.72
1:A:12:VAL:HG13	5:A:393:HOH:O	1.90	0.69
1:A:15:PRO:HG2	1:A:21:GLN:HB3	1.75	0.68
2:E:7:ILE:HG21	2:E:93:VAL:HG21	1.74	0.67
1:D:82:LEU:HD12	1:D:87:GLN:HB2	1.76	0.67
1:D:98:MET:HB3	5:D:505:HOH:O	1.94	0.67
1:D:84:TYR:CE2	3:F:7:LEU:HD22	2.30	0.66
1:A:82:LEU:HD12	1:A:87:GLN:HB2	1.75	0.66
1:A:194:ARG:HG3	1:A:195:PRO:HD2	1.76	0.66
1:A:77:ASN:OD1	3:C:6:ILE:HB	1.96	0.66
1:D:146:ARG:HG2	3:F:8:THR:HG23	1.76	0.66
1:A:127:ASN:OD1	1:A:134:THR:HG23	1.98	0.64
1:D:146:ARG:HG2	3:F:8:THR:CG2	2.27	0.64
2:E:73:THR:HG22	2:E:74:GLU:N	2.12	0.64
2:B:73:THR:HG22	2:B:76:ASP:H	1.63	0.63
1:D:56:ARG:H	1:D:56:ARG:CD	2.11	0.63
1:D:84:TYR:CD2	3:F:7:LEU:HD22	2.33	0.62
2:E:73:THR:HG22	2:E:75:THR:H	1.63	0.62
1:A:219:LYS:NZ	1:A:256:ARG:HE	1.97	0.61
1:D:56:ARG:H	1:D:56:ARG:HD2	1.66	0.60
1:A:14:ARG:HD3	5:A:337:HOH:O	2.00	0.60
3:C:5:ASN:CB	3:C:9:LEU:HA	2.32	0.59
3:C:2:TYR:CE2	3:C:4:ILE:HG13	2.36	0.58
1:D:5:LEU:HB2	1:D:168:LEU:HG	1.84	0.58
3:F:7:LEU:O	3:F:8:THR:HG23	2.03	0.58
1:D:131:SER:HB3	5:D:590:HOH:O	2.04	0.58
2:B:24:ASN:HD22	2:B:67:HIS:HB3	1.70	0.57
2:E:24:ASN:HD22	2:E:67:HIS:HB3	1.69	0.57
1:D:75:ARG:HG3	5:D:540:HOH:O	2.04	0.56
1:A:139:VAL:O	1:A:142:ILE:HB	2.06	0.56
1:A:68:LYS:HE2	5:A:324:HOH:O	2.06	0.56
1:A:80:THR:HG21	3:C:7:LEU:HB3	1.88	0.56
1:A:117:ALA:HB2	2:B:60:TRP:CE2	2.41	0.55
3:F:2:TYR:C	3:F:2:TYR:CD2	2.85	0.55
1:D:193:PRO:HA	1:D:199:VAL:HG12	1.89	0.55
1:A:83:ARG:NH2	2:E:88:ALA:HB1	2.22	0.55
1:D:66:LYS:O	1:D:70:ILE:HG13	2.07	0.55
1:A:192:HIS:CE1	2:B:98:ASP:HB3	2.41	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:E:7:ILE:CG2	2:E:93:VAL:HG21	2.37	0.54
1:D:20:PRO:HB3	1:D:39:ILE:HG13	1.89	0.54
2:E:28:THR:HG22	2:E:63:TYR:HB2	1.90	0.53
3:F:5:ASN:HB3	3:F:8:THR:O	2.09	0.53
1:A:5:LEU:HB2	1:A:168:LEU:HG	1.89	0.53
2:E:28:THR:HG22	2:E:63:TYR:CB	2.39	0.53
1:D:87:GLN:NE2	1:D:118:TYR:OH	2.42	0.53
1:D:185:PRO:HD2	1:D:266:LEU:HG	1.91	0.53
1:A:219:LYS:O	1:A:222:GLU:HG3	2.09	0.52
2:E:83:LYS:HD2	2:E:90:PRO:HG3	1.90	0.52
1:D:44:ARG:HB3	1:D:44:ARG:NH1	2.25	0.52
1:A:193:PRO:HA	1:A:199:VAL:HG12	1.91	0.52
1:D:144:LYS:O	1:D:148:GLU:HG3	2.09	0.52
1:A:219:LYS:HZ1	1:A:256:ARG:HE	1.58	0.52
1:D:84:TYR:CD2	3:F:7:LEU:HD13	2.45	0.52
1:A:133:TRP:HB2	1:A:144:LYS:HG3	1.92	0.51
1:A:144:LYS:O	1:A:148:GLU:HG3	2.11	0.51
1:D:38:SER:HA	1:D:42:ILE:O	2.10	0.51
1:A:87:GLN:NE2	1:A:118:TYR:OH	2.44	0.51
1:A:1:GLY:O	1:A:2:SER:HB3	2.11	0.51
2:E:73:THR:CG2	2:E:74:GLU:N	2.74	0.50
1:D:156:PHE:HD1	3:F:2:TYR:CZ	2.29	0.50
1:D:117:ALA:HB2	2:E:60:TRP:CE2	2.47	0.50
3:F:4:ILE:O	3:F:4:ILE:HD12	2.11	0.49
4:D:500:NAG:H3	4:D:500:NAG:O7	2.13	0.49
1:A:97:TRP:CZ2	3:C:3:PHE:HD2	2.31	0.49
2:E:73:THR:HG22	2:E:74:GLU:H	1.76	0.48
1:A:57:PRO:O	1:A:61:LYS:HE3	2.13	0.48
1:D:84:TYR:CG	3:F:7:LEU:HD13	2.49	0.48
1:A:109:LEU:HD13	1:A:165:LEU:HD21	1.94	0.48
1:A:219:LYS:HB3	1:A:224:LEU:HD11	1.95	0.48
1:A:222:GLU:O	1:A:224:LEU:HD13	2.13	0.48
1:A:206:LEU:HD23	1:A:242:GLN:HB3	1.96	0.47
3:C:2:TYR:HE2	3:C:4:ILE:CG1	2.24	0.47
2:E:80:CYS:O	2:E:93:VAL:HG23	2.14	0.47
3:C:5:ASN:HB3	3:C:9:LEU:O	2.14	0.47
2:E:84:HIS:HA	5:E:110:HOH:O	2.15	0.47
2:E:23:LEU:O	2:E:67:HIS:HA	2.15	0.47
1:D:199:VAL:HG23	1:D:249:VAL:HG22	1.96	0.47
2:E:13:HIS:O	2:E:14:PRO:C	2.56	0.46
2:E:48:LYS:O	2:E:48:LYS:HE2	2.15	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:165:LEU:HD23	1:A:165:LEU:HA	1.82	0.46
1:D:95:LEU:HD21	3:F:3:PHE:HZ	1.81	0.46
1:D:206:LEU:HD23	1:D:242:GLN:HB3	1.97	0.46
1:A:93:HIS:HB2	5:A:375:HOH:O	2.14	0.45
1:A:99:VAL:HG13	1:A:156:PHE:CE1	2.51	0.45
2:B:2:GLN:HB3	2:B:86:SER:HB3	1.98	0.45
1:A:194:ARG:CG	1:A:195:PRO:HD2	2.46	0.45
2:B:23:LEU:HB2	2:B:70:PHE:CD1	2.51	0.45
2:E:73:THR:CG2	2:E:74:GLU:H	2.30	0.45
1:D:5:LEU:HD11	1:D:33:PHE:CE1	2.52	0.45
1:A:40:GLU:O	1:A:41:GLU:HB2	2.17	0.44
2:E:29:GLN:HA	2:E:61:SER:HB2	2.00	0.44
2:B:40:LEU:HD23	2:B:45:LYS:HA	1.99	0.44
1:D:214:THR:HB	1:D:262:HIS:HB2	2.00	0.43
2:B:33:PRO:O	2:B:54:MET:HE1	2.18	0.43
1:D:270:LEU:HB3	1:D:272:LEU:CD1	2.48	0.43
1:D:194:ARG:HH12	1:D:196:LYS:HD3	1.82	0.43
1:A:202:ARG:HD3	1:A:244:TRP:CD2	2.53	0.43
3:F:6:ILE:O	3:F:7:LEU:HB2	2.17	0.43
1:A:107:MET:HE1	1:A:172:LEU:HD13	1.99	0.43
1:A:130:LEU:HD12	5:A:368:HOH:O	2.18	0.43
1:A:259:CYS:O	1:A:271:ALA:HA	2.19	0.43
3:C:5:ASN:HB3	3:C:9:LEU:CA	2.41	0.43
3:F:4:ILE:HD12	3:F:4:ILE:C	2.44	0.43
1:A:152:THR:HG21	3:C:4:ILE:HG23	2.00	0.43
1:D:146:ARG:HE	3:F:8:THR:HG23	1.83	0.43
1:A:78:LEU:HD12	5:A:375:HOH:O	2.19	0.42
2:B:24:ASN:HB3	2:B:65:LEU:HD11	2.00	0.42
1:D:236:SER:OG	1:D:242:GLN:HG2	2.19	0.42
1:D:156:PHE:CD1	3:F:2:TYR:CZ	3.07	0.42
1:D:62:GLU:O	1:D:66:LYS:HG3	2.18	0.42
1:A:121:SER:O	1:A:122:ASP:C	2.61	0.42
1:A:275:ARG:O	1:A:276:SER:CB	2.68	0.42
1:D:194:ARG:HD3	1:D:198:ASP:OD1	2.19	0.42
2:E:50:GLU:HB2	2:E:67:HIS:CE1	2.55	0.42
1:D:63:LEU:O	1:D:67:VAL:HG23	2.20	0.42
1:D:13:SER:HB3	1:D:78:LEU:HG	2.01	0.42
1:D:146:ARG:NE	3:F:8:THR:HG23	2.35	0.42
1:D:21:GLN:NE2	5:D:604:HOH:O	2.52	0.41
2:B:49:VAL:HG21	5:B:122:HOH:O	2.20	0.41
1:A:15:PRO:CG	1:A:21:GLN:HB3	2.48	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:97:TRP:CZ2	3:C:3:PHE:CD2	3.07	0.41
2:E:89:GLU:HB2	5:E:147:HOH:O	2.19	0.41
1:A:46:GLU:HG2	5:A:381:HOH:O	2.21	0.41
2:B:2:GLN:H	2:B:2:GLN:HG2	1.58	0.41
2:E:4:THR:HA	2:E:5:PRO:HD2	1.86	0.41
2:E:46:ILE:HA	2:E:47:PRO:HD3	1.78	0.40
3:F:7:LEU:HA	3:F:7:LEU:HD23	1.86	0.40
1:D:202:ARG:HG3	1:D:246:ALA:HB2	2.03	0.40
1:A:77:ASN:OD1	3:C:6:ILE:N	2.54	0.40
1:A:83:ARG:HH21	2:E:88:ALA:HB1	1.86	0.40
2:B:1:ILE:O	2:B:1:ILE:HG23	2.21	0.40
2:B:29:GLN:HA	2:B:61:SER:HB2	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	274/282 (97%)	254 (93%)	17 (6%)	3 (1%)	11	8
1	D	274/282 (97%)	262 (96%)	12 (4%)	0	100	100
2	B	97/99 (98%)	92 (95%)	5 (5%)	0	100	100
2	E	97/99 (98%)	92 (95%)	4 (4%)	1 (1%)	12	9
3	C	7/9 (78%)	4 (57%)	3 (43%)	0	100	100
3	F	7/9 (78%)	5 (71%)	1 (14%)	1 (14%)	0	0
All	All	756/780 (97%)	709 (94%)	42 (6%)	5 (1%)	18	15

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	F	8	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	220	ASP
1	A	51	TRP
2	E	76	ASP
1	A	57	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	238/244 (98%)	224 (94%)	14 (6%)	18	16
1	D	238/244 (98%)	226 (95%)	12 (5%)	22	22
2	B	94/94 (100%)	86 (92%)	8 (8%)	10	7
2	E	94/94 (100%)	90 (96%)	4 (4%)	26	27
3	C	8/8 (100%)	7 (88%)	1 (12%)	4	2
3	F	8/8 (100%)	5 (62%)	3 (38%)	0	0
All	All	680/692 (98%)	638 (94%)	42 (6%)	16	14

All (42) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	14	ARG
1	A	23	ILE
1	A	44	ARG
1	A	61	LYS
1	A	62	GLU
1	A	78	LEU
1	A	102	GLU
1	A	110	LEU
1	A	115	GLN
1	A	168	LEU
1	A	194	ARG
1	A	212	ASP
1	A	224	LEU
1	A	256	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	2	GLN
2	B	16	GLU
2	B	34	HIS
2	B	73	THR
2	B	75	THR
2	B	82	VAL
2	B	83	LYS
2	B	89	GLU
3	C	9	LEU
1	D	17	ARG
1	D	23	ILE
1	D	44	ARG
1	D	56	ARG
1	D	68	LYS
1	D	78	LEU
1	D	89	GLU
1	D	168	LEU
1	D	177	GLU
1	D	249	VAL
1	D	267	THR
1	D	272	LEU
2	E	70	PHE
2	E	82	VAL
2	E	83	LYS
2	E	93	VAL
3	F	2	TYR
3	F	8	THR
3	F	9	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (19) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	21	GLN
1	A	87	GLN
1	A	174	ASN
1	A	180	GLN
1	A	188	HIS
1	A	262	HIS
2	B	6	GLN
2	B	24	ASN
2	B	29	GLN
2	B	67	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	C	5	ASN
1	D	69	ASN
1	D	77	ASN
1	D	87	GLN
1	D	174	ASN
1	D	226	GLN
2	E	13	HIS
2	E	24	ASN
2	E	29	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	FME	F	1	3	8,9,10	0.72	0	8,9,11	1.96	2 (25%)
3	FME	C	1	3	8,9,10	0.75	0	8,9,11	2.88	3 (37%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	FME	F	1	3	-	1/7/9/11	-
3	FME	C	1	3	-	1/7/9/11	-

There are no bond length outliers.

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	1	FME	CA-N-CN	-6.77	112.42	122.82
3	F	1	FME	O1-CN-N	-4.27	114.29	125.32
3	C	1	FME	CE-SD-CG	2.68	114.17	100.32
3	F	1	FME	CE-SD-CG	-2.59	86.91	100.32
3	C	1	FME	O1-CN-N	-2.55	118.74	125.32

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	F	1	FME	N-CA-CB-CG
3	C	1	FME	CB-CA-N-CN

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	NAG	D	500	1	14,14,15	0.49	0	17,19,21	0.96	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.

'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	D	500	1	-	3/6/23/26	0/1/1/1

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	D	500	NAG	C4-C3-C2	-2.69	107.08	111.02

There are no chirality outliers.

All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	D	500	NAG	C3-C2-N2-C7
4	D	500	NAG	O5-C5-C6-O6
4	D	500	NAG	C4-C5-C6-O6

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	D	500	NAG	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	276/282 (97%)	-0.55	0 100 100	8, 25, 49, 74	0
1	D	276/282 (97%)	-0.55	0 100 100	6, 23, 55, 86	0
2	B	99/99 (100%)	-0.61	0 100 100	9, 22, 47, 62	0
2	E	99/99 (100%)	-0.72	0 100 100	7, 20, 36, 52	0
3	C	8/9 (88%)	0.93	1 (12%) 8 8	27, 47, 79, 82	0
3	F	8/9 (88%)	1.43	1 (12%) 8 8	37, 49, 71, 74	0
All	All	766/780 (98%)	-0.54	2 (0%) 90 91	6, 23, 52, 86	0

All (2) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
3	F	9	LEU	3.1
3	C	8	THR	2.8

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	FME	C	1	10/11	0.98	0.03	2,19,23,24	0
3	FME	F	1	10/11	0.99	0.04	9,14,19,22	0

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	NAG	D	500	14/15	0.82	0.10	55,58,64,68	0

6.5 Other polymers [i](#)

There are no such residues in this entry.