



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 26, 2026 – 09:02 AM EDT

PDB ID : 5MH6 / pdb_00005mh6
Title : D-2-hydroxyacid dehydrogenases (D2-HDH) from *Haloferax mediterranei* in complex with 2-ketohexanoic acid and NAD⁺ (1.35 Å resolution)
Authors : Bisson, C.; Baker, P.J.; Domenech Perez, J.; Pramanpol, N.; Harding, S.E.; Rice, D.W.; Ferrer, J.
Deposited on : 2016-11-23
Resolution : 1.35 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.35 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1216 (1.36-1.36)
Clashscore	190562	1232 (1.36-1.36)
Ramachandran outliers	187476	1220 (1.36-1.36)
Sidechain outliers	187428	1220 (1.36-1.36)
RSRZ outliers	180081	1214 (1.36-1.36)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	308	2% 94% 6%
1	B	308	6% 94% 5%
1	C	308	% 96% .
1	D	308	4% 95% 5%

2 Entry composition [i](#)


There are 8 unique types of molecules in this entry. The entry contains 11624 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called D-2-hydroxyacid dehydrogenase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	306	Total	C	N	O	S	0	9	0
			2380	1493	404	476	7			
1	B	306	Total	C	N	O	S	0	8	0
			2375	1489	405	474	7			
1	C	308	Total	C	N	O	S	0	5	0
			2375	1488	405	474	8			
1	D	308	Total	C	N	O	S	0	6	0
			2380	1491	408	473	8			

- Molecule 2 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: C₂H₆O₂).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			4	2	2		
2	A	1	Total	C	O	0	0
			4	2	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total C O 4 2 2	0	0
2	A	1	Total C O 4 2 2	0	0
2	A	1	Total C O 4 2 2	0	0
2	A	1	Total C O 4 2 2	0	0
2	B	1	Total C O 4 2 2	0	0
2	B	1	Total C O 4 2 2	0	0
2	B	1	Total C O 4 2 2	0	0
2	B	1	Total C O 4 2 2	0	0
2	B	1	Total C O 4 2 2	0	0
2	B	1	Total C O 4 2 2	0	0
2	B	1	Total C O 4 2 2	0	0
2	C	1	Total C O 4 2 2	0	0
2	C	1	Total C O 4 2 2	0	0
2	C	1	Total C O 4 2 2	0	0
2	C	1	Total C O 4 2 2	0	0
2	C	1	Total C O 4 2 2	0	0
2	C	1	Total C O 4 2 2	0	0
2	D	1	Total C O 4 2 2	0	0
2	D	1	Total C O 4 2 2	0	0
2	D	1	Total C O 4 2 2	0	0
2	D	1	Total C O 4 2 2	0	0

- Molecule 3 is SULFATE ION (CCD ID: SO4) (formula: O₄S).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	C	1	Total	O	S	0	0
			5	4	1		
3	D	1	Total	O	S	0	0
			5	4	1		

- Molecule 4 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	8	Total	Mg	0	0
			8	8		
4	B	5	Total	Mg	0	0
			5	5		
4	C	6	Total	Mg	0	0
			6	6		
4	D	5	Total	Mg	0	0
			5	5		

- Molecule 5 is NICOTINAMIDE-ADENINE-DINUCLEOTIDE (CCD ID: NAD) (formula: C₂₁H₂₇N₇O₁₄P₂).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	A	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
5	B	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
5	C	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
5	D	1	Total	C	N	O	P	0	0
			44	21	7	14	2		

- Molecule 6 is 2-Ketohexanoic acid (CCD ID: 7N5) (formula: C₆H₁₀O₃).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	1	Total C O 9 6 3	0	0
6	B	1	Total C O 9 6 3	0	0
6	C	1	Total C O 9 6 3	0	0
6	D	1	Total C O 9 6 3	0	0

- Molecule 7 is SODIUM ION (CCD ID: NA) (formula: Na).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	C	1	Total Na 1 1	0	0
7	D	1	Total Na 1 1	0	0


- Molecule 8 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	A	465	Total O 477 477	0	12
8	B	413	Total O 422 422	0	9
8	C	464	Total O 467 467	0	3
8	D	396	Total O 402 402	0	6


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: D-2-hydroxyacid dehydrogenase



- Molecule 1: D-2-hydroxyacid dehydrogenase



- Molecule 1: D-2-hydroxyacid dehydrogenase



- Molecule 1: D-2-hydroxyacid dehydrogenase



4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	66.45Å 75.01Å 77.56Å 109.11° 107.55° 95.91°	Depositor
Resolution (Å)	46.54 – 1.35 46.54 – 1.35	Depositor EDS
% Data completeness (in resolution range)	80.2 (46.54-1.35) 92.9 (46.54-1.35)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.41 (at 1.35Å)	Xtriage
Refinement program	REFMAC 5.8.0135	Depositor
R, R_{free}	0.126 , 0.162 0.131 , 0.165	Depositor DCC
R_{free} test set	13634 reflections (4.72%)	wwPDB-VP
Wilson B-factor (Å ²)	10.8	Xtriage
Anisotropy	0.188	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 44.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.98	EDS
Total number of atoms	11624	wwPDB-VP
Average B, all atoms (Å ²)	17.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 63.60 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 9.4346e-06. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NAD, MG, NA, EDO, 7N5, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.74	0/2458	0.81	0/3353
1	B	0.75	0/2447	0.84	0/3338
1	C	0.73	0/2441	0.80	1/3330 (0.0%)
1	D	0.73	0/2449	0.81	0/3340
All	All	0.74	0/9795	0.81	1/13361 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	202	GLU	CB-CG-CD	5.15	121.36	112.60

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2380	0	2285	11	0
1	B	2375	0	2280	12	0
1	C	2375	0	2274	7	0
1	D	2380	0	2285	11	0
2	A	24	0	36	0	0
2	B	24	0	36	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	C	24	0	36	1	1
2	D	16	0	24	2	0
3	A	5	0	0	0	0
3	B	5	0	0	0	0
3	C	5	0	0	0	0
3	D	5	0	0	0	0
4	A	8	0	0	0	0
4	B	5	0	0	0	0
4	C	6	0	0	0	0
4	D	5	0	0	0	0
5	A	44	0	26	0	0
5	B	44	0	26	0	0
5	C	44	0	26	0	0
5	D	44	0	26	0	0
6	A	9	0	0	0	0
6	B	9	0	0	0	0
6	C	9	0	0	0	0
6	D	9	0	0	0	0
7	C	1	0	0	0	0
7	D	1	0	0	0	0
8	A	477	0	0	1	0
8	B	422	0	0	2	4
8	C	467	0	0	1	1
8	D	402	0	0	1	2
All	All	11624	0	9360	40	4

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (40) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:88[B]:THR:HG21	8:D:637[B]:HOH:O	1.69	0.93
1:B:86[B]:ASN:OD1	1:B:88[B]:THR:HG23	1.77	0.83
1:B:86[A]:ASN:OD1	1:B:88[A]:THR:HG22	1.85	0.75
1:B:137:ARG:NH2	1:B:160:GLU:OE1	2.32	0.62
1:A:191[B]:ARG:NH2	8:A:502:HOH:O	2.29	0.58
1:A:297:ILE:HG13	1:A:303:LEU:HD21	1.87	0.57
1:A:165:ARG:HG2	1:A:177[A]:VAL:CG1	2.36	0.56
1:B:191[A]:ARG:NH2	8:B:502:HOH:O	2.34	0.54
1:C:86[A]:ASN:OD1	1:C:305:ASN:HB3	2.09	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:255:GLU:HA	1:A:256:PRO:C	2.34	0.53
1:C:205:GLY:HA3	2:C:406:EDO:H11	1.91	0.53
1:D:255:GLU:HA	1:D:256:PRO:C	2.36	0.50
1:B:126:ARG:HB2	1:B:129:GLU:HG3	1.94	0.50
1:C:255:GLU:HA	1:C:256:PRO:C	2.40	0.47
1:B:255:GLU:HA	1:B:256:PRO:C	2.40	0.46
1:B:57[B]:LEU:CD1	1:B:57[B]:LEU:N	2.78	0.46
1:D:19:GLN:HB3	2:D:403:EDO:H11	1.96	0.46
1:B:86[B]:ASN:ND2	1:B:305:ASN:HB3	2.31	0.45
1:D:126:ARG:HB2	1:D:129:GLU:HG3	1.99	0.45
1:D:86[A]:ASN:OD1	1:D:305:ASN:HB3	2.18	0.44
1:A:86:ASN:OD1	1:A:88[B]:THR:HG22	2.17	0.44
1:A:78:GLU:HB2	1:A:308:VAL:HG21	2.00	0.43
1:A:165:ARG:HG2	1:A:177[A]:VAL:HG11	1.99	0.43
1:B:57[B]:LEU:HD21	1:B:76:VAL:HG12	2.00	0.43
1:D:78:GLU:HB2	1:D:308:VAL:HG21	2.00	0.43
1:A:20[A]:ARG:HG2	1:A:283:HIS:CD2	2.54	0.43
1:A:113:TYR:CZ	1:B:275:VAL:HG21	2.54	0.43
1:C:67:ALA:HB1	1:C:88[B]:THR:HG22	2.01	0.43
1:B:74:VAL:HG13	1:B:308:VAL:HB	2.00	0.42
1:D:221:LEU:O	1:D:247:ALA:HA	2.20	0.42
2:B:406:EDO:H21	8:B:579:HOH:O	2.21	0.41
1:A:165:ARG:HD3	1:A:169:ASP:O	2.20	0.41
1:C:128:GLU:HG2	8:C:811:HOH:O	2.19	0.41
1:D:67:ALA:HB1	1:D:88[B]:THR:HG22	2.02	0.41
1:C:39:GLU:HG2	1:C:41:PHE:CZ	2.56	0.41
1:D:247:ALA:O	1:D:269:VAL:HA	2.20	0.41
1:D:124:LEU:HD21	2:D:405:EDO:H22	2.03	0.41
1:B:247:ALA:O	1:B:269:VAL:HA	2.21	0.40
1:A:67:ALA:HB1	1:A:88[A]:THR:HG22	2.03	0.40
1:C:275:VAL:HG21	1:D:113:TYR:CZ	2.57	0.40

All (4) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
8:B:505:HOH:O	8:D:821:HOH:O[1_545]	1.99	0.21
8:B:807:HOH:O	8:D:519:HOH:O[1_556]	2.08	0.12
2:C:407:EDO:O1	8:B:665:HOH:O[1_565]	2.12	0.08
8:B:878:HOH:O	8:C:897:HOH:O[1_556]	2.14	0.06

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	313/308 (102%)	308 (98%)	5 (2%)	0	100	100
1	B	312/308 (101%)	305 (98%)	7 (2%)	0	100	100
1	C	311/308 (101%)	306 (98%)	5 (2%)	0	100	100
1	D	312/308 (101%)	307 (98%)	5 (2%)	0	100	100
All	All	1248/1232 (101%)	1226 (98%)	22 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	252/245 (103%)	251 (100%)	1 (0%)	84	69
1	B	251/245 (102%)	248 (99%)	3 (1%)	63	32
1	C	250/245 (102%)	250 (100%)	0	100	100
1	D	251/245 (102%)	251 (100%)	0	100	100
All	All	1004/980 (102%)	1000 (100%)	4 (0%)	86	69

All (4) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	279	THR
1	B	57[A]	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	57[B]	LEU
1	B	308	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 60 ligands modelled in this entry, 26 are monoatomic - leaving 34 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	EDO	B	406	-	3,3,3	0.54	0	2,2,2	0.27	0
6	7N5	A	416	-	8,8,8	1.89	1 (12%)	9,9,9	1.24	1 (11%)
2	EDO	B	405	-	3,3,3	0.55	0	2,2,2	0.40	0
2	EDO	B	401	-	3,3,3	0.41	0	2,2,2	0.33	0
2	EDO	C	404	-	3,3,3	0.60	0	2,2,2	0.48	0
2	EDO	A	402	-	3,3,3	0.45	0	2,2,2	0.23	0
5	NAD	D	412	7	46,48,48	1.33	4 (8%)	64,73,73	1.89	13 (20%)
2	EDO	A	406	-	3,3,3	0.40	0	2,2,2	0.46	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	SO4	C	408	-	4,4,4	0.44	0	6,6,6	0.72	0
2	EDO	D	403	-	3,3,3	0.98	0	2,2,2	0.72	0
5	NAD	A	415	-	46,48,48	1.17	4 (8%)	64,73,73	1.69	14 (21%)
5	NAD	B	413	-	46,48,48	1.15	4 (8%)	64,73,73	1.85	13 (20%)
2	EDO	A	401	-	3,3,3	0.49	0	2,2,2	0.18	0
2	EDO	D	404	-	3,3,3	0.43	0	2,2,2	0.29	0
5	NAD	C	415	7	46,48,48	1.25	5 (10%)	64,73,73	1.79	17 (26%)
2	EDO	A	404	-	3,3,3	0.43	0	2,2,2	0.34	0
2	EDO	C	407	-	3,3,3	0.45	0	2,2,2	0.05	0
2	EDO	B	404	-	3,3,3	0.47	0	2,2,2	0.18	0
3	SO4	D	406	-	4,4,4	0.39	0	6,6,6	0.43	0
2	EDO	D	402	-	3,3,3	0.36	0	2,2,2	0.32	0
2	EDO	D	405	-	3,3,3	0.44	0	2,2,2	0.48	0
2	EDO	B	403	-	3,3,3	0.48	0	2,2,2	0.11	0
2	EDO	C	403	-	3,3,3	0.43	0	2,2,2	0.06	0
2	EDO	C	402	-	3,3,3	0.52	0	2,2,2	0.12	0
2	EDO	B	402	-	3,3,3	0.44	0	2,2,2	0.28	0
2	EDO	C	405	-	3,3,3	0.50	0	2,2,2	0.14	0
6	7N5	D	413	-	8,8,8	2.03	1 (12%)	9,9,9	1.38	2 (22%)
6	7N5	C	416	-	8,8,8	1.84	1 (12%)	9,9,9	1.43	2 (22%)
3	SO4	B	407	-	4,4,4	0.41	0	6,6,6	0.69	0
2	EDO	C	406	-	3,3,3	0.52	0	2,2,2	0.45	0
6	7N5	B	414	-	8,8,8	1.92	1 (12%)	9,9,9	1.30	2 (22%)
3	SO4	A	407	-	4,4,4	0.17	0	6,6,6	0.31	0
2	EDO	A	405	-	3,3,3	0.52	0	2,2,2	0.40	0
2	EDO	A	403	-	3,3,3	0.43	0	2,2,2	0.24	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	EDO	B	406	-	-	1/1/1/1	-
6	7N5	A	416	-	-	2/8/8/8	-
2	EDO	B	405	-	-	1/1/1/1	-
2	EDO	B	401	-	-	0/1/1/1	-
2	EDO	C	404	-	-	0/1/1/1	-
2	EDO	A	402	-	-	0/1/1/1	-
5	NAD	D	412	7	-	2/30/62/62	0/5/5/5
2	EDO	A	406	-	-	0/1/1/1	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	EDO	D	403	-	-	0/1/1/1	-
5	NAD	A	415	-	-	2/30/62/62	0/5/5/5
5	NAD	B	413	-	-	4/30/62/62	0/5/5/5
2	EDO	A	401	-	-	1/1/1/1	-
2	EDO	D	404	-	-	0/1/1/1	-
5	NAD	C	415	7	-	3/30/62/62	0/5/5/5
2	EDO	A	404	-	-	0/1/1/1	-
2	EDO	C	407	-	-	1/1/1/1	-
2	EDO	B	404	-	-	0/1/1/1	-
2	EDO	D	402	-	-	0/1/1/1	-
2	EDO	D	405	-	-	1/1/1/1	-
2	EDO	B	403	-	-	1/1/1/1	-
2	EDO	C	403	-	-	1/1/1/1	-
2	EDO	C	402	-	-	0/1/1/1	-
2	EDO	B	402	-	-	0/1/1/1	-
2	EDO	C	405	-	-	0/1/1/1	-
6	7N5	D	413	-	-	0/8/8/8	-
6	7N5	C	416	-	-	1/8/8/8	-
2	EDO	C	406	-	-	1/1/1/1	-
6	7N5	B	414	-	-	1/8/8/8	-
2	EDO	A	405	-	-	1/1/1/1	-
2	EDO	A	403	-	-	0/1/1/1	-

All (21) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	D	413	7N5	C2-C1	-5.28	1.45	1.53
6	B	414	7N5	C2-C1	-5.04	1.45	1.53
6	C	416	7N5	C2-C1	-4.93	1.46	1.53
5	A	415	NAD	C5A-C4A	4.91	1.47	1.39
6	A	416	7N5	C2-C1	-4.71	1.46	1.53
5	C	415	NAD	C5A-C4A	4.65	1.47	1.39
5	D	412	NAD	C5A-C4A	4.35	1.46	1.39
5	B	413	NAD	C5A-C4A	4.34	1.46	1.39
5	D	412	NAD	PN-O3	4.04	1.63	1.59
5	C	415	NAD	C4A-N9A	-3.14	1.31	1.37
5	B	413	NAD	C5A-N7A	-2.78	1.34	1.39
5	C	415	NAD	PN-O3	2.61	1.62	1.59
5	A	415	NAD	C5A-C6A	2.50	1.48	1.41
5	A	415	NAD	C5A-N7A	-2.41	1.34	1.39
5	B	413	NAD	C5A-C6A	2.39	1.47	1.41
5	C	415	NAD	C5A-C6A	2.34	1.47	1.41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	D	412	NAD	C4A-N9A	-2.32	1.32	1.37
5	D	412	NAD	C5A-C6A	2.31	1.47	1.41
5	C	415	NAD	C5A-N7A	-2.30	1.34	1.39
5	B	413	NAD	PA-O3	2.23	1.61	1.59
5	A	415	NAD	C4A-N9A	-2.21	1.33	1.37

All (64) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	D	412	NAD	C4A-N9A-C8A	5.72	111.74	105.74
5	B	413	NAD	C5A-C4A-N3A	-5.65	118.93	126.72
5	A	415	NAD	C4A-N9A-C8A	5.29	111.30	105.74
5	C	415	NAD	C4A-N9A-C8A	5.20	111.20	105.74
5	D	412	NAD	N3A-C4A-N9A	5.14	135.91	127.17
5	C	415	NAD	N3A-C2A-N1A	-4.86	121.22	128.58
5	D	412	NAD	C5A-C4A-N3A	-4.70	120.25	126.72
5	D	412	NAD	N3A-C2A-N1A	-4.70	121.47	128.58
5	B	413	NAD	N3A-C4A-N9A	4.69	135.15	127.17
5	A	415	NAD	N3A-C4A-N9A	4.64	135.06	127.17
5	B	413	NAD	C4A-C5A-N7A	-4.55	105.37	110.58
5	B	413	NAD	C5A-N7A-C8A	4.21	110.07	103.45
5	D	412	NAD	C2A-N3A-C4A	4.12	121.90	111.83
5	B	413	NAD	C2A-N3A-C4A	4.06	121.74	111.83
5	C	415	NAD	N3A-C4A-N9A	4.05	134.05	127.17
5	B	413	NAD	N3A-C2A-N1A	-4.00	122.53	128.58
5	A	415	NAD	C5A-C4A-N3A	-3.95	121.28	126.72
5	D	412	NAD	N9A-C8A-N7A	-3.82	108.52	113.94
5	A	415	NAD	N3A-C2A-N1A	-3.81	122.82	128.58
5	B	413	NAD	C4A-N9A-C8A	3.72	109.64	105.74
5	C	415	NAD	C5A-C4A-N3A	-3.67	121.67	126.72
5	C	415	NAD	C2A-N3A-C4A	3.58	120.56	111.83
5	B	413	NAD	N9A-C8A-N7A	-3.49	108.99	113.94
5	D	412	NAD	C4A-N9A-C1B	-3.45	118.57	126.63
5	C	415	NAD	C6A-C5A-N7A	3.23	138.32	132.09
5	D	412	NAD	C6A-C5A-N7A	3.16	138.19	132.09
5	A	415	NAD	N9A-C8A-N7A	-3.14	109.48	113.94
5	A	415	NAD	C5A-N7A-C8A	3.04	108.23	103.45
5	C	415	NAD	C4B-O4B-C1B	-3.02	102.79	109.47
5	B	413	NAD	C6A-C5A-N7A	3.01	137.89	132.09
5	A	415	NAD	C2A-N3A-C4A	3.00	119.16	111.83
5	C	415	NAD	C2A-N1A-C6A	2.95	123.58	118.73
5	D	412	NAD	C5A-N7A-C8A	2.93	108.06	103.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	C	415	NAD	N9A-C8A-N7A	-2.82	109.94	113.94
5	A	415	NAD	C4A-C5A-N7A	-2.81	107.37	110.58
5	A	415	NAD	C2A-N1A-C6A	2.81	123.34	118.73
5	D	412	NAD	O4B-C1B-N9A	2.77	113.40	108.09
5	C	415	NAD	C4A-C5A-N7A	-2.75	107.43	110.58
6	C	416	7N5	O1A-C1-C2	-2.73	118.42	121.81
5	B	413	NAD	C4B-O4B-C1B	-2.71	103.49	109.47
5	C	415	NAD	O4B-C4B-C3B	2.68	110.47	105.15
5	B	413	NAD	O4B-C4B-C3B	2.60	110.31	105.15
5	C	415	NAD	C4A-N9A-C1B	-2.57	120.63	126.63
6	A	416	7N5	C3-C2-C1	2.47	120.05	115.86
6	B	414	7N5	O1A-C1-C2	-2.46	118.75	121.81
6	D	413	7N5	O1A-C1-C2	-2.43	118.79	121.81
5	D	412	NAD	C4A-C5A-N7A	-2.41	107.83	110.58
5	A	415	NAD	C6A-C5A-N7A	2.38	136.68	132.09
5	C	415	NAD	C5A-N7A-C8A	2.36	107.16	103.45
5	D	412	NAD	C6A-C5A-C4A	-2.36	113.96	117.18
6	D	413	7N5	O1B-C1-C2	2.35	120.09	113.59
5	A	415	NAD	N6A-C6A-N1A	2.32	123.53	118.38
5	B	413	NAD	C5B-C4B-C3B	-2.30	106.92	115.21
6	B	414	7N5	O1B-C1-C2	2.21	119.72	113.59
5	A	415	NAD	O4B-C4B-C3B	2.20	109.52	105.15
5	D	412	NAD	C5A-C6A-N6A	-2.18	117.88	123.29
5	C	415	NAD	C5N-C4N-C3N	-2.17	118.23	120.36
5	A	415	NAD	C3N-C7N-N7N	2.16	120.40	117.74
5	C	415	NAD	C6A-C5A-C4A	-2.15	114.24	117.18
6	C	416	7N5	O1B-C1-C2	2.14	119.51	113.59
5	B	413	NAD	O2A-PA-O1A	2.13	122.36	112.44
5	C	415	NAD	O2N-PN-O1N	2.13	122.36	112.44
5	C	415	NAD	O2A-PA-O1A	2.03	121.91	112.44
5	A	415	NAD	C5A-C4A-N9A	-2.02	103.61	105.81

There are no chirality outliers.

All (24) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	D	412	NAD	O4D-C1D-N1N-C6N
2	A	405	EDO	O1-C1-C2-O2
2	B	403	EDO	O1-C1-C2-O2
2	D	405	EDO	O1-C1-C2-O2
6	A	416	7N5	C3-C4-C5-C6
5	B	413	NAD	C2B-C1B-N9A-C8A

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
5	C	415	NAD	C2B-C1B-N9A-C8A
2	B	406	EDO	O1-C1-C2-O2
6	A	416	7N5	O1B-C1-C2-O2
6	C	416	7N5	O1B-C1-C2-O2
2	C	406	EDO	O1-C1-C2-O2
5	A	415	NAD	O4D-C1D-N1N-C2N
5	B	413	NAD	O4D-C1D-N1N-C2N
5	B	413	NAD	O4D-C1D-N1N-C6N
5	C	415	NAD	O4D-C1D-N1N-C2N
5	D	412	NAD	O4D-C1D-N1N-C2N
2	A	401	EDO	O1-C1-C2-O2
2	B	405	EDO	O1-C1-C2-O2
5	B	413	NAD	O4B-C1B-N9A-C8A
5	C	415	NAD	O4B-C1B-N9A-C8A
2	C	403	EDO	O1-C1-C2-O2
2	C	407	EDO	O1-C1-C2-O2
6	B	414	7N5	C3-C4-C5-C6
5	A	415	NAD	O4B-C4B-C5B-O5B


There are no ring outliers.


5 monomers are involved in 5 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	406	EDO	1	0
2	D	403	EDO	1	0
2	C	407	EDO	0	1
2	D	405	EDO	1	0
2	C	406	EDO	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	306/308 (99%)	-0.18	7 (2%) 61 71	4, 10, 30, 70	9 (2%)
1	B	306/308 (99%)	0.05	19 (6%) 26 35	4, 10, 39, 88	8 (2%)
1	C	308/308 (100%)	-0.19	2 (0%) 85 91	4, 11, 31, 74	5 (1%)
1	D	308/308 (100%)	0.13	13 (4%) 40 51	5, 12, 34, 76	6 (1%)
All	All	1228/1232 (99%)	-0.05	41 (3%) 49 59	4, 11, 35, 88	28 (2%)

All (41) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	57[A]	LEU	5.8
1	A	168	GLY	4.0
1	B	81	GLY	4.0
1	B	75	GLY	3.9
1	B	308	VAL	3.9
1	B	42	GLY	3.6
1	D	19	GLN	3.5
1	B	34	PHE	3.2
1	B	74	VAL	3.0
1	C	76	VAL	2.9
1	B	297	ILE	2.9
1	A	27	ASP	2.9
1	D	300	GLY	2.8
1	D	27	ASP	2.8
1	B	43	PRO	2.8
1	B	38	ASP	2.7
1	C	308	VAL	2.7
1	D	38	ASP	2.7
1	A	83	TYR	2.6
1	B	301	ASP	2.5
1	B	36	GLY	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	39	GLU	2.5
1	D	2	HIS	2.5
1	A	169	ASP	2.5
1	A	298	ALA	2.4
1	B	35	ALA	2.4
1	D	41	PHE	2.4
1	D	74	VAL	2.3
1	D	166	ARG	2.3
1	B	300	GLY	2.3
1	B	27	ASP	2.2
1	D	26	SER	2.2
1	A	38	ASP	2.2
1	B	166	ARG	2.1
1	D	43	PRO	2.1
1	B	79	GLU	2.1
1	D	23	GLU	2.1
1	A	303	LEU	2.1
1	D	1	MET	2.0
1	D	76	VAL	2.0
1	B	299	THR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	EDO	B	406	4/4	0.82	0.16	17,29,42,57	0
2	EDO	C	407	4/4	0.85	0.12	26,35,40,51	0
2	EDO	D	403	4/4	0.86	0.12	16,24,25,26	0

Continued on next page...

Continued from previous page...


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	EDO	B	403	4/4	0.88	0.15	24,28,37,42	0
2	EDO	C	403	4/4	0.88	0.15	29,44,45,46	0
2	EDO	A	404	4/4	0.89	0.14	35,39,53,81	0
2	EDO	A	403	4/4	0.89	0.13	28,29,30,34	0
3	SO4	B	407	5/5	0.89	0.12	18,19,22,27	5
3	SO4	D	406	5/5	0.89	0.11	10,12,15,17	5
2	EDO	A	405	4/4	0.90	0.12	24,29,35,37	0
2	EDO	A	406	4/4	0.91	0.10	30,30,31,33	0
2	EDO	D	405	4/4	0.91	0.11	18,23,40,50	0
2	EDO	C	404	4/4	0.92	0.13	15,18,19,24	0
2	EDO	C	402	4/4	0.92	0.10	19,23,27,30	0
2	EDO	B	405	4/4	0.92	0.08	22,23,24,26	0
2	EDO	D	404	4/4	0.93	0.09	25,29,33,36	0
2	EDO	C	406	4/4	0.93	0.12	16,19,21,29	0
2	EDO	A	401	4/4	0.93	0.14	19,24,33,71	0
3	SO4	C	408	5/5	0.93	0.13	12,16,16,21	5
2	EDO	B	401	4/4	0.93	0.09	16,22,22,24	0
2	EDO	D	402	4/4	0.94	0.10	16,23,31,39	0
4	MG	D	409	1/1	0.94	0.34	43,43,43,43	0
6	7N5	A	416	9/9	0.94	0.12	10,14,47,54	0
6	7N5	D	413	9/9	0.95	0.10	10,18,40,40	0
4	MG	A	414	1/1	0.96	0.34	33,33,33,33	0
4	MG	A	417	1/1	0.96	0.11	26,26,26,26	0
4	MG	B	410	1/1	0.96	0.37	36,36,36,36	0
2	EDO	B	404	4/4	0.96	0.09	12,17,20,22	0
4	MG	D	410	1/1	0.96	0.14	51,51,51,51	0
2	EDO	A	402	4/4	0.96	0.07	21,23,25,26	0
6	7N5	C	416	9/9	0.96	0.08	9,15,29,32	0
2	EDO	C	405	4/4	0.96	0.08	14,19,26,28	0
6	7N5	B	414	9/9	0.97	0.07	11,16,26,28	0
2	EDO	B	402	4/4	0.97	0.06	23,23,23,23	0
4	MG	A	411	1/1	0.97	0.33	31,31,31,31	0
7	NA	C	401	1/1	0.97	0.21	31,31,31,31	0
5	NAD	D	412	44/44	0.98	0.05	5,11,15,16	0
3	SO4	A	407	5/5	0.98	0.06	8,9,12,13	5
5	NAD	A	415	44/44	0.98	0.05	4,9,16,23	0
7	NA	D	401	1/1	0.98	0.24	27,27,27,27	0
4	MG	A	409	1/1	0.99	0.03	14,14,14,14	0
4	MG	B	409	1/1	0.99	0.03	9,9,9,9	1
5	NAD	B	413	44/44	0.99	0.04	6,10,18,21	0
5	NAD	C	415	44/44	0.99	0.05	5,10,21,31	0
4	MG	A	412	1/1	0.99	0.11	25,25,25,25	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	MG	B	411	1/1	0.99	0.23	25,25,25,25	0
4	MG	C	410	1/1	0.99	0.05	11,11,11,11	1
4	MG	C	411	1/1	0.99	0.18	26,26,26,26	0
4	MG	C	412	1/1	0.99	0.17	17,17,17,17	1
4	MG	C	413	1/1	0.99	0.13	28,28,28,28	0
4	MG	A	410	1/1	0.99	0.05	16,16,16,16	1
4	MG	B	408	1/1	1.00	0.01	8,8,8,8	0
4	MG	B	412	1/1	1.00	0.06	10,10,10,10	0
4	MG	C	414	1/1	1.00	0.05	11,11,11,11	0
4	MG	D	407	1/1	1.00	0.01	8,8,8,8	0
4	MG	D	408	1/1	1.00	0.02	11,11,11,11	0
4	MG	C	409	1/1	1.00	0.01	7,7,7,7	0
4	MG	A	408	1/1	1.00	0.01	7,7,7,7	0
4	MG	D	411	1/1	1.00	0.02	13,13,13,13	0
4	MG	A	413	1/1	1.00	0.03	11,11,11,11	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.







Electron density around NAD A 415:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around NAD B 413:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.