



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 07:25 AM UTC

PDB ID : 3MI9 / pdb_00003mi9
Title : Crystal structure of HIV-1 Tat complexed with human P-TEFb
Authors : Tahirov, T.H.; Babayeva, N.D.; Varzavand, K.; Cooper, J.J.; Sedore, S.C.;
Price, D.H.
Deposited on : 2010-04-09
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6658 (2.10-2.10)
Clashscore	190562	7164 (2.10-2.10)
Ramachandran outliers	187476	7099 (2.10-2.10)
Sidechain outliers	187428	7100 (2.10-2.10)
RSRZ outliers	180081	6662 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	351	9% 62% 26% 6%
2	B	266	9% 66% 25% 7%
3	C	86	8% 45% 9% 43%

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 5398 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Cell division protein kinase 9.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	329	Total	C	N	O	P	S	0	0	0
			2665	1709	461	478	1	16			

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	346	HIS	-	expression tag	UNP P50750
A	347	HIS	-	expression tag	UNP P50750
A	348	HIS	-	expression tag	UNP P50750
A	349	HIS	-	expression tag	UNP P50750
A	350	HIS	-	expression tag	UNP P50750
A	351	HIS	-	expression tag	UNP P50750

- Molecule 2 is a protein called Cyclin-T1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	247	Total	C	N	O	S	0	0	0
			2005	1280	344	371	10			

- Molecule 3 is a protein called Protein Tat.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	49	Total	C	N	O	S	0	0	0
			385	244	68	65	8			

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	77	SER	PRO	variant	UNP P04608

- Molecule 4 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	C	2	Total 2	Zn 2	0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	204	Total 204	O 204	0	0
5	B	117	Total 117	O 117	0	0
5	C	20	Total 20	O 20	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Cell division protein kinase 9



• Molecule 2: Cyclin-T1



• Molecule 3: Protein Tat





4 Data and refinement statistics

Property	Value	Source
Space group	P 32 2 1	Depositor
Cell constants a, b, c, α , β , γ	132.31 Å 132.31 Å 95.36 Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	30.63 – 2.10 30.63 – 2.10	Depositor EDS
% Data completeness (in resolution range)	85.6 (30.63-2.10) 85.6 (30.63-2.10)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.46 (at 2.08 Å)	Xtriage
Refinement program	CNS	Depositor
R, R_{free}	0.219 , 0.264 0.218 , 0.264	Depositor DCC
R_{free} test set	2601 reflections (5.02%)	wwPDB-VP
Wilson B-factor (Å ²)	36.9	Xtriage
Anisotropy	0.092	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 58.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	0.029 for -h,-k,l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	5398	wwPDB-VP
Average B, all atoms (Å ²)	46.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.22% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: TPO, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.53	0/2709	1.03	17/3656 (0.5%)
2	B	0.47	0/2054	0.96	6/2798 (0.2%)
3	C	0.48	0/397	0.92	0/536
All	All	0.50	0/5160	0.99	23/6990 (0.3%)

There are no bond length outliers.

All (23) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	178	LYS	N-CA-C	-9.26	101.75	113.23
2	B	71	MET	N-CA-C	-8.81	102.54	113.38
1	A	213	TRP	N-CA-C	-7.31	103.25	111.07
1	A	283	VAL	N-CA-C	6.97	116.97	110.42
2	B	54	VAL	N-CA-C	-6.75	102.70	110.05
1	A	104	ASP	N-CA-C	-6.59	100.53	110.28
1	A	180	SER	N-CA-C	6.49	124.63	110.80
1	A	181	GLN	N-CA-C	6.13	118.90	110.01
1	A	35	LYS	N-CA-C	-6.01	99.86	109.96
1	A	339	LEU	N-CA-C	6.00	120.60	113.28
2	B	184	LEU	N-CA-C	5.78	120.61	113.50
1	A	331	HIS	N-CA-C	-5.76	99.80	108.96
1	A	148	ARG	N-CA-C	5.66	119.77	112.86
1	A	108	HIS	N-CA-C	5.42	118.06	109.50
1	A	332	LEU	N-CA-C	5.33	117.63	109.95
2	B	9	ASN	N-CA-C	-5.33	106.63	113.23
1	A	285	ASP	CA-C-N	5.32	124.96	119.05
1	A	285	ASP	C-N-CA	5.32	124.96	119.05
2	B	70	TYR	N-CA-C	5.29	119.45	113.15
1	A	275	VAL	N-CA-C	5.28	115.72	110.23
2	B	219	LYS	N-CA-C	5.25	117.46	110.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	256	VAL	N-CA-C	-5.11	106.27	112.76
1	A	208	PRO	N-CA-C	5.04	116.84	110.70

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2665	0	2719	81	0
2	B	2005	0	1978	60	0
3	C	385	0	376	9	0
4	C	2	0	0	0	0
5	A	204	0	0	12	0
5	B	117	0	0	3	0
5	C	20	0	0	1	0
All	All	5398	0	5073	146	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (146) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:131:GLN:HE21	2:B:131:GLN:HA	1.27	0.99
1:A:142:ARG:HH21	1:A:142:ARG:HG2	1.35	0.88
2:B:166:ALA:HB1	2:B:170:LEU:HD23	1.64	0.79
2:B:168:LYS:HB3	2:B:168:LYS:NZ	2.02	0.75
2:B:82:SER:O	2:B:85:PRO:HD2	1.87	0.74
2:B:20:GLU:O	2:B:25:ARG:NH1	2.21	0.74
2:B:36:SER:O	2:B:40:GLN:HG3	1.89	0.72
2:B:131:GLN:HA	2:B:131:GLN:NE2	2.05	0.72
1:A:335:MET:SD	1:A:339:LEU:HD12	2.29	0.72
1:A:342:PRO:O	1:A:343:ARG:HG3	1.90	0.71
2:B:118:LEU:H	2:B:118:LEU:HD12	1.54	0.71

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:142:ARG:HG2	1:A:142:ARG:NH2	2.04	0.71
2:B:47:ASP:O	2:B:51:ARG:HG2	1.91	0.70
2:B:215:SER:HB2	5:B:287:HOH:O	1.91	0.70
1:A:128:ARG:HG3	1:A:132:MET:HE2	1.75	0.69
2:B:158:VAL:O	2:B:162:GLN:HG2	1.94	0.68
2:B:84:ALA:HB3	2:B:85:PRO:HD3	1.76	0.67
2:B:35:LEU:O	2:B:39:GLN:HG3	1.96	0.65
2:B:81:ASN:HD22	2:B:112:LEU:HD21	1.61	0.65
1:A:142:ARG:HD2	5:A:452:HOH:O	1.97	0.64
2:B:120:ASP:C	2:B:122:ARG:H	2.06	0.64
1:A:283:VAL:O	1:A:284:ARG:HB2	1.97	0.63
1:A:133:LEU:HD11	1:A:150:MET:HE1	1.81	0.63
1:A:336:PHE:HD1	5:A:471:HOH:O	1.82	0.62
2:B:17:GLU:O	2:B:20:GLU:HB3	2.00	0.62
2:B:210:TRP:CH2	2:B:212:ILE:HG12	2.35	0.62
2:B:120:ASP:OD2	2:B:122:ARG:HB2	2.00	0.62
1:A:122:THR:OG1	1:A:125:GLU:HG3	2.00	0.61
2:B:210:TRP:CZ3	2:B:212:ILE:HG12	2.35	0.60
1:A:117:VAL:HG12	1:A:117:VAL:O	2.01	0.59
1:A:175:SER:HB2	3:C:9:GLU:HG3	1.85	0.58
1:A:144:LYS:HA	1:A:174:PHE:CE1	2.38	0.58
2:B:54:VAL:HG12	2:B:99:LYS:HE3	1.86	0.57
1:A:133:LEU:CD1	1:A:165:LEU:HD21	2.34	0.57
1:A:250:PRO:HG2	1:A:257:ASP:OD1	2.05	0.57
1:A:277:ASP:HA	1:A:280:LYS:HE3	1.86	0.56
1:A:21:LYS:HE3	5:A:522:HOH:O	2.05	0.56
1:A:333:THR:O	1:A:334:SER:HB3	2.05	0.56
2:B:166:ALA:CB	2:B:170:LEU:HD23	2.35	0.56
1:A:40:LYS:HE2	5:A:537:HOH:O	2.05	0.56
1:A:228:ILE:HG13	1:A:229:MET:HG3	1.86	0.56
1:A:272:LYS:O	1:A:274:LYS:HG3	2.05	0.56
1:A:121:PHE:CE1	1:A:327:MET:HG3	2.40	0.56
2:B:7:ASN:O	2:B:11:ARG:N	2.39	0.55
1:A:133:LEU:HD12	1:A:165:LEU:HD21	1.89	0.55
1:A:57:GLU:OE2	2:B:100:LYS:HA	2.07	0.54
1:A:224:THR:O	1:A:225:ARG:HB2	2.08	0.54
1:A:127:LYS:HG2	1:A:314:PHE:CZ	2.43	0.53
2:B:106:LYS:HG3	2:B:118:LEU:HD21	1.90	0.53
2:B:131:GLN:HE21	2:B:131:GLN:CA	2.05	0.53
1:A:254:PRO:HG2	5:A:431:HOH:O	2.09	0.53
2:B:89:PHE:CE1	2:B:93:LYS:HE3	2.44	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:15:GLU:HA	1:A:86:ARG:O	2.10	0.52
1:A:114:LEU:O	1:A:225:ARG:HD2	2.10	0.52
2:B:7:ASN:HA	2:B:10:LYS:HB2	1.90	0.52
1:A:335:MET:SD	1:A:335:MET:C	2.94	0.51
2:B:105:ILE:HD13	2:B:130:VAL:HG22	1.92	0.51
3:C:18:PRO:HG2	5:C:106:HOH:O	2.10	0.51
1:A:142:ARG:NH1	5:A:516:HOH:O	2.44	0.50
1:A:290:ASP:OD2	1:A:294:LYS:HE2	2.11	0.50
2:B:125:ALA:O	2:B:128:GLN:HB3	2.12	0.50
1:A:243:GLN:O	1:A:274:LYS:HD2	2.12	0.49
1:A:29:THR:OG1	1:A:32:GLU:HB2	2.12	0.49
1:A:299:ASP:OD2	1:A:302:GLN:HG3	2.13	0.49
2:B:120:ASP:C	2:B:122:ARG:N	2.69	0.49
1:A:180:SER:HB2	1:A:181:GLN:HE21	1.75	0.49
1:A:268:VAL:HG22	1:A:271:GLN:HG2	1.94	0.49
3:C:27:CYS:O	3:C:29:LYS:N	2.46	0.49
2:B:154:HIS:H	2:B:154:HIS:HD1	1.61	0.49
3:C:27:CYS:O	3:C:28:LYS:C	2.55	0.49
1:A:56:LYS:N	5:A:519:HOH:O	2.46	0.49
1:A:245:CYS:O	1:A:273:ARG:HG3	2.13	0.48
2:B:219:LYS:HD2	2:B:223:GLU:HB3	1.94	0.48
1:A:342:PRO:HG2	1:A:343:ARG:NH2	2.29	0.48
2:B:128:GLN:O	2:B:131:GLN:HB2	2.12	0.48
2:B:105:ILE:CG2	2:B:129:GLN:HE21	2.27	0.48
1:A:247:SER:N	1:A:271:GLN:HB2	2.29	0.48
3:C:31:CYS:SG	3:C:41:LYS:HB3	2.54	0.48
1:A:283:VAL:O	1:A:284:ARG:CB	2.62	0.48
1:A:290:ASP:CG	1:A:294:LYS:HE2	2.38	0.48
3:C:31:CYS:O	3:C:38:PHE:HA	2.14	0.48
1:A:263:GLU:C	1:A:265:LEU:H	2.22	0.48
2:B:19:LEU:HD11	2:B:190:GLN:HG2	1.96	0.47
1:A:73:LEU:O	1:A:74:LYS:HD3	2.14	0.47
2:B:168:LYS:HB3	2:B:168:LYS:HZ3	1.76	0.47
2:B:19:LEU:HD11	2:B:190:GLN:CG	2.44	0.47
2:B:126:TYR:O	2:B:129:GLN:HG2	2.14	0.47
2:B:203:LEU:HD13	2:B:238:THR:HG23	1.97	0.47
1:A:62:THR:HB	5:A:528:HOH:O	2.15	0.46
2:B:126:TYR:O	2:B:127:LEU:C	2.58	0.46
1:A:163:LEU:C	1:A:163:LEU:HD23	2.40	0.46
1:A:119:VAL:O	1:A:225:ARG:NH2	2.38	0.46
1:A:334:SER:OG	1:A:337:GLU:OE1	2.20	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:15:THR:OG1	2:B:18:GLN:HG3	2.16	0.46
1:A:255:ASN:C	1:A:257:ASP:N	2.73	0.46
1:A:189:VAL:C	1:A:190:VAL:HG23	2.41	0.45
2:B:97:GLN:N	2:B:98:PRO:CD	2.78	0.45
2:B:105:ILE:CD1	2:B:130:VAL:HG22	2.46	0.45
1:A:117:VAL:O	1:A:117:VAL:CG1	2.64	0.45
1:A:268:VAL:CG2	1:A:271:GLN:HG2	2.46	0.45
1:A:22:LEU:CD1	1:A:44:LYS:HE2	2.47	0.45
1:A:81:LEU:HD12	1:A:102:VAL:O	2.17	0.45
1:A:255:ASN:HD22	1:A:255:ASN:HA	1.53	0.45
2:B:168:LYS:HB3	2:B:168:LYS:HZ2	1.78	0.44
3:C:25:CYS:SG	3:C:26:TYR:N	2.90	0.44
2:B:26:ARG:HB2	2:B:26:ARG:NH1	2.32	0.44
1:A:52:MET:O	1:A:55:GLU:HG3	2.18	0.44
2:B:26:ARG:HB2	2:B:26:ARG:CZ	2.47	0.44
1:A:35:LYS:HE2	1:A:44:LYS:NZ	2.32	0.44
2:B:105:ILE:HG21	2:B:129:GLN:HE21	1.82	0.44
2:B:130:VAL:O	2:B:134:VAL:HG23	2.17	0.44
1:A:272:LYS:O	1:A:274:LYS:HE3	2.18	0.43
2:B:219:LYS:HB2	5:B:287:HOH:O	2.18	0.43
1:A:180:SER:HB2	1:A:181:GLN:NE2	2.32	0.43
1:A:263:GLU:O	1:A:265:LEU:N	2.50	0.43
1:A:268:VAL:HG11	1:A:271:GLN:HE21	1.82	0.43
1:A:266:GLU:O	1:A:266:GLU:OE2	2.36	0.43
1:A:255:ASN:ND2	1:A:258:ASN:OD1	2.51	0.43
1:A:210:ILE:HG13	1:A:211:ASP:N	2.34	0.43
2:B:151:ASP:HB3	2:B:193:PRO:HG2	2.01	0.42
1:A:159:ARG:NH2	5:A:444:HOH:O	2.52	0.42
1:A:198:GLU:HA	1:A:253:TRP:HH2	1.85	0.42
1:A:266:GLU:CD	1:A:266:GLU:C	2.88	0.42
1:A:285:ASP:HA	1:A:286:PRO:HD3	1.90	0.42
1:A:191:THR:CG2	5:A:510:HOH:O	2.68	0.42
2:B:215:SER:O	2:B:216:THR:C	2.62	0.42
2:B:170:LEU:HD22	2:B:210:TRP:CE3	2.55	0.42
3:C:27:CYS:C	3:C:29:LYS:N	2.78	0.42
2:B:19:LEU:HD11	2:B:190:GLN:CD	2.45	0.41
2:B:178:ALA:HA	2:B:200:CYS:SG	2.60	0.41
1:A:56:LYS:O	2:B:101:LEU:HD23	2.19	0.41
2:B:14:PHE:CE2	2:B:71:MET:HG3	2.55	0.41
1:A:30:PHE:C	1:A:30:PHE:CD2	2.98	0.41
1:A:252:VAL:HG22	5:A:533:HOH:O	2.20	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:250:PRO:HD3	1:A:262:TYR:OH	2.21	0.41
1:A:22:LEU:HG	1:A:36:ALA:HA	2.02	0.41
1:A:60:PRO:HB3	1:A:62:THR:HG22	2.03	0.41
1:A:142:ARG:NH2	1:A:142:ARG:CG	2.74	0.41
2:B:101:LEU:HD12	2:B:101:LEU:O	2.20	0.41
1:A:269:LYS:O	1:A:269:LYS:HG3	2.20	0.40
2:B:250:ASN:ND2	3:C:41:LYS:O	2.54	0.40
1:A:118:LEU:HD23	1:A:118:LEU:HA	1.90	0.40
1:A:236:HIS:O	1:A:239:ALA:HB3	2.21	0.40
2:B:219:LYS:N	5:B:287:HOH:O	2.53	0.40
1:A:212:LEU:HD13	5:A:449:HOH:O	2.21	0.40
2:B:208:SER:O	2:B:209:ASN:C	2.64	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	324/351 (92%)	299 (92%)	15 (5%)	10 (3%)	3	1
2	B	244/266 (92%)	227 (93%)	15 (6%)	2 (1%)	16	12
3	C	47/86 (55%)	45 (96%)	1 (2%)	1 (2%)	5	2
All	All	615/703 (88%)	571 (93%)	31 (5%)	13 (2%)	5	2

All (13) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	179	ASN
1	A	264	LYS
1	A	180	SER
1	A	190	VAL
2	B	116	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	C	28	LYS
1	A	30	PHE
1	A	284	ARG
1	A	343	ARG
2	B	216	THR
1	A	56	LYS
1	A	342	PRO
1	A	117	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	291/311 (94%)	284 (98%)	7 (2%)	43	49
2	B	226/241 (94%)	223 (99%)	3 (1%)	61	69
3	C	44/77 (57%)	43 (98%)	1 (2%)	44	51
All	All	561/629 (89%)	550 (98%)	11 (2%)	48	56

All (11) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	56	LYS
1	A	76	GLU
1	A	142	ARG
1	A	191	THR
1	A	212	LEU
1	A	255	ASN
1	A	267	LEU
2	B	16	ARG
2	B	30	ASP
2	B	131	GLN
3	C	31	CYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	54	ASN
1	A	181	GLN
1	A	255	ASN
1	A	271	GLN
2	B	7	ASN
2	B	8	ASN
2	B	9	ASN
2	B	77	GLN
2	B	81	ASN
2	B	129	GLN
2	B	131	GLN
2	B	162	GLN
2	B	209	ASN
3	C	24	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	TPO	A	186	1	8,10,11	1.58	1 (12%)	10,14,16	1.68	1 (10%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	TPO	A	186	1	-	0/9/11/13	-

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	186	TPO	P-O1P	3.18	1.60	1.50

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	186	TPO	P-OG1-CB	-4.46	111.20	123.33

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 2 ligands modelled in this entry, 2 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	328/351 (93%)	0.50	30 (9%) 15 15	23, 40, 81, 96	0
2	B	247/266 (92%)	0.61	23 (9%) 14 15	25, 44, 78, 101	0
3	C	49/86 (56%)	1.05	7 (14%) 6 6	35, 51, 79, 88	0
All	All	624/703 (88%)	0.58	60 (9%) 13 14	23, 43, 79, 101	0

All (60) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	177	ALA	7.1
2	B	261	CYS	5.2
1	A	336	PHE	4.7
2	B	216	THR	4.5
1	A	178	LYS	4.5
1	A	179	ASN	4.2
1	A	341	PRO	4.1
1	A	265	LEU	4.1
1	A	342	PRO	4.0
1	A	97	GLY	3.8
2	B	215	SER	3.8
1	A	270	GLY	3.6
2	B	217	ASP	3.6
1	A	28	GLY	3.6
1	A	53	GLU	3.5
2	B	119	PRO	3.4
1	A	182	PRO	3.3
3	C	28	LYS	3.3
1	A	29	THR	3.3
2	B	125	ALA	3.3
1	A	256	VAL	3.2
3	C	48	GLY	3.2
1	A	268	VAL	3.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	131	GLN	3.2
3	C	26	TYR	3.2
1	A	30	PHE	3.2
1	A	267	LEU	3.1
1	A	56	LYS	3.1
2	B	120	ASP	3.1
2	B	109	HIS	3.1
1	A	54	ASN	3.1
2	B	25	ARG	2.9
1	A	257	ASP	2.9
2	B	117	SER	2.9
2	B	114	PRO	2.8
1	A	266	GLU	2.8
1	A	180	SER	2.7
2	B	224	TYR	2.7
2	B	7	ASN	2.7
2	B	123	SER	2.7
1	A	253	TRP	2.6
1	A	263	GLU	2.5
2	B	30	ASP	2.4
3	C	29	LYS	2.4
2	B	163	LEU	2.4
2	B	8	ASN	2.4
3	C	30	CYS	2.4
2	B	126	TYR	2.3
3	C	49	ARG	2.3
1	A	8	VAL	2.2
2	B	118	LEU	2.2
2	B	122	ARG	2.2
2	B	166	ALA	2.1
2	B	208	SER	2.1
3	C	21	ALA	2.1
1	A	277	ASP	2.0
1	A	191	THR	2.0
1	A	334	SER	2.0
1	A	333	THR	2.0
1	A	262	TYR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,

median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	TPO	A	186	11/12	0.97	0.09	30,33,43,43	0

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	ZN	C	88	1/1	0.97	0.08	71,71,71,71	0
4	ZN	C	87	1/1	0.98	0.05	53,53,53,53	0

6.5 Other polymers [i](#)

There are no such residues in this entry.