



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 06:39 PM UTC

PDB ID : 3MIA / pdb_00003mia
Title : Crystal structure of HIV-1 Tat complexed with ATP-bound human P-TEFb
Authors : Tahirov, T.H.; Babayeva, N.D.; Varzavand, K.; Cooper, J.J.; Sedore, S.C.; Price, D.H.
Deposited on : 2010-04-09
Resolution : 3.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2672 (3.00-3.00)
Clashscore	190562	2977 (3.00-3.00)
Ramachandran outliers	187476	2877 (3.00-3.00)
Sidechain outliers	187428	2880 (3.00-3.00)
RSRZ outliers	180081	2671 (3.00-3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	351	
2	B	266	
3	C	86	

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 5069 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Cell division protein kinase 9.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	325	Total	C	N	O	P	S	0	0	0
			2629	1687	451	474	1	16			

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	346	HIS	-	expression tag	UNP P50750
A	347	HIS	-	expression tag	UNP P50750
A	348	HIS	-	expression tag	UNP P50750
A	349	HIS	-	expression tag	UNP P50750
A	350	HIS	-	expression tag	UNP P50750
A	351	HIS	-	expression tag	UNP P50750

- Molecule 2 is a protein called Cyclin-T1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	247	Total	C	N	O	S	0	0	0
			2005	1280	344	371	10			


- Molecule 3 is a protein called Protein Tat.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	48	Total	C	N	O	S	0	0	0
			374	238	64	64	8			

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	77	SER	PRO	variant	UNP P04608

- Molecule 4 is PHOSPHOAMINOPHOSPHONIC ACID-ADENYLATE ESTER (CCD ID: ANP) (formula: C₁₀H₁₇N₆O₁₂P₃).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	N	O	P	0	0
			31	10	6	12	3		

- Molecule 5 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	1	Total	Mg	0	0
			1	1		

- Molecule 6 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	C	2	Total	Zn	0	0
			2	2		


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	24	Total	O	0	0
			24	24		
7	B	3	Total	O	0	0
			3	3		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Cell division protein kinase 9



• Molecule 2: Cyclin-T1



● Molecule 3: Protein Tat



4 Data and refinement statistics

Property	Value	Source
Space group	P 32 2 1	Depositor
Cell constants a, b, c, α , β , γ	134.29Å 134.29Å 97.19Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	30.61 – 3.00 30.61 – 3.00	Depositor EDS
% Data completeness (in resolution range)	92.4 (30.61-3.00) 92.3 (30.61-3.00)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	204.71 (at 3.00Å)	Xtriage
Refinement program	CNS	Depositor
R, R_{free}	0.219 , 0.287 0.218 , 0.282	Depositor DCC
R_{free} test set	971 reflections (4.86%)	wwPDB-VP
Wilson B-factor (Å ²)	47.7	Xtriage
Anisotropy	0.142	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 61.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	0.035 for -h,-k,l	Xtriage
F_o, F_c correlation	0.90	EDS
Total number of atoms	5069	wwPDB-VP
Average B, all atoms (Å ²)	49.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.05% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, MG, TPO, ANP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.62	0/2671	1.12	23/3604 (0.6%)
2	B	0.52	0/2054	1.08	13/2798 (0.5%)
3	C	0.48	0/386	0.99	0/522
All	All	0.57	0/5111	1.10	36/6924 (0.5%)

There are no bond length outliers.

All (36) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	184	LEU	N-CA-C	9.25	123.07	111.69
1	A	283	VAL	N-CA-C	8.24	118.16	110.42
2	B	33	LYS	N-CA-C	-8.20	101.92	111.03
1	A	178	LYS	N-CA-C	-8.16	102.77	112.89
1	A	282	TYR	N-CA-C	7.91	119.81	111.03
1	A	285	ASP	CA-C-N	7.68	126.96	118.97
1	A	285	ASP	C-N-CA	7.68	126.96	118.97
2	B	71	MET	N-CA-C	-7.21	103.64	113.30
1	A	181	GLN	CA-C-N	7.04	126.80	119.76
1	A	181	GLN	C-N-CA	7.04	126.80	119.76
1	A	213	TRP	N-CA-C	-6.79	103.49	111.03
1	A	266	GLU	N-CA-C	-6.22	102.16	110.24
2	B	56	GLN	N-CA-C	-6.13	104.67	111.36
2	B	82	SER	N-CA-C	-6.06	103.31	112.04
1	A	53	GLU	N-CA-C	-6.02	104.64	112.23
1	A	208	PRO	N-CA-C	6.01	118.04	110.70
2	B	148	LEU	N-CA-C	5.93	120.80	113.50
2	B	65	TYR	N-CA-C	-5.93	104.73	111.14
1	A	249	THR	CA-C-N	5.70	126.44	120.12
1	A	249	THR	C-N-CA	5.70	126.44	120.12
1	A	35	LYS	N-CA-C	-5.61	100.53	109.96

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	150	ILE	N-CA-C	5.61	115.93	107.80
1	A	232	ASN	N-CA-C	-5.55	106.86	113.97
2	B	219	LYS	N-CA-C	5.54	118.31	110.50
1	A	14	ASP	N-CA-C	5.51	117.65	110.43
1	A	108	HIS	N-CA-C	5.31	117.48	109.41
1	A	230	GLN	N-CA-C	5.30	117.57	109.62
2	B	72	ILE	N-CA-C	-5.29	107.67	112.12
1	A	73	LEU	N-CA-C	5.22	116.82	108.41
2	B	206	LYS	N-CA-C	-5.18	105.54	111.14
1	A	120	LYS	N-CA-C	5.16	117.64	109.24
2	B	83	VAL	N-CA-C	5.15	115.88	110.62
1	A	180	SER	N-CA-C	5.14	121.74	110.80
1	A	28	GLY	N-CA-C	-5.13	105.26	112.13
1	A	181	GLN	N-CA-C	5.13	121.14	109.81
2	B	224	TYR	N-CA-C	-5.04	106.38	112.88

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2629	0	2679	108	0
2	B	2005	0	1978	84	0
3	C	374	0	363	15	0
4	A	31	0	13	1	0
5	A	1	0	0	0	0
6	C	2	0	0	0	0
7	A	24	0	0	4	0
7	B	3	0	0	0	0
All	All	5069	0	5033	203	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 20.

All (203) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:133:LEU:HD11	1:A:150:MET:HE1	1.26	1.10
2:B:30:ASP:HB2	2:B:33:LYS:HD3	1.21	1.10
2:B:131:GLN:HE21	2:B:131:GLN:HA	1.23	0.99
2:B:118:LEU:H	2:B:118:LEU:HD12	1.35	0.90
2:B:81:ASN:HB3	2:B:112:LEU:HD11	1.56	0.87
2:B:82:SER:O	2:B:85:PRO:HD2	1.75	0.87
1:A:127:LYS:HG2	1:A:314:PHE:CZ	2.10	0.85
2:B:30:ASP:HB2	2:B:33:LYS:CD	2.07	0.84
1:A:67:ILE:O	1:A:71:GLN:HG3	1.81	0.81
2:B:166:ALA:HB1	2:B:170:LEU:HD23	1.60	0.81
1:A:335:MET:SD	1:A:339:LEU:HD12	2.22	0.79
3:C:31:CYS:SG	3:C:41:LYS:HB3	2.26	0.76
2:B:131:GLN:HA	2:B:131:GLN:NE2	1.99	0.75
1:A:142:ARG:HH21	1:A:142:ARG:HG2	1.49	0.75
2:B:101:LEU:O	2:B:105:ILE:HG13	1.87	0.74
1:A:332:LEU:HD13	1:A:337:GLU:HB3	1.69	0.73
2:B:30:ASP:CB	2:B:33:LYS:HD3	2.11	0.73
1:A:335:MET:HG3	1:A:336:PHE:N	2.02	0.73
2:B:153:PRO:O	2:B:157:VAL:HG23	1.89	0.72
1:A:54:ASN:C	1:A:54:ASN:HD22	1.97	0.72
3:C:37:CYS:O	3:C:41:LYS:HB2	1.90	0.72
1:A:183:ASN:HB2	1:A:205:ASP:OD2	1.91	0.70
2:B:15:THR:OG1	2:B:18:GLN:HG3	1.94	0.68
2:B:166:ALA:CB	2:B:170:LEU:HD23	2.24	0.68
1:A:142:ARG:HG2	1:A:142:ARG:NH2	2.08	0.67
1:A:122:THR:HG23	1:A:125:GLU:OE1	1.94	0.67
2:B:29:VAL:HG13	2:B:33:LYS:HE2	1.76	0.65
1:A:121:PHE:CE1	1:A:327:MET:HG3	2.31	0.65
2:B:81:ASN:HD22	2:B:112:LEU:HD21	1.62	0.65
2:B:118:LEU:H	2:B:118:LEU:CD1	2.09	0.65
1:A:261:LEU:HB3	1:A:265:LEU:HD12	1.79	0.65
1:A:49:LYS:HB2	1:A:100:TYR:CE1	2.32	0.64
2:B:49:GLY:HA3	2:B:59:ILE:HD11	1.80	0.64
2:B:105:ILE:HD13	2:B:130:VAL:HG22	1.80	0.63
2:B:105:ILE:CG2	2:B:129:GLN:HE21	2.11	0.63
1:A:119:VAL:O	1:A:225:ARG:NH2	2.30	0.63
2:B:101:LEU:HG	2:B:105:ILE:HD11	1.79	0.63
2:B:126:TYR:O	2:B:129:GLN:HG2	1.99	0.62
2:B:131:GLN:O	2:B:135:ILE:HG13	1.99	0.62
1:A:121:PHE:CD1	1:A:327:MET:HG3	2.35	0.61
2:B:120:ASP:C	2:B:122:ARG:H	2.08	0.61
2:B:131:GLN:HE21	2:B:131:GLN:CA	2.08	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:36:SER:O	2:B:40:GLN:HG3	2.00	0.60
1:A:217:CYS:O	1:A:221:GLU:HG3	2.00	0.60
2:B:156:HIS:CE1	2:B:194:PRO:HG3	2.36	0.60
1:A:54:ASN:C	1:A:54:ASN:ND2	2.60	0.60
1:A:71:GLN:NE2	7:A:374:HOH:O	2.33	0.60
1:A:288:ALA:O	1:A:292:ILE:HG13	2.02	0.59
1:A:117:VAL:HG12	1:A:117:VAL:O	2.01	0.59
1:A:127:LYS:HG2	1:A:314:PHE:CE1	2.38	0.58
1:A:228:ILE:HG13	1:A:229:MET:HG3	1.84	0.58
1:A:290:ASP:OD2	1:A:294:LYS:HE2	2.04	0.58
1:A:16:VAL:HG23	1:A:85:CYS:CB	2.33	0.58
2:B:24:SER:HA	2:B:74:SER:OG	2.03	0.58
1:A:133:LEU:HD12	1:A:165:LEU:HD21	1.85	0.58
1:A:116:ASN:ND2	1:A:119:VAL:HG23	2.19	0.57
1:A:123:LEU:HD23	1:A:319:PRO:CG	2.35	0.57
1:A:123:LEU:HD23	1:A:319:PRO:CD	2.35	0.57
1:A:180:SER:HB2	1:A:181:GLN:HE21	1.69	0.57
1:A:123:LEU:HD23	1:A:319:PRO:HD2	1.85	0.57
2:B:30:ASP:O	2:B:33:LYS:HB2	2.04	0.57
2:B:243:GLN:O	2:B:247:LYS:HG3	2.05	0.56
1:A:272:LYS:O	1:A:274:LYS:HG3	2.05	0.56
2:B:30:ASP:H	2:B:33:LYS:HD3	1.71	0.56
2:B:38:ARG:HD3	2:B:67:HIS:CE1	2.41	0.55
2:B:118:LEU:HD12	2:B:118:LEU:N	2.14	0.55
1:A:133:LEU:HD11	1:A:150:MET:CE	2.18	0.55
1:A:299:ASP:OD2	1:A:302:GLN:HG3	2.05	0.55
2:B:63:ILE:O	2:B:66:MET:HB3	2.07	0.55
2:B:89:PHE:CE1	2:B:101:LEU:HD13	2.42	0.55
2:B:226:ASP:OD1	2:B:229:VAL:HG23	2.06	0.54
2:B:49:GLY:HA3	2:B:59:ILE:CD1	2.37	0.54
1:A:290:ASP:CG	1:A:294:LYS:HE2	2.32	0.54
1:A:24:LYS:HE3	1:A:26:GLY:O	2.08	0.54
1:A:148:ARG:HG2	1:A:210:ILE:HD11	1.87	0.54
1:A:290:ASP:OD2	1:A:294:LYS:CE	2.56	0.54
2:B:34:GLU:HA	2:B:37:TYR:CD2	2.43	0.54
2:B:17:GLU:N	2:B:17:GLU:OE1	2.41	0.53
1:A:254:PRO:O	1:A:255:ASN:HB2	2.07	0.53
2:B:16:ARG:NH1	2:B:240:GLU:OE2	2.41	0.53
2:B:34:GLU:HA	2:B:37:TYR:HD2	1.74	0.53
2:B:210:TRP:CZ3	2:B:212:ILE:HG12	2.44	0.53
1:A:78:VAL:O	1:A:79:VAL:C	2.52	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:255:ASN:C	1:A:257:ASP:N	2.65	0.52
2:B:20:GLU:O	2:B:25:ARG:NH1	2.43	0.52
1:A:16:VAL:HG23	1:A:85:CYS:HB3	1.91	0.52
1:A:272:LYS:O	1:A:274:LYS:HE3	2.09	0.52
1:A:236:HIS:O	1:A:239:ALA:HB3	2.10	0.52
1:A:283:VAL:O	1:A:284:ARG:HB2	2.08	0.52
1:A:327:MET:C	1:A:327:MET:SD	2.92	0.52
2:B:250:ASN:O	2:B:251:ARG:HG2	2.09	0.52
2:B:19:LEU:HD11	2:B:190:GLN:HG2	1.92	0.51
1:A:255:ASN:OD1	1:A:258:ASN:ND2	2.44	0.51
1:A:212:LEU:HD22	1:A:305:ASP:HA	1.92	0.51
1:A:266:GLU:CD	1:A:266:GLU:C	2.79	0.51
3:C:40:THR:HG22	3:C:45:ILE:O	2.11	0.50
3:C:31:CYS:SG	3:C:41:LYS:CB	2.98	0.50
2:B:109:HIS:CE1	2:B:113:HIS:HB2	2.47	0.50
1:A:193:TRP:CD1	1:A:230:GLN:HA	2.47	0.50
2:B:130:VAL:O	2:B:134:VAL:HG23	2.12	0.50
2:B:52:LEU:CD2	2:B:107:VAL:HG21	2.41	0.49
3:C:40:THR:O	3:C:44:GLY:HA2	2.12	0.49
2:B:177:MET:HE3	2:B:241:PHE:CE1	2.47	0.49
1:A:219:MET:O	1:A:222:MET:HB2	2.13	0.49
1:A:263:GLU:C	1:A:265:LEU:H	2.21	0.49
2:B:25:ARG:HD3	2:B:29:VAL:O	2.12	0.49
1:A:16:VAL:HG23	1:A:85:CYS:HB2	1.93	0.48
1:A:58:GLY:O	1:A:59:PHE:C	2.56	0.48
1:A:255:ASN:C	1:A:257:ASP:H	2.19	0.48
1:A:114:LEU:O	1:A:225:ARG:HD2	2.13	0.48
2:B:44:LEU:HD12	2:B:48:MET:HG3	1.94	0.48
1:A:273:ARG:NH2	1:A:296:LEU:O	2.33	0.48
2:B:50:GLN:HA	3:C:16:SER:OG	2.13	0.48
1:A:144:LYS:HA	1:A:174:PHE:CE1	2.49	0.48
1:A:82:ILE:HD11	1:A:104:ASP:OD1	2.14	0.47
2:B:10:LYS:HB3	2:B:10:LYS:HE2	1.70	0.47
2:B:92:ALA:HB1	2:B:98:PRO:HA	1.95	0.47
2:B:97:GLN:N	2:B:98:PRO:CD	2.76	0.47
1:A:334:SER:O	1:A:338:TYR:HD1	1.98	0.47
1:A:56:LYS:NZ	2:B:102:GLU:HG3	2.30	0.47
1:A:133:LEU:CD1	1:A:165:LEU:HD21	2.44	0.47
1:A:276:LYS:O	1:A:280:LYS:HB2	2.14	0.47
3:C:27:CYS:SG	3:C:30:CYS:HB2	2.55	0.47
1:A:257:ASP:HB2	7:A:362:HOH:O	2.15	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:26:ARG:HB2	2:B:26:ARG:NH1	2.29	0.47
3:C:20:THR:OG1	3:C:33:HIS:NE2	2.48	0.47
1:A:123:LEU:CD2	1:A:319:PRO:HD2	2.45	0.47
3:C:5:ASP:HB3	3:C:8:LEU:HG	1.97	0.46
1:A:198:GLU:O	1:A:203:GLU:HB3	2.16	0.46
1:A:327:MET:SD	1:A:327:MET:O	2.73	0.46
2:B:176:PHE:O	2:B:180:ASN:ND2	2.49	0.46
2:B:39:GLN:HE21	2:B:184:LEU:HA	1.80	0.46
1:A:132:MET:HE3	1:A:163:LEU:HB2	1.97	0.46
2:B:103:HIS:O	2:B:106:LYS:HB3	2.16	0.46
2:B:38:ARG:HD3	2:B:67:HIS:ND1	2.30	0.46
4:A:352:ANP:H8	4:A:352:ANP:H5'2	1.97	0.46
1:A:144:LYS:HG2	1:A:176:LEU:HG	1.99	0.45
1:A:198:GLU:O	1:A:203:GLU:CB	2.65	0.45
1:A:265:LEU:O	1:A:266:GLU:C	2.59	0.45
2:B:198:CYS:HB3	2:B:234:LEU:HD21	1.99	0.45
1:A:49:LYS:HB2	1:A:100:TYR:HE1	1.81	0.45
1:A:72:LEU:HD12	1:A:72:LEU:O	2.17	0.45
1:A:151:LYS:C	1:A:218:ILE:HD11	2.41	0.45
1:A:187:ASN:HB2	1:A:204:ARG:HG2	2.00	0.44
1:A:56:LYS:HZ1	2:B:102:GLU:HG3	1.82	0.44
1:A:121:PHE:HE1	1:A:327:MET:HE2	1.81	0.44
1:A:180:SER:HB2	1:A:181:GLN:NE2	2.32	0.44
2:B:159:LYS:HB2	2:B:159:LYS:HE3	1.69	0.44
1:A:223:TRP:CE3	1:A:283:VAL:HG22	2.52	0.44
1:A:278:ARG:HE	1:A:278:ARG:HB3	1.61	0.44
1:A:142:ARG:NH2	1:A:142:ARG:CG	2.80	0.44
1:A:155:VAL:CG1	1:A:163:LEU:HD11	2.48	0.44
1:A:145:ILE:HD13	1:A:173:ALA:HA	2.00	0.43
1:A:139:TYR:O	1:A:142:ARG:HB3	2.18	0.43
2:B:26:ARG:NH1	2:B:26:ARG:CB	2.81	0.43
3:C:27:CYS:O	3:C:28:LYS:C	2.59	0.43
1:A:67:ILE:HG23	1:A:84:ILE:HD11	2.00	0.43
1:A:261:LEU:HB3	1:A:265:LEU:CD1	2.45	0.43
1:A:132:MET:HE1	1:A:161:GLY:O	2.19	0.43
2:B:14:PHE:HB3	2:B:18:GLN:HB2	2.01	0.43
2:B:82:SER:C	2:B:85:PRO:HD2	2.42	0.43
2:B:154:HIS:ND1	2:B:154:HIS:N	2.66	0.43
2:B:160:CYS:SG	2:B:201:ILE:HD13	2.59	0.43
1:A:20:GLU:HB2	1:A:39:ARG:CZ	2.49	0.43
1:A:24:LYS:HB3	1:A:24:LYS:HE2	1.86	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:34:GLU:O	2:B:36:SER:N	2.51	0.43
1:A:109:ASP:HA	1:A:156:LEU:HA	2.01	0.42
1:A:245:CYS:O	1:A:273:ARG:HG3	2.19	0.42
1:A:117:VAL:O	1:A:117:VAL:CG1	2.66	0.42
2:B:17:GLU:O	2:B:20:GLU:HB3	2.19	0.42
2:B:81:ASN:HB3	2:B:112:LEU:CD1	2.37	0.42
1:A:155:VAL:HG11	1:A:163:LEU:HD11	2.01	0.42
1:A:257:ASP:HA	1:A:262:TYR:CD2	2.55	0.42
2:B:19:LEU:HD11	2:B:190:GLN:CG	2.50	0.42
2:B:226:ASP:OD1	2:B:228:THR:N	2.52	0.42
3:C:28:LYS:O	3:C:32:PHE:HD2	2.02	0.42
2:B:193:PRO:HB2	2:B:194:PRO:HD3	2.01	0.42
3:C:35:GLN:HE21	3:C:39:ILE:HG12	1.85	0.42
1:A:54:ASN:O	7:A:361:HOH:O	2.22	0.42
1:A:114:LEU:HA	1:A:225:ARG:NH1	2.35	0.42
2:B:106:LYS:HG3	2:B:118:LEU:HD21	2.01	0.41
1:A:333:THR:OG1	1:A:337:GLU:OE2	2.37	0.41
2:B:46:GLN:OE1	2:B:59:ILE:HG21	2.19	0.41
1:A:16:VAL:O	1:A:16:VAL:HG13	2.19	0.41
2:B:56:GLN:O	2:B:59:ILE:HB	2.20	0.41
2:B:120:ASP:C	2:B:122:ARG:N	2.73	0.41
1:A:61:ILE:O	1:A:61:ILE:CG1	2.68	0.41
2:B:26:ARG:CB	2:B:26:ARG:HH11	2.32	0.41
1:A:175:SER:HB2	3:C:9:GLU:HG3	2.02	0.41
2:B:23:PRO:HA	2:B:26:ARG:NH1	2.36	0.41
3:C:35:GLN:HE21	3:C:39:ILE:CG1	2.34	0.41
1:A:15:GLU:HA	1:A:86:ARG:O	2.21	0.41
1:A:69:ILE:CD1	1:A:145:ILE:HD12	2.50	0.41
1:A:189:VAL:C	1:A:190:VAL:HG23	2.46	0.41
2:B:23:PRO:HA	2:B:26:ARG:HH12	1.85	0.41
1:A:10:CYS:SG	1:A:13:CYS:HB3	2.61	0.40
1:A:10:CYS:SG	2:B:142:GLN:HB3	2.61	0.40
1:A:16:VAL:O	1:A:16:VAL:CG1	2.68	0.40
1:A:248:ILE:HG22	1:A:256:VAL:HG21	2.02	0.40
2:B:47:ASP:O	2:B:51:ARG:HG2	2.20	0.40
1:A:8:VAL:N	7:A:373:HOH:O	2.53	0.40
2:B:198:CYS:SG	2:B:225:VAL:HB	2.61	0.40
3:C:8:LEU:HB2	3:C:13:HIS:CD2	2.57	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	320/351 (91%)	272 (85%)	40 (12%)	8 (2%)	4	23
2	B	244/266 (92%)	221 (91%)	17 (7%)	6 (2%)	4	23
3	C	46/86 (54%)	40 (87%)	5 (11%)	1 (2%)	5	26
All	All	610/703 (87%)	533 (87%)	62 (10%)	15 (2%)	4	23

All (15) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	179	ASN
1	A	264	LYS
2	B	116	GLU
2	B	35	LEU
2	B	55	SER
1	A	56	LYS
1	A	149	ASP
1	A	190	VAL
2	B	115	GLN
2	B	121	THR
2	B	216	THR
3	C	28	LYS
1	A	180	SER
1	A	79	VAL
1	A	275	VAL

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	287/311 (92%)	270 (94%)	17 (6%)	18	50
2	B	226/241 (94%)	217 (96%)	9 (4%)	28	62
3	C	43/77 (56%)	42 (98%)	1 (2%)	44	74
All	All	556/629 (88%)	529 (95%)	27 (5%)	22	56

All (27) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	8	VAL
1	A	16	VAL
1	A	17	SER
1	A	54	ASN
1	A	76	GLU
1	A	87	THR
1	A	108	HIS
1	A	124	SER
1	A	156	LEU
1	A	159	ARG
1	A	188	ARG
1	A	212	LEU
1	A	238	LEU
1	A	255	ASN
1	A	266	GLU
1	A	267	LEU
1	A	306	SER
2	B	30	ASP
2	B	110	THR
2	B	131	GLN
2	B	148	LEU
2	B	185	THR
2	B	188	SER
2	B	205	CYS
2	B	238	THR
2	B	251	ARG
3	C	31	CYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (22) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	54	ASN
1	A	71	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	181	GLN
1	A	258	ASN
2	B	7	ASN
2	B	8	ASN
2	B	9	ASN
2	B	21	ASN
2	B	39	GLN
2	B	67	HIS
2	B	77	GLN
2	B	81	ASN
2	B	129	GLN
2	B	131	GLN
2	B	162	GLN
2	B	180	ASN
2	B	183	HIS
2	B	209	ASN
2	B	243	GLN
3	C	13	HIS
3	C	24	ASN
3	C	35	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	TPO	A	186	1	8,10,11	1.64	1 (12%)	10,14,16	1.90	1 (10%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral

centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	TPO	A	186	1	-	0/9/11/13	-

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	186	TPO	P-O1P	3.45	1.61	1.50

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	186	TPO	P-OG1-CB	-5.24	109.09	123.33

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 4 ligands modelled in this entry, 3 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	ANP	A	352	5	33,33,33	1.98	10 (30%)	45,52,52	1.69	6 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	ANP	A	352	5	-	3/18/38/38	0/3/3/3

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	352	ANP	O5'-C5'	-4.77	1.26	1.44
4	A	352	ANP	PB-O2B	-4.14	1.45	1.56
4	A	352	ANP	C4-N3	3.90	1.41	1.34
4	A	352	ANP	PG-O1G	3.05	1.50	1.46
4	A	352	ANP	PA-O5'	-2.85	1.48	1.59
4	A	352	ANP	O4'-C1'	2.70	1.48	1.42
4	A	352	ANP	PG-O3G	-2.52	1.50	1.56
4	A	352	ANP	PG-O2G	-2.46	1.50	1.56
4	A	352	ANP	C3'-C4'	-2.34	1.47	1.53
4	A	352	ANP	C8-N9	2.01	1.41	1.37

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	352	ANP	C5'-C4'-C3'	-6.68	91.17	115.21
4	A	352	ANP	O4'-C4'-C3'	3.64	112.38	105.15
4	A	352	ANP	O4'-C4'-C5'	-3.05	99.57	109.33
4	A	352	ANP	C3'-C2'-C1'	2.39	105.98	101.46
4	A	352	ANP	O3'-C3'-C4'	2.37	117.90	111.08
4	A	352	ANP	O2G-PG-O1G	-2.26	107.79	113.45

There are no chirality outliers.

All (3) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
4	A	352	ANP	C5'-O5'-PA-O1A
4	A	352	ANP	C5'-O5'-PA-O3A
4	A	352	ANP	PA-O3A-PB-O1B

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	352	ANP	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	324/351 (92%)	0.04	14 (4%) 40 21	9, 35, 85, 101	0
2	B	247/266 (92%)	0.46	12 (4%) 35 18	25, 55, 94, 99	0
3	C	48/86 (55%)	0.83	4 (8%) 17 9	44, 68, 89, 93	0
All	All	619/703 (88%)	0.27	30 (4%) 35 19	9, 49, 91, 101	0

All (30) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	335	MET	4.3
2	B	261	CYS	4.0
1	A	29	THR	4.0
2	B	216	THR	3.4
1	A	336	PHE	3.1
1	A	177	ALA	3.0
2	B	127	LEU	2.8
1	A	30	PHE	2.8
1	A	179	ASN	2.6
1	A	266	GLU	2.5
1	A	56	LYS	2.5
2	B	102	GLU	2.5
2	B	120	ASP	2.5
1	A	178	LYS	2.4
1	A	340	ALA	2.4
1	A	257	ASP	2.4
1	A	53	GLU	2.4
3	C	22	CYS	2.4
2	B	7	ASN	2.3
2	B	119	PRO	2.3
2	B	116	GLU	2.3
1	A	334	SER	2.2
3	C	28	LYS	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	215	SER	2.2
2	B	30	ASP	2.2
1	A	181	GLN	2.1
3	C	30	CYS	2.1
3	C	26	TYR	2.1
2	B	49	GLY	2.1
2	B	109	HIS	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	TPO	A	186	11/12	0.97	0.08	33,37,41,42	0

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	ANP	A	352	31/31	0.92	0.12	28,51,84,85	0
6	ZN	C	88	1/1	0.94	0.12	93,93,93,93	0
6	ZN	C	87	1/1	0.96	0.06	82,82,82,82	0
5	MG	A	353	1/1	0.96	0.10	26,26,26,26	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers [i](#)

There are no such residues in this entry.