



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 03:10 PM UTC

PDB ID : 4MIO / pdb_00004mio
Title : Crystal Structure of myo-inositol dehydrogenase from *Lactobacillus casei* in complex with NAD(H) and myo-inositol
Authors : Bertwistle, D.; Sanders, D.A.R.; Palmer, D.R.J.
Deposited on : 2013-09-02
Resolution : 1.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4037 (1.50-1.50)
Clashscore	190562	4235 (1.50-1.50)
Ramachandran outliers	187476	4153 (1.50-1.50)
Sidechain outliers	187428	4150 (1.50-1.50)
RSRZ outliers	180081	4039 (1.50-1.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	339	11% 88% 12%
1	B	339	3% 84% 15%
1	C	339	2% 87% 13%
1	D	339	2% 84% 15%

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 12011 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Inositol 2-dehydrogenase/D-chiro-inositol 3-dehydrogenase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	339	Total	C	N	O	S	5	1	0
			2627	1660	447	514	6			
1	B	339	Total	C	N	O	S	0	1	0
			2627	1660	447	514	6			
1	C	339	Total	C	N	O	S	0	4	0
			2644	1671	451	516	6			
1	D	339	Total	C	N	O	S	0	3	0
			2639	1668	449	516	6			

There are 4 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	292	GLU	GLN	conflict	UNP B3W8L3
B	292	GLU	GLN	conflict	UNP B3W8L3
C	292	GLU	GLN	conflict	UNP B3W8L3
D	292	GLU	GLN	conflict	UNP B3W8L3

- Molecule 2 is 1,4-DIHYDRONICOTINAMIDE ADENINE DINUCLEOTIDE (CCD ID: NAI) (formula: C₂₁H₂₉N₇O₁₄P₂).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
2	B	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
2	C	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
2	D	1	Total	C	N	O	P	0	0
			44	21	7	14	2		

- Molecule 3 is GLYCEROL (CCD ID: GOL) (formula: C₃H₈O₃).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			6	3	3		
3	A	1	Total	C	O	0	0
			6	3	3		
3	A	1	Total	C	O	0	0
			6	3	3		
3	B	1	Total	C	O	0	0
			6	3	3		
3	B	1	Total	C	O	0	0
			6	3	3		
3	B	1	Total	C	O	0	0
			6	3	3		
3	B	1	Total	C	O	0	0
			6	3	3		
3	B	1	Total	C	O	0	0
			6	3	3		
3	C	1	Total	C	O	0	0
			6	3	3		
3	C	1	Total	C	O	0	0
			6	3	3		
3	C	1	Total	C	O	0	0
			6	3	3		
3	D	1	Total	C	O	0	0
			6	3	3		
3	D	1	Total	C	O	0	0
			6	3	3		
3	D	1	Total	C	O	0	0
			6	3	3		

- Molecule 4 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	O	S	0	0
			5	4	1		
4	A	1	Total	O	S	0	0
			5	4	1		
4	B	1	Total	O	S	0	0
			5	4	1		
4	B	1	Total	O	S	0	0
			5	4	1		
4	C	1	Total	O	S	0	0
			5	4	1		
4	D	1	Total	O	S	0	0
			5	4	1		

- Molecule 5 is 1,2,3,4,5,6-HEXAHYDROXY-CYCLOHEXANE (CCD ID: INS) (formula: C₆H₁₂O₆).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	D	1	Total	C	O	0	0
			12	6	6		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	248	Total	O	0	0
			248	248		
6	B	285	Total	O	0	0
			285	285		
6	C	324	Total	O	0	0
			324	324		
6	D	309	Total	O	0	0
			309	309		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Inositol 2-dehydrogenase/D-chiro-inositol 3-dehydrogenase





- Molecule 1: Inositol 2-dehydrogenase/D-chiro-inositol 3-dehydrogenase



- Molecule 1: Inositol 2-dehydrogenase/D-chiro-inositol 3-dehydrogenase



- Molecule 1: Inositol 2-dehydrogenase/D-chiro-inositol 3-dehydrogenase



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	106.69Å 110.48Å 126.74Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	48.87 – 1.50 48.87 – 1.50	Depositor EDS
% Data completeness (in resolution range)	100.0 (48.87-1.50) 100.0 (48.87-1.50)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.06	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.55 (at 1.50Å)	Xtriage
Refinement program	PHENIX 1.8.2_1309	Depositor
R, R_{free}	0.180 , 0.201 0.179 , 0.200	Depositor DCC
R_{free} test set	11964 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å ²)	17.0	Xtriage
Anisotropy	0.095	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 33.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.012 for k,h,-l	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	12011	wwPDB-VP
Average B, all atoms (Å ²)	20.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.06% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: INS, SO4, NAI, GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.68	28/2677 (1.0%)	0.84	1/3645 (0.0%)
1	B	1.74	39/2677 (1.5%)	0.83	0/3645
1	C	1.71	31/2703 (1.1%)	0.82	0/3679
1	D	1.78	43/2696 (1.6%)	0.84	0/3671
All	All	1.73	141/10753 (1.3%)	0.83	1/14640 (0.0%)

All (141) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	298	PRO	C-O	-8.59	1.17	1.25
1	B	320	SER	C-O	-8.45	1.14	1.24
1	B	242	VAL	C-O	-7.97	1.15	1.24
1	D	75	PHE	C-O	-6.81	1.15	1.23
1	D	224	ILE	C-O	-6.64	1.17	1.24
1	D	305	TRP	C-O	-6.55	1.16	1.24
1	C	298	PRO	C-O	-6.41	1.19	1.25
1	A	298	PRO	C-O	-6.41	1.19	1.25
1	B	243	ILE	C-O	-6.23	1.17	1.24
1	A	147	ALA	C-O	-6.23	1.15	1.23
1	D	29	GLU	C-O	-6.21	1.17	1.23
1	D	228	VAL	C-O	-6.17	1.17	1.24
1	D	3	VAL	C-O	-6.15	1.17	1.24
1	D	196	TYR	C-O	-6.14	1.17	1.24
1	D	156	ILE	C-O	-6.10	1.17	1.24
1	A	273	SER	C-O	-6.08	1.17	1.24
1	C	72	VAL	C-O	-6.07	1.17	1.24
1	B	199	GLN	C-O	-6.06	1.16	1.23
1	B	244	GLY	C-O	-6.06	1.14	1.23
1	A	184	LEU	C-O	-6.06	1.17	1.24
1	A	130	ASP	C-O	-6.05	1.16	1.23
1	B	182	HIS	C-O	-6.05	1.16	1.24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	321	GLN	C-O	-6.02	1.16	1.24
1	B	2	VAL	N-CA	-5.98	1.39	1.46
1	D	155	HIS	C-O	-5.98	1.17	1.23
1	B	270	VAL	C-O	-5.96	1.17	1.24
1	A	148	PRO	N-CD	5.96	1.56	1.47
1	B	238	VAL	C-O	-5.95	1.17	1.24
1	B	156	ILE	C-O	-5.92	1.17	1.24
1	D	241	GLU	C-O	-5.88	1.17	1.24
1	D	82	THR	C-O	-5.85	1.17	1.24
1	D	151	VAL	C-O	-5.85	1.17	1.24
1	B	213	LEU	C-O	-5.84	1.17	1.24
1	A	241	GLU	C-O	-5.80	1.17	1.24
1	C	181	MET	C-O	-5.79	1.17	1.24
1	D	259	ILE	C-O	-5.77	1.18	1.24
1	D	282	TYR	C-O	-5.76	1.17	1.24
1	D	166	ASN	C-O	-5.75	1.17	1.24
1	C	313	THR	C-O	-5.74	1.17	1.24
1	B	208	LEU	C-O	-5.72	1.17	1.24
1	B	77	GLY	C-O	-5.71	1.17	1.24
1	C	240	LEU	C-O	-5.71	1.17	1.23
1	B	329	ILE	C-O	-5.69	1.18	1.24
1	D	174	LEU	C-O	-5.69	1.16	1.24
1	D	93	ILE	C-O	-5.67	1.18	1.24
1	C	242	VAL	C-O	-5.66	1.18	1.24
1	D	300	VAL	C-O	-5.64	1.17	1.24
1	B	207	GLY	C-O	-5.64	1.16	1.24
1	D	60	SER	C-O	-5.64	1.17	1.24
1	C	93	ILE	C-O	-5.62	1.17	1.24
1	D	109	ILE	C-O	-5.61	1.17	1.24
1	D	227	LEU	C-O	-5.60	1.17	1.24
1	C	224	ILE	C-O	-5.58	1.18	1.24
1	D	289	PHE	C-O	-5.57	1.17	1.24
1	A	277	ARG	C-O	-5.57	1.17	1.24
1	C	120	VAL	C-O	-5.55	1.17	1.24
1	C	11	GLY	C-O	-5.53	1.17	1.24
1	D	170	ILE	C-O	-5.52	1.17	1.24
1	D	280	GLN	C-O	-5.51	1.17	1.24
1	A	259	ILE	C-O	-5.50	1.18	1.24
1	A	152	ARG	C-O	-5.49	1.17	1.24
1	D	120	VAL	C-O	-5.45	1.17	1.24
1	A	252	PRO	C-N	5.45	1.41	1.33
1	B	286	VAL	C-O	-5.44	1.17	1.24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	16	ALA	C-O	-5.44	1.17	1.24
1	B	130	ASP	C-O	-5.43	1.17	1.23
1	B	170	ILE	C-O	-5.41	1.17	1.24
1	A	203	VAL	C-O	-5.41	1.18	1.24
1	C	228	VAL	C-O	-5.41	1.18	1.24
1	C	73	VAL	C-O	-5.40	1.17	1.24
1	A	260	LEU	C-O	-5.40	1.17	1.24
1	A	228	VAL	C-O	-5.39	1.18	1.24
1	C	60	SER	C-O	-5.39	1.17	1.24
1	C	16	ALA	C-O	-5.38	1.17	1.24
1	D	94	PHE	C-O	-5.38	1.17	1.24
1	B	155	HIS	C-O	-5.38	1.17	1.24
1	A	226	VAL	C-O	-5.37	1.18	1.24
1	A	16	ALA	C-O	-5.37	1.17	1.24
1	D	169	ALA	C-O	-5.37	1.17	1.24
1	A	155	HIS	C-O	-5.36	1.17	1.24
1	B	126	MET	C-O	-5.36	1.17	1.24
1	C	226	VAL	C-O	-5.36	1.18	1.24
1	C	76	GLY	C-O	-5.36	1.17	1.23
1	C	238	VAL	C-O	-5.35	1.18	1.24
1	B	206	GLU	C-O	-5.34	1.17	1.24
1	A	11	GLY	C-O	-5.33	1.17	1.24
1	D	159[A]	ASN	C-O	-5.33	1.17	1.23
1	D	159[B]	ASN	C-O	-5.33	1.17	1.23
1	A	183	TRP	C-O	-5.33	1.18	1.24
1	A	5	VAL	C-O	-5.33	1.18	1.24
1	C	309	ILE	C-O	-5.31	1.18	1.24
1	C	271	GLU	C-O	-5.29	1.17	1.23
1	D	226	VAL	C-O	-5.28	1.18	1.24
1	A	229	HIS	C-O	-5.28	1.17	1.23
1	D	43	ALA	C-O	-5.28	1.18	1.24
1	D	308	TYR	C-O	-5.28	1.17	1.24
1	D	304	ALA	C-O	-5.28	1.17	1.24
1	D	79	HIS	C-O	-5.27	1.18	1.24
1	C	250	GLN	C-O	-5.27	1.17	1.23
1	D	17	HIS	C-O	-5.27	1.17	1.24
1	B	280	GLN	C-O	-5.26	1.18	1.24
1	B	232	ALA	C-O	-5.24	1.17	1.24
1	D	306	ASP	C-O	-5.24	1.18	1.24
1	C	89	THR	C-O	-5.23	1.17	1.23
1	A	240	LEU	C-O	-5.22	1.17	1.23
1	C	153	ALA	C-O	-5.22	1.17	1.23

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	147	ALA	C-N	5.21	1.39	1.33
1	A	222	THR	C-O	-5.20	1.17	1.23
1	C	234	TYR	C-O	-5.20	1.17	1.24
1	B	266	GLN	C-O	-5.20	1.17	1.24
1	B	220	LYS	C-O	-5.19	1.17	1.24
1	D	37	ASP	C-O	-5.19	1.17	1.23
1	B	180	GLU	C-O	-5.17	1.18	1.24
1	B	157	ASN	C-O	-5.17	1.17	1.24
1	B	137	LYS	C-O	-5.17	1.18	1.24
1	B	225	GLN	C-O	-5.16	1.18	1.24
1	A	181	MET	C-O	-5.16	1.18	1.24
1	C	218	THR	C-O	-5.16	1.17	1.23
1	D	239	LYS	C-O	-5.15	1.17	1.23
1	B	298	PRO	C-O	-5.14	1.20	1.25
1	C	270	VAL	C-O	-5.14	1.18	1.24
1	C	8	ILE	C-O	-5.14	1.18	1.24
1	C	279	ILE	C-O	-5.14	1.18	1.24
1	B	183	TRP	C-O	-5.13	1.18	1.24
1	B	317	ALA	C-O	-5.13	1.18	1.24
1	D	31	VAL	C-O	-5.13	1.18	1.24
1	C	259	ILE	C-O	-5.13	1.18	1.24
1	D	30	VAL	C-O	-5.12	1.18	1.23
1	B	150	VAL	C-O	-5.12	1.18	1.24
1	B	3	VAL	C-O	-5.11	1.18	1.24
1	A	217	THR	C-O	-5.10	1.17	1.23
1	B	93	ILE	C-O	-5.08	1.18	1.24
1	B	154	SER	C-O	-5.08	1.17	1.23
1	C	150	VAL	C-O	-5.06	1.18	1.23
1	A	279	ILE	C-O	-5.06	1.18	1.24
1	B	322	LYS	C-O	-5.06	1.18	1.24
1	B	194	ILE	C-O	-5.05	1.18	1.24
1	C	241	GLU	C-O	-5.04	1.18	1.24
1	A	234	TYR	C-O	-5.03	1.17	1.24
1	C	200	SER	C-O	-5.03	1.17	1.23
1	D	290	ILE	C-O	-5.01	1.18	1.24

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	253	ASN	O-C-N	-7.88	112.28	123.07

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2627	0	2620	7	0
1	B	2627	0	2620	11	0
1	C	2644	0	2646	7	0
1	D	2639	0	2631	7	0
2	A	44	0	27	0	0
2	B	44	0	27	1	0
2	C	44	0	27	0	0
2	D	44	0	27	3	0
3	A	18	0	24	0	0
3	B	30	0	40	4	0
3	C	18	0	24	0	0
3	D	24	0	32	0	0
4	A	10	0	0	0	0
4	B	10	0	0	0	0
4	C	5	0	0	0	0
4	D	5	0	0	0	0
5	D	12	0	11	3	0
6	A	248	0	0	0	0
6	B	285	0	0	1	0
6	C	324	0	0	1	0
6	D	309	0	0	1	0
All	All	12011	0	10756	34	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (34) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:4:LYS:HD2	1:C:31:VAL:HG11	1.82	0.62
1:C:53:LYS:HD2	1:C:55:TYR:CZ	2.36	0.60
1:B:275:ILE:HD13	3:B:405:GOL:H2	1.85	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:401:NAI:H42N	5:D:402:INS:H2	1.88	0.56
1:D:182:HIS:CD2	6:D:807:HOH:O	2.62	0.53
1:B:103:LEU:HD11	1:B:312:ILE:HG12	1.90	0.53
1:A:336:THR:HA	1:A:339:GLN:CD	2.36	0.51
2:D:401:NAI:C4N	5:D:402:INS:H2	2.42	0.50
1:B:64:ASP:HB3	1:B:67:ILE:HD12	1.94	0.49
1:B:322:LYS:HE2	6:B:656:HOH:O	2.12	0.49
1:D:305:TRP:NE1	1:D:309:ILE:HD11	2.28	0.49
1:B:131:GLN:HG2	1:B:134:ARG:NH2	2.29	0.47
1:C:188:GLU:CD	1:C:219:LYS:HZ3	2.23	0.47
1:D:107:LYS:HD3	1:D:308:TYR:CZ	2.49	0.47
1:D:305:TRP:HE1	1:D:309:ILE:HD11	1.80	0.46
1:C:204:ARG:HD2	6:C:768:HOH:O	2.15	0.46
1:B:275:ILE:CD1	3:B:405:GOL:H2	2.46	0.46
1:D:219:LYS:HB3	1:D:219:LYS:HE2	1.56	0.45
1:C:197:PRO:HG2	1:C:211:PRO:HG2	1.99	0.45
1:B:97:LYS:HD2	1:B:97:LYS:C	2.41	0.45
1:A:103:LEU:HD12	1:A:104:GLU:N	2.32	0.45
1:A:268:THR:HG23	3:B:403:GOL:C1	2.47	0.44
2:D:401:NAI:C3N	5:D:402:INS:H2	2.47	0.44
1:D:256:LEU:HD23	1:D:256:LEU:HA	1.79	0.44
1:B:59:THR:O	1:B:63:GLN:HG2	2.19	0.43
1:C:107:LYS:HD3	1:C:308:TYR:CZ	2.53	0.43
1:B:80:GLU:HA	1:B:109:ILE:HD11	2.01	0.43
1:B:97:LYS:HE3	2:B:401:NAI:C2N	2.49	0.42
1:A:129:TYR:CD2	1:A:285:GLU:HB2	2.54	0.42
1:A:268:THR:HG23	3:B:403:GOL:H11	2.01	0.42
1:B:1:MET:HG3	1:B:2:VAL:N	2.35	0.41
1:D:274:TRP:CD1	1:D:274:TRP:H	2.38	0.41
1:A:211:PRO:HD3	1:C:149:LEU:HD13	2.03	0.41
1:A:236:TYR:CE1	1:A:274:TRP:HB3	2.56	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	338/339 (100%)	330 (98%)	8 (2%)	0	100	100
1	B	338/339 (100%)	331 (98%)	7 (2%)	0	100	100
1	C	341/339 (101%)	334 (98%)	7 (2%)	0	100	100
1	D	340/339 (100%)	333 (98%)	7 (2%)	0	100	100
All	All	1357/1356 (100%)	1328 (98%)	29 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	283/282 (100%)	279 (99%)	4 (1%)	59	33
1	B	283/282 (100%)	281 (99%)	2 (1%)	76	57
1	C	286/282 (101%)	283 (99%)	3 (1%)	68	45
1	D	285/282 (101%)	280 (98%)	5 (2%)	51	24
All	All	1137/1128 (101%)	1123 (99%)	14 (1%)	63	38

All (14) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	73	VAL
1	A	97	LYS
1	A	126	MET
1	A	285	GLU
1	B	73	VAL
1	B	126	MET
1	C	73	VAL
1	C	126	MET
1	C	285	GLU
1	D	73	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	97	LYS
1	D	116	LYS
1	D	126	MET
1	D	172	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (19) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	38	HIS
1	A	233	GLN
1	A	266	GLN
1	A	267	GLN
1	B	23	ASN
1	B	233	GLN
1	B	265	ASN
1	B	266	GLN
1	B	267	GLN
1	B	318	ASN
1	C	49	HIS
1	C	159	ASN
1	C	233	GLN
1	C	253	ASN
1	C	318	ASN
1	D	49	HIS
1	D	157	ASN
1	D	266	GLN
1	D	267	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

26 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	GOL	B	403	-	5,5,5	0.51	0	5,5,5	0.59	0
3	GOL	B	404	-	5,5,5	0.84	0	5,5,5	0.42	0
3	GOL	A	404	-	5,5,5	1.02	1 (20%)	5,5,5	0.92	0
4	SO4	D	407	-	4,4,4	0.75	0	6,6,6	0.11	0
2	NAI	B	401	-	47,48,48	1.64	12 (25%)	64,73,73	1.49	11 (17%)
3	GOL	D	404	-	5,5,5	0.73	0	5,5,5	0.70	0
4	SO4	C	405	-	4,4,4	0.54	0	6,6,6	0.33	0
3	GOL	B	402	-	5,5,5	1.00	0	5,5,5	0.59	0
2	NAI	A	401	-	47,48,48	1.82	11 (23%)	64,73,73	1.61	13 (20%)
5	INS	D	402	-	12,12,12	1.95	6 (50%)	18,18,18	1.90	5 (27%)
3	GOL	D	406	-	5,5,5	0.87	0	5,5,5	0.25	0
3	GOL	C	403	-	5,5,5	0.88	0	5,5,5	0.58	0
3	GOL	A	402	-	5,5,5	1.00	1 (20%)	5,5,5	0.39	0
3	GOL	C	404	-	5,5,5	0.68	0	5,5,5	0.51	0
2	NAI	D	401	-	47,48,48	1.67	10 (21%)	64,73,73	1.49	10 (15%)
4	SO4	B	407	-	4,4,4	0.52	0	6,6,6	0.30	0
3	GOL	B	405	-	5,5,5	0.49	0	5,5,5	0.60	0
4	SO4	A	405	-	4,4,4	0.64	0	6,6,6	0.42	0
2	NAI	C	401	-	47,48,48	1.72	13 (27%)	64,73,73	1.60	13 (20%)
3	GOL	A	403	-	5,5,5	0.92	0	5,5,5	0.47	0
3	GOL	C	402	-	5,5,5	0.84	0	5,5,5	0.54	0
3	GOL	D	403	-	5,5,5	0.83	0	5,5,5	0.38	0
3	GOL	D	405	-	5,5,5	0.77	0	5,5,5	0.49	0
3	GOL	B	406	-	5,5,5	0.86	0	5,5,5	0.35	0
4	SO4	A	406	-	4,4,4	0.63	0	6,6,6	0.19	0
4	SO4	B	408	-	4,4,4	0.52	0	6,6,6	0.16	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.

'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	GOL	B	403	-	-	2/4/4/4	-
3	GOL	B	404	-	-	0/4/4/4	-
3	GOL	A	404	-	-	2/4/4/4	-
2	NAI	B	401	-	-	1/29/72/72	0/5/5/5
3	GOL	D	404	-	-	1/4/4/4	-
3	GOL	B	402	-	-	2/4/4/4	-
2	NAI	A	401	-	-	1/29/72/72	0/5/5/5
5	INS	D	402	-	-	-	0/1/1/1
3	GOL	D	406	-	-	2/4/4/4	-
3	GOL	C	403	-	-	0/4/4/4	-
3	GOL	A	402	-	-	0/4/4/4	-
3	GOL	C	404	-	-	2/4/4/4	-
2	NAI	D	401	-	-	1/29/72/72	0/5/5/5
3	GOL	B	405	-	-	1/4/4/4	-
2	NAI	C	401	-	-	1/29/72/72	0/5/5/5
3	GOL	A	403	-	-	0/4/4/4	-
3	GOL	C	402	-	-	3/4/4/4	-
3	GOL	D	403	-	-	0/4/4/4	-
3	GOL	D	405	-	-	2/4/4/4	-
3	GOL	B	406	-	-	0/4/4/4	-

All (54) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	401	NAI	C5A-N7A	-4.37	1.31	1.39
2	D	401	NAI	C4A-N9A	-4.32	1.28	1.37
2	A	401	NAI	C8A-N9A	-4.19	1.30	1.37
2	B	401	NAI	C4A-N9A	-4.08	1.29	1.37
2	B	401	NAI	C5A-N7A	-4.03	1.31	1.39
2	C	401	NAI	C4A-N9A	-3.93	1.29	1.37
2	A	401	NAI	C5A-N7A	-3.89	1.32	1.39
2	A	401	NAI	C4A-N9A	-3.89	1.29	1.37
2	D	401	NAI	C5A-N7A	-3.76	1.32	1.39
2	A	401	NAI	C6N-N1N	-3.58	1.28	1.37
2	B	401	NAI	C8A-N9A	-3.56	1.31	1.37
2	D	401	NAI	C8A-N9A	-3.54	1.31	1.37
2	A	401	NAI	PA-O2A	-3.36	1.39	1.55
5	D	402	INS	O3-C3	3.16	1.50	1.43
2	C	401	NAI	PN-O3	-3.11	1.56	1.59
5	D	402	INS	O2-C2	-3.06	1.35	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	401	NAI	C8A-N9A	-3.02	1.32	1.37
2	B	401	NAI	PA-O2A	-3.01	1.41	1.55
2	D	401	NAI	O7N-C7N	-2.82	1.17	1.24
2	A	401	NAI	PN-O3	2.76	1.62	1.59
2	B	401	NAI	O7N-C7N	-2.74	1.18	1.24
2	B	401	NAI	C5A-C4A	2.73	1.44	1.39
2	C	401	NAI	C5A-C4A	2.72	1.43	1.39
2	A	401	NAI	C2A-N1A	-2.71	1.29	1.33
2	C	401	NAI	PA-O1A	-2.59	1.41	1.50
2	B	401	NAI	C6N-N1N	-2.57	1.31	1.37
5	D	402	INS	C6-C5	2.55	1.59	1.52
2	B	401	NAI	PA-O3	2.55	1.62	1.59
2	D	401	NAI	PA-O2A	-2.51	1.43	1.55
2	C	401	NAI	O4D-C4D	-2.42	1.39	1.45
2	C	401	NAI	PA-O2A	-2.38	1.44	1.55
2	D	401	NAI	C5A-C4A	2.38	1.43	1.39
5	D	402	INS	O5-C5	-2.30	1.37	1.43
2	D	401	NAI	PN-O2N	-2.23	1.43	1.50
2	A	401	NAI	PN-O2N	-2.23	1.43	1.50
2	D	401	NAI	C4A-N3A	-2.23	1.30	1.34
2	C	401	NAI	PN-O2N	-2.21	1.43	1.50
2	D	401	NAI	C6N-N1N	-2.20	1.31	1.37
2	B	401	NAI	PA-O1A	-2.16	1.43	1.50
2	A	401	NAI	O7N-C7N	-2.15	1.19	1.24
2	D	401	NAI	C2A-N1A	-2.12	1.30	1.33
2	C	401	NAI	C2A-N1A	-2.11	1.30	1.33
2	C	401	NAI	O7N-C7N	-2.11	1.19	1.24
5	D	402	INS	O6-C6	2.10	1.48	1.43
2	B	401	NAI	C6A-N1A	-2.10	1.29	1.35
3	A	404	GOL	O2-C2	-2.10	1.37	1.43
2	B	401	NAI	PN-O2N	-2.09	1.43	1.50
3	A	402	GOL	O2-C2	-2.07	1.37	1.43
2	B	401	NAI	PN-O1N	-2.07	1.45	1.55
2	C	401	NAI	C6N-N1N	-2.07	1.32	1.37
2	C	401	NAI	PN-O1N	-2.06	1.45	1.55
2	A	401	NAI	PN-O1N	-2.06	1.45	1.55
2	A	401	NAI	PA-O1A	-2.05	1.43	1.50
5	D	402	INS	O1-C1	-2.04	1.37	1.43

All (52) bond angle outliers are listed below:

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	401	NAI	C5A-C4A-N3A	-5.15	119.62	126.72
2	A	401	NAI	C5A-C4A-N3A	-5.09	119.71	126.72
2	C	401	NAI	C5A-C4A-N3A	-4.94	119.92	126.72
2	C	401	NAI	N3A-C4A-N9A	4.47	134.77	127.17
2	A	401	NAI	C4A-C5A-N7A	-4.03	105.98	110.58
2	D	401	NAI	C5A-C4A-N3A	-3.96	121.26	126.72
2	C	401	NAI	C4A-N9A-C8A	3.91	109.84	105.74
2	D	401	NAI	C4A-C5A-N7A	-3.86	106.17	110.58
2	B	401	NAI	C4A-C5A-N7A	-3.86	106.17	110.58
5	D	402	INS	C5-C6-C1	-3.83	104.11	110.83
2	B	401	NAI	N3A-C4A-N9A	3.66	133.39	127.17
2	A	401	NAI	C2A-N3A-C4A	3.41	120.15	111.83
2	A	401	NAI	N3A-C4A-N9A	3.38	132.92	127.17
5	D	402	INS	O4-C4-C3	-3.32	102.56	110.38
2	A	401	NAI	O4B-C1B-C2B	-3.23	99.70	106.62
2	A	401	NAI	N3A-C2A-N1A	-3.11	123.88	128.58
2	D	401	NAI	C4A-N9A-C8A	3.02	108.91	105.74
2	C	401	NAI	N3A-C2A-N1A	-3.02	124.01	128.58
2	C	401	NAI	O3-PA-O1A	-3.01	101.64	110.70
2	C	401	NAI	C2A-N3A-C4A	3.01	119.19	111.83
2	C	401	NAI	C4A-C5A-N7A	-2.93	107.23	110.58
2	C	401	NAI	N9A-C8A-N7A	-2.83	109.92	113.94
2	D	401	NAI	N3A-C4A-N9A	2.81	131.95	127.17
2	D	401	NAI	O4B-C1B-C2B	-2.81	100.60	106.62
2	D	401	NAI	C2A-N1A-C6A	2.78	123.30	118.73
2	D	401	NAI	N6A-C6A-N1A	2.75	124.50	118.38
2	A	401	NAI	C6A-C5A-N7A	2.73	137.35	132.09
2	C	401	NAI	C5A-N7A-C8A	2.69	107.68	103.45
2	D	401	NAI	O3-PA-O1A	-2.67	102.67	110.70
2	B	401	NAI	O2A-PA-O3	2.65	114.44	107.27
2	A	401	NAI	O2A-PA-O3	2.64	114.41	107.27
2	B	401	NAI	O4B-C1B-C2B	-2.60	101.04	106.62
2	C	401	NAI	O4D-C1D-C2D	-2.59	101.08	106.62
2	B	401	NAI	C2A-N3A-C4A	2.48	117.89	111.83
2	A	401	NAI	C5A-N7A-C8A	2.42	107.25	103.45
2	D	401	NAI	C5A-N7A-C8A	2.41	107.24	103.45
2	C	401	NAI	C2A-N1A-C6A	2.41	122.68	118.73
2	A	401	NAI	O3-PA-O1A	-2.38	103.54	110.70
2	B	401	NAI	N6A-C6A-N1A	2.37	123.66	118.38
2	B	401	NAI	C5A-N7A-C8A	2.31	107.08	103.45
2	A	401	NAI	C4A-N9A-C8A	2.30	108.16	105.74

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	D	402	INS	O5-C5-C6	-2.29	104.98	110.38
2	B	401	NAI	C4A-N9A-C8A	2.28	108.13	105.74
2	B	401	NAI	C2A-N1A-C6A	2.27	122.45	118.73
2	B	401	NAI	N3A-C2A-N1A	-2.25	125.17	128.58
2	A	401	NAI	C2A-N1A-C6A	2.20	122.34	118.73
2	D	401	NAI	N9A-C8A-N7A	-2.17	110.86	113.94
2	C	401	NAI	O4B-C1B-C2B	-2.13	102.05	106.62
2	A	401	NAI	O4D-C1D-C2D	-2.13	102.06	106.62
5	D	402	INS	O1-C1-C2	-2.06	105.51	110.38
5	D	402	INS	O1-C1-C6	-2.06	105.52	110.38
2	C	401	NAI	N6A-C6A-N1A	2.02	122.87	118.38

There are no chirality outliers.

All (21) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	B	402	GOL	O1-C1-C2-C3
3	C	402	GOL	O1-C1-C2-C3
3	D	406	GOL	O1-C1-C2-C3
3	A	404	GOL	O1-C1-C2-C3
3	B	403	GOL	O1-C1-C2-C3
3	C	404	GOL	O1-C1-C2-C3
3	D	404	GOL	C1-C2-C3-O3
3	D	405	GOL	O1-C1-C2-C3
3	B	402	GOL	O1-C1-C2-O2
3	C	402	GOL	O1-C1-C2-O2
3	D	406	GOL	O1-C1-C2-O2
3	B	403	GOL	O1-C1-C2-O2
3	B	405	GOL	O2-C2-C3-O3
2	B	401	NAI	O4D-C1D-N1N-C2N
3	A	404	GOL	O1-C1-C2-O2
2	C	401	NAI	O4D-C1D-N1N-C2N
2	A	401	NAI	O4D-C1D-N1N-C2N
2	D	401	NAI	O4D-C1D-N1N-C2N
3	D	405	GOL	O1-C1-C2-O2
3	C	402	GOL	O2-C2-C3-O3
3	C	404	GOL	O1-C1-C2-O2


There are no ring outliers.


5 monomers are involved in 8 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	403	GOL	2	0
2	B	401	NAI	1	0
5	D	402	INS	3	0
2	D	401	NAI	3	0
3	B	405	GOL	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2		OWAB(Å ²)	Q < 0.9
1	A	339/339 (100%)	0.52	38 (11%)	10 10	12, 21, 35, 49	27 (7%)
1	B	339/339 (100%)	0.19	9 (2%)	56 60	10, 18, 30, 58	14 (4%)
1	C	339/339 (100%)	0.06	7 (2%)	63 67	10, 18, 28, 45	14 (4%)
1	D	339/339 (100%)	-0.16	6 (1%)	67 71	9, 16, 25, 33	17 (5%)
All	All	1356/1356 (100%)	0.15	60 (4%)	39 43	9, 18, 31, 58	72 (5%)

All (60) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	253	ASN	5.4
1	C	274	TRP	3.8
1	D	256	LEU	3.7
1	C	1	MET	3.7
1	B	253	ASN	3.6
1	A	1	MET	3.5
1	D	1	MET	3.5
1	B	1	MET	3.3
1	A	334	THR	3.2
1	A	332	ALA	3.2
1	A	333	GLY	3.2
1	B	254	TYR	3.0
1	A	339	GLN	3.0
1	A	56	PRO	2.9
1	A	103	LEU	2.9
1	A	38	HIS	2.9
1	A	39	GLU	2.8
1	A	87	LEU	2.8
1	A	53	LYS	2.8
1	C	275	ILE	2.7
1	B	256	LEU	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	109	ILE	2.6
1	A	55	TYR	2.6
1	A	254	TYR	2.6
1	A	59	THR	2.5
1	A	54	VAL	2.5
1	A	110	VAL	2.5
1	B	339	GLN	2.5
1	A	114	LEU	2.4
1	C	254	TYR	2.4
1	A	86	ALA	2.4
1	A	36	ILE	2.4
1	A	62	LEU	2.4
1	A	81	ALA	2.4
1	A	84	LEU	2.4
1	A	115	THR	2.3
1	D	182	HIS	2.3
1	A	51	ASN	2.3
1	A	78	ALA	2.3
1	D	104	GLU	2.2
1	D	254	TYR	2.2
1	C	90	ASP	2.2
1	A	101	THR	2.2
1	A	48	PHE	2.2
1	A	337	PHE	2.2
1	A	30	VAL	2.2
1	A	66	ASP	2.2
1	C	53	LYS	2.2
1	A	105	GLY	2.2
1	B	2	VAL	2.2
1	C	331	VAL	2.2
1	A	108	ARG	2.1
1	A	138	GLU	2.1
1	A	2	VAL	2.1
1	B	65	PRO	2.1
1	B	118	LYS	2.1
1	B	296	SER	2.1
1	A	336	THR	2.0
1	D	39	GLU	2.0
1	A	41	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	GOL	A	403	6/6	0.70	0.15	30,33,37,41	0
3	GOL	D	404	6/6	0.76	0.14	29,33,35,39	0
3	GOL	B	405	6/6	0.78	0.17	30,36,40,42	0
3	GOL	D	406	6/6	0.81	0.13	26,29,31,38	0
3	GOL	A	404	6/6	0.82	0.14	32,34,37,39	0
3	GOL	C	402	6/6	0.83	0.13	31,34,39,40	0
3	GOL	C	404	6/6	0.83	0.13	26,31,33,33	0
3	GOL	D	405	6/6	0.84	0.12	20,26,29,32	0
3	GOL	B	404	6/6	0.84	0.12	29,31,34,41	0
3	GOL	B	406	6/6	0.85	0.12	24,27,30,30	0
3	GOL	B	402	6/6	0.85	0.12	25,27,34,34	0
5	INS	D	402	12/12	0.86	0.13	17,23,27,29	0
3	GOL	B	403	6/6	0.87	0.11	29,32,32,34	0
3	GOL	D	403	6/6	0.87	0.12	23,27,29,29	0
3	GOL	A	402	6/6	0.88	0.10	22,24,26,29	0
3	GOL	C	403	6/6	0.90	0.09	20,25,25,27	0
4	SO4	A	405	5/5	0.94	0.10	23,24,29,29	5
4	SO4	B	407	5/5	0.94	0.10	18,23,29,31	5
4	SO4	B	408	5/5	0.94	0.09	24,27,34,37	5
4	SO4	C	405	5/5	0.94	0.10	19,22,26,26	5
4	SO4	D	407	5/5	0.94	0.08	29,36,36,37	0
2	NAI	B	401	44/44	0.94	0.08	14,18,22,27	0
2	NAI	A	401	44/44	0.95	0.08	21,26,30,32	0
4	SO4	A	406	5/5	0.97	0.08	24,27,30,31	0
2	NAI	C	401	44/44	0.97	0.06	13,17,19,24	0
2	NAI	D	401	44/44	0.97	0.07	12,15,18,25	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around NAI B 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NAI A 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NAI C 401:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around NAI D 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.