



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 10:20 PM UTC

PDB ID : 1MKW / pdb_00001mkw
Title : THE CO-CRYSTAL STRUCTURE OF UNLIGANDED BOVINE ALPHA-THROMBIN AND PRETHROMBIN-2: MOVEMENT OF THE YPPW SEGMENT AND ACTIVE SITE RESIDUES UPON LIGAND BINDING
Authors : Malkowski, M.G.; Edwards, B.F.P.
Deposited on : 1997-03-13
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	6919 (2.30-2.30)
Ramachandran outliers	187476	6854 (2.30-2.30)
Sidechain outliers	187428	6854 (2.30-2.30)
RSRZ outliers	180081	6325 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	L	49	
2	H	259	
3	K	308	

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 4838 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ALPHA-THROMBIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	L	29	Total	C	N	O	S	0	0	0
			243	153	38	51	1			

- Molecule 2 is a protein called ALPHA-THROMBIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	H	255	Total	C	N	O	S	0	0	0
			2064	1320	369	363	12			

- Molecule 3 is a protein called PRETHROMBIN-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	K	287	Total	C	N	O	S	0	0	0
			2326	1483	413	417	13			


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	L	16	Total	O	0	0
			16	16		
4	H	102	Total	O	0	0
			102	102		
4	K	87	Total	O	0	0
			87	87		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: ALPHA-THROMBIN

Chain L: 




• Molecule 2: ALPHA-THROMBIN

Chain H: 



• Molecule 3: PRETHROMBIN-2

Chain K: 



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, α , β , γ	87.58Å 88.55Å 101.03Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	7.00 – 2.30 7.00 – 2.30	Depositor EDS
% Data completeness (in resolution range)	(Not available) (7.00-2.30) 93.7 (7.00-2.30)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.07	Depositor
$\langle I/\sigma(I) \rangle$ ¹	0.83 (at 2.00Å)	Xtriage
Refinement program	X-PLOR	Depositor
R, R_{free}	0.190 , 0.282 0.223 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å ²)	20.1	Xtriage
Anisotropy	0.255	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.29 , 111.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.46$, $\langle L^2 \rangle = 0.29$	Xtriage
Estimated twinning fraction	0.053 for k,h,-l	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	4838	wwPDB-VP
Average B, all atoms (Å ²)	26.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.67% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	L	1.00	0/246	1.28	4/328 (1.2%)
2	H	1.09	6/2118 (0.3%)	1.28	18/2867 (0.6%)
3	K	1.04	3/2384 (0.1%)	1.39	34/3222 (1.1%)
All	All	1.06	9/4748 (0.2%)	1.34	56/6417 (0.9%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
3	K	0	2

All (9) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	H	32	MET	SD-CE	-8.85	1.57	1.79
2	H	201	MET	SD-CE	-6.25	1.64	1.79
2	H	24	VAL	CA-CB	6.21	1.61	1.54
2	H	180	MET	SD-CE	-6.14	1.64	1.79
3	K	66	VAL	CA-CB	5.49	1.62	1.54
2	H	38	GLN	CA-C	-5.41	1.45	1.52
3	K	84	MET	SD-CE	5.31	1.92	1.79
2	H	138	VAL	CA-CB	5.29	1.61	1.54
3	K	201	MET	SD-CE	-5.07	1.66	1.79

All (56) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	K	17	VAL	N-CA-C	13.40	137.22	109.34
3	K	16	ILE	N-CA-C	12.03	134.36	109.34
3	K	15	ARG	N-CA-C	11.79	123.81	108.24
3	K	10	LYS	N-CA-C	-8.98	102.42	112.57

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	H	157	VAL	CB-CA-C	-7.95	98.15	110.95
3	K	86	ASP	N-CA-C	-7.93	102.63	113.18
2	H	35	ARG	N-CA-C	-7.62	97.27	109.76
3	K	191	CYS	N-CA-C	-7.60	104.01	113.20
3	K	149(C)	VAL	N-CA-C	7.24	124.40	109.34
3	K	123	LEU	N-CA-C	-7.09	100.52	110.31
3	K	192	GLU	N-CA-C	-6.76	103.05	112.45
3	K	64	LEU	N-CA-C	6.67	120.40	109.72
3	K	34	PHE	N-CA-C	6.66	120.89	110.17
2	H	73	ARG	N-CA-C	6.57	124.80	110.80
2	H	151	GLN	CA-C-N	6.55	127.58	119.98
2	H	151	GLN	C-N-CA	6.55	127.58	119.98
3	K	18	GLU	N-CA-C	6.53	124.72	110.80
2	H	60(B)	PRO	N-CA-C	6.49	118.61	110.70
1	L	14(C)	GLU	N-CA-C	6.44	118.30	111.28
3	K	153	SER	N-CA-C	-6.15	103.29	111.96
3	K	16	ILE	CA-C-N	6.13	133.00	121.97
3	K	16	ILE	C-N-CA	6.13	133.00	121.97
3	K	45	SER	N-CA-C	6.09	118.55	108.99
2	H	51	TRP	N-CA-C	6.07	118.85	109.07
3	K	140	GLY	N-CA-C	6.04	122.57	110.97
1	L	3	LEU	N-CA-C	-5.88	97.73	108.02
2	H	199	PHE	N-CA-C	-5.85	97.79	108.02
2	H	190	ALA	N-CA-C	-5.84	101.36	110.42
3	K	35	ARG	N-CA-C	-5.77	100.42	109.25
3	K	186(A)	GLY	N-CA-C	-5.69	99.70	113.18
2	H	97	LYS	N-CA-C	5.66	117.13	111.07
3	K	129(C)	LEU	N-CA-C	5.65	120.19	113.12
2	H	135	LYS	N-CA-C	5.63	118.81	109.46
2	H	91	HIS	CA-C-N	5.63	125.10	119.24
2	H	91	HIS	C-N-CA	5.63	125.10	119.24
3	K	14(L)	GLU	N-CA-C	5.56	122.65	110.80
1	L	4	ARG	CA-C-N	5.48	125.31	119.28
1	L	4	ARG	C-N-CA	5.48	125.31	119.28
2	H	36	LYS	N-CA-C	5.46	117.03	111.14
3	K	204(A)	TYR	N-CA-C	5.38	117.14	111.28
3	K	1(A)	ASP	N-CA-C	5.37	119.35	112.26
3	K	83	SER	N-CA-C	5.37	117.34	109.24
3	K	194	ASP	N-CA-C	5.28	117.97	110.10
2	H	86	ASP	N-CA-C	-5.27	105.92	112.93
2	H	150	VAL	N-CA-C	5.26	120.28	109.34
3	K	235	LYS	N-CA-C	5.26	117.92	111.82

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	K	130	LEU	N-CA-C	5.24	117.85	108.17
3	K	1(B)	ALA	N-CA-C	5.18	119.86	111.37
3	K	147	THR	N-CA-C	5.17	116.39	108.42
3	K	176	ILE	CB-CA-C	5.16	118.75	111.63
3	K	80	GLU	N-CA-C	-5.11	102.13	110.20
2	H	198	PRO	N-CA-C	5.10	121.39	112.01
3	K	123	LEU	CA-C-N	5.09	125.02	119.78
3	K	123	LEU	C-N-CA	5.09	125.02	119.78
2	H	195	SER	CB-CA-C	5.06	118.86	109.54
3	K	157	VAL	N-CA-C	5.02	115.35	108.12

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
3	K	117	TYR	Sidechain
3	K	225	TYR	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	L	243	0	233	13	0
2	H	2064	0	2065	70	0
3	K	2326	0	2318	90	0
4	H	102	0	0	5	0
4	K	87	0	0	10	0
4	L	16	0	0	2	0
All	All	4838	0	4616	168	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 21.

All (168) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:K:61:VAL:HG23	3:K:85:LEU:HB2	1.48	0.96
3:K:14(B):THR:HG22	3:K:137:ARG:NH2	1.81	0.94
2:H:81:LYS:HD3	2:H:112:ILE:HG23	1.48	0.94
2:H:87:LYS:HD2	2:H:107:LYS:HZ1	1.36	0.90
2:H:50:ARG:HD2	4:H:322:HOH:O	1.72	0.88
3:K:216:GLY:HA2	3:K:226:GLY:HA2	1.59	0.84
2:H:32:MET:HE1	2:H:71:HIS:CD2	2.15	0.82
3:K:14(B):THR:HG22	3:K:137:ARG:HH21	1.40	0.81
2:H:32:MET:HE1	2:H:71:HIS:CG	2.16	0.80
3:K:14(C):GLU:HA	3:K:14(F):LEU:HD13	1.62	0.80
3:K:7:PHE:HA	3:K:12:VAL:HG13	1.65	0.76
2:H:67:ARG:HD2	2:H:82:ILE:HG12	1.66	0.76
3:K:14(J):TYR:CZ	4:K:258:HOH:O	2.41	0.74
3:K:5:PRO:HA	3:K:9:LYS:HB2	1.70	0.74
3:K:14(B):THR:HG23	3:K:159:ASN:HD21	1.52	0.72
2:H:71:HIS:HD2	2:H:80:GLU:OE1	1.73	0.72
3:K:7:PHE:HZ	3:K:23:GLU:HG3	1.56	0.71
3:K:129(B):LYS:NZ	3:K:204(A):TYR:HB2	2.06	0.71
3:K:1(C):GLU:HG3	3:K:1:CYS:HB3	1.71	0.70
3:K:165:ARG:NH2	3:K:180:MET:O	2.25	0.69
3:K:216:GLY:CA	3:K:226:GLY:HA2	2.22	0.69
3:K:49:ASP:O	3:K:112:ILE:HG13	1.92	0.69
2:H:18:GLU:HG3	2:H:187:ARG:HB2	1.74	0.69
2:H:71:HIS:HB2	4:H:305:HOH:O	1.92	0.68
3:K:129(C):LEU:HD21	4:K:258:HOH:O	1.93	0.68
2:H:67:ARG:CD	2:H:82:ILE:HG12	2.24	0.67
3:K:14(F):LEU:HD23	4:K:262:HOH:O	1.95	0.67
2:H:87:LYS:HD2	2:H:107:LYS:NZ	2.10	0.66
3:K:61:VAL:CG2	3:K:85:LEU:HB2	2.24	0.66
2:H:70:LYS:HB2	2:H:117:TYR:CD1	2.32	0.65
1:L:3:LEU:HD12	2:H:206:ARG:HG2	1.78	0.64
2:H:107:LYS:HZ3	2:H:107:LYS:HB3	1.62	0.64
2:H:143:ASN:OD1	2:H:192:GLU:HG2	1.98	0.64
3:K:14(B):THR:CG2	3:K:159:ASN:HD21	2.10	0.64
3:K:1(C):GLU:HA	3:K:1(C):GLU:OE1	1.97	0.63
3:K:27:SER:H	3:K:71:HIS:HE1	1.46	0.63
3:K:14(B):THR:CG2	3:K:137:ARG:HH21	2.09	0.63
3:K:126:LYS:HG2	3:K:127:GLN:N	2.14	0.62
3:K:45:SER:OG	3:K:198:PRO:HG3	2.00	0.62
3:K:139:THR:HA	3:K:156:GLN:O	1.99	0.62
1:L:14(D):LYS:HE3	4:L:140:HOH:O	1.99	0.62
2:H:16:ILE:O	2:H:144:ARG:HA	1.99	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:K:216:GLY:HA2	3:K:227:PHE:H	1.66	0.61
2:H:95:ASN:HD21	2:H:97(A):GLU:HG2	1.66	0.61
3:K:36:LYS:HD2	4:K:314:HOH:O	1.99	0.61
2:H:95:ASN:ND2	2:H:97(A):GLU:HG2	2.15	0.61
2:H:191:CYS:SG	2:H:192:GLU:OE2	2.59	0.61
1:L:1:CYS:O	2:H:122:CYS:SG	2.59	0.60
3:K:29:TRP:CG	3:K:121:VAL:HB	2.37	0.60
3:K:23:GLU:HG2	3:K:26:LEU:HD13	1.84	0.59
3:K:128:THR:O	3:K:129(C):LEU:HB2	2.01	0.59
2:H:31:VAL:HB	2:H:44:ALA:HB3	1.85	0.59
3:K:237:TRP:HA	3:K:240:LYS:HE2	1.84	0.59
3:K:140:GLY:HA3	3:K:193:GLY:HA2	1.85	0.58
2:H:49:ASP:OD1	2:H:50:ARG:HD3	2.02	0.58
2:H:176:ILE:HG12	2:H:227:PHE:CE2	2.38	0.58
3:K:34:PHE:CE1	3:K:67:ARG:HD2	2.38	0.58
3:K:7:PHE:CZ	3:K:23:GLU:HG3	2.37	0.57
2:H:81:LYS:CD	2:H:112:ILE:HG23	2.28	0.57
2:H:70:LYS:HB3	2:H:79:VAL:CG2	2.35	0.57
3:K:14(G):PHE:HA	3:K:14(J):TYR:CD2	2.40	0.57
2:H:60(C):PRO:HD3	2:H:96:TRP:CE3	2.40	0.57
3:K:165:ARG:NH1	4:K:292:HOH:O	2.37	0.56
3:K:129(B):LYS:HZ2	3:K:204(A):TYR:HB2	1.70	0.56
2:H:107:LYS:NZ	2:H:107:LYS:HB3	2.20	0.56
2:H:174:ILE:O	2:H:176:ILE:HD12	2.06	0.56
2:H:238:ILE:O	2:H:242:ILE:HD12	2.06	0.55
2:H:204(B):ASN:OD1	2:H:206:ARG:HB2	2.05	0.55
3:K:203:SER:HB3	3:K:204(B):ASN:ND2	2.21	0.55
2:H:70:LYS:O	2:H:79:VAL:HG23	2.07	0.55
2:H:176:ILE:HG23	2:H:180:MET:HG3	1.89	0.55
2:H:71:HIS:CD2	2:H:80:GLU:OE1	2.59	0.54
3:K:32:MET:HG2	4:K:315:HOH:O	2.06	0.54
2:H:219:GLY:HA3	2:H:221(A):ARG:NE	2.21	0.54
3:K:129(B):LYS:HZ3	3:K:204(A):TYR:HB2	1.73	0.54
3:K:158:VAL:HG11	3:K:190:ALA:HB2	1.89	0.54
3:K:173:ARG:NH1	4:K:270:HOH:O	2.41	0.53
3:K:185:LYS:HB3	3:K:186:PRO:HD2	1.91	0.53
1:L:14(G):PHE:HE1	2:H:204:PRO:HB3	1.73	0.53
3:K:67:ARG:NH2	3:K:82:ILE:HD11	2.24	0.53
3:K:129(B):LYS:HE2	3:K:204:PRO:HG2	1.89	0.53
3:K:129(A):ALA:O	3:K:131:HIS:CE1	2.62	0.53
3:K:240:LYS:NZ	4:K:316:HOH:O	2.41	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:H:21:ASP:HB2	4:H:296:HOH:O	2.07	0.52
1:L:3:LEU:CD1	2:H:206:ARG:HG2	2.39	0.52
2:H:81:LYS:HD3	2:H:112:ILE:HD12	1.92	0.51
1:L:14(B):THR:HB	2:H:159:ASN:HD21	1.74	0.51
2:H:18:GLU:HB2	2:H:188:GLY:HA2	1.93	0.51
3:K:160:LEU:CD1	3:K:199:PHE:HE1	2.24	0.51
2:H:143:ASN:OD1	2:H:192:GLU:CG	2.58	0.51
3:K:14(J):TYR:CD2	4:K:302:HOH:O	2.64	0.50
2:H:143:ASN:HB2	2:H:192:GLU:OE2	2.10	0.50
3:K:190:ALA:C	3:K:192:GLU:H	2.15	0.50
3:K:35:ARG:O	3:K:38:GLN:HA	2.12	0.49
2:H:165:ARG:O	2:H:169:LYS:HG3	2.12	0.49
3:K:105:LEU:HD11	3:K:238:ILE:HG23	1.94	0.49
1:L:14(G):PHE:HA	1:L:14(J):TYR:CD2	2.47	0.49
2:H:103:ILE:HD11	2:H:238:ILE:HD11	1.93	0.49
3:K:163:VAL:HG13	3:K:185:LYS:HE2	1.95	0.49
1:L:14(D):LYS:O	1:L:14(H):GLU:HG3	2.12	0.49
2:H:70:LYS:HD2	2:H:117:TYR:CE1	2.48	0.49
3:K:114:LEU:O	3:K:115:SER:HB3	2.11	0.48
3:K:204(B):ASN:HD22	3:K:206:ARG:H	1.61	0.48
3:K:14(J):TYR:CG	4:K:302:HOH:O	2.55	0.48
3:K:35:ARG:NH2	3:K:60(H):PHE:HE1	2.12	0.48
3:K:211:GLY:HA2	3:K:229:THR:O	2.14	0.48
2:H:97(A):GLU:CD	2:H:175:ARG:HH21	2.22	0.47
3:K:139:THR:HG22	3:K:156:GLN:O	2.14	0.47
2:H:213:VAL:HG13	4:H:293:HOH:O	2.14	0.47
2:H:22:ALA:HB1	2:H:26:LEU:HD22	1.96	0.47
3:K:129(A):ALA:O	3:K:131:HIS:HE1	1.97	0.47
3:K:46:LEU:HD22	3:K:48:SER:O	2.15	0.47
2:H:70:LYS:HB3	2:H:79:VAL:HB	1.97	0.47
3:K:216:GLY:HA2	3:K:226:GLY:CA	2.39	0.46
2:H:236:LYS:N	2:H:236:LYS:HD2	2.31	0.46
3:K:101:ARG:HG2	3:K:234:LEU:HD21	1.96	0.46
2:H:123:LEU:HD12	2:H:123:LEU:HA	1.59	0.45
2:H:87:LYS:CD	2:H:107:LYS:HZ1	2.19	0.45
3:K:46:LEU:HD11	3:K:112:ILE:HD11	1.99	0.45
2:H:35:ARG:HH11	2:H:39:GLU:CD	2.24	0.44
2:H:36:LYS:HZ2	2:H:36:LYS:HB2	1.82	0.44
3:K:236:LYS:O	3:K:240:LYS:HB2	2.17	0.44
2:H:165:ARG:NH2	2:H:180:MET:O	2.48	0.44
2:H:60(C):PRO:HG3	2:H:96:TRP:CZ3	2.53	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:H:185:LYS:HB2	2:H:186(B):GLU:HG3	2.00	0.43
1:L:10:LYS:HZ3	1:L:12:VAL:HG21	1.83	0.43
3:K:67:ARG:HH21	3:K:82:ILE:HD11	1.83	0.43
3:K:204(B):ASN:ND2	3:K:206:ARG:H	2.16	0.43
2:H:242:ILE:HG22	2:H:242:ILE:O	2.19	0.43
2:H:24:VAL:HG13	2:H:117:TYR:HE1	1.84	0.43
3:K:237:TRP:O	3:K:238:ILE:C	2.62	0.43
2:H:110:ARG:HG2	2:H:111:PRO:O	2.18	0.43
3:K:14(A):GLN:HE21	3:K:14(A):GLN:HB2	1.61	0.43
1:L:6:LEU:HD23	1:L:6:LEU:HA	1.75	0.43
2:H:70:LYS:HB2	2:H:117:TYR:CG	2.54	0.43
3:K:32:MET:HB2	3:K:67:ARG:HB2	2.01	0.43
3:K:36:LYS:O	3:K:38:GLN:HG2	2.19	0.43
3:K:35:ARG:NH2	3:K:60(H):PHE:CE1	2.87	0.42
3:K:96:TRP:HA	3:K:99:LEU:HD23	2.01	0.42
3:K:194:ASP:OD1	3:K:197:GLY:HA3	2.18	0.42
2:H:67:ARG:HD2	2:H:82:ILE:CG1	2.42	0.42
3:K:85:LEU:N	3:K:85:LEU:HD13	2.33	0.42
3:K:115:SER:C	3:K:117:TYR:N	2.73	0.42
2:H:90:ILE:O	2:H:91:HIS:C	2.62	0.42
3:K:49:ASP:HA	3:K:112:ILE:HD11	2.01	0.42
2:H:204(B):ASN:O	2:H:205:ASN:CB	2.65	0.42
3:K:84:MET:O	3:K:109:LYS:HB2	2.19	0.42
3:K:216:GLY:HA2	3:K:227:PHE:N	2.32	0.42
3:K:22:ALA:HB3	3:K:155:LEU:O	2.19	0.42
1:L:14(D):LYS:HG3	1:L:14(H):GLU:OE2	2.20	0.41
2:H:17:VAL:HG12	2:H:18:GLU:HG2	2.03	0.41
2:H:152:PRO:HG2	4:H:271:HOH:O	2.20	0.41
3:K:140:GLY:HA3	3:K:194:ASP:H	1.85	0.41
2:H:91:HIS:HA	2:H:92:PRO:HD2	1.78	0.41
2:H:182:CYS:HB3	2:H:227:PHE:CE2	2.56	0.41
3:K:206:ARG:HH11	3:K:206:ARG:HG2	1.85	0.41
3:K:68:ILE:HG22	3:K:118:ILE:HG12	2.02	0.41
3:K:138:VAL:HG23	3:K:158:VAL:HG12	2.03	0.41
3:K:172:THR:OG1	3:K:174:ILE:HG12	2.20	0.41
1:L:13:GLN:HA	4:L:75:HOH:O	2.20	0.41
2:H:31:VAL:CG1	2:H:66:VAL:HG13	2.51	0.41
3:K:115:SER:C	3:K:117:TYR:H	2.29	0.41
3:K:14(B):THR:HG23	3:K:159:ASN:ND2	2.29	0.40
1:L:14:ASP:OD1	1:L:14:ASP:C	2.65	0.40
2:H:211:GLY:HA2	2:H:229:THR:O	2.22	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:K:3:LEU:O	3:K:9:LYS:NZ	2.49	0.40
3:K:101:ARG:HG2	3:K:234:LEU:CD2	2.50	0.40
3:K:129(C):LEU:HA	3:K:129(C):LEU:HD23	1.84	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	L	27/49 (55%)	23 (85%)	2 (7%)	2 (7%)	1	0
2	H	253/259 (98%)	227 (90%)	20 (8%)	6 (2%)	4	4
3	K	285/308 (92%)	236 (83%)	32 (11%)	17 (6%)	1	0
All	All	565/616 (92%)	486 (86%)	54 (10%)	25 (4%)	2	1

All (25) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	H	73	ARG
2	H	74	THR
2	H	77(A)	ARG
3	K	1(C)	GLU
3	K	17	VAL
3	K	149(C)	VAL
3	K	150	VAL
3	K	186(B)	GLU
3	K	221(A)	ARG
2	H	149(A)	THR
3	K	14(L)	GLU
3	K	16	ILE
3	K	149(E)	GLU
3	K	216	GLY

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	K	14(M)	GLY
1	L	1(B)	ALA
3	K	149(D)	ALA
3	K	186(A)	GLY
2	H	60(G)	ASN
2	H	150	VAL
3	K	18	GLU
3	K	145	ARG
3	K	152	PRO
1	L	14(K)	ILE
3	K	79	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	L	27/43 (63%)	8 (30%)	19 (70%)	0	0
2	H	223/226 (99%)	197 (88%)	26 (12%)	5	6
3	K	251/269 (93%)	205 (82%)	46 (18%)	2	2
All	All	501/538 (93%)	410 (82%)	91 (18%)	2	2

All (91) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	L	1(C)	GLU
1	L	1(A)	ASP
1	L	1	CYS
1	L	3	LEU
1	L	5	PRO
1	L	10	LYS
1	L	14	ASP
1	L	14(A)	GLN
1	L	14(B)	THR
1	L	14(C)	GLU
1	L	14(D)	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	L	14(E)	GLU
1	L	14(F)	LEU
1	L	14(G)	PHE
1	L	14(H)	GLU
1	L	14(I)	SER
1	L	14(J)	TYR
1	L	14(K)	ILE
1	L	14(L)	GLU
2	H	20	GLN
2	H	33	LEU
2	H	38	GLN
2	H	46	LEU
2	H	63	ASP
2	H	66	VAL
2	H	67	ARG
2	H	68	ILE
2	H	78	LYS
2	H	97	LYS
2	H	97(A)	GLU
2	H	107	LYS
2	H	110	ARG
2	H	111	PRO
2	H	123	LEU
2	H	141	TRP
2	H	146	GLU
2	H	148	TRP
2	H	153	SER
2	H	157	VAL
2	H	164	GLU
2	H	180	MET
2	H	233	ARG
2	H	234	LEU
2	H	236	LYS
2	H	240	LYS
3	K	1(C)	GLU
3	K	1(A)	ASP
3	K	1	CYS
3	K	6	LEU
3	K	12	VAL
3	K	16	ILE
3	K	17	VAL
3	K	20	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	K	33	LEU
3	K	35	ARG
3	K	41	LEU
3	K	45	SER
3	K	46	LEU
3	K	65	LEU
3	K	70	LYS
3	K	71	HIS
3	K	79	VAL
3	K	80	GLU
3	K	85	LEU
3	K	101	ARG
3	K	109	LYS
3	K	112	ILE
3	K	126	LYS
3	K	127	GLN
3	K	129(B)	LYS
3	K	129(C)	LEU
3	K	138	VAL
3	K	141	TRP
3	K	148	TRP
3	K	149	THR
3	K	149(A)	THR
3	K	149(B)	SER
3	K	149(C)	VAL
3	K	149(E)	GLU
3	K	156	GLN
3	K	158	VAL
3	K	160	LEU
3	K	176	ILE
3	K	180	MET
3	K	221	ASP
3	K	221(A)	ARG
3	K	222	ASP
3	K	224	LYS
3	K	235	LYS
3	K	239	GLN
3	K	241	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
2	H	71	HIS
2	H	95	ASN
2	H	131	HIS
3	K	14(A)	GLN
3	K	38	GLN
3	K	71	HIS
3	K	131	HIS
3	K	159	ASN
3	K	204(B)	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	L	29/49 (59%)	-1.06	0 100 100	13, 25, 55, 70	0
2	H	255/259 (98%)	-1.01	10 (3%) 43 45	0, 16, 42, 60	18 (7%)
3	K	287/308 (93%)	-0.55	28 (9%) 13 14	0, 16, 46, 74	51 (17%)
All	All	571/616 (92%)	-0.78	38 (6%) 24 26	0, 16, 45, 74	69 (12%)

All (38) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	H	148	TRP	7.1
3	K	19	GLY	4.8
3	K	17	VAL	4.6
3	K	14(M)	GLY	4.4
3	K	79	VAL	4.3
3	K	219	GLY	4.3
3	K	20	GLN	4.0
3	K	141	TRP	3.8
2	H	76	TYR	3.6
2	H	150	VAL	3.6
3	K	15	ARG	3.5
3	K	149	THR	3.4
3	K	148	TRP	3.4
2	H	147	THR	3.4
2	H	74	THR	3.4
3	K	154	VAL	3.4
3	K	188	GLY	3.3
3	K	16	ILE	3.2
2	H	72	SER	3.2
3	K	76	TYR	3.1
2	H	149(D)	ALA	3.1
3	K	18	GLU	3.0
3	K	143	ASN	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	K	21	ASP	2.8
3	K	142	GLY	2.8
2	H	149(B)	SER	2.7
3	K	217	GLU	2.7
3	K	72	SER	2.6
3	K	150	VAL	2.5
2	H	73	ARG	2.5
3	K	147	THR	2.5
3	K	77	GLU	2.3
3	K	153	SER	2.2
3	K	223	GLY	2.2
3	K	146	GLU	2.1
2	H	77	GLU	2.1
3	K	149(E)	GLU	2.1
3	K	186(A)	GLY	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.