



Full wwPDB EM Validation Report ⓘ

Mar 26, 2026 – 12:57 PM UTC

PDB ID : 7MLV / pdb_00007mlv
EMDB ID : EMD-23911
Title : Cryo-EM reveals partially and fully assembled native glycine receptors, homomeric tetramer
Authors : Zhu, H.; Gouaux, E.
Deposited on : 2021-04-29
Resolution : 4.10 Å (reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:



EMDB validation analysis : 0.0.1.dev132
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 4.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	6458 (3.60 - 4.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	I	107	10% (red), 87% (green), 9% (yellow), 4% (grey)
1	J	107	7% (red), 78% (green), 17% (yellow), 6% (grey)
1	K	107	38% (red), 83% (green), 12% (yellow), 5% (grey)
1	M	107	7% (red), 80% (green), 16% (yellow), 1% (grey)

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	F	118	
2	G	118	
2	H	118	
2	L	118	
3	A	456	
3	B	456	
3	C	456	
3	D	456	
4	N	5	
5	O	4	
6	P	6	

2 Entry composition [i](#)

There are 9 unique types of molecules in this entry. The entry contains 15055 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 3D1 Fab Light Chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	J	101	Total 763	C 476	N 133	O 151	S 3	0	0
1	K	102	Total 782	C 490	N 135	O 153	S 4	0	0
1	M	103	Total 777	C 487	N 133	O 153	S 4	0	0
1	I	103	Total 777	C 487	N 133	O 153	S 4	0	0

- Molecule 2 is a protein called 3D1 Fab Heavy Chain.


Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	G	115	Total 881	C 560	N 146	O 170	S 5	0	0
2	F	115	Total 878	C 558	N 146	O 170	S 4	0	0
2	L	115	Total 884	C 561	N 149	O 170	S 4	0	0
2	H	115	Total 875	C 557	N 143	O 170	S 5	0	0

- Molecule 3 is a protein called Glycine receptor alpha 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	D	170	Total 1299	C 829	N 222	O 241	S 7	0	0
3	A	310	Total 2456	C 1600	N 397	O 439	S 20	0	0
3	B	296	Total 2292	C 1510	N 364	O 400	S 18	0	0
3	C	274	Total 2125	C 1390	N 339	O 380	S 16	0	0

- Molecule 4 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyran

ose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
4	N	5	61	34	2	25	0	0

- Molecule 5 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
5	O	4	50	28	2	20	0	0

- Molecule 6 is an oligosaccharide called alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-6)-alpha-D-mannopyranose-(1-6)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
6	P	6	72	40	2	30	0	0

- Molecule 7 is alpha-D-mannopyranose (CCD ID: MAN) (formula: C₆H₁₂O₆).




Mol	Chain	Residues	Atoms			AltConf
7	D	1	Total	C	O	0
			11	6	5	
7	D	1	Total	C	O	0
			11	6	5	
7	D	1	Total	C	O	0
			11	6	5	
7	D	1	Total	C	O	0
			11	6	5	

- Molecule 8 is beta-D-mannopyranose (CCD ID: BMA) (formula: C₆H₁₂O₆).



Mol	Chain	Residues	Atoms			AltConf
8	D	1	Total	C	O	0
			11	6	5	

- Molecule 9 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: $C_8H_{15}NO_6$).




Mol	Chain	Residues	Atoms				AltConf
9	D	1	Total	C	N	O	0
			14	8	1	5	
9	D	1	Total	C	N	O	0
			14	8	1	5	


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 3D1 Fab Light Chain




- Molecule 1: 3D1 Fab Light Chain




- Molecule 1: 3D1 Fab Light Chain




- Molecule 1: 3D1 Fab Light Chain




- Molecule 2: 3D1 Fab Heavy Chain








• Molecule 2: 3D1 Fab Heavy Chain







• Molecule 2: 3D1 Fab Heavy Chain



• Molecule 2: 3D1 Fab Heavy Chain



• Molecule 3: Glycine receptor alpha 1



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	129772	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	28.2	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	0.500	Depositor
Minimum map value	-0.172	Depositor
Average map value	0.003	Depositor
Map value standard deviation	0.022	Depositor
Recommended contour level	0.129	Depositor
Map size (\AA)	330.4, 330.4, 330.4	wwPDB
Map dimensions	400, 400, 400	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (\AA)	0.826, 0.826, 0.826	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MAN, NAG, BMA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	I	0.20	0/795	0.50	0/1080
1	J	0.20	0/781	0.54	0/1062
1	K	0.24	0/801	0.61	0/1087
1	M	0.19	0/795	0.56	0/1080
2	F	0.14	0/900	0.36	0/1220
2	G	0.17	0/903	0.41	0/1223
2	H	0.16	0/897	0.44	0/1216
2	L	0.18	0/906	0.42	0/1227
3	A	0.22	0/2518	0.58	0/3423
3	B	0.21	0/2351	0.57	0/3198
3	C	0.23	0/2177	0.59	2/2964 (0.1%)
3	D	0.39	2/1324 (0.2%)	0.61	1/1799 (0.1%)
All	All	0.23	2/15148 (0.0%)	0.54	3/20579 (0.0%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	D	64	LEU	CA-C	-6.78	1.44	1.52
3	D	62	ILE	CA-C	-5.37	1.46	1.52

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	D	64	LEU	N-CA-C	-6.37	99.91	110.17
3	C	228	TYR	CA-C-N	5.66	124.86	120.33
3	C	228	TYR	C-N-CA	5.66	124.86	120.33

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	I	777	0	749	6	0
1	J	763	0	729	11	0
1	K	782	0	756	7	0
1	M	777	0	749	9	0
2	F	878	0	835	4	0
2	G	881	0	842	8	0
2	H	875	0	831	7	0
2	L	884	0	846	5	0
3	A	2456	0	2391	30	0
3	B	2292	0	2195	35	0
3	C	2125	0	2011	17	0
3	D	1299	0	1206	20	0
4	N	61	0	52	1	0
5	O	50	0	43	3	0
6	P	72	0	61	2	0
7	D	44	0	38	0	0
8	D	11	0	8	0	0
9	D	28	0	24	3	0
All	All	15055	0	14366	150	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (150) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:B:38:ASN:OD1	5:O:1:NAG:H83	1.38	1.19
3:D:38:ASN:HD21	9:D:505:NAG:C1	1.81	0.93
3:D:38:ASN:OD1	9:D:505:NAG:C1	2.19	0.90
3:D:38:ASN:CG	9:D:505:NAG:C1	2.50	0.84
3:B:38:ASN:OD1	5:O:1:NAG:C8	2.30	0.70
3:C:38:ASN:HB3	6:P:1:NAG:O5	1.93	0.68
3:B:142:LEU:HD22	3:B:281:LYS:HG2	1.77	0.66
3:A:87:PRO:HB3	3:A:114:ASP:HB2	1.78	0.65
3:C:140:MET:SD	3:C:150:GLN:NE2	2.70	0.64

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:40:SER:OG	4:N:1:NAG:O7	2.17	0.63
3:A:44:PHE:HB3	3:A:63:PHE:HB2	1.82	0.62
3:B:142:LEU:HD23	3:B:142:LEU:O	2.01	0.61
2:F:31:ARG:HH22	3:D:200:LYS:HA	1.67	0.59
3:B:87:PRO:HB3	3:B:116:LYS:HB2	1.84	0.59
2:H:6:GLN:H	2:H:110:GLN:HE22	1.50	0.59
3:C:100:PHE:HB2	3:C:103:GLU:HB3	1.84	0.58
1:I:21:ILE:H	1:I:72:THR:HG23	1.69	0.58
2:F:31:ARG:HH12	3:D:201:HIS:H	1.50	0.58
3:B:167:ILE:HA	3:B:208:THR:HG21	1.85	0.58
3:A:194:ASP:HB2	3:A:213:ARG:HB2	1.86	0.58
1:M:54:ARG:NH2	1:M:62:PHE:O	2.38	0.57
3:D:43:ILE:HD11	3:D:176:VAL:HG23	1.87	0.57
3:A:257:ILE:HB	3:B:258:THR:HG21	1.84	0.57
1:J:89:GLN:HE22	1:J:91:HIS:HB3	1.69	0.56
3:A:120:ILE:HG22	3:A:126:VAL:HG22	1.89	0.55
3:A:59:ARG:HG2	3:A:135:THR:HG22	1.88	0.55
3:B:150:GLN:HB2	3:B:216:LEU:HB2	1.88	0.55
3:A:252:ARG:NH2	3:A:301:TYR:OH	2.39	0.55
3:B:142:LEU:CD2	3:B:281:LYS:HG2	2.38	0.54
3:A:29:ARG:NH1	3:A:31:ASN:O	2.40	0.54
2:G:102:GLY:HA2	3:B:163:MET:HG3	1.89	0.53
3:B:241:SER:HB2	3:B:255:LEU:HD22	1.90	0.53
1:J:59:PRO:O	1:J:61:ARG:NH1	2.40	0.53
3:A:156:LEU:HB2	3:A:210:ILE:HB	1.89	0.53
3:B:171:GLN:HB3	3:B:175:ALA:HB2	1.90	0.53
3:D:31:ASN:HB3	3:D:35:PRO:HD2	1.90	0.53
3:D:186:GLN:HB3	3:D:219:GLN:HB2	1.91	0.53
3:B:30:PRO:HA	3:B:72:ARG:HH22	1.74	0.53
3:D:184:LEU:HD12	3:D:188:ILE:HG22	1.91	0.52
3:B:224:LEU:HA	3:B:228:TYR:HB2	1.92	0.52
3:D:194:ASP:OD2	3:D:213:ARG:NH2	2.39	0.52
2:G:23:LYS:NZ	2:G:76:SER:O	2.42	0.51
3:A:248:ALA:HB1	3:A:251:ALA:HB3	1.91	0.51
3:D:118:LEU:HB3	3:D:128:TYR:HD1	1.76	0.51
3:C:29:ARG:NH1	3:C:30:PRO:O	2.43	0.51
3:A:46:ASN:HB2	3:A:61:ASN:HB3	1.93	0.51
2:F:5:GLN:HB3	2:F:23:LYS:HB3	1.92	0.50
2:L:67:LYS:NZ	2:L:85:SER:O	2.44	0.50
2:L:6:GLN:H	2:L:110:GLN:HE22	1.58	0.50
1:J:6:GLN:HE22	1:J:99:GLY:HA3	1.76	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:M:19:VAL:HG22	1:M:75:ILE:HG22	1.94	0.50
3:A:171:GLN:NE2	3:A:174:GLY:O	2.39	0.50
3:A:40:SER:HB2	3:A:67:GLN:HE21	1.76	0.50
3:D:162:THR:HG1	3:D:206:LYS:N	2.10	0.49
1:M:34:ALA:HB3	1:M:89:GLN:HB3	1.94	0.49
3:A:39:VAL:HG22	3:A:168:PHE:HA	1.95	0.49
3:A:193:LYS:HA	3:A:215:HIS:HD2	1.78	0.49
1:J:21:ILE:HD12	1:J:73:LEU:HD11	1.93	0.49
1:M:16:GLY:H	1:M:78:VAL:HB	1.77	0.49
1:M:85:LEU:HD11	1:M:101:GLY:HA2	1.95	0.49
3:A:142:LEU:HD11	3:A:279:TYR:HD2	1.78	0.48
1:I:21:ILE:HD12	1:I:73:LEU:HB3	1.94	0.48
3:A:42:ASN:HD21	3:A:65:ARG:HE	1.62	0.48
1:M:94:THR:HG23	1:M:95:PRO:HD3	1.96	0.48
3:A:103:GLU:O	3:A:135:THR:OG1	2.31	0.47
2:L:6:GLN:HE22	2:L:95:TYR:HA	1.79	0.47
3:B:116:LYS:HG3	3:B:130:ILE:HG22	1.95	0.47
3:C:194:ASP:HB3	3:C:213:ARG:HB2	1.96	0.47
3:D:39:VAL:HG12	3:D:68:TRP:HB3	1.95	0.47
3:C:102:ASN:ND2	3:C:137:ALA:O	2.47	0.47
3:D:168:PHE:HB3	3:D:210:ILE:HD11	1.96	0.47
1:J:3:VAL:HA	1:J:97:THR:HG21	1.96	0.47
2:G:67:LYS:HE3	2:G:83:LEU:HD23	1.95	0.47
2:H:5:GLN:O	2:H:23:LYS:N	2.48	0.47
3:B:223:TYR:HA	3:B:226:GLN:HB3	1.96	0.47
3:A:204:THR:OG1	3:B:119:ARG:NH1	2.48	0.47
1:I:98:PHE:HB2	2:H:45:LEU:HB2	1.98	0.46
3:C:114:ASP:OD1	3:C:114:ASP:N	2.48	0.46
3:A:263:MET:HA	3:A:266:GLN:HE21	1.80	0.46
3:C:62:ILE:HB	3:C:132:ILE:HB	1.97	0.46
1:J:38:GLN:O	1:J:84:SER:OG	2.34	0.46
3:D:98:LEU:HD21	3:D:156:LEU:HD12	1.97	0.46
3:B:31:ASN:HB2	3:B:71:PRO:HG2	1.98	0.46
1:J:14:SER:OG	1:J:17:ASP:OD2	2.30	0.46
1:K:36:TYR:N	1:K:87:TYR:OH	2.49	0.46
3:B:54:THR:OG1	3:B:273:SER:O	2.34	0.45
2:L:39:GLN:HA	2:L:45:LEU:HD22	1.96	0.45
3:B:39:VAL:HG12	3:B:68:TRP:HB3	1.97	0.45
1:J:32:ALA:HB1	1:J:91:HIS:CE1	2.52	0.45
1:K:91:HIS:HA	1:K:96:ARG:HG2	1.99	0.45
3:B:15:ASP:O	3:B:21:THR:OG1	2.35	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:B:103:GLU:HA	3:B:134:LEU:HD21	1.99	0.44
3:C:150:GLN:N	3:C:216:LEU:O	2.42	0.44
2:G:103:ASN:HD21	3:B:164:ASN:HD21	1.63	0.44
3:D:189:LEU:HA	3:D:216:LEU:HA	1.99	0.44
3:B:234:ILE:O	3:B:238:SER:N	2.46	0.44
3:C:44:PHE:N	3:C:63:PHE:O	2.51	0.44
1:K:23:CYS:SG	1:K:24:LYS:N	2.90	0.44
1:J:91:HIS:ND1	2:G:103:ASN:OD1	2.50	0.44
1:M:26:SER:OG	1:M:27:GLN:OE1	2.33	0.44
2:L:5:GLN:O	2:L:23:LYS:N	2.48	0.44
3:A:64:LEU:HB2	3:A:130:ILE:HB	2.00	0.44
3:D:121:SER:OG	3:D:122:ARG:N	2.51	0.43
3:A:179:ALA:HB3	3:A:182:LEU:HD23	1.99	0.43
3:A:228:TYR:O	3:A:231:SER:OG	2.31	0.43
3:B:234:ILE:HA	3:B:237:LEU:HB3	2.01	0.43
1:K:6:GLN:NE2	1:K:22:THR:O	2.51	0.43
3:D:66:GLN:N	3:D:128:TYR:O	2.42	0.43
3:C:136:LEU:HG	3:C:154:MET:HG2	1.99	0.43
2:G:61:ASN:HB3	2:G:64:PHE:HB2	1.99	0.43
3:A:85:LEU:HD13	3:A:118:LEU:HD11	2.01	0.43
3:B:56:MET:O	3:B:138:CYS:N	2.49	0.42
2:H:23:LYS:NZ	2:H:76:SER:O	2.40	0.42
6:P:3:BMA:O6	6:P:3:BMA:O4	2.33	0.42
3:B:38:ASN:OD1	5:O:1:NAG:H2	2.20	0.42
3:B:199:THR:HA	3:B:209:CYS:HB3	2.01	0.42
1:I:47:LEU:HA	1:I:58:VAL:HG21	2.00	0.42
2:H:15:GLY:H	2:H:86:LEU:HB2	1.84	0.42
2:H:71:THR:HB	2:H:80:TYR:HB2	2.00	0.42
3:A:176:VAL:HG11	3:A:193:LYS:HD2	2.02	0.42
3:C:140:MET:HE3	3:C:142:LEU:HD13	2.02	0.42
3:C:406:PHE:O	3:C:410:ASN:N	2.51	0.42
1:K:50:TRP:HH2	3:D:164:ASN:HA	1.85	0.42
3:B:156:LEU:HB2	3:B:210:ILE:HG13	2.02	0.42
3:B:99:PHE:HE1	3:B:159:PHE:HB2	1.85	0.41
3:C:231:SER:HA	3:C:234:ILE:HD12	2.01	0.41
3:B:25:ASP:OD1	3:B:25:ASP:N	2.52	0.41
1:J:98:PHE:HB2	2:G:45:LEU:HB2	2.02	0.41
3:A:286:TRP:HA	3:A:289:VAL:HG22	2.03	0.41
3:D:176:VAL:HG11	3:D:193:LYS:HB2	2.02	0.41
1:J:26:SER:OG	1:J:27:GLN:OE1	2.35	0.41
1:I:2:ILE:HD13	1:I:90:GLN:HE22	1.85	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:224:LEU:HD12	3:A:229:ILE:HG21	2.03	0.41
1:M:85:LEU:HD22	1:M:86:TYR:H	1.86	0.41
3:B:90:LEU:HA	3:B:93:ILE:HB	2.02	0.41
1:I:59:PRO:HB2	1:I:61:ARG:HE	1.85	0.41
3:A:281:LYS:HG3	3:A:283:ILE:H	1.86	0.41
1:M:37:GLN:N	1:M:45:LYS:O	2.54	0.41
3:C:228:TYR:O	3:C:232:LEU:N	2.47	0.41
2:G:6:GLN:HE22	2:G:95:TYR:HA	1.85	0.40
3:B:58:TYR:O	3:B:136:LEU:N	2.50	0.40
3:B:99:PHE:CE1	3:B:159:PHE:HB2	2.56	0.40
1:K:37:GLN:N	1:K:45:LYS:O	2.55	0.40
3:C:64:LEU:O	3:C:129:SER:OG	2.37	0.40
2:F:29:ILE:HB	2:F:77:ASN:HA	2.02	0.40
2:H:38:LYS:HG3	2:H:94:TYR:HE1	1.85	0.40
3:A:58:TYR:HE1	3:A:138:CYS:HB2	1.86	0.40
1:K:75:ILE:HG22	1:K:78:VAL:HG12	2.03	0.40
3:B:70:ASP:HB3	3:B:73:LEU:HD13	2.03	0.40
3:C:401:GLY:O	3:C:405:ALA:N	2.46	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	I	101/107 (94%)	94 (93%)	7 (7%)	0	100	100
1	J	99/107 (92%)	92 (93%)	7 (7%)	0	100	100
1	K	100/107 (94%)	86 (86%)	14 (14%)	0	100	100
1	M	101/107 (94%)	91 (90%)	10 (10%)	0	100	100
2	F	113/118 (96%)	110 (97%)	3 (3%)	0	100	100
2	G	113/118 (96%)	107 (95%)	6 (5%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	H	113/118 (96%)	109 (96%)	4 (4%)	0	100	100
2	L	113/118 (96%)	107 (95%)	6 (5%)	0	100	100
3	A	304/456 (67%)	283 (93%)	21 (7%)	0	100	100
3	B	286/456 (63%)	265 (93%)	21 (7%)	0	100	100
3	C	262/456 (58%)	249 (95%)	13 (5%)	0	100	100
3	D	160/456 (35%)	140 (88%)	20 (12%)	0	100	100
All	All	1865/2724 (68%)	1733 (93%)	132 (7%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	I	86/92 (94%)	86 (100%)	0	100	100
1	J	84/92 (91%)	84 (100%)	0	100	100
1	K	87/92 (95%)	87 (100%)	0	100	100
1	M	86/92 (94%)	86 (100%)	0	100	100
2	F	90/96 (94%)	90 (100%)	0	100	100
2	G	91/96 (95%)	91 (100%)	0	100	100
2	H	90/96 (94%)	90 (100%)	0	100	100
2	L	91/96 (95%)	91 (100%)	0	100	100
3	A	262/403 (65%)	262 (100%)	0	100	100
3	B	234/403 (58%)	234 (100%)	0	100	100
3	C	221/403 (55%)	221 (100%)	0	100	100
3	D	133/403 (33%)	133 (100%)	0	100	100
All	All	1555/2364 (66%)	1555 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (24) such sidechains are listed below:

Mol	Chain	Res	Type
1	J	8	HIS
1	J	55	HIS
2	G	82	GLN
1	K	6	GLN
1	K	89	GLN
2	F	27	HIS
2	F	82	GLN
2	L	6	GLN
2	L	82	GLN
1	I	8	HIS
2	H	82	GLN
3	D	66	GLN
3	D	171	GLN
3	A	46	ASN
3	A	61	ASN
3	A	201	HIS
3	A	215	HIS
3	A	266	GLN
3	B	66	GLN
3	B	115	ASN
3	B	150	GLN
3	B	164	ASN
3	C	76	ASN
3	C	203	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

15 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The

Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	NAG	N	1	4,3	14,14,15	0.97	1 (7%)	17,19,21	2.34	3 (17%)
4	NAG	N	2	4	14,14,15	0.29	0	17,19,21	1.06	1 (5%)
4	BMA	N	3	4	11,11,12	0.69	0	15,15,17	0.80	0
4	MAN	N	4	4	11,11,12	0.70	0	15,15,17	1.15	2 (13%)
4	MAN	N	5	4	11,11,12	0.81	0	15,15,17	1.10	2 (13%)
5	NAG	O	1	3,5	14,14,15	0.86	1 (7%)	17,19,21	1.13	2 (11%)
5	NAG	O	2	5	14,14,15	0.41	0	17,19,21	1.20	2 (11%)
5	BMA	O	3	5	11,11,12	0.65	0	15,15,17	1.05	1 (6%)
5	MAN	O	4	5	11,11,12	0.91	1 (9%)	15,15,17	1.42	2 (13%)
6	NAG	P	1	3,6	14,14,15	0.69	1 (7%)	17,19,21	0.64	1 (5%)
6	NAG	P	2	6	14,14,15	0.33	0	17,19,21	1.07	1 (5%)
6	BMA	P	3	6	11,11,12	0.85	1 (9%)	15,15,17	0.93	1 (6%)
6	MAN	P	4	6	11,11,12	0.69	0	15,15,17	1.20	2 (13%)
6	MAN	P	5	6	11,11,12	0.95	0	15,15,17	0.92	0
6	MAN	P	6	6	11,11,12	1.34	2 (18%)	15,15,17	1.44	2 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	N	1	4,3	-	6/6/23/26	0/1/1/1
4	NAG	N	2	4	-	2/6/23/26	0/1/1/1
4	BMA	N	3	4	-	1/2/19/22	0/1/1/1
4	MAN	N	4	4	-	0/2/19/22	0/1/1/1
4	MAN	N	5	4	-	0/2/19/22	0/1/1/1
5	NAG	O	1	3,5	-	4/6/23/26	0/1/1/1
5	NAG	O	2	5	-	4/6/23/26	0/1/1/1
5	BMA	O	3	5	-	0/2/19/22	0/1/1/1
5	MAN	O	4	5	-	0/2/19/22	0/1/1/1
6	NAG	P	1	3,6	-	2/6/23/26	0/1/1/1
6	NAG	P	2	6	-	2/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	BMA	P	3	6	-	1/2/19/22	0/1/1/1
6	MAN	P	4	6	-	2/2/19/22	0/1/1/1
6	MAN	P	5	6	-	2/2/19/22	0/1/1/1
6	MAN	P	6	6	-	0/2/19/22	1/1/1/1

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	N	1	NAG	C1-C2	3.07	1.56	1.52
6	P	6	MAN	O5-C5	2.89	1.49	1.43
5	O	1	NAG	C1-C2	2.87	1.56	1.52
5	O	4	MAN	C1-C2	2.45	1.58	1.52
6	P	1	NAG	O5-C1	2.25	1.47	1.43
6	P	6	MAN	C1-C2	2.11	1.57	1.52
6	P	3	BMA	C1-C2	2.01	1.57	1.52

All (22) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	N	1	NAG	C2-N2-C7	8.19	133.88	122.90
6	P	6	MAN	C1-O5-C5	4.43	118.13	112.19
5	O	4	MAN	C1-O5-C5	4.01	117.56	112.19
4	N	1	NAG	C1-C2-N2	3.95	116.66	110.43
6	P	4	MAN	C1-O5-C5	3.76	117.22	112.19
6	P	2	NAG	C2-N2-C7	3.36	127.40	122.90
4	N	4	MAN	C1-O5-C5	3.34	116.66	112.19
4	N	2	NAG	C2-N2-C7	3.24	127.25	122.90
5	O	2	NAG	C2-N2-C7	3.21	127.20	122.90
5	O	1	NAG	C1-O5-C5	3.16	116.43	112.19
4	N	5	MAN	C1-O5-C5	3.02	116.23	112.19
5	O	3	BMA	C1-O5-C5	2.85	116.00	112.19
5	O	2	NAG	C1-O5-C5	2.65	115.73	112.19
6	P	6	MAN	O2-C2-C3	-2.20	105.60	110.15
4	N	1	NAG	C8-C7-N2	2.18	119.74	116.12
6	P	4	MAN	O2-C2-C3	-2.17	105.65	110.15
5	O	1	NAG	O4-C4-C5	2.17	114.67	109.32
4	N	4	MAN	O2-C2-C3	-2.13	105.75	110.15
5	O	4	MAN	O2-C2-C3	-2.09	105.82	110.15
4	N	5	MAN	O2-C2-C3	-2.07	105.86	110.15
6	P	3	BMA	O6-C6-C5	-2.02	104.46	111.33
6	P	1	NAG	C1-O5-C5	2.01	114.88	112.19

There are no chirality outliers.

All (26) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	P	4	MAN	O5-C5-C6-O6
6	P	5	MAN	O5-C5-C6-O6
5	O	2	NAG	O5-C5-C6-O6
6	P	5	MAN	C4-C5-C6-O6
5	O	1	NAG	C4-C5-C6-O6
5	O	1	NAG	O5-C5-C6-O6
6	P	4	MAN	C4-C5-C6-O6
4	N	1	NAG	C8-C7-N2-C2
4	N	1	NAG	O7-C7-N2-C2
5	O	1	NAG	C8-C7-N2-C2
5	O	1	NAG	O7-C7-N2-C2
5	O	2	NAG	C4-C5-C6-O6
4	N	3	BMA	O5-C5-C6-O6
4	N	1	NAG	C4-C5-C6-O6
6	P	1	NAG	C4-C5-C6-O6
6	P	3	BMA	O5-C5-C6-O6
4	N	1	NAG	O5-C5-C6-O6
6	P	1	NAG	O5-C5-C6-O6
4	N	2	NAG	C1-C2-N2-C7
6	P	2	NAG	C1-C2-N2-C7
4	N	1	NAG	C3-C2-N2-C7
5	O	2	NAG	C3-C2-N2-C7
4	N	1	NAG	C1-C2-N2-C7
5	O	2	NAG	C1-C2-N2-C7
4	N	2	NAG	C3-C2-N2-C7
6	P	2	NAG	C3-C2-N2-C7


All (1) ring outliers are listed below:


Mol	Chain	Res	Type	Atoms
6	P	6	MAN	C1-C2-C3-C4-C5-O5

4 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	P	1	NAG	1	0
4	N	1	NAG	1	0
6	P	3	BMA	1	0
5	O	1	NAG	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.





5.6 Ligand geometry [i](#)

7 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
7	MAN	D	507	8,7	11,11,12	1.38	2 (18%)	15,15,17	1.27	1 (6%)
7	MAN	D	501	8,7	11,11,12	1.12	1 (9%)	15,15,17	1.30	2 (13%)
9	NAG	D	505	9,3	14,14,15	0.39	0	17,19,21	0.64	0
9	NAG	D	506	9,8	14,14,15	0.27	0	17,19,21	0.76	0
7	MAN	D	502	7	11,11,12	1.16	1 (9%)	15,15,17	1.34	1 (6%)
8	BMA	D	503	9,7	11,11,12	1.29	1 (9%)	15,15,17	1.04	0
7	MAN	D	504	7	11,11,12	0.78	0	15,15,17	1.10	2 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral

centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '2' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	MAN	D	507	8,7	-	1/2/19/22	1/1/1/1
7	MAN	D	501	8,7	-	0/2/19/22	0/1/1/1
9	NAG	D	505	9,3	-	3/6/23/26	0/1/1/1
9	NAG	D	506	9,8	-	4/6/23/26	0/1/1/1
7	MAN	D	502	7	-	2/2/19/22	1/1/1/1
8	BMA	D	503	9,7	-	2/2/19/22	0/1/1/1
7	MAN	D	504	7	-	0/2/19/22	0/1/1/1

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	D	501	MAN	C1-C2	3.10	1.59	1.52
7	D	507	MAN	O5-C5	3.02	1.49	1.43
7	D	502	MAN	O5-C5	2.48	1.48	1.43
8	D	503	BMA	C1-C2	2.47	1.58	1.52
7	D	507	MAN	C1-C2	2.38	1.57	1.52

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	D	502	MAN	C1-O5-C5	4.29	117.94	112.19
7	D	507	MAN	C1-O5-C5	3.66	117.09	112.19
7	D	501	MAN	C1-O5-C5	3.43	116.78	112.19
7	D	504	MAN	C1-O5-C5	2.70	115.81	112.19
7	D	504	MAN	O2-C2-C3	-2.31	105.36	110.15
7	D	501	MAN	C1-C2-C3	2.15	112.77	109.64

There are no chirality outliers.

All (12) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
9	D	506	NAG	O5-C5-C6-O6
7	D	502	MAN	O5-C5-C6-O6
9	D	506	NAG	C4-C5-C6-O6
7	D	502	MAN	C4-C5-C6-O6
9	D	505	NAG	C8-C7-N2-C2
9	D	505	NAG	O7-C7-N2-C2
9	D	506	NAG	C8-C7-N2-C2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
9	D	506	NAG	O7-C7-N2-C2
8	D	503	BMA	O5-C5-C6-O6
9	D	505	NAG	O5-C5-C6-O6
7	D	507	MAN	O5-C5-C6-O6
8	D	503	BMA	C4-C5-C6-O6

All (2) ring outliers are listed below:

Mol	Chain	Res	Type	Atoms
7	D	507	MAN	C1-C2-C3-C4-C5-O5
7	D	502	MAN	C1-C2-C3-C4-C5-O5

1 monomer is involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
9	D	505	NAG	3	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-23911. These allow visual inspection of the internal detail of the map and identification of artifacts.

No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map




The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [\(i\)](#)


6.3.1 Primary map



X Index: 219



Y Index: 170




Z Index: 220


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [\(i\)](#)


6.4.1 Primary map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.129. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 330 nm³; this corresponds to an approximate mass of 298 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum i



*Reported resolution corresponds to spatial frequency of 0.244 Å⁻¹

8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-23911 and PDB model 7MLV. Per-residue inclusion information can be found in section 3 on page 8.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.129 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.129).

































9.4 Atom inclusion [i](#)



At the recommended contour level, 87% of all backbone atoms, 76% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.129) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.7620	 0.2070
A	 0.8070	 0.1810
B	 0.8240	 0.2070
C	 0.8240	 0.2110
D	 0.8350	 0.2250
F	 0.5420	 0.1670
G	 0.7460	 0.2170
H	 0.7150	 0.2240
I	 0.7470	 0.2330
J	 0.7950	 0.2360
K	 0.5140	 0.1680
L	 0.7870	 0.2250
M	 0.8140	 0.2000
N	 0.1970	 0.3310
O	 0.1400	 0.2700
P	 0.0280	 0.3180

