



## Full wwPDB EM Validation Report ⓘ

Mar 8, 2026 – 08:15 AM UTC

PDB ID : 7MN5 / pdb\_00007mn5  
EMDB ID : EMD-23916  
Title : Structure of the HER2/HER3/NRG1b Heterodimer Extracellular Domain  
Authors : Diwanji, D.; Trenker, R.; Verba, K.A.; Jura, N.  
Deposited on : 2021-04-30  
Resolution : 2.93 Å(reported)  
Based on initial models : 1M6B, 1N8Z, 3U7U

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev132  
Mogul : 2022.3.0, CSD as543be (2022)  
MolProbity : 4-5-2 with Phenix2.0  
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)  
EM percentile statistics : 202505.v01 (Using data in the EMDb archive up until May 2025)  
MapQ : 1.9.13  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.49

# 1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:  
*ELECTRON MICROSCOPY*

The reported resolution of this entry is 2.93 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



| Metric                | Whole archive<br>(#Entries) | EM structures<br>(#Entries) | Similar EM resolution<br>(#Entries, resolution range(Å)) |
|-----------------------|-----------------------------|-----------------------------|----------------------------------------------------------|
| Clashscore            | 229148                      | 23984                       | -                                                        |
| Ramachandran outliers | 224038                      | 23583                       | -                                                        |
| Sidechain outliers    | 223484                      | 23102                       | -                                                        |
| Q-score               | -                           | 25397                       | 13037 ( 2.43 - 3.43 )                                    |

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion < 40%). The numeric value is given above the bar.

| Mol | Chain | Length | Quality of chain                                     |
|-----|-------|--------|------------------------------------------------------|
| 1   | A     | 1066   | <div><div>7%</div><div>54%</div><div>45%</div></div> |
| 2   | H     | 87     | <div><div>54%</div><div>44%</div></div>              |
| 3   | B     | 1455   | <div><div>39%</div><div>60%</div></div>              |
| 4   | C     | 4      | <div><div>50%</div><div>100%</div></div>             |

Continued on next page...

*Continued from previous page...*

| Mol | Chain | Length | Quality of chain                                               |
|-----|-------|--------|----------------------------------------------------------------|
| 5   | D     | 2      | <div><div></div><div>50%</div><div></div><div>100%</div></div> |
| 5   | E     | 2      | <div><div></div><div>100%</div></div>                          |

## 2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 9526 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Receptor tyrosine-protein kinase erbB-3.

| Mol | Chain | Residues | Atoms |      |     |     |    | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|----|---------|-------|
| 1   | A     | 585      | Total | C    | N   | O   | S  | 0       | 0     |
|     |       |          | 4496  | 2776 | 814 | 848 | 58 |         |       |

There are 47 discrepancies between the modelled and reference sequences:

| Chain | Residue | Modelled | Actual | Comment        | Reference  |
|-------|---------|----------|--------|----------------|------------|
| A     | 809     | ARG      | GLN    | conflict       | UNP P21860 |
| A     | 928     | GLY      | GLU    | conflict       | UNP P21860 |
| A     | 1022    | GLY      | -      | expression tag | UNP P21860 |
| A     | 1023    | GLY      | -      | expression tag | UNP P21860 |
| A     | 1024    | SER      | -      | expression tag | UNP P21860 |
| A     | 1025    | LEU      | -      | expression tag | UNP P21860 |
| A     | 1026    | GLU      | -      | expression tag | UNP P21860 |
| A     | 1027    | VAL      | -      | expression tag | UNP P21860 |
| A     | 1028    | LEU      | -      | expression tag | UNP P21860 |
| A     | 1029    | PHE      | -      | expression tag | UNP P21860 |
| A     | 1030    | GLN      | -      | expression tag | UNP P21860 |
| A     | 1031    | GLY      | -      | expression tag | UNP P21860 |
| A     | 1032    | PRO      | -      | expression tag | UNP P21860 |
| A     | 1033    | SER      | -      | expression tag | UNP P21860 |
| A     | 1034    | SER      | -      | expression tag | UNP P21860 |
| A     | 1035    | PRO      | -      | expression tag | UNP P21860 |
| A     | 1036    | SER      | -      | expression tag | UNP P21860 |
| A     | 1037    | ALA      | -      | expression tag | UNP P21860 |
| A     | 1038    | TRP      | -      | expression tag | UNP P21860 |
| A     | 1039    | SER      | -      | expression tag | UNP P21860 |
| A     | 1040    | HIS      | -      | expression tag | UNP P21860 |
| A     | 1041    | PRO      | -      | expression tag | UNP P21860 |
| A     | 1042    | GLN      | -      | expression tag | UNP P21860 |
| A     | 1043    | PHE      | -      | expression tag | UNP P21860 |
| A     | 1044    | GLU      | -      | expression tag | UNP P21860 |
| A     | 1045    | LYS      | -      | expression tag | UNP P21860 |
| A     | 1046    | GLY      | -      | expression tag | UNP P21860 |
| A     | 1047    | GLY      | -      | expression tag | UNP P21860 |

*Continued on next page...*

*Continued from previous page...*

| Chain | Residue | Modelled | Actual | Comment        | Reference  |
|-------|---------|----------|--------|----------------|------------|
| A     | 1048    | GLY      | -      | expression tag | UNP P21860 |
| A     | 1049    | SER      | -      | expression tag | UNP P21860 |
| A     | 1050    | GLY      | -      | expression tag | UNP P21860 |
| A     | 1051    | GLY      | -      | expression tag | UNP P21860 |
| A     | 1052    | GLY      | -      | expression tag | UNP P21860 |
| A     | 1053    | SER      | -      | expression tag | UNP P21860 |
| A     | 1054    | GLY      | -      | expression tag | UNP P21860 |
| A     | 1055    | GLY      | -      | expression tag | UNP P21860 |
| A     | 1056    | SER      | -      | expression tag | UNP P21860 |
| A     | 1057    | SER      | -      | expression tag | UNP P21860 |
| A     | 1058    | ALA      | -      | expression tag | UNP P21860 |
| A     | 1059    | TRP      | -      | expression tag | UNP P21860 |
| A     | 1060    | SER      | -      | expression tag | UNP P21860 |
| A     | 1061    | HIS      | -      | expression tag | UNP P21860 |
| A     | 1062    | PRO      | -      | expression tag | UNP P21860 |
| A     | 1063    | GLN      | -      | expression tag | UNP P21860 |
| A     | 1064    | PHE      | -      | expression tag | UNP P21860 |
| A     | 1065    | GLU      | -      | expression tag | UNP P21860 |
| A     | 1066    | LYS      | -      | expression tag | UNP P21860 |

- Molecule 2 is a protein called Isoform 6 of Pro-neuregulin-1, membrane-bound isoform.

| Mol | Chain | Residues | Atoms |     |    |    |   | AltConf | Trace |
|-----|-------|----------|-------|-----|----|----|---|---------|-------|
| 2   | H     | 49       | Total | C   | N  | O  | S | 0       | 0     |
|     |       |          | 383   | 237 | 67 | 71 | 8 |         |       |

There are 27 discrepancies between the modelled and reference sequences:

| Chain | Residue | Modelled | Actual | Comment          | Reference    |
|-------|---------|----------|--------|------------------|--------------|
| H     | 175     | GLY      | -      | cloning artifact | UNP Q02297-6 |
| H     | 176     | PRO      | -      | cloning artifact | UNP Q02297-6 |
| H     | 237     | GLY      | -      | expression tag   | UNP Q02297-6 |
| H     | 238     | SER      | -      | expression tag   | UNP Q02297-6 |
| H     | 239     | GLY      | -      | expression tag   | UNP Q02297-6 |
| H     | 240     | SER      | -      | expression tag   | UNP Q02297-6 |
| H     | 241     | GLY      | -      | expression tag   | UNP Q02297-6 |
| H     | 242     | SER      | -      | expression tag   | UNP Q02297-6 |
| H     | 243     | ASP      | -      | expression tag   | UNP Q02297-6 |
| H     | 244     | TYR      | -      | expression tag   | UNP Q02297-6 |
| H     | 245     | LYS      | -      | expression tag   | UNP Q02297-6 |
| H     | 246     | ASP      | -      | expression tag   | UNP Q02297-6 |
| H     | 247     | ASP      | -      | expression tag   | UNP Q02297-6 |

*Continued on next page...*

*Continued from previous page...*

| Chain | Residue | Modelled | Actual | Comment        | Reference    |
|-------|---------|----------|--------|----------------|--------------|
| H     | 248     | ASP      | -      | expression tag | UNP Q02297-6 |
| H     | 249     | ASP      | -      | expression tag | UNP Q02297-6 |
| H     | 250     | LYS      | -      | expression tag | UNP Q02297-6 |
| H     | 251     | ALA      | -      | expression tag | UNP Q02297-6 |
| H     | 252     | ALA      | -      | expression tag | UNP Q02297-6 |
| H     | 253     | ALA      | -      | expression tag | UNP Q02297-6 |
| H     | 254     | LEU      | -      | expression tag | UNP Q02297-6 |
| H     | 255     | GLU      | -      | expression tag | UNP Q02297-6 |
| H     | 256     | HIS      | -      | expression tag | UNP Q02297-6 |
| H     | 257     | HIS      | -      | expression tag | UNP Q02297-6 |
| H     | 258     | HIS      | -      | expression tag | UNP Q02297-6 |
| H     | 259     | HIS      | -      | expression tag | UNP Q02297-6 |
| H     | 260     | HIS      | -      | expression tag | UNP Q02297-6 |
| H     | 261     | HIS      | -      | expression tag | UNP Q02297-6 |

- Molecule 3 is a protein called Receptor tyrosine-protein kinase erbB-2,Maltose/maltodextrin-binding periplasmic protein.

| Mol | Chain | Residues | Atoms |      |     |     |    | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|----|---------|-------|
| 3   | B     | 579      | Total | C    | N   | O   | S  | 0       | 0     |
|     |       |          | 4471  | 2783 | 803 | 833 | 52 |         |       |

There are 61 discrepancies between the modelled and reference sequences:

| Chain | Residue | Modelled | Actual | Comment  | Reference  |
|-------|---------|----------|--------|----------|------------|
| B     | 778     | ASP      | GLY    | conflict | UNP P04626 |
| B     | 1030    | GLY      | -      | linker   | UNP P04626 |
| B     | 1031    | GLY      | -      | linker   | UNP P04626 |
| B     | 1032    | SER      | -      | linker   | UNP P04626 |
| B     | 1033    | LEU      | -      | linker   | UNP P04626 |
| B     | 1034    | GLU      | -      | linker   | UNP P04626 |
| B     | 1035    | VAL      | -      | linker   | UNP P04626 |
| B     | 1036    | LEU      | -      | linker   | UNP P04626 |
| B     | 1037    | PHE      | -      | linker   | UNP P04626 |
| B     | 1038    | GLN      | -      | linker   | UNP P04626 |
| B     | 1039    | GLY      | -      | linker   | UNP P04626 |
| B     | 1040    | PRO      | -      | linker   | UNP P04626 |
| B     | 1041    | SER      | -      | linker   | UNP P04626 |
| B     | 1042    | SER      | -      | linker   | UNP P04626 |
| B     | 1043    | PRO      | -      | linker   | UNP P04626 |
| B     | 1044    | SER      | -      | linker   | UNP P04626 |
| B     | 1045    | GLY      | -      | linker   | UNP P04626 |

*Continued on next page...*

*Continued from previous page...*

| Chain | Residue | Modelled | Actual | Comment        | Reference  |
|-------|---------|----------|--------|----------------|------------|
| B     | 1046    | SER      | -      | linker         | UNP P04626 |
| B     | 1047    | SER      | -      | linker         | UNP P04626 |
| B     | 1048    | MET      | -      | linker         | UNP P04626 |
| B     | 1415    | ASN      | -      | expression tag | UNP P0AEX9 |
| B     | 1416    | SER      | -      | expression tag | UNP P0AEX9 |
| B     | 1417    | SER      | -      | expression tag | UNP P0AEX9 |
| B     | 1418    | SER      | -      | expression tag | UNP P0AEX9 |
| B     | 1419    | SER      | -      | expression tag | UNP P0AEX9 |
| B     | 1420    | GLY      | -      | expression tag | UNP P0AEX9 |
| B     | 1421    | PRO      | -      | expression tag | UNP P0AEX9 |
| B     | 1422    | SER      | -      | expression tag | UNP P0AEX9 |
| B     | 1423    | SER      | -      | expression tag | UNP P0AEX9 |
| B     | 1424    | PRO      | -      | expression tag | UNP P0AEX9 |
| B     | 1425    | SER      | -      | expression tag | UNP P0AEX9 |
| B     | 1426    | ALA      | -      | expression tag | UNP P0AEX9 |
| B     | 1427    | TRP      | -      | expression tag | UNP P0AEX9 |
| B     | 1428    | SER      | -      | expression tag | UNP P0AEX9 |
| B     | 1429    | HIS      | -      | expression tag | UNP P0AEX9 |
| B     | 1430    | PRO      | -      | expression tag | UNP P0AEX9 |
| B     | 1431    | GLN      | -      | expression tag | UNP P0AEX9 |
| B     | 1432    | PHE      | -      | expression tag | UNP P0AEX9 |
| B     | 1433    | GLU      | -      | expression tag | UNP P0AEX9 |
| B     | 1434    | LYS      | -      | expression tag | UNP P0AEX9 |
| B     | 1435    | GLY      | -      | expression tag | UNP P0AEX9 |
| B     | 1436    | GLY      | -      | expression tag | UNP P0AEX9 |
| B     | 1437    | GLY      | -      | expression tag | UNP P0AEX9 |
| B     | 1438    | SER      | -      | expression tag | UNP P0AEX9 |
| B     | 1439    | GLY      | -      | expression tag | UNP P0AEX9 |
| B     | 1440    | GLY      | -      | expression tag | UNP P0AEX9 |
| B     | 1441    | GLY      | -      | expression tag | UNP P0AEX9 |
| B     | 1442    | SER      | -      | expression tag | UNP P0AEX9 |
| B     | 1443    | GLY      | -      | expression tag | UNP P0AEX9 |
| B     | 1444    | GLY      | -      | expression tag | UNP P0AEX9 |
| B     | 1445    | SER      | -      | expression tag | UNP P0AEX9 |
| B     | 1446    | SER      | -      | expression tag | UNP P0AEX9 |
| B     | 1447    | ALA      | -      | expression tag | UNP P0AEX9 |
| B     | 1448    | TRP      | -      | expression tag | UNP P0AEX9 |
| B     | 1449    | SER      | -      | expression tag | UNP P0AEX9 |
| B     | 1450    | HIS      | -      | expression tag | UNP P0AEX9 |
| B     | 1451    | PRO      | -      | expression tag | UNP P0AEX9 |
| B     | 1452    | GLN      | -      | expression tag | UNP P0AEX9 |
| B     | 1453    | PHE      | -      | expression tag | UNP P0AEX9 |

*Continued on next page...*

*Continued from previous page...*

| Chain | Residue | Modelled | Actual | Comment        | Reference  |
|-------|---------|----------|--------|----------------|------------|
| B     | 1454    | GLU      | -      | expression tag | UNP P0AEX9 |
| B     | 1455    | LYS      | -      | expression tag | UNP P0AEX9 |

- Molecule 4 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




| Mol | Chain | Residues | Atoms |    |   |    | AltConf | Trace |
|-----|-------|----------|-------|----|---|----|---------|-------|
| 4   | C     | 4        | Total | C  | N | O  | 0       | 0     |
|     |       |          | 50    | 28 | 2 | 20 |         |       |

- Molecule 5 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




| Mol | Chain | Residues | Atoms |    |   |    | AltConf | Trace |
|-----|-------|----------|-------|----|---|----|---------|-------|
| 5   | D     | 2        | Total | C  | N | O  | 0       | 0     |
|     |       |          | 28    | 16 | 2 | 10 |         |       |
| 5   | E     | 2        | Total | C  | N | O  | 0       | 0     |
|     |       |          | 28    | 16 | 2 | 10 |         |       |

- Molecule 6 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: C<sub>8</sub>H<sub>15</sub>NO<sub>6</sub>).



| Mol | Chain | Residues | Atoms |   |   |   | AltConf |
|-----|-------|----------|-------|---|---|---|---------|
| 6   | A     | 1        | Total | C | N | O | 0       |
|     |       |          | 14    | 8 | 1 | 5 |         |
| 6   | A     | 1        | Total | C | N | O | 0       |
|     |       |          | 14    | 8 | 1 | 5 |         |
| 6   | A     | 1        | Total | C | N | O | 0       |
|     |       |          | 14    | 8 | 1 | 5 |         |
| 6   | B     | 1        | Total | C | N | O | 0       |
|     |       |          | 14    | 8 | 1 | 5 |         |
| 6   | B     | 1        | Total | C | N | O | 0       |
|     |       |          | 14    | 8 | 1 | 5 |         |





TRP TYR ALA VAL ARG THR ALA VAL ILE ASN ALA ALA SER GLY ARG GLN THR VAL ASP GLU ALA LEU LYS ASP ALA GLN THR ASN SER SER SER GLY PRO SER SER PRO SER ALA TRP HIS PRO GLN PHE GLU LYS

TRP SER HIS PRO GLN PHE GLU LYS

- Molecule 4: alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



NAG1 NAG2 BMA3 MAN4

- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



NAG1 NAG2

- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



NAG1 NAG2

## 4 Experimental information

| Property                             | Value                                   | Source    |
|--------------------------------------|-----------------------------------------|-----------|
| EM reconstruction method             | SINGLE PARTICLE                         | Depositor |
| Imposed symmetry                     | POINT, C1                               | Depositor |
| Number of particles used             | 123173                                  | Depositor |
| Resolution determination method      | FSC 0.143 CUT-OFF                       | Depositor |
| CTF correction method                | PHASE FLIPPING AND AMPLITUDE CORRECTION | Depositor |
| Microscope                           | FEI TITAN KRIOS                         | Depositor |
| Voltage (kV)                         | 300                                     | Depositor |
| Electron dose ( $e^-/\text{\AA}^2$ ) | 67                                      | Depositor |
| Minimum defocus (nm)                 | Not provided                            |           |
| Maximum defocus (nm)                 | Not provided                            |           |
| Magnification                        | Not provided                            |           |
| Image detector                       | GATAN K3 (6k x 4k)                      | Depositor |
| Maximum map value                    | 2.471                                   | Depositor |
| Minimum map value                    | -1.313                                  | Depositor |
| Average map value                    | 0.001                                   | Depositor |
| Map value standard deviation         | 0.054                                   | Depositor |
| Recommended contour level            | 0.4                                     | Depositor |
| Map size (Å)                         | 300.6, 300.6, 300.6                     | wwPDB     |
| Map dimensions                       | 360, 360, 360                           | wwPDB     |
| Map angles (°)                       | 90.0, 90.0, 90.0                        | wwPDB     |
| Pixel spacing (Å)                    | 0.83500004, 0.83500004, 0.83500004      | Depositor |

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, MAN, BMA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

| Mol | Chain | Bond lengths |               | Bond angles |                |
|-----|-------|--------------|---------------|-------------|----------------|
|     |       | RMSZ         | $\# Z  > 5$   | RMSZ        | $\# Z  > 5$    |
| 1   | A     | 0.79         | 3/4602 (0.1%) | 1.07        | 0/6241         |
| 2   | H     | 0.90         | 0/389         | 1.22        | 0/518          |
| 3   | B     | 0.76         | 0/4576        | 1.03        | 2/6223 (0.0%)  |
| All | All   | 0.78         | 3/9567 (0.0%) | 1.06        | 2/12982 (0.0%) |

All (3) bond length outliers are listed below:

| Mol | Chain | Res | Type | Atoms | Z     | Observed(Å) | Ideal(Å) |
|-----|-------|-----|------|-------|-------|-------------|----------|
| 1   | A     | 578 | HIS  | CA-C  | 6.14  | 1.55        | 1.52     |
| 1   | A     | 512 | PRO  | N-CD  | -5.28 | 1.40        | 1.47     |
| 1   | A     | 403 | PRO  | CA-C  | 5.12  | 1.54        | 1.51     |

All (2) bond angle outliers are listed below:

| Mol | Chain | Res | Type | Atoms   | Z     | Observed(°) | Ideal(°) |
|-----|-------|-----|------|---------|-------|-------------|----------|
| 3   | B     | 348 | GLU  | CB-CA-C | -6.22 | 109.39      | 116.54   |
| 3   | B     | 87  | ALA  | N-CA-C  | 5.37  | 117.42      | 108.99   |

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

| Mol | Chain | Non-H | H(model) | H(added) | Clashes | Symm-Clashes |
|-----|-------|-------|----------|----------|---------|--------------|
| 1   | A     | 4496  | 0        | 4254     | 3       | 0            |
| 2   | H     | 383   | 0        | 363      | 1       | 0            |
| 3   | B     | 4471  | 0        | 4277     | 6       | 0            |
| 4   | C     | 50    | 0        | 43       | 0       | 0            |
| 5   | D     | 28    | 0        | 25       | 0       | 0            |
| 5   | E     | 28    | 0        | 25       | 0       | 0            |
| 6   | A     | 42    | 0        | 39       | 0       | 0            |
| 6   | B     | 28    | 0        | 26       | 0       | 0            |
| All | All   | 9526  | 0        | 9052     | 10      | 0            |

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.

All (10) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

| Atom-1           | Atom-2           | Interatomic distance (Å) | Clash overlap (Å) |
|------------------|------------------|--------------------------|-------------------|
| 1:A:581:ASP:OD1  | 1:A:602:LYS:NZ   | 2.39                     | 0.53              |
| 3:B:216:THR:OG1  | 3:B:226:ARG:NH1  | 2.46                     | 0.48              |
| 1:A:398:ASN:HD21 | 1:A:400:GLN:HE21 | 1.61                     | 0.48              |
| 3:B:618:ASP:C    | 3:B:618:ASP:OD1  | 2.60                     | 0.45              |
| 3:B:592:ASP:O    | 3:B:593:PRO:C    | 2.60                     | 0.44              |
| 3:B:249:HIS:ND1  | 3:B:249:HIS:N    | 2.61                     | 0.43              |
| 3:B:372:GLY:H    | 3:B:407:THR:HG1  | 1.65                     | 0.43              |
| 2:H:177:SER:OG   | 2:H:178:HIS:N    | 2.51                     | 0.43              |
| 3:B:301:TYR:O    | 3:B:302:ASN:HB2  | 2.19                     | 0.42              |
| 1:A:334:THR:OG1  | 1:A:340:PHE:O    | 2.31                     | 0.40              |

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

| Mol | Chain | Analysed        | Favoured   | Allowed | Outliers | Percentiles |     |
|-----|-------|-----------------|------------|---------|----------|-------------|-----|
| 1   | A     | 579/1066 (54%)  | 561 (97%)  | 18 (3%) | 0        | 100         | 100 |
| 2   | H     | 45/87 (52%)     | 43 (96%)   | 2 (4%)  | 0        | 100         | 100 |
| 3   | B     | 571/1455 (39%)  | 551 (96%)  | 20 (4%) | 0        | 100         | 100 |
| All | All   | 1195/2608 (46%) | 1155 (97%) | 40 (3%) | 0        | 100         | 100 |

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

| Mol | Chain | Analysed        | Rotameric   | Outliers | Percentiles |     |
|-----|-------|-----------------|-------------|----------|-------------|-----|
| 1   | A     | 507/909 (56%)   | 507 (100%)  | 0        | 100         | 100 |
| 2   | H     | 44/74 (60%)     | 44 (100%)   | 0        | 100         | 100 |
| 3   | B     | 499/1229 (41%)  | 499 (100%)  | 0        | 100         | 100 |
| All | All   | 1050/2212 (48%) | 1050 (100%) | 0        | 100         | 100 |

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 1   | A     | 129 | HIS  |
| 1   | A     | 374 | HIS  |
| 1   | A     | 398 | ASN  |
| 3   | B     | 24  | GLN  |
| 3   | B     | 239 | GLN  |
| 3   | B     | 318 | HIS  |
| 3   | B     | 470 | HIS  |
| 3   | B     | 559 | HIS  |

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

8 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

| Mol | Type | Chain | Res | Link | Bond lengths |      |          | Bond angles |      |          |
|-----|------|-------|-----|------|--------------|------|----------|-------------|------|----------|
|     |      |       |     |      | Counts       | RMSZ | # Z  > 2 | Counts      | RMSZ | # Z  > 2 |
| 4   | NAG  | C     | 1   | 3,4  | 14,14,15     | 1.11 | 2 (14%)  | 17,19,21    | 0.77 | 0        |
| 4   | NAG  | C     | 2   | 4    | 14,14,15     | 1.56 | 2 (14%)  | 17,19,21    | 1.01 | 1 (5%)   |
| 4   | BMA  | C     | 3   | 4    | 11,11,12     | 0.76 | 0        | 15,15,17    | 0.91 | 1 (6%)   |
| 4   | MAN  | C     | 4   | 4    | 11,11,12     | 1.51 | 3 (27%)  | 15,15,17    | 0.62 | 0        |
| 5   | NAG  | D     | 1   | 5,1  | 14,14,15     | 1.25 | 2 (14%)  | 17,19,21    | 0.99 | 1 (5%)   |
| 5   | NAG  | D     | 2   | 5    | 14,14,15     | 1.58 | 2 (14%)  | 17,19,21    | 1.03 | 1 (5%)   |
| 5   | NAG  | E     | 1   | 5,1  | 14,14,15     | 1.18 | 1 (7%)   | 17,19,21    | 1.13 | 2 (11%)  |
| 5   | NAG  | E     | 2   | 5    | 14,14,15     | 1.45 | 2 (14%)  | 17,19,21    | 0.95 | 1 (5%)   |

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

| Mol | Type | Chain | Res | Link | Chirals | Torsions  | Rings   |
|-----|------|-------|-----|------|---------|-----------|---------|
| 4   | NAG  | C     | 1   | 3,4  | -       | 2/6/23/26 | 0/1/1/1 |
| 4   | NAG  | C     | 2   | 4    | -       | 1/6/23/26 | 0/1/1/1 |
| 4   | BMA  | C     | 3   | 4    | -       | 1/2/19/22 | 0/1/1/1 |
| 4   | MAN  | C     | 4   | 4    | -       | 1/2/19/22 | 0/1/1/1 |
| 5   | NAG  | D     | 1   | 5,1  | -       | 0/6/23/26 | 0/1/1/1 |
| 5   | NAG  | D     | 2   | 5    | -       | 1/6/23/26 | 0/1/1/1 |
| 5   | NAG  | E     | 1   | 5,1  | -       | 1/6/23/26 | 0/1/1/1 |
| 5   | NAG  | E     | 2   | 5    | -       | 2/6/23/26 | 0/1/1/1 |

All (14) bond length outliers are listed below:

| Mol | Chain | Res | Type | Atoms | Z    | Observed(Å) | Ideal(Å) |
|-----|-------|-----|------|-------|------|-------------|----------|
| 5   | D     | 2   | NAG  | C1-C2 | 3.77 | 1.57        | 1.52     |
| 4   | C     | 2   | NAG  | C1-C2 | 3.70 | 1.57        | 1.52     |
| 5   | E     | 1   | NAG  | C1-C2 | 3.47 | 1.57        | 1.52     |
| 5   | E     | 2   | NAG  | C1-C2 | 3.39 | 1.57        | 1.52     |
| 5   | E     | 2   | NAG  | O5-C5 | 2.71 | 1.48        | 1.43     |
| 4   | C     | 2   | NAG  | O5-C5 | 2.71 | 1.48        | 1.43     |
| 4   | C     | 4   | MAN  | O5-C5 | 2.70 | 1.48        | 1.43     |
| 5   | D     | 2   | NAG  | O5-C5 | 2.69 | 1.48        | 1.43     |
| 5   | D     | 1   | NAG  | O4-C4 | 2.45 | 1.49        | 1.43     |
| 5   | D     | 1   | NAG  | O5-C5 | 2.30 | 1.47        | 1.43     |
| 4   | C     | 1   | NAG  | O5-C5 | 2.27 | 1.47        | 1.43     |
| 4   | C     | 4   | MAN  | C2-C3 | 2.09 | 1.55        | 1.52     |
| 4   | C     | 1   | NAG  | C1-C2 | 2.07 | 1.55        | 1.52     |
| 4   | C     | 4   | MAN  | C1-C2 | 2.01 | 1.57        | 1.52     |

All (7) bond angle outliers are listed below:

| Mol | Chain | Res | Type | Atoms    | Z     | Observed(°) | Ideal(°) |
|-----|-------|-----|------|----------|-------|-------------|----------|
| 5   | D     | 1   | NAG  | C1-O5-C5 | 2.80  | 115.94      | 112.19   |
| 5   | D     | 2   | NAG  | C8-C7-N2 | 2.68  | 120.56      | 116.12   |
| 5   | E     | 1   | NAG  | C8-C7-N2 | 2.59  | 120.41      | 116.12   |
| 4   | C     | 2   | NAG  | C8-C7-N2 | 2.56  | 120.36      | 116.12   |
| 5   | E     | 1   | NAG  | C2-N2-C7 | -2.41 | 119.67      | 122.90   |
| 5   | E     | 2   | NAG  | C8-C7-N2 | 2.33  | 119.97      | 116.12   |
| 4   | C     | 3   | BMA  | C2-C3-C4 | -2.03 | 107.30      | 110.86   |

There are no chirality outliers.


All (9) torsion outliers are listed below:


| Mol | Chain | Res | Type | Atoms       |
|-----|-------|-----|------|-------------|
| 5   | E     | 2   | NAG  | O5-C5-C6-O6 |
| 5   | D     | 2   | NAG  | O5-C5-C6-O6 |
| 4   | C     | 2   | NAG  | O5-C5-C6-O6 |
| 4   | C     | 3   | BMA  | O5-C5-C6-O6 |
| 4   | C     | 4   | MAN  | O5-C5-C6-O6 |
| 5   | E     | 2   | NAG  | C4-C5-C6-O6 |
| 4   | C     | 1   | NAG  | C1-C2-N2-C7 |
| 5   | E     | 1   | NAG  | C1-C2-N2-C7 |
| 4   | C     | 1   | NAG  | C3-C2-N2-C7 |


There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.







## 5.6 Ligand geometry [i](#)

5 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

| Mol | Type | Chain | Res  | Link | Bond lengths |      |             | Bond angles |      |             |
|-----|------|-------|------|------|--------------|------|-------------|-------------|------|-------------|
|     |      |       |      |      | Counts       | RMSZ | $\# Z  > 2$ | Counts      | RMSZ | $\# Z  > 2$ |
| 6   | NAG  | A     | 1101 | 1    | 14,14,15     | 1.28 | 3 (21%)     | 17,19,21    | 1.80 | 4 (23%)     |
| 6   | NAG  | B     | 1502 | 3    | 14,14,15     | 1.58 | 2 (14%)     | 17,19,21    | 1.12 | 1 (5%)      |
| 6   | NAG  | A     | 1103 | 1    | 14,14,15     | 1.49 | 3 (21%)     | 17,19,21    | 1.29 | 1 (5%)      |

| Mol | Type | Chain | Res  | Link | Bond lengths |      |          | Bond angles |      |          |
|-----|------|-------|------|------|--------------|------|----------|-------------|------|----------|
|     |      |       |      |      | Counts       | RMSZ | # Z  > 2 | Counts      | RMSZ | # Z  > 2 |
| 6   | NAG  | A     | 1102 | 1    | 14,14,15     | 1.37 | 2 (14%)  | 17,19,21    | 0.98 | 1 (5%)   |
| 6   | NAG  | B     | 1501 | 3    | 14,14,15     | 1.20 | 1 (7%)   | 17,19,21    | 0.88 | 1 (5%)   |

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

| Mol | Type | Chain | Res  | Link | Chirals | Torsions  | Rings   |
|-----|------|-------|------|------|---------|-----------|---------|
| 6   | NAG  | A     | 1101 | 1    | -       | 1/6/23/26 | 0/1/1/1 |
| 6   | NAG  | B     | 1502 | 3    | -       | 2/6/23/26 | 0/1/1/1 |
| 6   | NAG  | A     | 1103 | 1    | -       | 2/6/23/26 | 0/1/1/1 |
| 6   | NAG  | A     | 1102 | 1    | -       | 1/6/23/26 | 0/1/1/1 |
| 6   | NAG  | B     | 1501 | 3    | -       | 1/6/23/26 | 0/1/1/1 |

All (11) bond length outliers are listed below:

| Mol | Chain | Res  | Type | Atoms | Z    | Observed(Å) | Ideal(Å) |
|-----|-------|------|------|-------|------|-------------|----------|
| 6   | B     | 1502 | NAG  | C1-C2 | 3.85 | 1.57        | 1.52     |
| 6   | A     | 1102 | NAG  | O5-C5 | 3.47 | 1.50        | 1.43     |
| 6   | A     | 1103 | NAG  | C1-C2 | 3.01 | 1.56        | 1.52     |
| 6   | B     | 1501 | NAG  | O5-C5 | 2.66 | 1.48        | 1.43     |
| 6   | B     | 1502 | NAG  | O5-C5 | 2.61 | 1.48        | 1.43     |
| 6   | A     | 1101 | NAG  | C1-C2 | 2.60 | 1.55        | 1.52     |
| 6   | A     | 1101 | NAG  | O5-C1 | 2.51 | 1.47        | 1.43     |
| 6   | A     | 1103 | NAG  | O5-C5 | 2.48 | 1.48        | 1.43     |
| 6   | A     | 1102 | NAG  | C1-C2 | 2.28 | 1.55        | 1.52     |
| 6   | A     | 1103 | NAG  | C8-C7 | 2.10 | 1.54        | 1.50     |
| 6   | A     | 1101 | NAG  | C3-C2 | 2.02 | 1.56        | 1.52     |

All (8) bond angle outliers are listed below:

| Mol | Chain | Res  | Type | Atoms    | Z     | Observed(°) | Ideal(°) |
|-----|-------|------|------|----------|-------|-------------|----------|
| 6   | A     | 1101 | NAG  | C1-O5-C5 | 4.61  | 118.37      | 112.19   |
| 6   | A     | 1103 | NAG  | C1-O5-C5 | 4.28  | 117.93      | 112.19   |
| 6   | A     | 1101 | NAG  | C4-C3-C2 | 3.60  | 116.30      | 111.02   |
| 6   | B     | 1502 | NAG  | C8-C7-N2 | 2.65  | 120.52      | 116.12   |
| 6   | A     | 1101 | NAG  | O3-C3-C4 | -2.31 | 104.92      | 110.38   |
| 6   | A     | 1102 | NAG  | C1-O5-C5 | 2.17  | 115.09      | 112.19   |
| 6   | B     | 1501 | NAG  | C1-O5-C5 | 2.10  | 115.00      | 112.19   |
| 6   | A     | 1101 | NAG  | O5-C5-C4 | -2.02 | 105.91      | 110.83   |

There are no chirality outliers.

All (7) torsion outliers are listed below:

| Mol | Chain | Res  | Type | Atoms       |
|-----|-------|------|------|-------------|
| 6   | B     | 1502 | NAG  | O5-C5-C6-O6 |
| 6   | A     | 1103 | NAG  | O5-C5-C6-O6 |
| 6   | A     | 1101 | NAG  | O5-C5-C6-O6 |
| 6   | A     | 1103 | NAG  | C4-C5-C6-O6 |
| 6   | A     | 1102 | NAG  | O5-C5-C6-O6 |
| 6   | B     | 1502 | NAG  | C4-C5-C6-O6 |
| 6   | B     | 1501 | NAG  | O5-C5-C6-O6 |

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-23916. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X




Y




Z


#### 6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

## 6.2 Central slices [i](#)


### 6.2.1 Primary map



X Index: 180




Y Index: 180




Z Index: 180

### 6.2.2 Raw map



X Index: 180



Y Index: 180




Z Index: 180


The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 184




Y Index: 220




Z Index: 223


### 6.3.2 Raw map



X Index: 184



Y Index: 182




Z Index: 221


The images above show the largest variance slices of the map in three orthogonal directions.

## 6.4 Orthogonal standard-deviation projections (False-color) [i](#)


### 6.4.1 Primary map



X




Y




Z


### 6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

## 6.5 Orthogonal surface views [i](#)

### 6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.4. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


## 6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


### 6.6.1 emd\_23916\_msk\_1.map [i](#)



X



Y




Z

## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [i](#)



The volume at the recommended contour level is 68 nm<sup>3</sup>; this corresponds to an approximate mass of 61 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum ⓘ




\*Reported resolution corresponds to spatial frequency of 0.341 Å<sup>-1</sup>

## 8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

### 8.1 FSC [i](#)



\*Reported resolution corresponds to spatial frequency of 0.341  $\text{\AA}^{-1}$

## 8.2 Resolution estimates [i](#)


| Resolution estimate (Å)   | Estimation criterion (FSC cut-off) |      |          |
|---------------------------|------------------------------------|------|----------|
|                           | 0.143                              | 0.5  | Half-bit |
| Reported by author        | 2.93                               | -    | -        |
| Author-provided FSC curve | 2.93                               | 3.40 | 3.02     |
| Unmasked-calculated*      | 3.99                               | 7.90 | 4.13     |

\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.99 differs from the reported value 2.93 by more than 10 %


## 9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-23916 and PDB model 7MN5. Per-residue inclusion information can be found in section 3 on page 10.


### 9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.4 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.4).

## 9.4 Atom inclusion [i](#)



At the recommended contour level, 86% of all backbone atoms, 78% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.4) and Q-score for the entire model and for each chain.

| Chain | Atom inclusion               | Q-score                      |
|-------|------------------------------|------------------------------|
| All   | <div><div></div>0.7850</div> | <div><div></div>0.4540</div> |
| A     | <div><div></div>0.7680</div> | <div><div></div>0.4510</div> |
| B     | <div><div></div>0.8040</div> | <div><div></div>0.4580</div> |
| C     | <div><div></div>0.5000</div> | <div><div></div>0.3180</div> |
| D     | <div><div></div>0.4290</div> | <div><div></div>0.1640</div> |
| E     | <div><div></div>0.7500</div> | <div><div></div>0.5110</div> |
| H     | <div><div></div>0.8200</div> | <div><div></div>0.4710</div> |

1.0

0.0

<0.0