



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 02:57 PM UTC

PDB ID : 3MOF / pdb_00003mof
Title : The structure of rat cytosolic PEPCK mutant A467G in complex with oxalate and GTP
Authors : Johnson, T.A.; Holyoak, T.
Deposited on : 2010-04-22
Resolution : 1.75 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.75 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3183 (1.76-1.76)
Clashscore	190562	3299 (1.76-1.76)
Ramachandran outliers	187476	3274 (1.76-1.76)
Sidechain outliers	187428	3274 (1.76-1.76)
RSRZ outliers	180081	3183 (1.76-1.76)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	624	
1	B	624	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	GTP	A	900[B]	-	-	X	-
4	OXL	B	1200	-	X	-	-

2 Entry composition [i](#)

There are 8 unique types of molecules in this entry. The entry contains 11021 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Phosphoenolpyruvate carboxykinase, cytosolic [GTP].

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	624	Total	C	N	O	S	0	21	0
			5009	3215	847	912	35			
1	B	616	Total	C	N	O	S	0	14	0
			4920	3155	836	895	34			

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-1	GLY	-	expression tag	UNP P07379
A	0	SER	-	expression tag	UNP P07379
A	467	GLY	ALA	engineered mutation	UNP P07379
B	-1	GLY	-	expression tag	UNP P07379
B	0	SER	-	expression tag	UNP P07379
B	467	GLY	ALA	engineered mutation	UNP P07379

- Molecule 2 is GUANOSINE-5'-TRIPHOSPHATE (CCD ID: GTP) (formula: $C_{10}H_{16}N_5O_{14}P_3$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	1
			64	20	10	28	6		
2	B	1	Total	C	N	O	P	0	0
			32	10	5	14	3		

- Molecule 3 is MANGANESE (II) ION (CCD ID: MN) (formula: Mn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	2	Total	Mn	0	1
			3	3		
3	B	2	Total	Mn	0	0
			2	2		

- Molecule 4 is OXALATE ION (CCD ID: OXL) (formula: C₂O₄).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			6	2	4		
4	B	1	Total	C	O	0	0
			6	2	4		

- Molecule 5 is SODIUM ION (CCD ID: NA) (formula: Na).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	1	Total	Na	0	0
			1	1		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	B	1	Total	Na	0	0
			1	1		

- Molecule 6 is PENTAETHYLENE GLYCOL (CCD ID: 1PE) (formula: $C_{10}H_{22}O_6$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			8	5	3		
6	A	1	Total	C	O	0	0
			16	10	6		
6	B	1	Total	C	O	0	0
			16	10	6		

- Molecule 7 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: $C_2H_6O_2$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	1	Total C O 4 2 2	0	0
7	A	1	Total C O 4 2 2	0	0
7	A	1	Total C O 4 2 2	0	0
7	B	1	Total C O 4 2 2	0	0
7	B	1	Total C O 4 2 2	0	0
7	B	1	Total C O 4 2 2	0	0


- Molecule 8 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	A	457	Total O 457 457	0	0
8	B	456	Total O 456 456	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Phosphoenolpyruvate carboxykinase, cytosolic [GTP]



- Molecule 1: Phosphoenolpyruvate carboxykinase, cytosolic [GTP]



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	61.98Å 119.60Å 87.07Å 90.00° 106.87° 90.00°	Depositor
Resolution (Å)	33.24 – 1.75 33.24 – 1.75	Depositor EDS
% Data completeness (in resolution range)	96.6 (33.24-1.75) 96.7 (33.24-1.75)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.90 (at 1.75Å)	Xtriage
Refinement program	REFMAC	Depositor
R, R_{free}	0.179 , 0.228 0.200 , 0.245	Depositor DCC
R_{free} test set	5926 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å ²)	19.3	Xtriage
Anisotropy	0.463	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 41.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	11021	wwPDB-VP
Average B, all atoms (Å ²)	11.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 70.48 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 3.0993e-06. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MN, NA, EDO, 1PE, OXL, GTP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.88	7/5205 (0.1%)	0.94	4/7048 (0.1%)
1	B	0.87	2/5091 (0.0%)	0.93	5/6888 (0.1%)
All	All	0.87	9/10296 (0.1%)	0.93	9/13936 (0.1%)

All (9) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	312[A]	ILE	C-O	-8.27	1.15	1.24
1	A	312[B]	ILE	C-O	-8.27	1.15	1.24
1	A	310	ASP	C-O	-6.46	1.15	1.24
1	A	553	THR	N-CA	5.64	1.50	1.46
1	A	556	GLY	N-CA	5.56	1.51	1.44
1	A	311	ASP	C-O	-5.29	1.17	1.24
1	A	283	ALA	CA-CB	5.27	1.60	1.53
1	B	572	VAL	C-O	-5.08	1.18	1.24
1	B	553	THR	N-CA	5.06	1.49	1.46

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	150	GLY	N-CA-C	6.82	120.74	112.49
1	B	604	LEU	CA-C-N	-6.64	113.14	119.85
1	B	604	LEU	C-N-CA	-6.64	113.14	119.85
1	A	272	ASN	N-CA-C	5.55	116.51	110.13
1	A	284	PHE	CA-C-N	-5.32	115.10	120.21
1	A	284	PHE	C-N-CA	-5.32	115.10	120.21
1	B	289	GLY	N-CA-C	5.30	123.16	115.32
1	B	441	VAL	CA-C-N	5.12	125.05	119.78
1	B	441	VAL	C-N-CA	5.12	125.05	119.78

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5009	0	5005	80	1
1	B	4920	0	4911	54	0
2	A	64	0	24	14	0
2	B	32	0	12	1	0
3	A	3	0	0	1	0
3	B	2	0	0	0	0
4	A	6	0	0	0	0
4	B	6	0	0	0	0
5	A	1	0	0	0	0
5	B	1	0	0	0	0
6	A	24	0	30	5	0
6	B	16	0	22	2	0
7	A	12	0	18	0	0
7	B	12	0	18	1	0
8	A	457	0	0	12	0
8	B	456	0	0	10	1
All	All	11021	0	10040	137	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (137) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:476[A]:MET:HE3	8:B:999:HOH:O	1.45	1.15
2:A:900[B]:GTP:H1'	8:A:965:HOH:O	1.54	1.07
1:A:351:ILE:HG22	1:A:408[B]:THR:HG21	1.29	1.05
1:A:350[B]:THR:HG22	1:A:413:CYS:HA	1.50	0.91
1:A:152:PRO:HB2	1:A:153:LEU:HD13	1.50	0.90
1:A:153:LEU:HD23	1:A:326:ILE:HG21	1.54	0.90
1:A:151:SER:OG	1:A:153:LEU:HD22	1.76	0.84

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:292[A]:ASN:OD1	2:A:900[A]:GTP:C8	2.31	0.83
1:A:112:GLN:NE2	8:A:857:HOH:O	2.11	0.82
1:A:292[A]:ASN:OD1	2:A:900[A]:GTP:H8	1.62	0.82
1:B:589[A]:VAL:HG11	1:B:619[A]:ILE:HD12	1.62	0.80
1:A:153:LEU:HG	6:A:1200:1PE:OH3	1.82	0.79
1:B:55:ARG:HG2	1:B:55:ARG:HH11	1.47	0.79
1:B:89:GLU:OE1	1:B:483:ARG:NH1	2.15	0.79
3:A:700[B]:MN:MN	8:A:794:HOH:O	1.42	0.75
1:B:89:GLU:CD	1:B:483:ARG:HH12	1.95	0.75
1:A:287:ALA:HA	2:A:900[B]:GTP:O3A	1.87	0.74
1:A:153:LEU:HD23	1:A:326:ILE:CG2	2.19	0.73
1:B:585:TRP:HB3	1:B:619[A]:ILE:HD13	1.72	0.72
1:B:503:ARG:HG2	1:B:504:PRO:HD2	1.72	0.71
1:A:14:LYS:HZ2	6:A:1201:1PE:H232	1.55	0.71
1:A:56:LEU:HD11	1:A:164:PRO:HB3	1.71	0.71
1:A:224:ASP:HB3	8:A:909:HOH:O	1.90	0.70
1:A:355:THR:OG1	1:A:408[B]:THR:HG22	1.93	0.69
1:B:89:GLU:HG2	1:B:115[A]:ARG:HH11	1.58	0.68
1:B:510[B]:LYS:HE2	8:B:911:HOH:O	1.94	0.67
1:B:13:ALA:HB3	6:B:1300:1PE:H131	1.76	0.67
1:A:55:ARG:HH11	1:A:55:ARG:HG2	1.61	0.66
1:A:346:ASN:O	1:A:350[B]:THR:HG23	1.97	0.65
1:A:153:LEU:HB3	6:A:1200:1PE:H131	1.80	0.64
1:A:503:ARG:HB2	1:A:504:PRO:CD	2.28	0.63
1:A:351:ILE:HG22	1:A:408[B]:THR:CG2	2.18	0.63
1:B:570:GLY:O	1:B:572:VAL:N	2.29	0.63
1:A:503:ARG:HB2	1:A:504:PRO:HD3	1.79	0.62
1:B:89:GLU:HG2	1:B:115[A]:ARG:NH1	2.15	0.62
1:A:105:ILE:O	1:A:601[B]:ASN:ND2	2.31	0.62
1:B:510[B]:LYS:HG2	8:B:911:HOH:O	2.00	0.62
1:A:153:LEU:HD13	1:A:153:LEU:N	2.15	0.61
1:A:503:ARG:NH2	8:A:874:HOH:O	2.34	0.61
1:A:95:ILE:CG2	1:A:119[A]:GLU:HG3	2.31	0.60
1:A:287:ALA:HA	2:A:900[B]:GTP:PA	2.42	0.60
1:B:571:ASP:N	1:B:571:ASP:OD1	2.33	0.59
1:B:420:TRP:CE2	1:B:421:GLU:HG3	2.39	0.58
1:A:152:PRO:HA	8:A:1054:HOH:O	2.04	0.57
1:B:557:TYR:CZ	7:B:3001:EDO:H11	2.40	0.57
1:A:152:PRO:HB2	1:A:153:LEU:CD1	2.32	0.55
1:B:60:MET:HB3	1:B:66:ILE:HG12	1.86	0.55
1:A:292[A]:ASN:OD1	2:A:900[A]:GTP:H2'	2.06	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:589[A]:VAL:CG1	1:B:619[A]:ILE:HD12	2.36	0.53
1:B:570:GLY:O	1:B:572:VAL:HG22	2.08	0.53
1:A:391:TRP:CH2	1:A:393:PRO:HA	2.44	0.53
1:A:153:LEU:HG	6:A:1200:1PE:C22	2.38	0.52
1:B:55:ARG:HG2	1:B:55:ARG:NH1	2.22	0.52
1:B:589[A]:VAL:HG23	8:B:1028:HOH:O	2.10	0.52
1:A:153:LEU:CG	6:A:1200:1PE:OH3	2.58	0.51
1:A:287:ALA:HA	2:A:900[B]:GTP:O2A	2.10	0.51
1:A:550:ALA:HB1	1:A:557:TYR:HB3	1.91	0.51
1:A:575:GLU:OE2	1:A:575:GLU:HA	2.10	0.50
1:A:55:ARG:NH2	8:A:632:HOH:O	2.44	0.50
2:A:900[B]:GTP:O1G	8:A:794:HOH:O	2.20	0.50
1:A:152:PRO:HD2	1:A:423:PRO:O	2.12	0.49
1:A:101:ASP:OD2	8:A:625:HOH:O	2.20	0.49
1:A:268:LEU:C	1:A:268:LEU:HD12	2.38	0.49
1:A:151:SER:OG	1:A:153:LEU:CD2	2.56	0.49
1:A:336:ALA:HB3	1:A:337:PRO:HD3	1.95	0.49
1:A:95:ILE:HG21	1:A:119[A]:GLU:HG3	1.94	0.48
1:A:316:LYS:HD3	8:A:812:HOH:O	2.12	0.48
1:B:243:LYS:O	1:B:247:ALA:HB3	2.13	0.48
1:B:589[A]:VAL:CG2	8:B:1028:HOH:O	2.61	0.48
1:A:217:THR:HA	1:A:231:PHE:O	2.15	0.47
1:B:62[B]:GLU:HA	1:B:62[B]:GLU:OE1	2.14	0.47
1:A:289:GLY:HA2	2:A:900[A]:GTP:C8	2.50	0.47
1:A:542:GLY:O	1:A:547:GLU:HB2	2.15	0.46
1:B:268:LEU:HD12	1:B:268:LEU:C	2.40	0.46
1:A:355:THR:HG23	1:A:408[B]:THR:CG2	2.46	0.46
1:B:336:ALA:HB3	1:B:337:PRO:HD3	1.98	0.46
1:B:391:TRP:CH2	1:B:393:PRO:HA	2.50	0.46
1:B:502:HIS:CD2	8:B:839:HOH:O	2.69	0.46
1:A:355:THR:CG2	1:A:408[B]:THR:HG22	2.45	0.46
1:B:89:GLU:HG3	8:B:698:HOH:O	2.16	0.46
1:B:14:LYS:HZ2	6:B:1300:1PE:H142	1.81	0.46
1:A:451[A]:GLN:H	1:A:451[A]:GLN:CD	2.23	0.45
1:B:255:ALA:HB1	1:B:260:TRP:C	2.40	0.45
1:A:152:PRO:C	1:A:153:LEU:HD13	2.42	0.45
1:A:292[A]:ASN:CG	2:A:900[A]:GTP:C8	2.93	0.45
1:A:435:GLY:CA	8:A:809:HOH:O	2.65	0.45
1:A:226:ARG:HD3	8:A:881:HOH:O	2.16	0.45
1:A:73:ASP:O	1:A:353:LYS:HA	2.17	0.45
1:A:151:SER:C	1:A:153:LEU:N	2.74	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:120:GLU:HG2	1:B:121:ASP:N	2.30	0.45
1:A:60[B]:MET:HE2	1:A:66:ILE:CG2	2.47	0.45
1:B:95:ILE:CG2	1:B:119:GLU:HG2	2.47	0.45
1:B:255:ALA:HB1	1:B:260:TRP:O	2.17	0.45
1:B:115[A]:ARG:NH2	8:B:940:HOH:O	2.50	0.44
1:B:315:MET:HA	1:B:324:ARG:O	2.18	0.44
1:B:287:ALA:HA	2:B:1000:GTP:O1A	2.17	0.44
1:A:291:THR:OG1	1:A:310:ASP:OD2	2.35	0.44
1:A:291:THR:O	1:A:295:MET:HG2	2.18	0.44
1:A:446:GLU:HB3	1:A:557:TYR:HB2	2.00	0.44
1:B:553:THR:HB	1:B:554:PRO:HD2	2.00	0.44
1:B:585:TRP:O	1:B:589[A]:VAL:HG13	2.18	0.43
1:B:391:TRP:CE2	1:B:399:CYS:HB3	2.53	0.43
1:B:521:LYS:HG2	8:B:765:HOH:O	2.17	0.43
1:B:585:TRP:HB3	1:B:619[A]:ILE:CD1	2.46	0.43
1:A:148:PRO:O	1:A:149:LEU:C	2.60	0.43
1:A:350[B]:THR:CG2	1:A:413:CYS:HA	2.35	0.43
1:A:517:PHE:CE1	2:A:900[B]:GTP:N3	2.87	0.43
1:A:107:LYS:HE3	1:A:601[A]:ASN:OD1	2.19	0.43
1:B:550:ALA:HB1	1:B:557:TYR:HB3	1.99	0.43
1:A:420:TRP:CE2	1:A:421:GLU:HG3	2.54	0.43
1:A:477:HIS:HE2	1:A:591:GLU:CD	2.27	0.43
1:B:442:PRO:HG2	1:B:555:ILE:HD11	2.00	0.42
1:A:287:ALA:HB3	1:A:465:THR:CB	2.49	0.42
1:A:153:LEU:N	1:A:153:LEU:CD1	2.83	0.42
1:A:287:ALA:N	2:A:900[B]:GTP:O3B	2.46	0.42
1:B:58:ALA:O	1:B:62[A]:GLU:HG3	2.19	0.42
1:A:91:LYS:HD3	1:A:217:THR:O	2.20	0.42
1:A:253:ARG:HG2	1:A:488:TYR:HB3	2.02	0.42
1:A:287:ALA:HB3	1:A:465:THR:HB	2.01	0.41
1:B:295:MET:HA	1:B:415:ILE:HD11	2.01	0.41
1:A:150:GLY:O	1:A:151:SER:C	2.63	0.41
1:A:601[B]:ASN:OD1	1:A:602:ALA:N	2.44	0.41
1:B:62[B]:GLU:HG3	8:B:1066:HOH:O	2.20	0.41
1:A:517:PHE:CE1	2:A:900[B]:GTP:C4	3.08	0.41
1:B:200:LEU:HA	1:B:201:PRO:C	2.46	0.41
1:B:443:LEU:HB2	1:B:577:LEU:HG	2.03	0.41
1:A:287:ALA:CA	2:A:900[B]:GTP:O3A	2.63	0.41
1:A:355:THR:CG2	1:A:408[B]:THR:CG2	2.99	0.41
1:A:477:HIS:NE2	1:A:591:GLU:OE2	2.52	0.41
1:B:15:VAL:HG21	1:B:20:LEU:HG	2.03	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:226:ARG:HH21	1:A:254:LEU:CD2	2.35	0.40
1:B:589[A]:VAL:CG1	1:B:619[A]:ILE:CD1	3.00	0.40
1:B:71:LYS:NZ	1:B:365:ASP:OD1	2.52	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:324:ARG:NH2	8:B:624:HOH:O[1_656]	1.97	0.23

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	643/624 (103%)	620 (96%)	20 (3%)	3 (0%)	24	11
1	B	626/624 (100%)	606 (97%)	19 (3%)	1 (0%)	43	27
All	All	1269/1248 (102%)	1226 (97%)	39 (3%)	4 (0%)	36	21

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	571	ASP
1	A	236	GLY
1	A	243	LYS
1	A	151	SER

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	541/520 (104%)	534 (99%)	7 (1%)	61	46
1	B	530/520 (102%)	522 (98%)	8 (2%)	57	41
All	All	1071/1040 (103%)	1056 (99%)	15 (1%)	59	44

All (15) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	51	GLU
1	A	120	GLU
1	A	153	LEU
1	A	246[A]	PHE
1	A	246[B]	PHE
1	A	253	ARG
1	A	424	GLU
1	B	55	ARG
1	B	88	ILE
1	B	246	PHE
1	B	253	ARG
1	B	274	GLU
1	B	320	GLN
1	B	396	GLU
1	B	551	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	25	GLN
1	B	6	HIS
1	B	297	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 21 ligands modelled in this entry, 7 are monoatomic - leaving 14 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
7	EDO	A	3001	-	3,3,3	0.58	0	2,2,2	0.29	0
6	1PE	B	1300	-	15,15,15	0.58	0	14,14,14	0.33	0
7	EDO	B	3000	-	3,3,3	0.91	0	2,2,2	0.36	0
2	GTP	A	900[A]	3	33,34,34	1.11	3 (9%)	50,54,54	1.65	11 (22%)
6	1PE	A	1200	-	7,7,15	0.54	0	6,6,14	0.33	0
7	EDO	B	3002	-	3,3,3	0.51	0	2,2,2	0.36	0
7	EDO	A	3002	-	3,3,3	0.36	0	2,2,2	0.65	0
7	EDO	B	3001	-	3,3,3	0.39	0	2,2,2	0.13	0
2	GTP	B	1000	3	33,34,34	0.92	0	50,54,54	1.59	12 (24%)
2	GTP	A	900[B]	3	33,34,34	0.85	1 (3%)	50,54,54	1.51	8 (16%)
7	EDO	A	3003	-	3,3,3	0.42	0	2,2,2	0.35	0
6	1PE	A	1201	-	15,15,15	0.46	0	14,14,14	0.39	0
4	OXL	A	1000	3	5,5,5	2.33	2 (40%)	6,6,6	1.42	2 (33%)
4	OXL	B	1200	3	5,5,5	2.30	2 (40%)	6,6,6	2.35	2 (33%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	EDO	A	3001	-	-	0/1/1/1	-
6	1PE	B	1300	-	-	6/13/13/13	-
7	EDO	B	3000	-	-	1/1/1/1	-
2	GTP	A	900[A]	3	-	2/22/38/38	0/3/3/3

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	1PE	A	1200	-	-	0/5/5/13	-
7	EDO	B	3002	-	-	1/1/1/1	-
7	EDO	A	3002	-	-	0/1/1/1	-
7	EDO	B	3001	-	-	1/1/1/1	-
2	GTP	B	1000	3	-	0/22/38/38	0/3/3/3
2	GTP	A	900[B]	3	-	0/22/38/38	0/3/3/3
7	EDO	A	3003	-	-	1/1/1/1	-
6	1PE	A	1201	-	-	9/13/13/13	-
4	OXL	A	1000	3	-	0/4/4/4	-
4	OXL	B	1200	3	-	4/4/4/4	-

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	1000	OXL	C2-C1	-3.89	1.47	1.54
4	B	1200	OXL	C2-C1	-3.71	1.48	1.54
2	A	900[A]	GTP	PA-O3A	3.64	1.63	1.59
4	B	1200	OXL	O1-C1	2.79	1.29	1.22
2	A	900[A]	GTP	PB-O3A	2.39	1.62	1.59
2	A	900[B]	GTP	C2-N3	2.28	1.38	1.33
4	A	1000	OXL	O2-C2	2.16	1.27	1.22
2	A	900[A]	GTP	C2-N3	2.13	1.38	1.33

All (35) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	900[A]	GTP	C5-C4-N3	-4.80	120.76	128.39
4	B	1200	OXL	O4-C2-C1	4.78	122.10	112.83
2	A	900[A]	GTP	C2-N3-C4	4.67	120.34	112.30
2	A	900[B]	GTP	C5-C4-N3	-4.46	121.29	128.39
2	B	1000	GTP	C5-C4-N3	-3.82	122.31	128.39
2	B	1000	GTP	C2-N3-C4	3.78	118.81	112.30
2	A	900[B]	GTP	C2-N3-C4	3.68	118.64	112.30
2	B	1000	GTP	C8-N7-C5	3.32	110.17	104.26
2	A	900[A]	GTP	N9-C4-N3	3.15	132.25	125.95
2	A	900[B]	GTP	N9-C4-N3	3.14	132.23	125.95
2	A	900[B]	GTP	C2-N1-C6	-3.11	119.48	125.11
2	B	1000	GTP	N9-C8-N7	-3.02	107.80	113.40
2	A	900[B]	GTP	N9-C8-N7	-2.98	107.87	113.40
2	A	900[A]	GTP	O2B-PB-O3B	2.97	115.31	107.27
2	B	1000	GTP	O2A-PA-O3A	2.82	114.88	107.27
2	A	900[B]	GTP	O6-C6-C5	-2.67	119.49	126.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	1000	GTP	C4-C5-N7	-2.64	106.48	110.67
4	A	1000	OXL	O4-C2-C1	2.61	117.90	112.83
2	B	1000	GTP	O2B-PB-O3B	2.56	114.19	107.27
2	B	1000	GTP	O3A-PB-O1B	-2.46	103.31	110.70
2	A	900[A]	GTP	C5-C6-N1	2.44	119.46	113.25
2	A	900[B]	GTP	C5-C6-N1	2.42	119.41	113.25
2	A	900[B]	GTP	C8-N7-C5	2.39	108.52	104.26
2	B	1000	GTP	C6-C5-N7	2.39	134.64	130.29
2	A	900[A]	GTP	O3G-PG-O3B	2.38	112.63	104.64
2	A	900[A]	GTP	C2-N1-C6	-2.25	121.04	125.11
2	B	1000	GTP	O3G-PG-O2G	2.24	116.21	107.80
2	A	900[A]	GTP	O2'-C2'-C1'	2.24	117.82	110.10
2	A	900[A]	GTP	N9-C8-N7	-2.23	109.26	113.40
2	B	1000	GTP	N2-C2-N1	2.18	121.35	116.76
2	A	900[A]	GTP	C8-N7-C5	2.11	108.02	104.26
2	A	900[A]	GTP	N1-C2-N3	-2.07	119.53	123.32
4	B	1200	OXL	O2-C2-C1	-2.07	116.33	120.63
4	A	1000	OXL	O3-C1-C2	2.05	116.81	112.83
2	B	1000	GTP	N9-C4-N3	2.05	130.06	125.95

There are no chirality outliers.

All (25) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	A	1201	1PE	OH2-C12-C22-OH3
6	A	1201	1PE	OH5-C14-C24-OH4
6	A	1201	1PE	OH6-C15-C25-OH5
7	B	3000	EDO	O1-C1-C2-O2
6	B	1300	1PE	OH6-C15-C25-OH5
6	B	1300	1PE	OH5-C14-C24-OH4
6	A	1201	1PE	OH7-C16-C26-OH6
7	A	3003	EDO	O1-C1-C2-O2
6	B	1300	1PE	C12-C22-OH3-C23
6	A	1201	1PE	C25-C15-OH6-C26
4	B	1200	OXL	O3-C1-C2-O4
4	B	1200	OXL	O1-C1-C2-O2
6	A	1201	1PE	C12-C22-OH3-C23
6	B	1300	1PE	C16-C26-OH6-C15
2	A	900[A]	GTP	PA-O3A-PB-O2B
7	B	3002	EDO	O1-C1-C2-O2
6	B	1300	1PE	OH4-C13-C23-OH3
6	B	1300	1PE	C24-C14-OH5-C25

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
6	A	1201	1PE	C24-C14-OH5-C25
4	B	1200	OXL	O3-C1-C2-O2
6	A	1201	1PE	C16-C26-OH6-C15
4	B	1200	OXL	O1-C1-C2-O4
2	A	900[A]	GTP	PA-O3A-PB-O1B
7	B	3001	EDO	O1-C1-C2-O2
6	A	1201	1PE	OH4-C13-C23-OH3


There are no ring outliers.

7 monomers are involved in 23 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	B	1300	1PE	2	0
2	A	900[A]	GTP	5	0
6	A	1200	1PE	4	0
7	B	3001	EDO	1	0
2	B	1000	GTP	1	0
2	A	900[B]	GTP	9	0
6	A	1201	1PE	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

Ligand GTP A 900 (A)



Ligand GTP B 1000





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	624/624 (100%)	0.02	20 (3%) 50 57	2, 8, 21, 29	35 (5%)
1	B	616/624 (98%)	0.00	14 (2%) 61 67	2, 8, 21, 35	15 (2%)
All	All	1240/1248 (99%)	0.01	34 (2%) 56 62	2, 8, 21, 35	50 (4%)

All (34) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	5	LEU	7.6
1	B	6	HIS	6.5
1	B	-1	GLY	6.2
1	A	152	PRO	5.6
1	A	153	LEU	5.5
1	B	9	LEU	4.1
1	B	504	PRO	3.8
1	A	504	PRO	3.7
1	B	570	GLY	3.5
1	A	393	PRO	3.2
1	B	396	GLU	3.2
1	A	575	GLU	2.9
1	A	149	LEU	2.8
1	A	342	LYS	2.7
1	A	571	ASP	2.6
1	A	396	GLU	2.6
1	B	2	PRO	2.5
1	A	541	PHE	2.5
1	B	571	ASP	2.4
1	A	578	PHE	2.4
1	A	466	ALA	2.4
1	B	524	LYS	2.4
1	A	150	GLY	2.3
1	A	473	LYS	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	205	PRO	2.2
1	B	393	PRO	2.2
1	A	206	LEU	2.1
1	B	203	LYS	2.1
1	A	394	GLN	2.1
1	B	205	PRO	2.1
1	A	341	VAL	2.1
1	A	424	GLU	2.1
1	A	374	ASP	2.1
1	B	503	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
7	EDO	B	3002	4/4	0.74	0.21	41,45,45,47	0
6	1PE	B	1300	16/16	0.75	0.18	55,57,58,59	0
6	1PE	A	1200	8/16	0.75	0.18	48,49,50,50	0
7	EDO	A	3002	4/4	0.79	0.15	44,44,45,45	0
7	EDO	A	3003	4/4	0.82	0.13	47,48,50,50	0
7	EDO	B	3001	4/4	0.85	0.12	39,40,40,41	0
6	1PE	A	1201	16/16	0.86	0.14	43,44,48,51	0
7	EDO	B	3000	4/4	0.88	0.13	20,25,28,31	0
7	EDO	A	3001	4/4	0.95	0.08	18,20,22,30	0
5	NA	B	1100	1/1	0.95	0.06	24,24,24,24	0
4	OXL	A	1000	6/6	0.95	0.06	11,16,19,19	0
4	OXL	B	1200	6/6	0.96	0.07	12,20,22,22	0
5	NA	A	1100	1/1	0.96	0.05	30,30,30,30	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	GTP	A	900[B]	32/32	0.96	0.07	9,12,18,20	32
2	GTP	A	900[A]	32/32	0.96	0.07	9,19,23,23	32
2	GTP	B	1000	32/32	0.97	0.06	13,19,23,25	0
3	MN	B	701	1/1	0.98	0.05	13,13,13,13	1
3	MN	B	700	1/1	0.99	0.03	14,14,14,14	0
3	MN	A	700[A]	1/1	0.99	0.03	16,16,16,16	1
3	MN	A	700[B]	1/1	0.99	0.03	18,18,18,18	1
3	MN	A	800	1/1	1.00	0.03	14,14,14,14	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around GTP A 900 (B):

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around GTP A 900 (A):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around GTP B 1000:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.