



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 07:42 PM UTC

PDB ID : 1MQQ / pdb_00001mqq
Title : THE CRYSTAL STRUCTURE OF ALPHA-D-GLUCURONIDASE FROM BACILLUS STEAROTHERMOPHILUS T-1 COMPLEXED WITH GLUCURONIC ACID
Authors : Golan, G.; Shallom, D.; Teplitsky, A.; Zaide, G.; Shulami, S.; Baasov, T.; Stojanoff, V.; Thompson, A.; Shoham, Y.; Shoham, G.
Deposited on : 2002-09-17
Resolution : 1.65 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.65 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	2662 (1.66-1.66)
Ramachandran outliers	187476	2621 (1.66-1.66)
Sidechain outliers	187428	2621 (1.66-1.66)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	679	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	GCU	A	701[A]	X	-	-	-
3	GOL	A	757	-	-	X	-
3	GOL	A	759	-	-	X	-
3	GOL	A	761	-	-	X	-
3	GOL	A	762	-	-	X	-

2 Entry composition [i](#)


There are 4 unique types of molecules in this entry. The entry contains 6429 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ALPHA-D-GLUCURONIDASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	675	5681	3651	959	1051	20	0	43	0

- Molecule 2 is alpha-D-glucopyranuronic acid (CCD ID: GCU) (formula: C₆H₁₀O₇).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	C	O		
2	A	1	26	12	14	0	1

- Molecule 3 is GLYCEROL (CCD ID: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			6	3	3		
3	A	1	Total	C	O	0	0
			6	3	3		
3	A	1	Total	C	O	0	0
			6	3	3		
3	A	1	Total	C	O	0	0
			6	3	3		
3	A	1	Total	C	O	0	0
			6	3	3		
3	A	1	Total	C	O	0	0
			6	3	3		
3	A	1	Total	C	O	0	0
			6	3	3		
3	A	1	Total	C	O	0	0
			6	3	3		
3	A	1	Total	C	O	0	0
			6	3	3		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	656	Total	O	0	0
			656	656		

4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 41 21 2	Depositor
Cell constants a, b, c, α , β , γ	74.09 Å 74.09 Å 331.86 Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	40.00 – 1.65	Depositor
% Data completeness (in resolution range)	98.9 (40.00-1.65)	Depositor
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	SHELXL-97, CNS	Depositor
R, R_{free}	0.185 , 0.229	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	6429	wwPDB-VP
Average B, all atoms (Å ²)	23.0	wwPDB-VP

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, GCU

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.67	7/6009 (0.1%)	1.48	58/8153 (0.7%)

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	53	GLU	C-O	6.61	1.32	1.24
1	A	511	ASN	CG-OD1	5.58	1.34	1.23
1	A	618	GLN	CD-OE1	5.52	1.34	1.23
1	A	178	GLN	CD-OE1	5.29	1.33	1.23
1	A	481	ASN	CG-OD1	5.19	1.33	1.23
1	A	349	GLN	CD-OE1	5.12	1.33	1.23
1	A	511	ASN	CG-ND2	-5.03	1.22	1.33

All (58) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	176	GLN	CA-C-N	14.02	146.93	121.70
1	A	176	GLN	C-N-CA	14.02	146.93	121.70
1	A	436	ARG	CD-NE-CZ	12.74	142.24	124.40
1	A	57	VAL	CA-C-N	-10.05	106.90	122.37
1	A	57	VAL	C-N-CA	-10.05	106.90	122.37
1	A	204	LYS	CA-CB-CG	-9.32	95.47	114.10
1	A	612	HIS	CA-CB-CG	-8.24	105.56	113.80
1	A	243	GLU	CA-C-N	-7.00	113.32	121.71
1	A	243	GLU	C-N-CA	-7.00	113.32	121.71
1	A	471	ASN	O-C-N	6.88	125.40	121.27
1	A	663	PHE	CA-CB-CG	-6.88	106.92	113.80
1	A	429	ASP	CA-CB-CG	6.80	119.40	112.60
1	A	369	GLU	CA-C-O	-6.75	113.33	120.28
1	A	149	HIS	CA-CB-CG	-6.58	107.22	113.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	148	ASN	CA-CB-CG	6.56	119.16	112.60
1	A	97	VAL	CA-C-N	6.50	130.38	120.82
1	A	97	VAL	C-N-CA	6.50	130.38	120.82
1	A	583	ASP	CA-CB-CG	6.31	118.91	112.60
1	A	26	ILE	CA-C-O	-6.20	113.90	120.53
1	A	396	GLN	OE1-CD-NE2	5.93	128.53	122.60
1	A	330	ASP	CA-CB-CG	5.88	118.48	112.60
1	A	547	ASP	CA-CB-CG	5.86	118.46	112.60
1	A	57	VAL	O-C-N	-5.80	116.51	122.95
1	A	485	VAL	O-C-N	-5.65	116.39	121.87
1	A	174	VAL	O-C-N	-5.65	116.91	122.67
1	A	639	HIS	CA-CB-CG	-5.55	108.25	113.80
1	A	67[A]	ILE	O-C-N	5.53	128.99	123.18
1	A	67[B]	ILE	O-C-N	5.53	128.99	123.18
1	A	99	ASP	CA-CB-CG	5.53	118.13	112.60
1	A	355[A]	ILE	CA-C-O	-5.47	114.64	120.39
1	A	355[B]	ILE	CA-C-O	-5.47	114.64	120.39
1	A	278	PHE	CA-CB-CG	5.46	119.26	113.80
1	A	618	GLN	CG-CD-NE2	5.44	124.56	116.40
1	A	672	GLN	CG-CD-NE2	5.41	124.52	116.40
1	A	586	LEU	O-C-N	5.39	127.83	122.12
1	A	8	CYS	CB-CA-C	-5.37	110.40	116.63
1	A	440	ILE	CA-C-O	5.36	126.71	121.19
1	A	402	PHE	CA-CB-CG	5.33	119.14	113.80
1	A	484	VAL	O-C-N	5.30	127.29	121.83
1	A	512	TYR	CA-C-N	-5.29	117.47	123.13
1	A	512	TYR	C-N-CA	-5.29	117.47	123.13
1	A	465	PHE	CA-CB-CG	-5.29	108.51	113.80
1	A	369	GLU	O-C-N	5.25	125.61	121.88
1	A	412	ASP	CA-C-O	5.20	125.58	119.28
1	A	174	VAL	CA-C-N	-5.18	113.21	122.07
1	A	174	VAL	C-N-CA	-5.18	113.21	122.07
1	A	548	ARG	CD-NE-CZ	5.17	131.64	124.40
1	A	597	ARG	O-C-N	5.09	129.03	123.22
1	A	484	VAL	CA-C-N	-5.07	113.51	120.46
1	A	484	VAL	C-N-CA	-5.07	113.51	120.46
1	A	440	ILE	O-C-N	-5.07	117.42	123.00
1	A	266	LYS	O-C-N	-5.05	116.83	122.09
1	A	655	TRP	CA-C-O	5.05	126.13	120.82
1	A	355[A]	ILE	O-C-N	5.04	128.71	123.26
1	A	355[B]	ILE	O-C-N	5.04	128.71	123.26
1	A	385	MET	CA-C-O	5.03	126.39	120.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	651	HIS	CA-C-O	5.02	125.74	119.97
1	A	301	ALA	O-C-N	5.02	127.87	122.15

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5681	0	5469	77	0
2	A	26	0	18	0	0
3	A	66	0	88	23	0
4	A	656	0	0	10	0
All	All	6429	0	5575	78	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (78) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:11:ARG:HH12	3:A:761:GOL:H12	1.24	1.03
1:A:436:ARG:HB2	1:A:436:ARG:HH11	1.36	0.90
1:A:125:LEU:HD22	3:A:755:GOL:H31	1.68	0.73
1:A:656:ARG:HH22	3:A:757:GOL:H32	1.53	0.73
1:A:653:LYS:HE2	3:A:757:GOL:H2	1.71	0.72
1:A:31:THR:HG22	4:A:1305:HOH:O	1.89	0.70
1:A:47:ARG:HD3	1:A:53:GLU:OE2	1.90	0.70
1:A:553:VAL:HG13	3:A:759:GOL:H11	1.75	0.68
1:A:11:ARG:NH1	3:A:761:GOL:H12	2.05	0.68
1:A:77:PHE:HB3	1:A:79:ARG:NH1	2.09	0.68
3:A:756:GOL:O1	3:A:762:GOL:H2	1.93	0.67
1:A:94:ARG:HH12	3:A:762:GOL:H31	1.58	0.66
1:A:77:PHE:HB2	3:A:762:GOL:O1	1.99	0.63
1:A:590:HIS:HB3	3:A:758:GOL:O2	1.98	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:223:ASP:O	1:A:227[B]:THR:HG23	2.00	0.61
1:A:243:GLU:HG3	4:A:1330:HOH:O	2.03	0.58
1:A:656:ARG:NH2	3:A:757:GOL:H32	2.17	0.58
1:A:436:ARG:HB2	1:A:436:ARG:NH1	2.12	0.58
1:A:94:ARG:HH12	3:A:762:GOL:C3	2.18	0.57
1:A:58[A]:GLN:HG3	4:A:1149:HOH:O	2.04	0.57
1:A:590:HIS:CE1	3:A:758:GOL:HO3	2.23	0.57
1:A:266:LYS:O	1:A:270[A]:GLN:HG2	2.07	0.55
1:A:624[A]:LYS:HG3	4:A:1398:HOH:O	2.07	0.54
1:A:436:ARG:HD2	1:A:437:TYR:CE2	2.42	0.53
1:A:547:ASP:O	1:A:666:LYS:HG2	2.10	0.52
1:A:30[A]:ARG:HB3	1:A:30[A]:ARG:HH11	1.75	0.52
1:A:58[B]:GLN:HG2	4:A:1149:HOH:O	2.10	0.52
1:A:32:SER:O	1:A:36[B]:GLN:HG3	2.11	0.51
1:A:67[A]:ILE:HD11	1:A:121:PHE:CZ	2.46	0.50
1:A:150:TRP:HA	1:A:199:ASN:HA	1.94	0.49
1:A:545:TYR:CE2	3:A:759:GOL:H32	2.48	0.48
1:A:656:ARG:HH22	3:A:757:GOL:C3	2.23	0.48
1:A:123:ARG:O	1:A:127[A]:MET:HG3	2.14	0.48
1:A:14:ARG:CZ	1:A:51:GLU:HG3	2.44	0.48
1:A:557[A]:VAL:HG22	1:A:576:GLU:CD	2.38	0.47
1:A:555:ARG:HB3	1:A:563:TYR:HB3	1.97	0.47
1:A:446:ILE:HA	1:A:452:TRP:O	2.15	0.47
1:A:79:ARG:HG2	1:A:94:ARG:NH2	2.30	0.47
1:A:561:THR:CG2	3:A:759:GOL:H12	2.45	0.47
1:A:75:GLU:OE2	1:A:82:GLU:OE2	2.32	0.46
1:A:532:VAL:HG11	1:A:662:TYR:CE1	2.51	0.46
1:A:79:ARG:HB2	1:A:82:GLU:CD	2.41	0.45
1:A:270[A]:GLN:NE2	4:A:1044:HOH:O	2.50	0.45
1:A:30[A]:ARG:NH1	1:A:111:ASP:OD2	2.50	0.45
1:A:11:ARG:HH22	3:A:761:GOL:C3	2.29	0.45
1:A:577:SER:OG	1:A:579[A]:ASP:OD1	2.34	0.45
1:A:50[A]:MET:HB2	1:A:52:ILE:HG12	1.98	0.45
1:A:436:ARG:NH2	4:A:1334:HOH:O	2.49	0.45
1:A:507:ARG:NH1	1:A:510:GLU:OE1	2.50	0.45
1:A:30[A]:ARG:HH11	1:A:30[A]:ARG:CB	2.30	0.44
1:A:98:ASP:OD2	1:A:100:GLY:N	2.50	0.44
1:A:507:ARG:NH1	4:A:1286:HOH:O	2.50	0.44
1:A:331:ARG:NH1	4:A:1437:HOH:O	2.50	0.44
1:A:21:LEU:HD12	1:A:50[A]:MET:SD	2.58	0.44
1:A:309:ALA:HB3	1:A:310:PRO:HD3	2.00	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:47:ARG:HH11	1:A:53:GLU:HG2	1.83	0.43
1:A:175:LYS:O	1:A:176:GLN:O	2.35	0.43
1:A:418:LYS:HE3	1:A:433:PHE:CE1	2.54	0.43
1:A:489:GLY:HA3	3:A:761:GOL:O3	2.18	0.43
1:A:554:ASP:N	3:A:759:GOL:H2	2.34	0.42
1:A:502:LEU:O	1:A:505[A]:SER:OG	2.37	0.42
1:A:362:PRO:HG3	1:A:563:TYR:OH	2.20	0.42
1:A:30[A]:ARG:HB3	1:A:30[A]:ARG:NH1	2.33	0.42
1:A:367[B]:VAL:HG23	4:A:814:HOH:O	2.18	0.42
1:A:554:ASP:H	3:A:759:GOL:H2	1.84	0.42
1:A:331:ARG:HD3	3:A:759:GOL:H31	2.00	0.42
1:A:96:ASP:HB2	1:A:103:ARG:HB2	2.02	0.41
1:A:72:LEU:HD13	1:A:78:GLU:HG3	2.02	0.41
1:A:198:ASN:ND2	1:A:235[A]:SER:OG	2.54	0.41
1:A:352:GLU:CD	1:A:436:ARG:HH21	2.28	0.41
1:A:624[A]:LYS:HB2	1:A:624[A]:LYS:HE2	1.24	0.41
1:A:11:ARG:HH22	3:A:761:GOL:H32	1.86	0.41
1:A:524[A]:PRO:HB3	1:A:535:TYR:CE1	2.55	0.41
1:A:408:LYS:HE3	1:A:408:LYS:HB3	1.82	0.41
1:A:340:TYR:HA	1:A:374:LEU:HD21	2.03	0.40
1:A:331:ARG:HD3	3:A:759:GOL:C3	2.51	0.40
1:A:119:PHE:CG	1:A:189:SER:HA	2.57	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	716/679 (105%)	700 (98%)	14 (2%)	2 (0%)	36 21

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	176	GLN
1	A	177	ASN

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	623/586 (106%)	596 (96%)	27 (4%)	26 6

All (27) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	30[A]	ARG
1	A	30[B]	ARG
1	A	50[A]	MET
1	A	50[B]	MET
1	A	62[A]	GLU
1	A	62[B]	GLU
1	A	66[A]	SER
1	A	66[B]	SER
1	A	67[A]	ILE
1	A	67[B]	ILE
1	A	72	LEU
1	A	73	GLU
1	A	192[A]	ILE
1	A	192[B]	ILE
1	A	244[A]	ILE
1	A	244[B]	ILE
1	A	344[A]	LYS
1	A	344[B]	LYS
1	A	397	GLN
1	A	436	ARG
1	A	505[A]	SER
1	A	505[B]	SER
1	A	507	ARG
1	A	579[A]	ASP
1	A	579[B]	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	624[A]	LYS
1	A	624[B]	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	43	GLN
1	A	87	HIS
1	A	142	ASN
1	A	148	ASN
1	A	357	GLN
1	A	360	ASN
1	A	481	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

13 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	GOL	A	756	-	5,5,5	0.53	0	5,5,5	0.62	0
3	GOL	A	759	-	5,5,5	0.45	0	5,5,5	0.97	0
3	GOL	A	752	-	5,5,5	0.77	0	5,5,5	0.31	0
3	GOL	A	751	-	5,5,5	0.61	0	5,5,5	0.47	0
3	GOL	A	753	-	5,5,5	0.62	0	5,5,5	0.45	0
3	GOL	A	762	-	5,5,5	0.47	0	5,5,5	0.76	0
2	GCU	A	701[B]	-	13,13,13	1.68	3 (23%)	18,19,19	1.37	3 (16%)
3	GOL	A	758	-	5,5,5	0.61	0	5,5,5	0.67	0
3	GOL	A	757	-	5,5,5	0.61	0	5,5,5	0.85	0
2	GCU	A	701[A]	-	13,13,13	1.62	2 (15%)	18,19,19	1.29	2 (11%)
3	GOL	A	754	-	5,5,5	0.67	0	5,5,5	0.34	0
3	GOL	A	761	-	5,5,5	0.62	0	5,5,5	0.53	0
3	GOL	A	755	-	5,5,5	0.68	0	5,5,5	0.43	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	GOL	A	756	-	-	0/4/4/4	-
3	GOL	A	759	-	-	2/4/4/4	-
3	GOL	A	752	-	-	2/4/4/4	-
3	GOL	A	751	-	-	0/4/4/4	-
3	GOL	A	753	-	-	0/4/4/4	-
3	GOL	A	762	-	-	2/4/4/4	-
2	GCU	A	701[B]	-	-	0/4/24/24	0/1/1/1
3	GOL	A	758	-	-	2/4/4/4	-
3	GOL	A	757	-	-	3/4/4/4	-
2	GCU	A	701[A]	-	1/1/6/6	0/4/24/24	0/1/1/1
3	GOL	A	754	-	-	0/4/4/4	-
3	GOL	A	761	-	-	0/4/4/4	-
3	GOL	A	755	-	-	2/4/4/4	-

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	701[B]	GCU	O5-C5	2.87	1.48	1.43
2	A	701[A]	GCU	C4-C5	2.84	1.57	1.53
2	A	701[A]	GCU	O5-C5	2.82	1.48	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	701[B]	GCU	C4-C5	2.44	1.57	1.53
2	A	701[B]	GCU	C1-C2	2.13	1.57	1.52

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	701[B]	GCU	C1-O5-C5	2.82	116.37	112.22
2	A	701[A]	GCU	C1-O5-C5	2.41	115.78	112.22
2	A	701[B]	GCU	O6B-C6-O6A	-2.20	119.08	124.08
2	A	701[A]	GCU	O1-C1-O5	-2.19	103.91	110.41
2	A	701[B]	GCU	O5-C5-C4	2.10	113.62	109.48

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
2	A	701[A]	GCU	C1

All (13) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	752	GOL	O1-C1-C2-C3
3	A	757	GOL	O1-C1-C2-C3
3	A	759	GOL	C1-C2-C3-O3
3	A	762	GOL	O1-C1-C2-O2
3	A	762	GOL	O1-C1-C2-C3
3	A	755	GOL	C1-C2-C3-O3
3	A	757	GOL	C1-C2-C3-O3
3	A	758	GOL	C1-C2-C3-O3
3	A	757	GOL	O2-C2-C3-O3
3	A	758	GOL	O2-C2-C3-O3
3	A	759	GOL	O2-C2-C3-O3
3	A	752	GOL	O1-C1-C2-O2
3	A	755	GOL	O2-C2-C3-O3

There are no ring outliers.

7 monomers are involved in 23 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	756	GOL	1	0
3	A	759	GOL	7	0
3	A	762	GOL	4	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	758	GOL	2	0
3	A	757	GOL	4	0
3	A	761	GOL	5	0
3	A	755	GOL	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.