



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 12, 2026 – 02:32 PM UTC

PDB ID : 4MQ0 / pdb_00004mq0
Title : Crystal structure of Parkia biglobosa seed lectin (PBL) in complex with methyl alpha D-mannopyranoside
Authors : Teixeira, C.S.; Rocha, B.A.M.; Silva, H.C.; Bari, A.U.; Barroso-Neto, I.L.; Santiago, M.Q.; Nagano, C.S.; Nascimento, K.S.; Debray, H.; Delatorre, P.; Cavada, B.S.
Deposited on : 2013-09-14
Resolution : 2.12 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.12 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	8290 (2.14-2.10)
Clashscore	190562	8817 (2.14-2.10)
Ramachandran outliers	187476	8738 (2.14-2.10)
Sidechain outliers	187428	8739 (2.14-2.10)
RSRZ outliers	180081	8294 (2.14-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	446	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	MMA	A	501	-	-	X	-

2 Entry composition [i](#)


There are 3 unique types of molecules in this entry. The entry contains 3440 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Parkia biglobosa lectin (PBL).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	438	Total	C	N	O	S	0	0	0
			3310	2124	542	641	3			

- Molecule 2 is methyl alpha-D-mannopyranoside (CCD ID: MMA) (formula: C₇H₁₄O₆).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			13	7	6		
2	A	1	Total	C	O	0	0
			13	7	6		
2	A	1	Total	C	O	0	0
			13	7	6		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	91	Total	O	0	0
			91	91		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: *Parkia biglobosa* lectin (PBL)



4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	77.14Å 86.66Å 127.86Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	43.33 – 2.12 43.33 – 2.12	Depositor EDS
% Data completeness (in resolution range)	94.7 (43.33-2.12) 94.8 (43.33-2.12)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.47 (at 2.12Å)	Xtriage
Refinement program	REFMAC 5.5.0109	Depositor
R, R_{free}	0.258 , 0.293 0.258 , 0.292	Depositor DCC
R_{free} test set	1197 reflections (4.87%)	wwPDB-VP
Wilson B-factor (Å ²)	46.4	Xtriage
Anisotropy	0.007	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.29 , 23.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	3440	wwPDB-VP
Average B, all atoms (Å ²)	46.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.75% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: MMA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.14	10/3401 (0.3%)	1.20	22/4610 (0.5%)

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	33	HIS	C-N	9.12	1.44	1.33
1	A	162	PRO	C-N	-8.49	1.21	1.33
1	A	342	GLY	C-N	7.41	1.43	1.33
1	A	353	PRO	C-N	-7.24	1.22	1.33
1	A	136	GLY	C-N	6.94	1.42	1.33
1	A	150	PRO	C-N	-6.90	1.23	1.33
1	A	35	LYS	CA-C	6.57	1.58	1.52
1	A	241	LEU	C-N	6.52	1.42	1.33
1	A	240	VAL	C-N	-6.14	1.24	1.33
1	A	172	VAL	C-O	-5.69	1.18	1.24

All (22) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	184	ASP	N-CA-C	9.77	125.86	111.02
1	A	174	SER	N-CA-C	9.62	125.01	112.12
1	A	384	LYS	N-CA-C	-9.21	102.43	114.31
1	A	220	GLY	N-CA-C	8.80	124.17	114.40
1	A	36	ASP	N-CA-C	-8.73	100.09	113.89
1	A	34	VAL	N-CA-C	7.08	117.69	108.35
1	A	383	PHE	CB-CA-C	-6.98	101.59	111.65
1	A	240	VAL	O-C-N	6.83	130.53	122.95
1	A	174	SER	CB-CA-C	-6.38	100.67	111.26
1	A	51	SER	CA-C-N	-6.31	112.86	121.06
1	A	51	SER	C-N-CA	-6.31	112.86	121.06

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	33	HIS	CA-C-N	-6.07	112.73	122.25
1	A	33	HIS	C-N-CA	-6.07	112.73	122.25
1	A	135	ALA	N-CA-C	5.81	117.94	108.76
1	A	186	THR	CB-CA-C	-5.76	98.95	110.42
1	A	403	GLY	N-CA-C	-5.73	100.66	112.34
1	A	436	ILE	N-CA-C	5.69	115.86	108.35
1	A	183	ALA	N-CA-C	5.42	116.64	108.46
1	A	175	TRP	CB-CA-C	5.22	120.38	110.56
1	A	218	ILE	O-C-N	5.06	129.66	122.97
1	A	240	VAL	CA-C-N	-5.06	114.38	121.72
1	A	240	VAL	C-N-CA	-5.06	114.38	121.72

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3310	0	3183	176	0
2	A	39	0	42	11	0
3	A	91	0	0	21	0
All	All	3440	0	3225	176	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 27.

All (176) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:76:THR:HG22	3:A:657:HOH:O	1.34	1.26
1:A:361:THR:HB	3:A:637:HOH:O	1.32	1.26
1:A:168:PHE:CD1	1:A:202:PHE:CE1	2.30	1.18
1:A:168:PHE:CD1	1:A:202:PHE:CZ	2.39	1.11
1:A:384:LYS:HD3	1:A:384:LYS:O	1.51	1.10
1:A:178:ASP:HB2	1:A:193:LYS:HB2	1.36	1.08

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:268:ILE:HD11	1:A:271:SER:HB3	1.32	1.07
1:A:168:PHE:CG	1:A:202:PHE:CZ	2.45	1.05
1:A:266:ARG:NH2	1:A:268:ILE:HG21	1.70	1.04
1:A:201:LYS:O	1:A:202:PHE:CD2	2.10	1.04
1:A:168:PHE:CB	1:A:202:PHE:CE2	2.42	1.02
1:A:183:ALA:HA	1:A:188:ASN:HD22	1.21	1.02
1:A:185:ALA:HA	1:A:258:ILE:CD1	1.89	1.01
1:A:185:ALA:HA	1:A:258:ILE:HD12	1.03	1.00
1:A:372:THR:HG21	3:A:602:HOH:O	1.62	0.99
1:A:266:ARG:HH12	1:A:268:ILE:HD12	1.27	0.98
1:A:168:PHE:HB3	1:A:202:PHE:CE2	2.00	0.97
1:A:185:ALA:CA	1:A:258:ILE:HD12	1.95	0.95
1:A:168:PHE:CB	1:A:202:PHE:CZ	2.51	0.94
1:A:77:GLU:OE1	1:A:102:THR:HG21	1.66	0.94
1:A:221:ASN:ND2	1:A:221:ASN:H	1.61	0.91
1:A:268:ILE:CD1	1:A:271:SER:HB3	2.06	0.86
1:A:168:PHE:HB2	1:A:202:PHE:CZ	2.09	0.86
1:A:102:THR:HG22	1:A:105:THR:H	1.40	0.85
1:A:266:ARG:CZ	1:A:268:ILE:HG21	2.07	0.84
1:A:168:PHE:CE1	1:A:202:PHE:CE1	2.65	0.83
1:A:151:HIS:CD2	1:A:319:GLU:OE2	2.31	0.83
1:A:186:THR:HG22	1:A:242:THR:HA	1.59	0.82
1:A:199:CYS:SG	1:A:200:GLU:N	2.52	0.82
1:A:434:ASP:OD2	2:A:502:MMA:H61	1.81	0.81
1:A:94:VAL:HG13	3:A:609:HOH:O	1.81	0.79
1:A:319:GLU:OE1	1:A:340:THR:HB	1.82	0.79
1:A:372:THR:CG2	3:A:602:HOH:O	2.22	0.79
1:A:183:ALA:HA	1:A:188:ASN:ND2	1.98	0.79
1:A:221:ASN:ND2	1:A:221:ASN:N	2.30	0.76
1:A:163:ALA:O	1:A:285:ASP:CB	2.33	0.75
1:A:168:PHE:CG	1:A:202:PHE:CE2	2.72	0.75
1:A:266:ARG:HH12	1:A:268:ILE:CD1	1.98	0.75
1:A:170:PHE:CZ	1:A:200:GLU:OE1	2.39	0.75
1:A:192:PHE:HB2	1:A:200:GLU:OE1	1.87	0.74
1:A:231:THR:CG2	1:A:242:THR:OG1	2.36	0.74
1:A:16:GLY:N	2:A:501:MMA:H4	2.02	0.73
1:A:29:GLU:HB3	1:A:44:LYS:HB3	1.69	0.73
1:A:231:THR:HG21	1:A:259:ALA:HA	1.69	0.72
1:A:231:THR:HG23	1:A:242:THR:OG1	1.89	0.72
1:A:247:ILE:CG2	3:A:669:HOH:O	2.38	0.71
1:A:268:ILE:HD11	1:A:271:SER:CB	2.15	0.71

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:183:ALA:HB1	1:A:186:THR:O	1.90	0.70
1:A:189:SER:HB2	1:A:202:PHE:O	1.91	0.70
1:A:384:LYS:HD3	1:A:384:LYS:C	2.16	0.70
1:A:318:ASN:OD1	1:A:319:GLU:N	2.24	0.70
1:A:318:ASN:OD1	1:A:318:ASN:C	2.32	0.69
1:A:249:ASN:HD22	1:A:249:ASN:H	1.39	0.68
1:A:163:ALA:O	1:A:285:ASP:HB3	1.94	0.68
1:A:266:ARG:HH22	1:A:268:ILE:HG21	1.56	0.67
1:A:219:ASP:O	1:A:221:ASN:ND2	2.28	0.67
1:A:102:THR:CG2	1:A:104:LEU:H	2.08	0.67
1:A:268:ILE:CD1	1:A:271:SER:CB	2.72	0.67
1:A:442:PRO:O	1:A:443:ASP:HB2	1.93	0.67
1:A:319:GLU:OE1	1:A:340:THR:CB	2.44	0.66
1:A:185:ALA:O	1:A:258:ILE:HB	1.97	0.65
1:A:16:GLY:H	2:A:501:MMA:H4	1.59	0.65
1:A:121:ILE:N	3:A:691:HOH:O	2.26	0.64
1:A:168:PHE:HB2	1:A:202:PHE:CE2	2.30	0.62
1:A:410:LEU:HB3	3:A:682:HOH:O	2.00	0.62
1:A:323:GLN:NE2	1:A:338:LYS:HD2	2.15	0.61
1:A:443:ASP:C	3:A:601:HOH:O	2.42	0.61
1:A:241:LEU:HD13	1:A:287:ILE:HG22	1.82	0.61
1:A:282:TYR:HB2	2:A:503:MMA:O6	2.00	0.61
1:A:174:SER:O	1:A:175:TRP:HB3	2.00	0.61
1:A:163:ALA:HB3	3:A:643:HOH:O	2.00	0.60
1:A:137:TYR:N	2:A:501:MMA:O6	2.35	0.59
1:A:384:LYS:HD2	1:A:385:ASP:OD1	2.01	0.59
1:A:223:GLU:HA	1:A:249:ASN:HD21	1.67	0.58
1:A:231:THR:HG21	1:A:260:SER:H	1.67	0.58
1:A:196:ASP:OD1	1:A:313:TRP:HA	2.04	0.57
1:A:371:LEU:HD23	1:A:397:THR:HG22	1.86	0.57
1:A:156:PHE:CG	1:A:266:ARG:HD2	2.40	0.57
1:A:221:ASN:N	1:A:221:ASN:HD22	2.02	0.56
1:A:317:ALA:HB2	1:A:321:ILE:HG13	1.88	0.56
1:A:323:GLN:HB3	1:A:338:LYS:HB2	1.86	0.56
1:A:330:SER:HB3	1:A:407:LYS:HD2	1.88	0.56
1:A:224:HIS:H	1:A:249:ASN:ND2	2.03	0.55
1:A:298:GLY:N	3:A:684:HOH:O	2.39	0.55
1:A:322:ASN:HD22	1:A:340:THR:HG23	1.70	0.55
1:A:374:ILE:HG22	1:A:395:PHE:CD2	2.42	0.55
1:A:220:GLY:HA2	1:A:223:GLU:O	2.07	0.54
1:A:295:ASP:OD1	1:A:295:ASP:C	2.51	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:322:ASN:HD22	1:A:340:THR:CG2	2.21	0.54
1:A:183:ALA:HB2	1:A:187:ILE:HA	1.90	0.54
1:A:186:THR:HG22	1:A:242:THR:HG22	1.90	0.54
1:A:382:LYS:HE3	1:A:386:VAL:HG22	1.90	0.54
1:A:168:PHE:CG	1:A:202:PHE:CE1	2.81	0.53
1:A:201:LYS:O	1:A:202:PHE:CG	2.59	0.53
1:A:384:LYS:C	1:A:384:LYS:CD	2.80	0.53
1:A:102:THR:HG23	1:A:104:LEU:H	1.72	0.53
1:A:384:LYS:O	1:A:384:LYS:CD	2.41	0.53
1:A:247:ILE:HG23	3:A:669:HOH:O	2.07	0.53
1:A:165:ASP:OD1	2:A:503:MMA:O2	2.27	0.53
1:A:249:ASN:HD22	1:A:249:ASN:N	2.07	0.53
1:A:364:ILE:HG12	1:A:371:LEU:HD21	1.92	0.52
1:A:184:ASP:C	1:A:184:ASP:OD1	2.52	0.52
1:A:16:GLY:CA	2:A:501:MMA:H4	2.40	0.52
1:A:323:GLN:HE21	1:A:338:LYS:HD2	1.76	0.51
1:A:45:ASP:OD1	1:A:45:ASP:C	2.53	0.51
1:A:184:ASP:O	1:A:258:ILE:HG13	2.10	0.51
1:A:194:ASP:O	1:A:195:ALA:C	2.54	0.51
1:A:231:THR:HB	1:A:243:SER:OG	2.11	0.51
1:A:241:LEU:HD12	1:A:284:LEU:HD13	1.92	0.51
1:A:189:SER:OG	1:A:201:LYS:NZ	2.44	0.50
1:A:292:LYS:CE	1:A:318:ASN:HB2	2.40	0.50
1:A:169:ASN:OD1	1:A:290:TYR:HE1	1.93	0.50
1:A:151:HIS:HD2	1:A:319:GLU:OE1	1.95	0.50
1:A:201:LYS:HD2	1:A:202:PHE:H	1.76	0.50
1:A:102:THR:HG22	1:A:105:THR:N	2.19	0.50
1:A:163:ALA:O	1:A:285:ASP:CG	2.55	0.50
1:A:102:THR:HG22	1:A:104:LEU:H	1.77	0.50
1:A:16:GLY:H	2:A:501:MMA:C4	2.23	0.49
1:A:138:TYR:H	2:A:501:MMA:HO6	1.60	0.49
1:A:194:ASP:HB2	3:A:688:HOH:O	2.13	0.48
1:A:34:VAL:HG23	1:A:37:ASN:O	2.13	0.48
1:A:187:ILE:HG21	1:A:284:LEU:HD12	1.96	0.48
1:A:364:ILE:HG12	1:A:371:LEU:CD2	2.44	0.48
1:A:75:PRO:HD2	3:A:657:HOH:O	2.13	0.47
1:A:168:PHE:HB3	1:A:202:PHE:HE2	1.72	0.47
1:A:241:LEU:HD11	1:A:286:SER:C	2.39	0.47
1:A:419:ASN:HA	3:A:601:HOH:O	2.13	0.47
1:A:102:THR:HG22	1:A:104:LEU:N	2.29	0.47
1:A:140:ASP:OD1	2:A:501:MMA:H61	2.15	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:151:HIS:CD2	1:A:319:GLU:CD	2.92	0.47
1:A:266:ARG:CZ	1:A:268:ILE:CG2	2.87	0.47
1:A:151:HIS:HD2	1:A:319:GLU:CD	2.23	0.47
1:A:149:VAL:HG22	1:A:152:ARG:HG3	1.97	0.46
1:A:63:LYS:HD2	3:A:612:HOH:O	2.15	0.46
1:A:191:ALA:HB1	1:A:200:GLU:O	2.15	0.46
1:A:331:ASN:HA	1:A:391:THR:HA	1.96	0.46
1:A:186:THR:CG2	1:A:242:THR:HG22	2.46	0.46
1:A:238:PHE:HE1	3:A:666:HOH:O	2.00	0.45
1:A:224:HIS:H	1:A:249:ASN:HD21	1.64	0.45
1:A:241:LEU:CD1	1:A:287:ILE:HG22	2.47	0.45
1:A:319:GLU:OE1	1:A:340:THR:OG1	2.35	0.45
1:A:293:PRO:O	1:A:295:ASP:N	2.50	0.44
1:A:169:ASN:OD1	1:A:170:PHE:N	2.51	0.44
1:A:292:LYS:HE3	1:A:318:ASN:HB2	1.97	0.44
1:A:377:THR:HA	1:A:411:THR:O	2.17	0.44
1:A:156:PHE:CD2	1:A:266:ARG:HD2	2.53	0.44
1:A:292:LYS:HZ3	1:A:318:ASN:HA	1.83	0.44
1:A:268:ILE:HG12	1:A:269:GLU:N	2.32	0.44
1:A:188:ASN:ND2	1:A:211:GLY:HA3	2.32	0.43
1:A:140:ASP:OD1	2:A:501:MMA:C6	2.66	0.43
1:A:221:ASN:HD22	1:A:222:LEU:H	1.66	0.43
1:A:247:ILE:HG22	3:A:669:HOH:O	2.12	0.43
1:A:170:PHE:CE1	1:A:200:GLU:OE2	2.72	0.43
1:A:55:GLY:HA2	1:A:136:GLY:O	2.19	0.43
1:A:189:SER:CB	1:A:201:LYS:HZ1	2.32	0.43
1:A:134:ARG:HB2	1:A:141:ALA:HB3	2.00	0.43
1:A:266:ARG:HH22	1:A:268:ILE:HD13	1.84	0.43
1:A:201:LYS:O	1:A:202:PHE:CE2	2.69	0.42
1:A:305:TRP:O	1:A:435:ALA:HA	2.19	0.42
1:A:94:VAL:CG1	3:A:609:HOH:O	2.53	0.42
1:A:349:GLY:HA2	1:A:430:GLY:O	2.19	0.42
1:A:168:PHE:HB2	1:A:202:PHE:HZ	1.73	0.42
1:A:371:LEU:HA	1:A:397:THR:HG22	2.01	0.42
1:A:74:TRP:CD1	1:A:75:PRO:HA	2.54	0.42
1:A:74:TRP:HD1	3:A:663:HOH:O	2.03	0.41
1:A:173:GLY:HA2	1:A:343:LEU:HD21	2.02	0.41
1:A:231:THR:CG2	1:A:260:SER:H	2.31	0.41
1:A:415:ILE:HD12	1:A:438:ILE:HD11	2.03	0.41
1:A:352:ASN:HA	1:A:353:PRO:HD3	1.90	0.41
1:A:83:SER:OG	1:A:99:SER:HB2	2.20	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:159:TRP:O	1:A:241:LEU:HD21	2.20	0.41
1:A:231:THR:HG22	1:A:242:THR:OG1	2.16	0.41
1:A:315:TYR:CD1	1:A:345:SER:HB3	2.56	0.41
1:A:183:ALA:CB	1:A:186:THR:O	2.65	0.41
1:A:231:THR:HG22	1:A:243:SER:H	1.86	0.41
1:A:359:LYS:HD3	3:A:676:HOH:O	2.20	0.41

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	434/446 (97%)	411 (95%)	23 (5%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	350/358 (98%)	319 (91%)	31 (9%)	9	6

All (31) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	20	SER
1	A	37	ASN
1	A	45	ASP
1	A	63	LYS
1	A	79	LEU
1	A	88	ASP
1	A	93	LEU
1	A	94	VAL
1	A	102	THR
1	A	112	SER
1	A	117	GLU
1	A	149	VAL
1	A	186	THR
1	A	199	CYS
1	A	210	ILE
1	A	221	ASN
1	A	225	LEU
1	A	231	THR
1	A	239	GLU
1	A	245	SER
1	A	249	ASN
1	A	260	SER
1	A	265	SER
1	A	284	LEU
1	A	299	SER
1	A	302	ILE
1	A	318	ASN
1	A	339	ASP
1	A	340	THR
1	A	415	ILE
1	A	419	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	24	ASN
1	A	37	ASN
1	A	90	ASN
1	A	151	HIS
1	A	188	ASN
1	A	221	ASN
1	A	249	ASN
1	A	277	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	322	ASN
1	A	323	GLN
1	A	418	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	MMA	A	501	-	13,13,13	0.34	0	18,18,18	0.92	1 (5%)
2	MMA	A	502	-	13,13,13	0.36	0	18,18,18	0.92	1 (5%)
2	MMA	A	503	-	13,13,13	0.35	0	18,18,18	0.93	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	MMA	A	501	-	-	1/4/24/24	0/1/1/1
2	MMA	A	502	-	-	1/4/24/24	0/1/1/1
2	MMA	A	503	-	-	1/4/24/24	0/1/1/1

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	503	MMA	C7-O1-C1	2.26	116.70	113.26
2	A	501	MMA	C7-O1-C1	2.26	116.69	113.26
2	A	502	MMA	C7-O1-C1	2.23	116.64	113.26

There are no chirality outliers.

All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	502	MMA	O5-C5-C6-O6
2	A	503	MMA	O5-C5-C6-O6
2	A	501	MMA	O5-C5-C6-O6

There are no ring outliers.

3 monomers are involved in 11 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	501	MMA	8	0
2	A	502	MMA	1	0
2	A	503	MMA	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	438/446 (98%)	0.66	32 (7%) 21 23	26, 45, 61, 75	0

All (32) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	202	PHE	8.1
1	A	200	GLU	6.0
1	A	201	LYS	5.1
1	A	266	ARG	5.0
1	A	174	SER	4.4
1	A	194	ASP	4.4
1	A	34	VAL	4.0
1	A	36	ASP	3.9
1	A	219	ASP	3.9
1	A	169	ASN	3.4
1	A	35	LYS	3.3
1	A	384	LYS	3.2
1	A	165	ASP	2.9
1	A	238	PHE	2.9
1	A	163	ALA	2.9
1	A	410	LEU	2.8
1	A	221	ASN	2.8
1	A	173	GLY	2.7
1	A	195	ALA	2.6
1	A	244	LEU	2.6
1	A	4	GLY	2.5
1	A	380	GLN	2.5
1	A	268	ILE	2.5
1	A	322	ASN	2.3
1	A	346	ALA	2.3
1	A	387	PHE	2.3
1	A	372	THR	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	272	LEU	2.3
1	A	220	GLY	2.2
1	A	383	PHE	2.1
1	A	386	VAL	2.1
1	A	298	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	MMA	A	501	13/13	0.61	0.14	22,23,25,25	0
2	MMA	A	502	13/13	0.74	0.11	22,23,25,25	0
2	MMA	A	503	13/13	0.74	0.12	22,23,25,25	0

6.5 Other polymers [i](#)

There are no such residues in this entry.