



wwPDB EM Validation Summary Report ⓘ

Jun 25, 2026 – 01:08 PM EDT

PDB ID : 9MQ4 / pdb_00009mq4
EMDB ID : EMD-48513
Title : Damaged 70S ribosome with PrfH bound
Authors : Tian, Y.; Li, Q.; Jin, H.; Fatma, S.; Zeng, F.; Huang, R.H.
Deposited on : 2025-01-01
Resolution : 2.78 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev132
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 2.78 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



















Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
RNA backbone	8273	3508	-
Q-score	-	25397	10754 (2.28 - 3.28)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	1	2903	10% 39% 49% 11%
2	2	1534	14% 36% 53% 11%
3	4	120	5% 36% 54% 10%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	5	77	
4	6	77	
5	7	25	
6	A	231	
7	B	273	
8	C	209	
9	D	201	
10	E	179	
11	F	177	
12	G	149	
13	H	165	
14	I	142	
15	J	142	
16	K	123	
17	L	144	
18	M	136	
19	N	127	
20	O	117	
21	P	115	
22	Q	118	
23	R	103	
24	S	110	
25	T	100	
26	U	104	
27	V	94	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
28	W	85	
29	X	78	
30	Y	63	
31	Z	59	
32	a	70	
33	b	57	
34	c	55	
35	d	46	
36	e	65	
37	f	38	
38	g	241	
39	h	233	
40	i	206	
41	j	167	
42	k	135	
43	l	179	
44	m	130	
45	n	130	
46	o	103	
47	p	129	
48	q	124	
49	r	118	
50	s	101	
51	t	89	
52	u	82	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
53	v	84	
54	w	75	
55	x	92	
56	y	87	
57	z	71	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
1	G7M	1	2069	X	-	-	-

2 Entry composition

There are 60 unique types of molecules in this entry. The entry contains 150154 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 23S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	1	2903	Total	C	N	O	P	0	0
			62336	27816	11470	20147	2903		

- Molecule 2 is a RNA chain called 16S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	2	1534	Total	C	N	O	P	0	0
			32929	14693	6041	10661	1534		

- Molecule 3 is a RNA chain called 5S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	4	120	Total	C	N	O	P	0	0
			2569	1144	468	837	120		

- Molecule 4 is a RNA chain called P-tRNA, E-tRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	5	77	Total	C	N	O	P	0	0
			1643	732	297	537	77		
4	6	77	Total	C	N	O	P	0	0
			1640	732	297	535	76		

- Molecule 5 is a RNA chain called mRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	7	6	Total	C	N	O	P	0	0
			131	59	27	39	6		

- Molecule 6 is a protein called Peptide chain release factor H.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	A	229	Total	C	N	O	S	0	0
			1840	1157	337	342	4		

- Molecule 7 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	B	271	Total	C	N	O	S	0	0
			2082	1288	423	364	7		

- Molecule 8 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	C	209	Total	C	N	O	S	0	0
			1565	979	288	294	4		

- Molecule 9 is a protein called Large ribosomal subunit protein uL4.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	D	201	Total	C	N	O	S	0	0
			1552	974	283	290	5		

- Molecule 10 is a protein called Large ribosomal subunit protein uL5.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	E	177	Total	C	N	O	S	0	0
			1410	899	249	256	6		

- Molecule 11 is a protein called Large ribosomal subunit protein uL6.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	F	175	Total	C	N	O	S	0	0
			1313	826	241	244	2		

- Molecule 12 is a protein called Large ribosomal subunit protein bL9.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	G	149	Total	C	N	O	S	0	0
			1111	699	197	214	1		

- Molecule 13 is a protein called 50S ribosomal protein L10.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	H	130	Total	C	N	O	S	0	0
			980	620	174	182	4		

- Molecule 14 is a protein called 50S ribosomal protein L11.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	I	135	Total	C	N	O	S	0	0
			984	622	171	185	6		

- Molecule 15 is a protein called Large ribosomal subunit protein uL13.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	J	142	Total	C	N	O	S	0	0
			1129	714	212	199	4		

- Molecule 16 is a protein called Large ribosomal subunit protein uL14.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	K	123	Total	C	N	O	S	0	0
			946	593	181	166	6		

- Molecule 17 is a protein called Large ribosomal subunit protein uL15.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	L	144	Total	C	N	O	S	0	0
			1053	654	207	190	2		

- Molecule 18 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	M	136	Total	C	N	O	S	0	0
			1074	686	205	177	6		

- Molecule 19 is a protein called Large ribosomal subunit protein bL17.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	N	119	Total	C	N	O	S	0	0
			951	588	195	163	5		

- Molecule 20 is a protein called Large ribosomal subunit protein uL18.

Mol	Chain	Residues	Atoms				AltConf	Trace
20	O	116	Total	C	N	O	0	0
			892	552	178	162		

- Molecule 21 is a protein called Large ribosomal subunit protein bL19.

Mol	Chain	Residues	Atoms				AltConf	Trace
21	P	114	Total	C	N	O	S	0
			917	574	179	163	1	0

- Molecule 22 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms				AltConf	Trace
22	Q	117	Total	C	N	O		0
			947	604	192	151		0

- Molecule 23 is a protein called Large ribosomal subunit protein bL21.

Mol	Chain	Residues	Atoms				AltConf	Trace
23	R	103	Total	C	N	O	S	0
			816	516	153	145	2	0

- Molecule 24 is a protein called Large ribosomal subunit protein uL22.

Mol	Chain	Residues	Atoms				AltConf	Trace
24	S	110	Total	C	N	O	S	0
			857	532	166	156	3	0

- Molecule 25 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms				AltConf	Trace
25	T	94	Total	C	N	O	S	0
			746	470	140	134	2	0

- Molecule 26 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms				AltConf	Trace
26	U	103	Total	C	N	O		0
			788	498	148	142		0

- Molecule 27 is a protein called Large ribosomal subunit protein bL25.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	V	94	Total	C	N	O	S	0	0
			753	479	137	134	3		

- Molecule 28 is a protein called Large ribosomal subunit protein bL27.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	W	76	Total	C	N	O	S	0	0
			582	360	117	104	1		

- Molecule 29 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	X	77	Total	C	N	O	S	0	0
			625	388	129	106	2		

- Molecule 30 is a protein called Large ribosomal subunit protein uL29.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	Y	62	Total	C	N	O	S	0	0
			501	308	98	94	1		

- Molecule 31 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	Z	58	Total	C	N	O	S	0	0
			448	281	87	78	2		

- Molecule 32 is a protein called 50S ribosomal protein L31.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	a	66	Total	C	N	O	S	0	0
			522	323	99	94	6		

- Molecule 33 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	b	56	Total	C	N	O	S	0	0
			444	269	94	80	1		

- Molecule 34 is a protein called 50S ribosomal protein L33.

Mol	Chain	Residues	Atoms				AltConf	Trace
34	c	52	Total	C	N	O	0	0
			426	275	78	73		

- Molecule 35 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	d	46	Total	C	N	O	S	0	0
			377	228	90	57	2		

- Molecule 36 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	e	64	Total	C	N	O	S	0	0
			504	323	105	74	2		

- Molecule 37 is a protein called 50S ribosomal protein L36.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	f	38	Total	C	N	O	S	0	0
			302	185	65	48	4		

- Molecule 38 is a protein called 30S ribosomal protein S2.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	g	225	Total	C	N	O	S	0	0
			1760	1113	316	323	8		

- Molecule 39 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	h	208	Total	C	N	O	S	0	0
			1636	1036	307	290	3		

- Molecule 40 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	i	205	Total	C	N	O	S	0	0
			1643	1026	315	298	4		

- Molecule 41 is a protein called Small ribosomal subunit protein uS5.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	j	156	Total	C	N	O	S	0	0
			1152	717	217	212	6		

- Molecule 42 is a protein called 30S ribosomal protein S6.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	k	104	Total	C	N	O	S	0	0
			848	536	153	152	7		

- Molecule 43 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	l	151	Total	C	N	O	S	0	0
			1181	735	227	215	4		

- Molecule 44 is a protein called Small ribosomal subunit protein uS8.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	m	129	Total	C	N	O	S	0	0
			979	616	173	184	6		

- Molecule 45 is a protein called Small ribosomal subunit protein uS9.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	n	127	Total	C	N	O	S	0	0
			1022	634	206	179	3		

- Molecule 46 is a protein called Small ribosomal subunit protein uS10.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	o	99	Total	C	N	O	S	0	0
			790	495	151	143	1		

- Molecule 47 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	p	117	Total	C	N	O	S	0	0
			877	540	174	160	3		

- Molecule 48 is a protein called Small ribosomal subunit protein uS12.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	q	123	Total	C	N	O	S	0	0
			957	591	196	165	5		

- Molecule 49 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	r	116	Total	C	N	O	S	0	0
			900	558	181	158	3		

- Molecule 50 is a protein called Small ribosomal subunit protein uS14.

Mol	Chain	Residues	Atoms					AltConf	Trace
50	s	100	Total	C	N	O	S	0	0
			805	499	164	139	3		

- Molecule 51 is a protein called Small ribosomal subunit protein uS15.

Mol	Chain	Residues	Atoms					AltConf	Trace
51	t	88	Total	C	N	O	S	0	0
			714	439	144	130	1		

- Molecule 52 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues	Atoms					AltConf	Trace
52	u	82	Total	C	N	O	S	0	0
			649	406	128	114	1		

- Molecule 53 is a protein called Small ribosomal subunit protein uS17.

Mol	Chain	Residues	Atoms					AltConf	Trace
53	v	80	Total	C	N	O	S	0	0
			648	411	121	113	3		

- Molecule 54 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues	Atoms					AltConf	Trace
54	w	66	Total	C	N	O	S	0	0
			544	344	102	97	1		

- Molecule 55 is a protein called Small ribosomal subunit protein uS19.

Mol	Chain	Residues	Atoms					AltConf	Trace
55	x	83	Total	C	N	O	S	0	0
			663	424	126	111	2		

- Molecule 56 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms					AltConf	Trace
56	y	86	Total	C	N	O	S	0	0
			669	414	138	114	3		

- Molecule 57 is a protein called 30S ribosomal protein S21.

Mol	Chain	Residues	Atoms					AltConf	Trace
57	z	70	Total	C	N	O	S	0	0
			589	366	125	97	1		

- Molecule 58 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
58	1	292	Total	Mg	0
			292	292	
58	2	125	Total	Mg	0
			125	125	
58	4	8	Total	Mg	0
			8	8	
58	5	5	Total	Mg	0
			5	5	
58	A	2	Total	Mg	0
			2	2	
58	C	1	Total	Mg	0
			1	1	
58	D	1	Total	Mg	0
			1	1	
58	b	2	Total	Mg	0
			2	2	
58	f	1	Total	Mg	0
			1	1	
58	i	1	Total	Mg	0
			1	1	
58	r	1	Total	Mg	0
			1	1	

- Molecule 59 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		AltConf
59	a	1	Total 1	Zn 1	0
59	f	1	Total 1	Zn 1	0

- Molecule 60 is water.

Mol	Chain	Residues	Atoms		AltConf
60	B	2	Total 2	O 2	0

3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: 23S ribosomal RNA







G2674	A2675	U2680	C2681	A2682	C2683	G2686	U2687	G2688	U2689	C2610	C2611	C2612	U2613	A2614	U2615	U2616	G2620	G2621	U2622	G2625	C2626	C2627	U2628	G2629	G2630	G2631	C2632	U2633	G2637	U2638	U2639	U2640	U2641	U2642	U2643	U2644	U2645	U2646	U2647	U2648	U2649	U2650	U2651	U2652	U2653	U2654	U2655	U2656	U2657	U2658	U2659	U2660	U2661	U2662	U2663	U2664	U2665	
G2674	A2675	U2680	C2681	A2682	C2683	G2686	U2687	G2688	U2689	C2610	C2611	C2612	U2613	A2614	U2615	U2616	G2620	G2621	U2622	G2625	C2626	C2627	U2628	G2629	G2630	G2631	C2632	U2633	G2637	U2638	U2639	U2640	U2641	U2642	U2643	U2644	U2645	U2646	U2647	U2648	U2649	U2650	U2651	U2652	U2653	U2654	U2655	U2656	U2657	U2658	U2659	U2660	U2661	U2662	U2663	U2664	U2665	
U1709	G1710	U1711	A1712	U1713	U1714	G1715	U1716	U1720	G1721	A1722	G1723	G1724	U1725	U1726	C1727	U1728	U1729	C1730	G1731	C1732	G1733	G1734	U1735	U1736	G1737	G1738	A1739	U1743	A1744	A1745	A1746	U1747	C1748	U1753	G1756	C1760	G1763	C1764	U1770	C1771	A1772	A1773	G1774	U1775	U1778	U1779	U1782	A1783	A1784	A1785								
A1786	A1787	C1788	A1789	C1790	A1791	G1792	C1793	A1794	C1795	U1796	G1797	U1798	G1799	C1800	A1801	A1802	A1803	G1807	A1808	A1809	A1810	G1811	U1812	G1813	A1814	A1815	G1816	G1817	U1818	A1819	U1820	A1821	A1822	G1823	G1824	U1827	G1828	A1829	U1833	U1834	G1835	C1836	C1837	C1838	G1846	A1847	A1848	G1849	C1850	U1851	U1852	A1853	A1854	A1858				
U1859	U1946	C1947	G1948	A1952	U1953	G1954	U1955	U1956	G1962	U1963	G1964	C1967	G1968	A1969	U1970	U1971	G1972	U1975	C1976	U1976	C1981	U1980	A1981	U1982	G1983	A1901	G1904	G1905	G1906	G1907	U1991	C1908	G1992	C1909	G1910	U1911	U1912	A1913	C1914	3TD1915	U1916	U1917	G1921	G1922	U1923	C1924	A1927	A1928	G1929	A2014	G1930	G1935	A1936	A1937	A2020	U1939		
U2022	C2023	G2024	C2025	U2026	G2027	U2028	G2029	A2030	A2031	G2032	A2033	U2034	G2035	C2036	A2037	G2038	U2039	G2040	U2041	A2042	C2043	G2046	C2047	G2048	G2049	A2052	C2055	C2056	A2060	G2061	A2062	C2063	C2064	C2065	C2069	A2070	A2071	C2072	C2073	U2074	U2075	U2076	U2086	G2087	A2088	U2092	G2093	A2094	A2095	C2096	A2097	U2098						
U2099	G2100	A2101	G2102	C2103	C2104	U2105	U2106	G2107	A2108	U2109	G2110	U2111	G2112	U2113	A2114	G2115	G2116	A2117	U2118	A2119	G2120	G2121	U2122	G2123	G2124	G2125	A2126	G2127	G2128	C2129	U2130	U2131	U2132	G2133	A2134	A2135	G2136	U2137	G2138	U2139	G2140	G2141	A2142	C2143	G2144	C2145	C2146	A2147	U2149	C2150	U2151	G2152	C2153	A2154	U2155	G2156	G2157	A2158
G2159	C2160	C2161	G2162	A2163	C2164	C2165	U2166	U2167	C2168	A2169	A2170	A2171	U2172	A2173	C2174	C2175	A2176	C2177	C2178	U2180	U2181	U2182	A2183	A2184	U2185	U2186	U2187	U2188	U2189	C2129	A2190	U2191	U2192	G2193	U2194	U2195	A2198	A2199	U2202	U2203	G2204	A2205	C2206	C2207	C2208	G2209	U2210	A2211	G2216	G2217	G2218	U2219	U2220	A2225	C2226			
A2227	G2228	U2229	G2230	U2231	C2232	U2233	U2234	G2235	U2236	G2237	G2238	U2239	U2240	A2241	G2242	U2243	U2244	U2245	G2246	A2247	U2248	C2249	U2250	G2251	G2252	U2257	C2258	C2261	U2262	C2263	C2264	U2265	A2266	A2267	A2268	G2269	A2270	A2273	A2274	G2277	A2278	G2279	G2280	C2283	A2284	G2285	G2286	A2287	A2288	G2289	G2290	U2291	U2292	G2293				
G2294	C2295	A2298	U2299	U2302	G2303	G2304	U2305	G2308	A2309	C2310	A2311	U2312	C2313	A2314	G2315	G2316	A2317	G2318	G2319	U2320	U2321	A2322	G2325	C2326	A2327	A2328	U2329	G2330	A2333	U2334	A2335	A2336	U2344	G2345	A2346	C2347	C2350	G2357	G2360	G2361	C2362	G2363	C2364	G2365	A2369	G2375	A2376	A2377										
A2378	G2383	U2384	C2385	A2386	U2387	A2388	A2461	U2390	G2391	U2392	U2393	C2394	C2395	G2396	G2399	U2402	U2403	U2404	G2405	A2406	A2407	U2408	G2409	G2410	A2411	A2412	G2415	A2418	U2419	C2422	U2423	C2424	A2425	A2426	C2427	G2428	G2429	A2430	U2431	A2434	A2435	C2440	U2441	C2442	G2443	U2444	G2445	A2448	U2449	A2450								
G2454	C2455	C2456	U2457	G2458	A2459	U2460	C2462	C2466	C2469	C2470	U2473	U2474	A2475	U2476	U2477	A2478	U2479	C2480	G2481	A2482	G2485	C2486	U2491	U2492	U2493	G2494	G2495	C2496	C2497	C2498	C2499	U2500	A2501	G2502	A2503	U2504	G2505	U2506	A2513	U2514	C2515	U2516	G2517	U2518	U2519	C2520	G2523	G2526	C2527									
U2528	G2529	A2530	A2531	U2532	U2533	A2534	U2537	C2538	G2539	A2540	A2541	A2542	G2543	G2544	A2547	U2548	G2549	G2550	U2551	U2552	G2553	U2554	U2555	G2556	G2557	G2558	G2559	U2560	U2561	U2562	U2563	U2564	A2565	A2566	G2567	U2568	G2569	U2570	A2571	U2572	C2573	G2574	U2575	G2576	A2577	G2578	C2579	U2580	A2581	U2582	U2583	U2584	U2585	U2586	A2589	C2590	C2591	G2592
G2595	A2598	A2602	G2603	U2604	U2605	G2608	U2609	C2610	C2611	C2612	U2613	A2614	U2615	U2616	G2620	G2621	U2622	G2625	C2626	C2627	U2628	G2629	G2630	G2631	C2632	U2633	G2637	U2638	U2639	U2640	U2641	U2642	U2643	U2644	U2645	U2646	U2647	U2648	U2649	U2650	C2651	C2652	U2653	A2654	A2655	A2656	A2657	A2658	A2659	A2660	G2661	A2662	G2663	G2664	U2751			





• Molecule 2: 16S ribosomal RNA






• Molecule 3: 5S ribosomal RNA






- Molecule 4: P-tRNA, E-tRNA





- Molecule 4: P-tRNA, E-tRNA




- Molecule 5: mRNA




- Molecule 6: Peptide chain release factor H




- Molecule 7: 50S ribosomal protein L2



- Molecule 8: 50S ribosomal protein L3




- Molecule 9: Large ribosomal subunit protein uL4



- Molecule 10: Large ribosomal subunit protein uL5







• Molecule 11: Large ribosomal subunit protein uL6




• Molecule 12: Large ribosomal subunit protein bL9




• Molecule 13: 50S ribosomal protein L10









- Molecule 18: 50S ribosomal protein L16




- Molecule 19: Large ribosomal subunit protein bL17



- Molecule 20: Large ribosomal subunit protein uL18




- Molecule 21: Large ribosomal subunit protein bL19




- Molecule 22: 50S ribosomal protein L20








- Molecule 23: Large ribosomal subunit protein bL21




- Molecule 24: Large ribosomal subunit protein uL22




- Molecule 25: 50S ribosomal protein L23




- Molecule 26: 50S ribosomal protein L24




- Molecule 27: Large ribosomal subunit protein bL25



- Molecule 28: Large ribosomal subunit protein bL27




- Molecule 29: 50S ribosomal protein L28




- Molecule 30: Large ribosomal subunit protein uL29



- Molecule 31: 50S ribosomal protein L30



- Molecule 32: 50S ribosomal protein L31





- Molecule 33: 50S ribosomal protein L32




- Molecule 34: 50S ribosomal protein L33





- Molecule 35: 50S ribosomal protein L34



- Molecule 36: 50S ribosomal protein L35




- Molecule 37: 50S ribosomal protein L36




- Molecule 38: 30S ribosomal protein S2







• Molecule 39: 30S ribosomal protein S3




• Molecule 40: 30S ribosomal protein S4





• Molecule 41: Small ribosomal subunit protein uS5




• Molecule 42: 30S ribosomal protein S6




• Molecule 43: 30S ribosomal protein S7




• Molecule 44: Small ribosomal subunit protein uS8




- Molecule 45: Small ribosomal subunit protein uS9




- Molecule 46: Small ribosomal subunit protein uS10




- Molecule 47: 30S ribosomal protein S11




- Molecule 48: Small ribosomal subunit protein uS12




- Molecule 49: 30S ribosomal protein S13




• Molecule 50: Small ribosomal subunit protein uS14




• Molecule 51: Small ribosomal subunit protein uS15



• Molecule 52: 30S ribosomal protein S16





• Molecule 53: Small ribosomal subunit protein uS17








- Molecule 54: 30S ribosomal protein S18



- Molecule 55: Small ribosomal subunit protein uS19



- Molecule 56: 30S ribosomal protein S20



- Molecule 57: 30S ribosomal protein S21



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	104212	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	30.0	Depositor
Minimum defocus (nm)	1000	Depositor
Maximum defocus (nm)	2500	Depositor
Magnification	Not provided	
Image detector	FEI FALCON III (4k x 4k)	Depositor
Maximum map value	2.049	Depositor
Minimum map value	-0.537	Depositor
Average map value	0.006	Depositor
Map value standard deviation	0.090	Depositor
Recommended contour level	0.456	Depositor
Map size ($\text{\AA}$)	403.19998, 403.19998, 403.19998	wwPDB
Map dimensions	384, 384, 384	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing ($\text{\AA}$)	1.05, 1.05, 1.05	Depositor

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: 1MG, 0TD, 5MC, OMG, MA6, 6MZ, PSU, G7M, 2MG, MG, 2MA, 4OC, OMC, UR3, OMU, 3TD, ZN, 5MU

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	1	0.51	1/69285 (0.0%)	0.39	0/108083
2	2	0.44	0/36590	0.37	0/57074
3	4	0.41	0/2872	0.35	0/4478
4	5	0.34	0/1835	0.36	0/2859
4	6	0.15	0/1832	0.29	0/2855
5	7	0.42	0/147	0.36	0/227
6	A	0.30	0/1869	0.61	2/2515 (0.1%)
7	B	0.54	0/2121	0.58	0/2852
8	C	0.52	0/1586	0.57	0/2134
9	D	0.47	0/1571	0.55	0/2113
10	E	0.38	0/1434	0.57	0/1926
11	F	0.36	0/1333	0.53	0/1805
12	G	0.22	0/1122	0.55	0/1515
13	H	0.20	0/993	0.52	0/1340
14	I	0.23	0/998	0.46	0/1348
15	J	0.49	0/1152	0.56	0/1551
16	K	0.50	0/955	0.52	0/1279
17	L	0.48	0/1062	0.56	0/1413
18	M	0.52	1/1093 (0.1%)	0.53	0/1460
19	N	0.51	0/964	0.59	0/1289
20	O	0.40	0/902	0.55	0/1209
21	P	0.49	0/929	0.54	0/1242
22	Q	0.53	0/960	0.60	0/1278
23	R	0.48	0/829	0.63	0/1107
24	S	0.50	0/864	0.55	0/1156
25	T	0.44	0/752	0.48	0/1005
26	U	0.41	0/796	0.55	0/1062
27	V	0.39	0/766	0.54	0/1025
28	W	0.50	0/589	0.53	0/779
29	X	0.53	0/635	0.57	0/848
30	Y	0.40	0/502	0.54	0/667

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
31	Z	0.45	0/452	0.61	0/605
32	a	0.28	0/531	0.54	0/709
33	b	0.49	0/450	0.52	0/599
34	c	0.37	0/433	0.43	0/576
35	d	0.52	0/380	0.49	0/498
36	e	0.49	0/513	0.57	0/676
37	f	0.46	0/303	0.56	0/397
38	g	0.24	0/1791	0.54	0/2413
39	h	0.39	0/1663	0.53	0/2241
40	i	0.39	0/1665	0.48	0/2227
41	j	0.44	0/1165	0.58	0/1568
42	k	0.37	0/867	0.59	0/1171
43	l	0.33	0/1195	0.58	0/1602
44	m	0.43	0/989	0.60	0/1326
45	n	0.35	0/1034	0.57	0/1375
46	o	0.37	0/800	0.56	0/1082
47	p	0.40	0/893	0.50	0/1205
48	q	0.46	0/960	0.55	0/1286
49	r	0.36	0/909	0.55	0/1215
50	s	0.38	0/817	0.52	0/1088
51	t	0.42	0/722	0.52	0/964
52	u	0.46	0/659	0.59	0/884
53	v	0.39	0/657	0.56	0/881
54	w	0.39	0/553	0.53	0/743
55	x	0.36	0/680	0.56	0/915
56	y	0.41	0/675	0.46	0/895
57	z	0.21	0/597	0.45	0/792
All	All	0.46	2/161691 (0.0%)	0.43	2/241427 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	1	3	0
6	A	0	1
12	G	0	1
36	e	0	1
All	All	3	3

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
18	M	96	ILE	C-N	-6.25	1.22	1.33
1	1	2069	G7M	O3'-P	5.44	1.61	1.56

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	A	84	PHE	CA-C-N	-5.10	113.71	122.79
6	A	84	PHE	C-N-CA	-5.10	113.71	122.79

All (3) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
1	1	2069	G7M	C2',C4',C3'

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
6	A	106	GLN	Peptide
12	G	9	VAL	Peptide
36	e	31	HIS	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	1	62336	0	31368	1412	0
2	2	32929	0	16583	862	0
3	4	2569	0	1301	74	0
4	5	1643	0	836	47	0
4	6	1640	0	837	55	0
5	7	131	0	66	1	0
6	A	1840	0	1875	113	0
7	B	2082	0	2154	112	0
8	C	1565	0	1616	47	0
9	D	1552	0	1618	69	0
10	E	1410	0	1444	76	0
11	F	1313	0	1358	61	0
12	G	1111	0	1148	44	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
13	H	980	0	1013	22	0
14	I	984	0	1035	34	0
15	J	1129	0	1162	60	0
16	K	946	0	1023	34	0
17	L	1053	0	1129	39	0
18	M	1074	0	1157	51	0
19	N	951	0	994	31	0
20	O	892	0	923	44	0
21	P	917	0	962	36	0
22	Q	947	0	1019	35	0
23	R	816	0	839	32	0
24	S	857	0	922	31	0
25	T	746	0	811	13	0
26	U	788	0	844	27	0
27	V	753	0	780	30	0
28	W	582	0	599	29	0
29	X	625	0	652	24	0
30	Y	501	0	531	25	0
31	Z	448	0	488	24	0
32	a	522	0	521	30	0
33	b	444	0	458	22	0
34	c	426	0	464	10	0
35	d	377	0	418	10	0
36	e	504	0	572	18	0
37	f	302	0	340	8	0
38	g	1760	0	1787	75	0
39	h	1636	0	1710	59	0
40	i	1643	0	1707	64	0
41	j	1152	0	1196	56	0
42	k	848	0	846	52	0
43	l	1181	0	1238	77	0
44	m	979	0	1031	42	0
45	n	1022	0	1070	58	0
46	o	790	0	831	44	0
47	p	877	0	887	46	0
48	q	957	0	1017	34	0
49	r	900	0	965	46	0
50	s	805	0	844	46	0
51	t	714	0	734	30	0
52	u	649	0	666	26	0
53	v	648	0	691	34	0
54	w	544	0	560	24	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
55	x	663	0	688	49	0
56	y	669	0	719	26	0
57	z	589	0	629	16	0
58	1	292	0	0	0	0
58	2	125	0	0	0	0
58	4	8	0	0	0	0
58	5	5	0	0	0	0
58	A	2	0	0	0	0
58	C	1	0	0	0	0
58	D	1	0	0	0	0
58	b	2	0	0	0	0
58	f	1	0	0	0	0
58	i	1	0	0	0	0
58	r	1	0	0	0	0
59	a	1	0	0	0	0
59	f	1	0	0	0	0
60	B	2	0	0	2	0
All	All	150154	0	101676	4019	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 16.

The worst 5 of 4019 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:1:2133:G:N2	1:1:2158:A:C6	2.31	0.98
2:2:1127:G:H1	2:2:1145:A:N6	1.61	0.98
55:x:36:ARG:HH21	55:x:53:ASN:HA	1.22	0.98
1:1:2133:G:C2	1:1:2158:A:N6	2.32	0.96
1:1:284:U:H3	1:1:356:G:H1	1.13	0.96

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
6	A	227/231 (98%)	201 (88%)	24 (11%)	2 (1%)	14	37
7	B	269/273 (98%)	252 (94%)	17 (6%)	0	100	100
8	C	207/209 (99%)	195 (94%)	12 (6%)	0	100	100
9	D	199/201 (99%)	187 (94%)	12 (6%)	0	100	100
10	E	175/179 (98%)	164 (94%)	10 (6%)	1 (1%)	21	47
11	F	173/177 (98%)	160 (92%)	13 (8%)	0	100	100
12	G	147/149 (99%)	136 (92%)	11 (8%)	0	100	100
13	H	128/165 (78%)	111 (87%)	17 (13%)	0	100	100
14	I	133/142 (94%)	122 (92%)	11 (8%)	0	100	100
15	J	140/142 (99%)	133 (95%)	7 (5%)	0	100	100
16	K	121/123 (98%)	116 (96%)	5 (4%)	0	100	100
17	L	142/144 (99%)	135 (95%)	7 (5%)	0	100	100
18	M	134/136 (98%)	129 (96%)	5 (4%)	0	100	100
19	N	117/127 (92%)	113 (97%)	4 (3%)	0	100	100
20	O	114/117 (97%)	109 (96%)	5 (4%)	0	100	100
21	P	112/115 (97%)	108 (96%)	4 (4%)	0	100	100
22	Q	115/118 (98%)	113 (98%)	2 (2%)	0	100	100
23	R	101/103 (98%)	92 (91%)	9 (9%)	0	100	100
24	S	108/110 (98%)	103 (95%)	5 (5%)	0	100	100
25	T	92/100 (92%)	89 (97%)	3 (3%)	0	100	100
26	U	101/104 (97%)	92 (91%)	9 (9%)	0	100	100
27	V	92/94 (98%)	88 (96%)	4 (4%)	0	100	100
28	W	74/85 (87%)	72 (97%)	2 (3%)	0	100	100
29	X	75/78 (96%)	72 (96%)	3 (4%)	0	100	100
30	Y	60/63 (95%)	59 (98%)	1 (2%)	0	100	100
31	Z	56/59 (95%)	53 (95%)	3 (5%)	0	100	100
32	a	64/70 (91%)	59 (92%)	5 (8%)	0	100	100
33	b	54/57 (95%)	52 (96%)	2 (4%)	0	100	100
34	c	50/55 (91%)	47 (94%)	3 (6%)	0	100	100
35	d	44/46 (96%)	42 (96%)	2 (4%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
36	e	62/65 (95%)	57 (92%)	4 (6%)	1 (2%)	7	23
37	f	36/38 (95%)	35 (97%)	1 (3%)	0	100	100
38	g	223/241 (92%)	207 (93%)	16 (7%)	0	100	100
39	h	206/233 (88%)	196 (95%)	10 (5%)	0	100	100
40	i	203/206 (98%)	197 (97%)	6 (3%)	0	100	100
41	j	154/167 (92%)	143 (93%)	11 (7%)	0	100	100
42	k	102/135 (76%)	97 (95%)	5 (5%)	0	100	100
43	l	149/179 (83%)	141 (95%)	8 (5%)	0	100	100
44	m	127/130 (98%)	123 (97%)	4 (3%)	0	100	100
45	n	125/130 (96%)	114 (91%)	11 (9%)	0	100	100
46	o	97/103 (94%)	89 (92%)	8 (8%)	0	100	100
47	p	115/129 (89%)	107 (93%)	8 (7%)	0	100	100
48	q	120/124 (97%)	110 (92%)	10 (8%)	0	100	100
49	r	114/118 (97%)	106 (93%)	8 (7%)	0	100	100
50	s	98/101 (97%)	94 (96%)	4 (4%)	0	100	100
51	t	86/89 (97%)	81 (94%)	5 (6%)	0	100	100
52	u	80/82 (98%)	78 (98%)	2 (2%)	0	100	100
53	v	78/84 (93%)	70 (90%)	8 (10%)	0	100	100
54	w	64/75 (85%)	62 (97%)	2 (3%)	0	100	100
55	x	81/92 (88%)	77 (95%)	4 (5%)	0	100	100
56	y	84/87 (97%)	83 (99%)	1 (1%)	0	100	100
57	z	68/71 (96%)	67 (98%)	1 (2%)	0	100	100
All	All	6096/6451 (94%)	5738 (94%)	354 (6%)	4 (0%)	49	75

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
6	A	212	LYS
6	A	88	HIS
10	E	123	ASP
36	e	32	ILE

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
6	A	199/201 (99%)	199 (100%)	0	100	100
7	B	216/218 (99%)	216 (100%)	0	100	100
8	C	164/164 (100%)	164 (100%)	0	100	100
9	D	165/165 (100%)	165 (100%)	0	100	100
10	E	148/150 (99%)	148 (100%)	0	100	100
11	F	136/138 (99%)	136 (100%)	0	100	100
12	G	114/114 (100%)	114 (100%)	0	100	100
13	H	99/123 (80%)	99 (100%)	0	100	100
14	I	104/110 (94%)	104 (100%)	0	100	100
15	J	116/116 (100%)	116 (100%)	0	100	100
16	K	104/104 (100%)	104 (100%)	0	100	100
17	L	103/103 (100%)	103 (100%)	0	100	100
18	M	109/109 (100%)	109 (100%)	0	100	100
19	N	99/103 (96%)	99 (100%)	0	100	100
20	O	86/87 (99%)	86 (100%)	0	100	100
21	P	99/100 (99%)	99 (100%)	0	100	100
22	Q	89/90 (99%)	89 (100%)	0	100	100
23	R	84/84 (100%)	84 (100%)	0	100	100
24	S	93/93 (100%)	93 (100%)	0	100	100
25	T	81/84 (96%)	81 (100%)	0	100	100
26	U	84/85 (99%)	84 (100%)	0	100	100
27	V	78/78 (100%)	78 (100%)	0	100	100
28	W	58/63 (92%)	58 (100%)	0	100	100
29	X	67/68 (98%)	67 (100%)	0	100	100
30	Y	54/55 (98%)	54 (100%)	0	100	100
31	Z	48/49 (98%)	48 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
32	a	59/62 (95%)	59 (100%)	0	100	100
33	b	47/48 (98%)	47 (100%)	0	100	100
34	c	47/49 (96%)	47 (100%)	0	100	100
35	d	38/38 (100%)	38 (100%)	0	100	100
36	e	51/52 (98%)	51 (100%)	0	100	100
37	f	34/34 (100%)	34 (100%)	0	100	100
38	g	187/199 (94%)	187 (100%)	0	100	100
39	h	171/190 (90%)	171 (100%)	0	100	100
40	i	172/173 (99%)	172 (100%)	0	100	100
41	j	119/126 (94%)	119 (100%)	0	100	100
42	k	91/116 (78%)	91 (100%)	0	100	100
43	l	124/147 (84%)	124 (100%)	0	100	100
44	m	104/105 (99%)	104 (100%)	0	100	100
45	n	105/107 (98%)	105 (100%)	0	100	100
46	o	86/90 (96%)	86 (100%)	0	100	100
47	p	90/99 (91%)	90 (100%)	0	100	100
48	q	102/103 (99%)	102 (100%)	0	100	100
49	r	94/96 (98%)	94 (100%)	0	100	100
50	s	83/84 (99%)	83 (100%)	0	100	100
51	t	76/77 (99%)	76 (100%)	0	100	100
52	u	65/65 (100%)	65 (100%)	0	100	100
53	v	74/78 (95%)	74 (100%)	0	100	100
54	w	57/65 (88%)	57 (100%)	0	100	100
55	x	72/79 (91%)	72 (100%)	0	100	100
56	y	65/66 (98%)	65 (100%)	0	100	100
57	z	60/61 (98%)	60 (100%)	0	100	100
All	All	5070/5263 (96%)	5070 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 50 such sidechains are listed below:

Mol	Chain	Res	Type
32	a	33	ASN
39	h	123	GLN
56	y	84	ASN
34	c	19	HIS
38	g	39	HIS

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	1	2901/2903 (99%)	531 (18%)	13 (0%)
2	2	1532/1534 (99%)	280 (18%)	6 (0%)
3	4	119/120 (99%)	21 (17%)	0
4	5	76/77 (98%)	18 (23%)	1 (1%)
4	6	76/77 (98%)	17 (22%)	1 (1%)
5	7	5/25 (20%)	1 (20%)	0
All	All	4709/4736 (99%)	868 (18%)	21 (0%)

5 of 868 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	1	10	A
1	1	13	A
1	1	15	G
1	1	23	G
1	1	34	U

5 of 21 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
2	2	1004	A
2	2	1167	A
4	6	18	U
2	2	1493	A
2	2	1145	A

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

34 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The

Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	OMG	1	2251	1,4	23,26,27	1.30	3 (13%)	32,38,41	2.08	7 (21%)
2	2MG	2	966	2	23,26,27	1.31	3 (13%)	33,38,41	2.25	10 (30%)
1	2MA	1	2503	58,1	22,25,26	1.44	6 (27%)	32,37,40	2.21	9 (28%)
2	PSU	2	516	58,2	18,21,22	1.06	2 (11%)	21,30,33	1.77	4 (19%)
1	PSU	1	746	58,1	18,21,22	1.13	3 (16%)	21,30,33	1.84	4 (19%)
1	PSU	1	2605	1	18,21,22	1.04	2 (11%)	21,30,33	1.89	3 (14%)
1	6MZ	1	2030	58,1	22,25,26	1.45	6 (27%)	29,36,39	2.45	10 (34%)
2	MA6	2	1519	2	23,26,27	1.41	5 (21%)	33,38,41	2.45	14 (42%)
1	PSU	1	1911	1	18,21,22	1.11	3 (16%)	21,30,33	2.04	5 (23%)
2	4OC	2	1402	2	20,23,24	0.83	1 (5%)	25,32,35	0.92	1 (4%)
1	OMC	1	2498	58,1	19,22,23	0.96	2 (10%)	25,31,34	1.01	1 (4%)
1	PSU	1	2504	1	18,21,22	1.12	2 (11%)	21,30,33	1.86	4 (19%)
1	PSU	1	2457	1	18,21,22	1.13	3 (16%)	21,30,33	2.25	6 (28%)
1	OMU	1	2552	1	19,22,23	1.35	4 (21%)	25,31,34	1.98	5 (20%)
2	2MG	2	1516	2	23,26,27	1.30	4 (17%)	33,38,41	2.28	10 (30%)
1	2MG	1	1835	1	23,26,27	1.29	4 (17%)	33,38,41	2.28	11 (33%)
1	2MG	1	2445	1	23,26,27	1.34	4 (17%)	33,38,41	2.17	10 (30%)
2	2MG	2	1207	2	23,26,27	1.29	3 (13%)	33,38,41	2.26	11 (33%)
2	UR3	2	1498	2	19,22,23	0.97	2 (10%)	26,32,35	1.73	4 (15%)
2	5MC	2	967	2	19,22,23	1.36	3 (15%)	26,32,35	1.09	2 (7%)
1	PSU	1	1917	1	18,21,22	1.03	2 (11%)	21,30,33	1.99	4 (19%)
1	1MG	1	745	1	23,26,27	1.17	3 (13%)	33,39,42	1.74	5 (15%)
2	5MC	2	1407	2	19,22,23	1.31	3 (15%)	26,32,35	1.20	2 (7%)
1	3TD	1	1915	58,1	19,22,23	2.93	4 (21%)	23,32,35	7.31	6 (26%)
1	5MU	1	1939	1	19,22,23	1.47	4 (21%)	27,32,35	2.44	6 (22%)
1	5MU	1	747	1	19,22,23	1.40	4 (21%)	27,32,35	2.31	6 (22%)
1	5MC	1	1962	1	19,22,23	1.25	2 (10%)	26,32,35	1.18	2 (7%)
48	0TD	q	89	48	8,9,10	2.25	2 (25%)	6,11,13	2.10	2 (33%)
1	6MZ	1	1618	1	22,25,26	1.43	6 (27%)	29,36,39	2.70	10 (34%)
2	MA6	2	1518	2	23,26,27	1.46	5 (21%)	33,38,41	2.54	14 (42%)
1	PSU	1	955	1	18,21,22	1.13	2 (11%)	21,30,33	2.18	4 (19%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	G7M	2	527	2	23,26,27	2.33	5 (21%)	34,39,42	3.16	11 (32%)
1	PSU	1	2580	58,1	18,21,22	1.18	3 (16%)	21,30,33	1.89	5 (23%)
1	G7M	1	2069	1	23,26,27	1.76	3 (13%)	34,39,42	1.86	5 (14%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	OMG	1	2251	1,4	-	0/9/27/28	0/3/3/3
2	2MG	2	966	2	-	2/9/27/28	0/3/3/3
1	2MA	1	2503	58,1	-	2/7/25/26	0/3/3/3
2	PSU	2	516	58,2	-	4/7/25/26	0/2/2/2
1	PSU	1	746	58,1	-	4/7/25/26	0/2/2/2
1	PSU	1	2605	1	-	0/7/25/26	0/2/2/2
1	6MZ	1	2030	58,1	-	2/9/27/28	0/3/3/3
2	MA6	2	1519	2	-	5/11/29/30	0/3/3/3
1	PSU	1	1911	1	-	2/7/25/26	0/2/2/2
2	4OC	2	1402	2	-	0/9/29/30	0/2/2/2
1	OMC	1	2498	58,1	-	0/9/27/28	0/2/2/2
1	PSU	1	2504	1	-	2/7/25/26	0/2/2/2
1	PSU	1	2457	1	-	0/7/25/26	0/2/2/2
1	OMU	1	2552	1	-	0/9/27/28	0/2/2/2
2	2MG	2	1516	2	-	0/9/27/28	0/3/3/3
1	2MG	1	1835	1	-	2/9/27/28	0/3/3/3
1	2MG	1	2445	1	-	2/9/27/28	0/3/3/3
2	2MG	2	1207	2	-	0/9/27/28	0/3/3/3
2	UR3	2	1498	2	-	0/7/25/26	0/2/2/2
2	5MC	2	967	2	-	2/7/25/26	0/2/2/2
1	PSU	1	1917	1	-	0/7/25/26	0/2/2/2
1	1MG	1	745	1	-	0/7/25/26	0/3/3/3
2	5MC	2	1407	2	-	0/7/25/26	0/2/2/2
1	3TD	1	1915	58,1	-	4/7/25/26	0/2/2/2
1	5MU	1	1939	1	-	0/7/25/26	0/2/2/2
1	5MU	1	747	1	-	1/7/25/26	0/2/2/2
1	5MC	1	1962	1	-	2/7/25/26	0/2/2/2
48	0TD	q	89	48	-	1/7/12/14	-
1	6MZ	1	1618	1	-	2/9/27/28	0/3/3/3

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	MA6	2	1518	2	-	2/11/29/30	0/3/3/3
1	PSU	1	955	1	-	0/7/25/26	0/2/2/2
2	G7M	2	527	2	-	2/7/25/26	0/3/3/3
1	PSU	1	2580	58,1	-	0/7/25/26	0/2/2/2
1	G7M	1	2069	1	3/3/5/5	2/7/25/26	0/3/3/3

The worst 5 of 113 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	1	1915	3TD	C6-C5	-9.13	1.25	1.35
2	2	527	G7M	C8-N7	7.00	1.45	1.33
1	1	2069	G7M	C5-N7	-6.51	1.31	1.39
1	1	1915	3TD	C6-N1	-6.50	1.25	1.36
2	2	527	G7M	C5-N7	-5.65	1.32	1.39

The worst 5 of 213 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	1	1915	3TD	C5-C6-N1	25.17	157.09	122.14
1	1	1915	3TD	C6-C5-C4	-20.35	104.56	118.19
1	1	1915	3TD	C1'-C5-C4	8.45	130.44	117.61
1	1	1915	3TD	C6-N1-C2	-8.28	100.70	121.80
2	2	527	G7M	CN7-N7-C8	-7.97	112.72	124.79

All (3) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
1	1	2069	G7M	C2'
1	1	2069	G7M	C4'
1	1	2069	G7M	C3'

5 of 45 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	2	516	PSU	O4'-C1'-C5-C4
2	2	516	PSU	O4'-C1'-C5-C6
2	2	967	5MC	O4'-C4'-C5'-O5'
2	2	967	5MC	C3'-C4'-C5'-O5'
2	2	1518	MA6	C5-C6-N6-C9

There are no ring outliers.

22 monomers are involved in 36 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	1	2251	OMG	1	0
1	1	2503	2MA	1	0
2	2	516	PSU	2	0
1	1	746	PSU	1	0
1	1	2030	6MZ	4	0
2	2	1519	MA6	6	0
1	1	1911	PSU	1	0
2	2	1402	4OC	3	0
1	1	2498	OMC	3	0
1	1	2504	PSU	1	0
1	1	2552	OMU	2	0
2	2	1516	2MG	1	0
1	1	2445	2MG	1	0
2	2	1207	2MG	1	0
2	2	1498	UR3	1	0
2	2	1407	5MC	1	0
1	1	1915	3TD	1	0
1	1	1939	5MU	1	0
48	q	89	0TD	2	0
2	2	1518	MA6	3	0
2	2	527	G7M	2	0
1	1	2069	G7M	1	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 441 ligands modelled in this entry, 441 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
1	1	2

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	1	1914:C	O3'	1915:3TD	P	7.81
1	1	2314:A	O3'	2315:G	P	3.31


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-48513. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 192




Y Index: 192




Z Index: 192


6.2.2 Raw map



X Index: 192



Y Index: 192




Z Index: 192


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 195




Y Index: 189




Z Index: 187


6.3.2 Raw map



X Index: 196



Y Index: 189




Z Index: 187


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.456. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 654 nm^3 ; this corresponds to an approximate mass of 591 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.360 $\text{\AA}^{-1}$

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.360 Å⁻¹

8.2 Resolution estimates


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.78	-	-
Author-provided FSC curve	2.78	3.10	2.84
Unmasked-calculated*	3.42	4.77	3.55

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.42 differs from the reported value 2.78 by more than 10 %


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-48513 and PDB model 9MQ4. Per-residue inclusion information can be found in section 3 on page 16.


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.456 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.456).

9.4 Atom inclusion [i](#)



At the recommended contour level, 64% of all backbone atoms, 64% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.456) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.6430	 0.4620
1	 0.8080	 0.5000
2	 0.6650	 0.4590
4	 0.7880	 0.4770
5	 0.5690	 0.4450
6	 0.0090	 0.1280
7	 0.6110	 0.5150
A	 0.1290	 0.2710
B	 0.7040	 0.5240
C	 0.7190	 0.5240
D	 0.5430	 0.4760
E	 0.3950	 0.4040
F	 0.2630	 0.3890
G	 0.0210	 0.2140
H	 0.0000	 0.0060
I	 0.0000	 0.0390
J	 0.7260	 0.5160
K	 0.6530	 0.5250
L	 0.6630	 0.5120
M	 0.6770	 0.5130
N	 0.7540	 0.5430
O	 0.5620	 0.4560
P	 0.6340	 0.5150
Q	 0.7650	 0.5350
R	 0.6260	 0.4970
S	 0.6790	 0.5270
T	 0.5780	 0.4530
U	 0.4810	 0.4410
V	 0.5530	 0.4580
W	 0.7090	 0.5270
X	 0.6640	 0.4970
Y	 0.5190	 0.4010
Z	 0.6610	 0.5040
a	 0.1500	 0.3340
b	 0.6950	 0.5290



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
c	 0.5550	 0.4710
d	 0.7550	 0.5340
e	 0.7540	 0.5600
f	 0.6430	 0.4920
g	 0.0580	 0.3330
h	 0.3410	 0.4390
i	 0.3630	 0.4250
j	 0.5070	 0.4710
k	 0.3020	 0.4070
l	 0.2090	 0.3670
m	 0.4850	 0.4530
n	 0.2710	 0.3790
o	 0.1920	 0.3570
p	 0.4140	 0.4390
q	 0.4640	 0.4720
r	 0.3270	 0.4180
s	 0.3860	 0.4230
t	 0.4880	 0.4280
u	 0.4390	 0.4460
v	 0.4050	 0.3980
w	 0.3940	 0.3960
x	 0.2940	 0.3890
y	 0.4390	 0.4120
z	 0.0570	 0.3520