



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 07:04 AM UTC

PDB ID : 6MRK / pdb_00006mrk
Title : Crystal structure of dmNxf2 NTF2-like domain in complex with Nxt1/p15
Authors : Wang, J.; Patel, D.J.
Deposited on : 2018-10-13
Resolution : 2.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3866 (2.80-2.80)
Clashscore	190562	4276 (2.80-2.80)
Ramachandran outliers	187476	4196 (2.80-2.80)
Sidechain outliers	187428	4198 (2.80-2.80)
RSRZ outliers	180081	3869 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	206	4% 57% 30% 11%
1	B	206	3% 64% 25% 9%
2	U	133	7% 65% 29% 5%
2	V	133	3% 70% 23% 5%

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 5118 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Nuclear RNA export factor 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	183	Total	C	N	O	S	0	0	0
			1491	950	268	269	4			
1	B	188	Total	C	N	O	S	0	0	0
			1540	977	278	281	4			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	572	SER	-	expression tag	UNP Q9VV73
B	572	SER	-	expression tag	UNP Q9VV73

- Molecule 2 is a protein called NTF2-related export protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	U	132	Total	C	N	O	S	0	0	0
			1058	658	187	207	6			
2	V	126	Total	C	N	O	S	0	0	0
			1012	631	179	197	5			


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	5	Total	O	0	0
			5	5		
3	U	3	Total	O	0	0
			3	3		
3	B	7	Total	O	0	0
			7	7		
3	V	2	Total	O	0	0
			2	2		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Nuclear RNA export factor 2




• Molecule 1: Nuclear RNA export factor 2



• Molecule 2: NTF2-related export protein



● Molecule 2: NTF2-related export protein



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	64.54Å 74.09Å 155.81Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	66.91 – 2.80 66.91 – 2.80	Depositor EDS
% Data completeness (in resolution range)	99.9 (66.91-2.80) 99.9 (66.91-2.80)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.54 (at 2.81Å)	Xtriage
Refinement program	REFMAC 5.8.0232, PHENIX	Depositor
R, R_{free}	0.212 , 0.263 0.214 , 0.263	Depositor DCC
R_{free} test set	1904 reflections (10.00%)	wwPDB-VP
Wilson B-factor (Å ²)	43.2	Xtriage
Anisotropy	0.532	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 31.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	5118	wwPDB-VP
Average B, all atoms (Å ²)	43.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.31% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.95	0/1521	1.37	2/2051 (0.1%)
1	B	1.00	1/1572 (0.1%)	1.33	2/2121 (0.1%)
2	U	0.93	0/1075	1.36	1/1452 (0.1%)
2	V	0.97	0/1027	1.45	3/1384 (0.2%)
All	All	0.97	1/5195 (0.0%)	1.37	8/7008 (0.1%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	620	CYS	CA-C	-5.46	1.46	1.52

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	740	LEU	N-CA-C	-7.93	100.66	110.41
1	B	662	GLY	CA-C-N	6.15	128.84	120.54
1	B	662	GLY	C-N-CA	6.15	128.84	120.54
2	V	11	SER	CA-C-N	5.46	127.54	120.44
2	V	11	SER	C-N-CA	5.46	127.54	120.44
2	U	124	VAL	N-CA-C	-5.44	107.14	111.81
2	V	53	GLY	CA-C-O	-5.28	117.76	121.88
1	A	612	GLU	CB-CG-CD	5.04	121.16	112.60

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1491	0	1477	54	0
1	B	1540	0	1508	53	0
2	U	1058	0	1030	38	0
2	V	1012	0	982	22	0
3	A	5	0	0	0	0
3	B	7	0	0	2	0
3	U	3	0	0	0	0
3	V	2	0	0	0	0
All	All	5118	0	4997	149	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 15.

All (149) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:U:1:MET:SD	2:U:5:LEU:HD23	1.62	1.37
2:U:1:MET:SD	2:U:5:LEU:CD2	2.39	1.09
1:B:607:TYR:CE1	1:B:663:CYS:SG	2.52	1.03
1:A:740:LEU:HD22	1:A:740:LEU:H	1.26	1.01
1:A:622:TYR:CD1	1:A:637:LEU:HD11	2.00	0.97
1:A:621:ASN:ND2	2:U:72:ASN:HD21	1.70	0.89
1:B:689:HIS:CE1	2:V:125:SER:HB3	2.09	0.87
1:B:607:TYR:CD1	1:B:663:CYS:SG	2.67	0.87
1:B:616:PHE:HD1	1:B:754:GLU:HG2	1.38	0.85
1:B:688:MET:HA	1:B:688:MET:HE2	1.60	0.84
1:A:621:ASN:CG	2:U:72:ASN:HD21	1.87	0.82
1:B:616:PHE:CD1	1:B:754:GLU:HG2	2.14	0.81
1:B:632:LYS:HB3	1:B:720:ILE:CD1	2.11	0.81
1:A:621:ASN:ND2	2:U:72:ASN:ND2	2.28	0.80
1:A:621:ASN:CG	2:U:72:ASN:ND2	2.39	0.80
1:A:616:PHE:HD1	1:A:754:GLU:CG	1.97	0.77
1:A:574:LYS:HE3	2:U:49:ASN:OD1	1.84	0.76
1:A:740:LEU:H	1:A:740:LEU:CD2	1.98	0.76
1:B:731:PHE:CE2	1:B:754:GLU:OE1	2.38	0.75
1:B:737:GLU:CD	1:B:745:ARG:HG3	2.13	0.74
1:B:730:GLN:HG2	2:V:111:THR:HG21	1.68	0.74
1:A:707:PRO:HB2	1:A:720:ILE:N	2.04	0.72
1:B:576:PHE:CD2	1:B:688:MET:HE1	2.25	0.71
1:A:740:LEU:HD22	1:A:740:LEU:N	2.03	0.70
1:B:686:ASP:HB3	1:B:688:MET:HE3	1.72	0.70
1:B:636:ARG:NH1	1:B:721:GLY:O	2.25	0.70

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:616:PHE:HD1	1:A:754:GLU:HG3	1.56	0.69
1:B:737:GLU:OE2	1:B:745:ARG:HG3	1.94	0.68
1:B:616:PHE:HD1	1:B:754:GLU:CG	2.05	0.68
1:A:616:PHE:CD1	1:A:754:GLU:HG3	2.29	0.68
1:B:728:SER:HB3	1:B:757:HIS:HB3	1.76	0.66
1:A:608:LYS:O	1:A:750:LYS:NZ	2.28	0.66
1:A:621:ASN:OD1	2:U:72:ASN:ND2	2.29	0.65
1:A:731:PHE:CE1	1:A:754:GLU:OE1	2.51	0.64
2:V:46:TRP:CD1	2:V:47:ASN:HD22	2.15	0.64
1:A:590:LEU:HD21	1:A:699:VAL:HB	1.79	0.64
2:U:16:ALA:O	2:U:20:THR:HG23	1.98	0.64
2:V:27:VAL:HG22	2:V:34:ILE:CD1	2.26	0.64
2:U:123:VAL:HG13	2:U:125:SER:O	1.98	0.64
2:U:64:LEU:HD23	2:U:65:PRO:HD2	1.79	0.63
1:A:688:MET:O	1:A:689:HIS:CD2	2.53	0.62
2:U:107:LYS:NZ	2:U:132:GLU:OE2	2.32	0.62
1:B:592:ASN:O	1:B:596:GLU:HG3	2.00	0.61
2:U:30:ARG:CZ	2:U:30:ARG:HB2	2.30	0.61
1:A:574:LYS:HE3	2:U:49:ASN:CG	2.26	0.61
1:B:636:ARG:NH2	1:B:705:ASP:OD2	2.34	0.61
1:A:707:PRO:CB	1:A:720:ILE:N	2.63	0.60
2:V:40:ASP:OD1	2:V:54:ARG:NH1	2.34	0.60
1:B:689:HIS:HE1	2:V:125:SER:HB3	1.61	0.60
1:A:629:GLN:NE2	1:A:632:LYS:HD2	2.17	0.59
1:A:642:ARG:O	1:B:654:LYS:NZ	2.34	0.59
1:A:731:PHE:CD1	1:A:754:GLU:OE1	2.55	0.59
2:V:53:GLY:HA3	2:V:55:GLN:HE22	1.68	0.59
1:B:613:ASN:HB2	3:B:807:HOH:O	2.03	0.59
1:B:616:PHE:CD1	1:B:754:GLU:CG	2.84	0.59
1:A:622:TYR:CD1	1:A:637:LEU:CD1	2.82	0.58
1:B:632:LYS:HB3	1:B:720:ILE:HD11	1.85	0.58
1:B:762:SER:O	1:B:766:ILE:HG13	2.04	0.58
2:U:44:LEU:HD12	2:U:45:SER:N	2.19	0.58
1:A:616:PHE:CD1	1:A:754:GLU:CG	2.83	0.57
1:A:694:GLY:HA2	1:A:735:PHE:CD2	2.38	0.57
1:A:616:PHE:HD1	1:A:754:GLU:HG2	1.70	0.57
1:B:660:PHE:CE1	1:B:669:ILE:HG12	2.40	0.57
1:A:621:ASN:HD21	2:U:72:ASN:ND2	2.01	0.57
1:A:663:CYS:O	1:A:667:VAL:HG23	2.05	0.57
2:V:53:GLY:O	2:V:57:ILE:HG13	2.05	0.56
1:A:593:TYR:CD1	1:A:593:TYR:C	2.85	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:621:ASN:C	1:A:621:ASN:HD22	2.15	0.55
1:B:576:PHE:CD2	1:B:688:MET:CE	2.90	0.55
1:A:702:LEU:HD13	1:A:765:ALA:HB1	1.89	0.54
2:V:59:SER:O	2:V:63:GLU:HG3	2.07	0.54
2:V:27:VAL:HG22	2:V:34:ILE:HD11	1.90	0.54
2:U:44:LEU:HD12	2:U:45:SER:H	1.73	0.53
1:B:630:THR:O	1:B:634:LEU:HB2	2.09	0.53
1:B:632:LYS:HB3	1:B:720:ILE:HD12	1.86	0.53
1:A:728:SER:HB2	1:A:757:HIS:HB3	1.90	0.53
1:A:621:ASN:ND2	1:A:621:ASN:O	2.42	0.52
1:A:622:TYR:CG	1:A:637:LEU:HD11	2.43	0.52
1:B:622:TYR:C	1:B:622:TYR:CD2	2.88	0.52
1:A:683:LEU:HD23	1:A:701:GLY:HA3	1.92	0.52
1:B:618:LEU:O	1:B:644:ALA:HA	2.09	0.52
2:U:84:VAL:HG12	2:U:84:VAL:O	2.10	0.50
1:B:632:LYS:CB	1:B:720:ILE:HD11	2.41	0.50
1:A:585:LEU:HG	1:A:585:LEU:O	2.11	0.50
2:U:18:THR:HA	2:U:21:ARG:HH21	1.77	0.49
1:B:576:PHE:HD2	1:B:688:MET:CE	2.26	0.49
1:A:698:TYR:CD1	1:A:730:GLN:HG2	2.48	0.49
2:U:99:LYS:HE2	2:U:103:GLN:O	2.13	0.49
2:V:114:VAL:HG23	2:V:121:TRP:CE3	2.48	0.49
2:V:16:ALA:CB	2:V:76:ALA:HB2	2.43	0.49
1:A:734:THR:HG21	2:U:82:GLN:HB3	1.93	0.48
1:A:636:ARG:NH2	1:A:721:GLY:O	2.39	0.48
1:A:640:TYR:OH	1:A:674:PRO:HG2	2.13	0.48
1:B:737:GLU:OE2	1:B:746:ALA:N	2.42	0.48
1:B:679:ASP:OD2	1:B:769:ALA:O	2.32	0.47
1:B:660:PHE:CD1	1:B:669:ILE:HG12	2.50	0.47
2:V:27:VAL:HG22	2:V:34:ILE:HD12	1.95	0.47
1:B:688:MET:HG3	1:B:698:TYR:CE2	2.50	0.47
1:B:702:LEU:HD21	1:B:724:LEU:HG	1.97	0.47
1:B:635:GLN:O	1:B:638:SER:OG	2.30	0.46
1:B:688:MET:HE2	1:B:688:MET:CA	2.38	0.46
2:U:24:TYR:CD2	2:U:71:LEU:HD11	2.51	0.46
2:V:46:TRP:NE1	2:V:47:ASN:HD22	2.13	0.45
1:A:727:PHE:HA	1:A:757:HIS:O	2.16	0.45
2:U:126:ASP:OD1	2:U:126:ASP:C	2.58	0.45
1:B:707:PRO:HG3	1:B:721:GLY:HA2	1.98	0.45
2:V:10:GLU:O	2:V:14:ARG:HG3	2.16	0.45
1:A:759:THR:OG1	1:A:760:ASN:N	2.49	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:689:HIS:NE2	2:U:125:SER:OG	2.47	0.45
1:A:645:ARG:HD3	2:U:75:ASP:OD1	2.16	0.44
1:A:616:PHE:CD1	1:A:754:GLU:HG2	2.50	0.44
2:U:44:LEU:HB3	2:U:57:ILE:HG12	1.99	0.44
1:B:737:GLU:OE2	1:B:745:ARG:CG	2.65	0.44
1:B:724:LEU:O	3:B:801:HOH:O	2.21	0.43
1:B:634:LEU:HD12	1:B:634:LEU:HA	1.83	0.43
1:B:689:HIS:CE1	2:V:125:SER:CB	2.92	0.43
1:A:757:HIS:ND1	2:U:93:MET:HE1	2.34	0.43
1:A:739:ASN:HD22	1:A:739:ASN:HA	1.68	0.43
2:U:123:VAL:CG1	2:U:125:SER:O	2.66	0.43
1:B:588:ALA:O	1:B:592:ASN:ND2	2.52	0.43
1:B:650:LYS:HE2	1:B:650:LYS:HB3	1.75	0.43
1:A:573:GLN:HA	1:A:684:GLN:OE1	2.20	0.42
1:B:624:VAL:HG11	1:B:634:LEU:HD13	2.01	0.42
1:A:630:THR:N	1:A:631:PRO:HD2	2.34	0.42
2:U:54:ARG:O	2:U:55:GLN:C	2.62	0.42
2:U:108:PHE:HA	2:U:129:ARG:O	2.19	0.42
1:B:591:GLU:HB3	1:B:595:ARG:NH1	2.34	0.42
2:V:44:LEU:HD13	2:V:126:ASP:OD2	2.19	0.42
1:A:660:PHE:CD1	1:A:669:ILE:HG13	2.55	0.42
1:A:619:THR:OG1	1:A:757:HIS:ND1	2.26	0.42
1:A:614:SER:OG	1:A:751:ILE:O	2.38	0.41
1:B:731:PHE:CD2	1:B:754:GLU:OE1	2.72	0.41
2:V:55:GLN:H	2:V:55:GLN:CD	2.29	0.41
1:B:574:LYS:HE3	1:B:574:LYS:HB2	1.90	0.41
1:B:730:GLN:OE1	1:B:755:ARG:HD2	2.20	0.41
1:B:576:PHE:HB2	2:V:48:GLY:HA2	2.03	0.41
1:B:640:TYR:CD1	1:B:758:ILE:HG13	2.55	0.41
2:V:75:ASP:O	2:V:92:ILE:HA	2.20	0.41
2:U:106:ARG:HG2	2:U:132:GLU:C	2.46	0.41
2:U:31:ARG:NH1	2:U:65:PRO:O	2.44	0.41
2:U:39:LEU:CD2	2:U:122:LYS:HB2	2.51	0.41
2:U:8:LYS:HE3	2:U:88:LEU:HD11	2.03	0.41
2:V:106:ARG:NH2	2:V:132:GLU:HG3	2.36	0.41
1:A:737:GLU:HA	1:A:746:ALA:O	2.20	0.40
2:U:30:ARG:HB2	2:U:30:ARG:NH1	2.35	0.40
2:U:130:MET:HE2	2:U:130:MET:HB2	1.82	0.40
2:V:55:GLN:NE2	2:V:56:MET:H	2.19	0.40
2:U:39:LEU:HD23	2:U:122:LYS:HB2	2.03	0.40
2:U:90:TYR:O	2:U:113:ILE:HA	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	177/206 (86%)	169 (96%)	8 (4%)	0	100	100
1	B	182/206 (88%)	174 (96%)	8 (4%)	0	100	100
2	U	130/133 (98%)	120 (92%)	10 (8%)	0	100	100
2	V	120/133 (90%)	118 (98%)	2 (2%)	0	100	100
All	All	609/678 (90%)	581 (95%)	28 (5%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	160/181 (88%)	147 (92%)	13 (8%)	11	33
1	B	167/181 (92%)	156 (93%)	11 (7%)	15	43
2	U	115/116 (99%)	105 (91%)	10 (9%)	9	30
2	V	110/116 (95%)	104 (94%)	6 (6%)	19	51
All	All	552/594 (93%)	512 (93%)	40 (7%)	13	39

All (40) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	585	LEU
1	A	594	LEU
1	A	649	ASN
1	A	670	LEU
1	A	685	THR
1	A	697	ILE
1	A	729	ARG
1	A	733	VAL
1	A	736	ASP
1	A	737	GLU
1	A	740	LEU
1	A	742	LEU
1	A	764	THR
2	U	4	ASP
2	U	5	LEU
2	U	32	GLN
2	U	47	ASN
2	U	71	LEU
2	U	72	ASN
2	U	82	GLN
2	U	84	VAL
2	U	87	GLN
2	U	130	MET
1	B	591	GLU
1	B	615	ILE
1	B	634	LEU
1	B	636	ARG
1	B	664	THR
1	B	669	ILE
1	B	670	LEU
1	B	697	ILE
1	B	720	ILE
1	B	736	ASP
1	B	754	GLU
2	V	5	LEU
2	V	20	THR
2	V	41	ASN
2	V	66	SER
2	V	130	MET
2	V	132	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (16) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	621	ASN
1	A	629	GLN
1	A	635	GLN
1	A	643	HIS
1	A	672	GLN
1	A	739	ASN
1	A	753	ASN
2	U	33	GLN
2	U	72	ASN
2	U	86	ASN
1	B	635	GLN
1	B	681	HIS
1	B	684	GLN
1	B	689	HIS
2	V	55	GLN
2	V	87	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

There are no ligands in this entry.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	183/206 (88%)	0.22	8 (4%) 39 31	24, 40, 62, 81	0
1	B	188/206 (91%)	0.17	7 (3%) 45 36	24, 40, 64, 84	0
2	U	132/133 (99%)	0.27	9 (6%) 23 17	28, 43, 83, 109	0
2	V	126/133 (94%)	0.21	4 (3%) 50 40	26, 39, 67, 70	0
All	All	629/678 (92%)	0.22	28 (4%) 38 30	24, 41, 68, 109	0

All (28) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	746	ALA	4.1
2	U	84	VAL	3.5
1	B	572	SER	3.4
1	A	720	ILE	3.1
2	U	80	VAL	3.1
1	A	583	TYR	3.0
2	V	85	SER	3.0
1	A	625	VAL	3.0
1	A	741	GLY	3.0
1	B	744	LYS	2.9
1	A	585	LEU	2.8
2	V	80	VAL	2.8
2	V	119	ASP	2.8
2	V	81	ASP	2.7
2	U	86	ASN	2.7
2	U	82	GLN	2.6
2	U	102	ASP	2.6
1	B	772	VAL	2.5
1	A	586	VAL	2.5
2	U	85	SER	2.4
1	B	665	TYR	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	737	GLU	2.3
1	A	737	GLU	2.3
2	U	81	ASP	2.2
1	B	708	PRO	2.2
2	U	46	TRP	2.2
2	U	83	ALA	2.1
1	A	721	GLY	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.