



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 28, 2026 – 07:41 PM UTC

PDB ID : 4MSU / pdb_00004msu
Title : Human GKRP bound to AMG-6861 and Sorbitol-6-phosphate
Authors : Ashton, K.S.; Andrews, K.L.; Bryan, M.C.; Chen, J.; Chen, K.; Chen, M.; Chmait, S.; Croghan, M.; Cupples, R.; Fotsch, C.; Helmering, J.; Jordan, S.R.; Kurzeja, R.J.; Michelsen, K.; Pennington, L.D.; Poon, S.F.; Sivits, G.; Van, G.; Vonderfecht, S.L.; Wahl, R.C.; Zhang, J.; Lloyd, D.J.; Hale, C.; St Jean, D.J.
Deposited on : 2013-09-18
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	5829 (2.50-2.50)
Clashscore	190562	6492 (2.50-2.50)
Ramachandran outliers	187476	6378 (2.50-2.50)
Sidechain outliers	187428	6380 (2.50-2.50)
RSRZ outliers	180081	5833 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	636	
1	B	636	

Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 9262 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Glucokinase regulatory protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	585	Total	C	N	O	S	0	0	0
			4521	2882	774	841	24			
1	B	590	Total	C	N	O	S	0	0	0
			4554	2901	781	848	24			

There are 22 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-10	MET	-	expression tag	UNP Q14397
A	-9	HIS	-	expression tag	UNP Q14397
A	-8	HIS	-	expression tag	UNP Q14397
A	-7	HIS	-	expression tag	UNP Q14397
A	-6	HIS	-	expression tag	UNP Q14397
A	-5	HIS	-	expression tag	UNP Q14397
A	-4	HIS	-	expression tag	UNP Q14397
A	-3	ASP	-	expression tag	UNP Q14397
A	-2	GLU	-	expression tag	UNP Q14397
A	-1	VAL	-	expression tag	UNP Q14397
A	0	ASP	-	expression tag	UNP Q14397
B	-10	MET	-	expression tag	UNP Q14397
B	-9	HIS	-	expression tag	UNP Q14397
B	-8	HIS	-	expression tag	UNP Q14397
B	-7	HIS	-	expression tag	UNP Q14397
B	-6	HIS	-	expression tag	UNP Q14397
B	-5	HIS	-	expression tag	UNP Q14397
B	-4	HIS	-	expression tag	UNP Q14397
B	-3	ASP	-	expression tag	UNP Q14397
B	-2	GLU	-	expression tag	UNP Q14397
B	-1	VAL	-	expression tag	UNP Q14397
B	0	ASP	-	expression tag	UNP Q14397

- Molecule 2 is 1,1,1,3,3,3-hexafluoro-2-{4-[4-(thiophen-2-ylsulfonyl)piperazin-1-yl]phenyl}propan-2-ol (CCD ID: 2EU) (formula: C₁₇H₁₆F₆N₂O₃S₂).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
2	A	1	Total	C	F	N	O	S	0	0
			30	17	6	2	3	2		
2	B	1	Total	C	F	N	O	S	0	0
			30	17	6	2	3	2		

- Molecule 3 is D-SORBITOL-6-PHOSPHATE (CCD ID: S6P) (formula: C₆H₁₅O₉P).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	O	P	0	0
			16	6	9	1		
3	B	1	Total	C	O	P	0	0
			16	6	9	1		

- Molecule 4 is IODIDE ION (CCD ID: IOD) (formula: I).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	11	Total	I	0	0
			11	11		
4	B	12	Total	I	0	0
			12	12		

- Molecule 5 is GLYCEROL (CCD ID: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			6	3	3		


- Molecule 6 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	B	1	Total	O	S	0	0
			5	4	1		
6	B	1	Total	O	S	0	0
			5	4	1		

- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	25	Total	O	0	0
			25	25		
7	B	31	Total	O	0	0
			31	31		



4 Data and refinement statistics

Property	Value	Source
Space group	P 65	Depositor
Cell constants a, b, c, α , β , γ	148.43Å 148.43Å 132.07Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	37.86 – 2.50 37.86 – 2.50	Depositor EDS
% Data completeness (in resolution range)	98.0 (37.86-2.50) 98.1 (37.86-2.50)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.01 (at 2.51Å)	Xtriage
Refinement program	REFMAC 5.7.0032	Depositor
R, R_{free}	0.212 , 0.271 0.214 , 0.269	Depositor DCC
R_{free} test set	2837 reflections (4.97%)	wwPDB-VP
Wilson B-factor (Å ²)	60.3	Xtriage
Anisotropy	0.038	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.29 , 24.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	0.030 for h,-h-k,-l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	9262	wwPDB-VP
Average B, all atoms (Å ²)	66.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.64% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: 2EU, IOD, S6P, SO4, GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.96	1/4603 (0.0%)	1.11	7/6228 (0.1%)
1	B	0.98	1/4637 (0.0%)	1.09	9/6274 (0.1%)
All	All	0.97	2/9240 (0.0%)	1.10	16/12502 (0.1%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	206	VAL	C-O	-6.18	1.17	1.24
1	A	229	VAL	N-CA	-5.51	1.40	1.46

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	443	GLN	N-CA-C	-8.56	97.15	110.42
1	A	388	SER	N-CA-C	7.24	119.17	110.19
1	B	423	VAL	CB-CA-C	-6.29	103.65	112.14
1	B	96	GLU	CA-C-N	6.03	126.14	119.87
1	B	96	GLU	C-N-CA	6.03	126.14	119.87
1	B	30	ILE	CB-CA-C	-5.54	104.66	112.14
1	B	382	GLY	CA-C-N	-5.53	114.56	120.03
1	B	382	GLY	C-N-CA	-5.53	114.56	120.03
1	A	220	GLU	N-CA-C	5.48	117.25	111.28
1	A	343	ILE	N-CA-C	-5.37	105.10	110.30
1	B	434	GLN	N-CA-C	-5.26	99.70	108.07
1	A	115	PHE	N-CA-C	-5.18	104.56	111.24
1	B	105	SER	N-CA-C	5.12	117.17	109.23
1	A	435	ALA	N-CA-C	5.12	116.58	108.96
1	A	441	VAL	N-CA-C	5.01	119.76	109.34
1	A	198	THR	CB-CA-C	-5.00	102.49	110.79

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4521	0	4618	82	0
1	B	4554	0	4647	54	0
2	A	30	0	16	1	0
2	B	30	0	15	0	0
3	A	16	0	13	0	0
3	B	16	0	13	0	0
4	A	11	0	0	2	0
4	B	12	0	0	2	0
5	A	6	0	8	1	0
6	B	10	0	0	0	0
7	A	25	0	0	1	0
7	B	31	0	0	0	0
All	All	9262	0	9330	135	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (135) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:450:LYS:HA	1:A:452:LEU:HD12	1.63	0.80
1:B:220:GLU:OE1	1:B:558:SER:OG	2.02	0.77
1:A:15:GLU:OE2	4:A:711:IOD:I	2.76	0.73
1:A:433:ILE:O	1:A:434:GLN:HG3	1.90	0.72
1:A:474:GLN:O	1:A:478:ARG:HD3	1.90	0.71
1:B:419:VAL:O	1:B:423:VAL:HG23	1.90	0.71
1:A:46:ALA:HA	1:A:317:MET:HE2	1.74	0.69
1:A:336:GLN:NE2	1:A:414:ASP:OD1	2.27	0.68
1:A:273:LEU:C	1:A:273:LEU:HD23	2.20	0.67
1:A:468:TYR:HB2	4:A:703:IOD:I	2.66	0.66
1:A:596:SER:OG	1:A:599:GLU:HG3	1.96	0.65

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:445:LEU:O	1:B:450:LYS:NZ	2.27	0.65
1:A:101:LEU:HD11	1:A:135:THR:HG22	1.80	0.63
1:A:531:LYS:HE2	5:A:714:GOL:H12	1.80	0.62
1:B:312:LYS:NZ	1:B:456:ILE:O	2.33	0.62
1:A:309:GLN:NE2	1:A:458:SER:O	2.33	0.61
1:A:272:THR:HA	1:A:295:ILE:HG21	1.82	0.60
1:A:415:ASN:HD22	1:A:418:GLU:H	1.49	0.58
1:B:101:LEU:HD21	1:B:166:VAL:CG1	2.33	0.58
1:A:126:LYS:O	1:A:129:GLY:N	2.33	0.58
1:A:146:VAL:O	1:A:347:VAL:HG21	2.04	0.57
1:B:444:THR:O	1:B:445:LEU:CB	2.53	0.57
1:A:444:THR:O	1:A:445:LEU:CB	2.53	0.55
1:A:215:ARG:HG3	2:A:701:2EU:S2	2.46	0.55
1:B:183:SER:O	1:B:185:PRO:HD3	2.08	0.54
1:A:207:GLY:O	1:A:246:ASN:HA	2.06	0.54
1:B:412:LEU:HB2	1:B:443:GLN:OE1	2.07	0.54
1:B:225:THR:H	1:B:228:GLN:HE21	1.56	0.54
1:B:407:VAL:HG12	1:B:409:ILE:HD11	1.90	0.54
1:B:444:THR:O	1:B:445:LEU:HB2	2.08	0.53
1:A:453:PHE:HB2	1:A:456:ILE:HG23	1.91	0.53
1:B:572:PRO:O	1:B:576:LEU:HG	2.08	0.53
1:A:447:ILE:HG23	1:A:449:LEU:HB3	1.91	0.53
1:B:438:HIS:CG	1:B:478:ARG:HG2	2.44	0.53
1:A:113:MET:HE3	1:A:483:LYS:HE3	1.91	0.52
1:B:389:GLN:OE1	1:B:421:THR:HG21	2.09	0.52
1:A:277:ALA:O	1:A:281:VAL:HG23	2.09	0.52
1:B:5:LYS:HB2	4:B:710:IOD:I	2.80	0.52
1:A:339:GLY:O	1:A:342:ALA:HB3	2.10	0.51
1:A:343:ILE:HA	1:A:362:GLY:HA3	1.92	0.51
1:A:228:GLN:HE22	1:B:228:GLN:HE22	1.59	0.51
1:A:91:GLN:O	1:A:92:GLU:C	2.53	0.50
1:A:125:MET:HE1	1:A:133:LEU:HG	1.93	0.50
1:A:35:ASN:C	1:A:35:ASN:HD22	2.20	0.50
1:A:444:THR:O	1:A:445:LEU:HB2	2.10	0.50
1:A:175:VAL:HG21	1:A:194:CYS:SG	2.52	0.50
1:A:418:GLU:O	1:A:422:ILE:HD12	2.12	0.50
1:A:481:SER:O	1:A:485:VAL:HG23	2.11	0.50
1:A:10:VAL:HB	1:A:531:LYS:HE3	1.93	0.50
1:A:121:PHE:O	1:A:125:MET:HG3	2.12	0.49
1:B:146:VAL:HG13	1:B:146:VAL:O	2.12	0.49
1:A:117:MET:HE1	1:A:270:LEU:CD1	2.43	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:571:ILE:HB	1:B:572:PRO:HD3	1.93	0.49
1:B:113:MET:HE2	1:B:113:MET:HA	1.93	0.49
1:B:101:LEU:HD21	1:B:166:VAL:HG13	1.94	0.49
1:A:49:ILE:HB	1:A:317:MET:HE1	1.94	0.48
1:B:337:THR:HG21	1:B:479:GLU:OE1	2.12	0.48
1:A:180:VAL:HG11	1:A:258:SER:HB2	1.95	0.48
1:B:162:GLU:OE1	1:B:165:LYS:NZ	2.37	0.48
1:B:503:ASN:HD22	1:B:503:ASN:H	1.61	0.48
1:A:316:LEU:HD11	1:A:407:VAL:HG21	1.95	0.48
1:B:225:THR:H	1:B:228:GLN:NE2	2.11	0.48
1:B:125:MET:HE1	1:B:133:LEU:CD1	2.44	0.47
1:A:279:LYS:HD3	1:A:291:CYS:SG	2.54	0.47
1:A:433:ILE:O	1:A:434:GLN:CG	2.58	0.47
1:B:273:LEU:C	1:B:273:LEU:HD23	2.40	0.47
1:B:127:GLY:O	1:B:128:LEU:HD23	2.15	0.47
1:B:427:LYS:HD2	1:B:427:LYS:O	2.15	0.46
1:B:466:PHE:HB2	4:B:703:IOD:I	2.85	0.46
1:B:159:GLY:HA2	1:B:186:PHE:CE1	2.51	0.46
1:A:361:ARG:CG	1:A:361:ARG:HH11	2.29	0.46
1:A:433:ILE:HD12	1:A:453:PHE:CE1	2.50	0.46
1:B:125:MET:HE1	1:B:133:LEU:HD12	1.97	0.46
1:B:124:LEU:HD12	1:B:472:PHE:CD2	2.51	0.46
1:B:214:ALA:O	1:B:227:ARG:HD3	2.16	0.46
1:A:124:LEU:HD12	1:A:472:PHE:CD2	2.51	0.45
1:A:512:ASN:C	1:A:512:ASN:HD22	2.24	0.45
1:A:127:GLY:HA3	1:A:469:GLU:HG3	1.98	0.45
1:A:358:ARG:NH2	1:A:361:ARG:HD3	2.31	0.45
1:B:407:VAL:HG12	1:B:409:ILE:CD1	2.45	0.45
1:B:343:ILE:HD13	1:B:385:PHE:HB2	1.98	0.45
1:A:117:MET:HE1	1:A:270:LEU:HD12	1.97	0.45
1:A:246:ASN:N	1:A:246:ASN:HD22	2.14	0.45
1:A:514:LYS:NZ	7:A:811:HOH:O	2.47	0.45
1:A:146:VAL:O	1:A:146:VAL:CG1	2.64	0.45
1:A:45:ASP:OD1	1:A:45:ASP:C	2.60	0.45
1:A:543:HIS:O	1:A:544:PHE:C	2.60	0.45
1:A:509:ARG:NH2	1:A:568:GLU:OE2	2.50	0.45
1:A:317:MET:SD	1:A:492:GLY:HA3	2.57	0.44
1:A:433:ILE:O	1:A:434:GLN:CB	2.64	0.44
1:A:431:ASN:O	1:A:433:ILE:N	2.50	0.44
1:B:74:LEU:HD21	1:B:296:LEU:HD22	1.99	0.44
1:B:481:SER:O	1:B:485:VAL:HG23	2.17	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:48:ASN:O	1:A:49:ILE:C	2.60	0.44
1:B:421:THR:O	1:B:424:GLU:HB2	2.17	0.44
1:A:596:SER:OG	1:A:599:GLU:CG	2.64	0.44
1:B:420:GLN:O	1:B:421:THR:C	2.60	0.44
1:B:503:ASN:HD22	1:B:503:ASN:N	2.16	0.44
1:A:30:ILE:HD11	1:A:71:TYR:CD2	2.53	0.43
1:A:290:ARG:CZ	1:A:290:ARG:HB3	2.47	0.43
1:B:393:LEU:CD2	1:B:397:LEU:HD22	2.48	0.43
1:A:101:LEU:HD11	1:A:135:THR:CG2	2.48	0.43
1:A:364:LEU:C	1:A:365:ILE:HD12	2.44	0.43
1:B:411:THR:HG22	1:B:438:HIS:HB2	1.99	0.43
1:A:116:LEU:HD23	1:A:116:LEU:HA	1.81	0.43
1:A:596:SER:O	1:A:597:VAL:C	2.60	0.43
1:B:401:THR:HG22	1:B:403:ILE:H	1.83	0.43
1:A:203:PRO:HB2	1:A:233:MET:HE3	2.01	0.43
1:B:66:GLN:O	1:B:69:SER:OG	2.35	0.42
1:B:207:GLY:O	1:B:246:ASN:HA	2.18	0.42
1:A:431:ASN:H	1:A:431:ASN:HD22	1.66	0.42
1:A:316:LEU:HD11	1:A:407:VAL:CG2	2.49	0.42
1:B:548:LEU:HD13	1:B:553:ARG:CZ	2.50	0.42
1:A:260:MET:O	1:A:261:LYS:C	2.63	0.42
1:A:273:LEU:C	1:A:273:LEU:CD2	2.92	0.42
1:A:431:ASN:HD22	1:A:431:ASN:N	2.17	0.42
1:B:445:LEU:HD13	1:B:450:LYS:HB3	2.02	0.42
1:A:274:LEU:O	1:A:277:ALA:N	2.53	0.42
1:A:447:ILE:HG22	1:A:450:LYS:N	2.35	0.42
1:A:519:ALA:HB2	1:A:571:ILE:HD11	2.02	0.41
1:B:15:GLU:HB2	1:B:18:LYS:HG3	2.02	0.41
1:B:433:ILE:HD12	1:B:453:PHE:CE1	2.56	0.41
1:B:447:ILE:N	1:B:448:PRO:HD2	2.35	0.41
1:B:519:ALA:O	1:B:520:LEU:C	2.63	0.41
1:A:57:ASP:OD2	1:A:484:TRP:CD1	2.72	0.41
1:A:214:ALA:O	1:A:227:ARG:HD3	2.21	0.41
1:A:128:LEU:O	1:A:129:GLY:C	2.63	0.41
1:A:271:GLU:O	1:A:272:THR:C	2.64	0.41
1:A:431:ASN:H	1:A:431:ASN:ND2	2.19	0.41
1:A:110:SER:HB3	1:A:178:ILE:CG2	2.51	0.41
1:A:341:ILE:HG22	1:A:486:LEU:HD12	2.02	0.41
1:A:509:ARG:HG2	1:A:511:SER:OG	2.20	0.41
1:B:6:ARG:H	1:B:6:ARG:HG2	1.74	0.41
1:B:237:GLN:HA	1:B:242:ALA:O	2.21	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:523:LEU:HD23	1:B:523:LEU:HA	1.86	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	579/636 (91%)	515 (89%)	49 (8%)	15 (3%)	4	7
1	B	584/636 (92%)	544 (93%)	36 (6%)	4 (1%)	18	34
All	All	1163/1272 (91%)	1059 (91%)	85 (7%)	19 (2%)	7	14

All (19) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	434	GLN
1	A	456	ILE
1	B	445	LEU
1	A	391	ASP
1	A	432	HIS
1	A	433	ILE
1	A	441	VAL
1	A	462	PRO
1	A	469	GLU
1	B	127	GLY
1	B	548	LEU
1	A	141	GLY
1	A	446	PRO
1	A	548	LEU
1	A	428	GLU
1	A	445	LEU
1	A	447	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	454	PRO
1	B	337	THR

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	498/542 (92%)	448 (90%)	50 (10%)	7	15
1	B	501/542 (92%)	467 (93%)	34 (7%)	14	31
All	All	999/1084 (92%)	915 (92%)	84 (8%)	10	22

All (84) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1	MET
1	A	4	THR
1	A	6	ARG
1	A	25	GLU
1	A	34	SER
1	A	35	ASN
1	A	39	GLN
1	A	55	GLN
1	A	126	LYS
1	A	128	LEU
1	A	142	ASP
1	A	143	ARG
1	A	164	LYS
1	A	171	LYS
1	A	227	ARG
1	A	235	LYS
1	A	239	LYS
1	A	246	ASN
1	A	267	LYS
1	A	269	LEU
1	A	273	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	285	ILE
1	A	289	GLN
1	A	290	ARG
1	A	312	LYS
1	A	358	ARG
1	A	361	ARG
1	A	397	LEU
1	A	415	ASN
1	A	422	ILE
1	A	423	VAL
1	A	425	GLN
1	A	427	LYS
1	A	431	ASN
1	A	439	SER
1	A	440	THR
1	A	441	VAL
1	A	445	LEU
1	A	456	ILE
1	A	460	THR
1	A	463	LEU
1	A	464	LEU
1	A	473	ILE
1	A	478	ARG
1	A	489	VAL
1	A	500	ILE
1	A	503	ASN
1	A	512	ASN
1	A	598	CYS
1	A	599	GLU
1	B	6	ARG
1	B	47	GLU
1	B	72	GLN
1	B	84	VAL
1	B	126	LYS
1	B	128	LEU
1	B	131	LYS
1	B	146	VAL
1	B	166	VAL
1	B	212	SER
1	B	227	ARG
1	B	239	LYS
1	B	246	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	269	LEU
1	B	273	LEU
1	B	285	ILE
1	B	304	GLN
1	B	318	LYS
1	B	322	THR
1	B	337	THR
1	B	347	VAL
1	B	402	GLU
1	B	423	VAL
1	B	434	GLN
1	B	444	THR
1	B	445	LEU
1	B	450	LYS
1	B	451	LYS
1	B	463	LEU
1	B	478	ARG
1	B	500	ILE
1	B	503	ASN
1	B	558	SER
1	B	562	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (40) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	9	HIS
1	A	35	ASN
1	A	39	GLN
1	A	62	GLN
1	A	123	GLN
1	A	130	GLN
1	A	190	GLN
1	A	196	ASN
1	A	246	ASN
1	A	278	HIS
1	A	389	GLN
1	A	415	ASN
1	A	425	GLN
1	A	431	ASN
1	A	438	HIS
1	A	471	ASN
1	A	503	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	512	ASN
1	A	524	GLN
1	A	529	GLN
1	B	8	GLN
1	B	39	GLN
1	B	48	ASN
1	B	55	GLN
1	B	72	GLN
1	B	130	GLN
1	B	196	ASN
1	B	216	ASN
1	B	228	GLN
1	B	246	ASN
1	B	381	GLN
1	B	384	GLN
1	B	415	ASN
1	B	431	ASN
1	B	434	GLN
1	B	443	GLN
1	B	471	ASN
1	B	503	ASN
1	B	524	GLN
1	B	529	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 30 ligands modelled in this entry, 23 are monoatomic - leaving 7 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
5	GOL	A	714	-	5,5,5	0.27	0	5,5,5	1.57	1 (20%)
3	S6P	B	702	-	15,15,15	1.70	3 (20%)	20,21,21	1.31	2 (10%)
2	2EU	B	701	-	30,32,32	1.92	4 (13%)	50,51,51	2.14	11 (22%)
6	SO4	B	715	-	4,4,4	0.57	0	6,6,6	0.35	0
2	2EU	A	701	-	30,32,32	1.98	3 (10%)	50,51,51	2.00	13 (26%)
6	SO4	B	716	-	4,4,4	0.59	0	6,6,6	0.51	0
3	S6P	A	702	-	15,15,15	1.49	3 (20%)	20,21,21	1.87	6 (30%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	GOL	A	714	-	-	3/4/4/4	-
3	S6P	B	702	-	-	2/20/20/20	-
2	2EU	B	701	-	-	1/40/50/50	0/3/3/3
2	2EU	A	701	-	-	0/40/50/50	0/3/3/3
3	S6P	A	702	-	-	3/20/20/20	-

All (13) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	701	2EU	O2-S1	7.84	1.51	1.43
2	A	701	2EU	O2-S1	6.84	1.50	1.43
2	A	701	2EU	O1-S1	6.71	1.50	1.43
2	B	701	2EU	O1-S1	4.62	1.47	1.43
3	B	702	S6P	P-O3P	3.44	1.61	1.50
3	A	702	S6P	C6-C5	3.27	1.56	1.51
3	B	702	S6P	C6-C5	3.14	1.56	1.51
3	B	702	S6P	P-O6	-2.56	1.52	1.60
3	A	702	S6P	P-O6	-2.49	1.52	1.60
2	A	701	2EU	C3-C1	-2.28	1.50	1.54

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	701	2EU	C3-C1	-2.26	1.50	1.54
2	B	701	2EU	O3-C1	-2.25	1.36	1.41
3	A	702	S6P	P-O1P	2.17	1.62	1.54

All (33) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	701	2EU	O1-S1-N1	6.43	118.47	107.26
2	B	701	2EU	O2-S1-O1	-5.99	111.09	119.69
2	B	701	2EU	C6-N1-C5	-5.77	105.48	112.12
2	A	701	2EU	C11-N2-C10	4.92	122.64	111.57
2	A	701	2EU	C11-C6-N1	4.58	113.83	108.97
2	A	701	2EU	C10-C5-N1	4.53	113.78	108.97
2	B	701	2EU	C6-N1-S1	-4.45	102.57	116.27
3	A	702	S6P	O6-P-O3P	4.28	118.00	106.44
2	A	701	2EU	C6-N1-C5	-4.02	107.50	112.12
2	B	701	2EU	C11-C6-N1	4.02	113.23	108.97
2	B	701	2EU	C13-C12-S2	-3.99	103.27	113.02
2	A	701	2EU	O2-S1-O1	-3.87	114.13	119.69
3	A	702	S6P	C5-C4-C3	-3.79	106.66	112.48
2	A	701	2EU	C13-C12-S2	-3.56	104.32	113.02
2	A	701	2EU	F4-C4-C1	-3.52	105.22	111.84
2	A	701	2EU	C6-N1-S1	-3.15	106.59	116.27
3	B	702	S6P	O1P-P-O6	3.14	114.85	106.67
2	A	701	2EU	F2-C3-C1	-3.12	105.97	111.84
3	A	702	S6P	O2-C2-C3	-2.76	102.78	109.25
2	B	701	2EU	C10-C5-N1	2.71	111.85	108.97
2	A	701	2EU	C6-C11-N2	2.64	116.34	110.78
2	B	701	2EU	C11-N2-C10	2.63	117.47	111.57
2	A	701	2EU	O1-S1-N1	2.55	111.71	107.26
3	B	702	S6P	O5-C5-C4	-2.44	103.55	109.25
2	B	701	2EU	F4-C4-C1	-2.37	107.39	111.84
3	A	702	S6P	O2-C2-C1	-2.36	103.65	109.03
2	B	701	2EU	F2-C3-C1	-2.36	107.40	111.84
3	A	702	S6P	C2-C3-C4	2.33	116.06	112.48
5	A	714	GOL	O1-C1-C2	-2.32	99.92	110.38
3	A	702	S6P	O5-C5-C4	-2.26	103.96	109.25
2	A	701	2EU	O2-S1-C2	-2.14	103.60	107.30
2	A	701	2EU	F3-C3-C1	-2.09	107.90	111.84
2	B	701	2EU	C9-C13-C12	2.04	120.61	113.43

There are no chirality outliers.

All (9) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	A	714	GOL	C1-C2-C3-O3
5	A	714	GOL	O2-C2-C3-O3
3	B	702	S6P	O1-C1-C2-O2
5	A	714	GOL	O1-C1-C2-O2
2	B	701	2EU	C5-N1-S1-C2
3	A	702	S6P	O1-C1-C2-C3
3	B	702	S6P	C6-O6-P-O3P
3	A	702	S6P	O1-C1-C2-O2
3	A	702	S6P	C1-C2-C3-C4


There are no ring outliers.

2 monomers are involved in 2 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	714	GOL	1	0
2	A	701	2EU	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


Ligand S6P B 702




Ligand 2EU B 701



Ligand 2EU A 701



Ligand S6P A 702



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	585/636 (91%)	0.47	38 (6%)	25 22	39, 65, 109, 154	0
1	B	590/636 (92%)	0.12	12 (2%)	65 61	39, 60, 91, 134	0
All	All	1175/1272 (92%)	0.30	50 (4%)	40 35	39, 62, 103, 154	0

All (50) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	387	PHE	4.9
1	B	465	PHE	4.6
1	A	452	LEU	4.5
1	B	366	GLY	4.4
1	A	449	LEU	3.9
1	A	464	LEU	3.7
1	A	447	ILE	3.6
1	A	445	LEU	3.4
1	A	448	PRO	3.4
1	A	385	PHE	3.2
1	A	410	PHE	3.2
1	A	363	PHE	3.2
1	B	447	ILE	3.1
1	A	365	ILE	3.1
1	B	381	GLN	3.0
1	B	339	GLY	3.0
1	A	357	PHE	3.0
1	A	465	PHE	2.8
1	A	450	LYS	2.8
1	B	21	LEU	2.7
1	A	446	PRO	2.7
1	A	437	ALA	2.7
1	A	358	ARG	2.7
1	A	463	LEU	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	403	ILE	2.6
1	A	65	GLY	2.5
1	A	393	LEU	2.5
1	B	450	LYS	2.5
1	B	69	SER	2.5
1	A	430	THR	2.4
1	A	454	PRO	2.4
1	A	362	GLY	2.4
1	A	386	THR	2.3
1	A	429	LYS	2.3
1	A	283	GLN	2.3
1	A	408	PHE	2.3
1	B	446	PRO	2.2
1	A	460	THR	2.2
1	A	468	TYR	2.2
1	A	436	LEU	2.2
1	B	357	PHE	2.2
1	A	337	THR	2.1
1	A	457	ILE	2.1
1	A	435	ALA	2.0
1	A	397	LEU	2.0
1	A	458	SER	2.0
1	B	596	SER	2.0
1	A	287	ALA	2.0
1	B	235	LYS	2.0
1	A	282	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	IOD	A	713	1/1	0.78	0.23	98,98,98,98	1
4	IOD	A	710	1/1	0.85	0.16	96,96,96,96	1
5	GOL	A	714	6/6	0.85	0.12	59,60,61,62	0
6	SO4	B	715	5/5	0.86	0.10	89,93,99,108	0
6	SO4	B	716	5/5	0.86	0.09	91,93,99,117	0
4	IOD	B	711	1/1	0.88	0.10	111,111,111,111	1
4	IOD	B	710	1/1	0.90	0.09	113,113,113,113	1
4	IOD	B	714	1/1	0.91	0.09	91,91,91,91	1
4	IOD	B	712	1/1	0.91	0.15	90,90,90,90	1
4	IOD	A	708	1/1	0.92	0.13	102,102,102,102	1
4	IOD	A	703	1/1	0.92	0.09	105,105,105,105	0
4	IOD	A	711	1/1	0.92	0.07	94,94,94,94	1
4	IOD	A	712	1/1	0.92	0.13	94,94,94,94	1
4	IOD	A	706	1/1	0.93	0.13	106,106,106,106	0
4	IOD	B	713	1/1	0.93	0.08	89,89,89,89	1
4	IOD	A	709	1/1	0.93	0.08	96,96,96,96	1
4	IOD	B	709	1/1	0.94	0.16	117,117,117,117	1
4	IOD	B	707	1/1	0.95	0.11	99,99,99,99	0
4	IOD	A	707	1/1	0.96	0.10	97,97,97,97	1
4	IOD	B	703	1/1	0.96	0.08	85,85,85,85	0
2	2EU	B	701	30/30	0.97	0.07	35,49,60,74	0
2	2EU	A	701	30/30	0.97	0.07	40,51,60,73	0
4	IOD	B	708	1/1	0.97	0.15	95,95,95,95	1
4	IOD	B	706	1/1	0.98	0.05	78,78,78,78	0
3	S6P	A	702	16/16	0.98	0.06	33,44,53,53	0
4	IOD	A	704	1/1	0.98	0.05	79,79,79,79	0
4	IOD	A	705	1/1	0.98	0.08	70,70,70,70	1
3	S6P	B	702	16/16	0.98	0.05	35,40,47,47	0
4	IOD	B	705	1/1	0.98	0.08	75,75,75,75	1
4	IOD	B	704	1/1	1.00	0.04	71,71,71,71	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around 2EU B 701:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around 2EU A 701:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around S6P A 702:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around S6P B 702:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.