



wwPDB NMR Structure Validation Summary Report ⓘ

Mar 6, 2026 – 03:24 PM UTC

PDB ID : 2MU1 / pdb_00002mu1
BMRB ID : 25127
Title : NMR structure of the core domain of NP_346487.1, a putative phosphoglycolate phosphatase from *Streptococcus pneumoniae* TIGR4
Authors : Jaudzems, K.; Serrano, P.; Pedrini, B.; Geralt, M.; Wuthrich, K.; Joint Center for Structural Genomics (JCSG)
Deposited on : 2014-09-03

This is a wwPDB NMR Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/NMRValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
wwPDB-RCI : v_1n_11_5_13_A (Berjanski et al., 2005)
PANAV : Wang et al. (2010)
wwPDB-ShiftChecker : v1.2
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

SOLUTION NMR

The overall completeness of chemical shifts assignment is 77%.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	229148	14424
Ramachandran outliers	224038	12848
Sidechain outliers	223484	12823

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

Mol	Chain	Length	Quality of chain
1	A	208	55% 6% 5% 34%

2 Ensemble composition and analysis

This entry contains 20 models. Model 1 is the overall representative, medoid model (most similar to other models).

The following residues are included in the computation of the global validation metrics.

Well-defined (core) protein residues			
Well-defined core	Residue range (total)	Backbone RMSD (Å)	Medoid model
1	A:1-A:10, A:89-A:204 (126)	0.75	1

Ill-defined regions of proteins are excluded from the global statistics.

Ligands and non-protein polymers are included in the analysis.

The models can be grouped into 2 clusters and 6 single-model clusters were found.

Cluster number	Models
1	1, 4, 5, 9, 10, 12, 13, 14, 15, 18, 19, 20
2	3, 17
Single-model clusters	2; 6; 7; 8; 11; 16

3 Entry composition [i](#)

There is only 1 type of molecule in this entry. The entry contains 2146 atoms, of which 1050 are hydrogens and 0 are deuteriums.

- Molecule 1 is a protein called Hydrolase, haloacid dehalogenase-like family.

Mol	Chain	Residues	Atoms						Trace
1	A	137	Total	C	H	N	O	S	0
			2146	697	1050	181	216	2	

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-2	GLY	-	expression tag	UNP Q97NG6
A	-1	HIS	-	expression tag	UNP Q97NG6

5 Refinement protocol and experimental data overview

The models were refined using the following method: *torsion angle dynamics, simulated annealing*.

Of the 100 calculated structures, 20 were deposited, based on the following criterion: *target function*.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
CYANA	structure solution	3.0
OPAL	refinement	
UNIO-ATNOS/CANDID	structure solution	
CYANA	refinement	3.0

The following table shows chemical shift validation statistics as aggregates over all chemical shift files. Detailed validation can be found in section 7 of this report.

Chemical shift file(s)	working_cs.cif
Number of chemical shift lists	1
Total number of shifts	2213
Number of shifts mapped to atoms	1415
Number of unparsed shifts	0
Number of shifts with mapping errors	798
Number of shifts with mapping warnings	0
Assignment completeness (well-defined parts)	77%

6 Model quality i

6.1 Standard geometry i

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the (average) root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	#Z>5	RMSZ	#Z>5
1	A	0.66±0.02	0±0/1043 (0.0± 0.0%)	1.39±0.04	4±3/1415 (0.3± 0.2%)
All	All	0.66	0/20860 (0.0%)	1.39	76/28300 (0.3%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	Chirality	Planarity
1	A	0.0±0.0	1.4±1.1
All	All	0	29

There are no bond-length outliers.

5 of 49 unique angle outliers are listed below. They are sorted according to the Z-score of the worst occurrence in the ensemble.

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)	Models	
								Worst	Total
1	A	198	ASP	CA-CB-CG	8.98	121.58	112.60	11	5
1	A	181	ASN	CA-CB-CG	8.71	121.31	112.60	19	4
1	A	106	TYR	CA-C-N	8.00	136.82	121.54	16	1
1	A	106	TYR	C-N-CA	8.00	136.82	121.54	16	1
1	A	158	ASN	CA-CB-CG	7.16	119.76	112.60	2	6

There are no chirality outliers.

5 of 14 unique planar outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Group	Models (Total)
1	A	147	TYR	Sidechain	5
1	A	201	ARG	Sidechain	4
1	A	160	TYR	Sidechain	3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group	Models (Total)
1	A	192	ARG	Sidechain	3
1	A	125	TYR	Sidechain	3

6.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	A	1020	976	976	3±3
All	All	20400	19520	19520	59

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.

5 of 38 unique clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:93:LEU:HD23	1:A:125:TYR:CD2	0.81	2.09	20	7
1:A:1:MET:HE2	1:A:101:ILE:HD11	0.74	1.58	19	5
1:A:122:VAL:HG23	1:A:125:TYR:CD2	0.66	2.25	11	3
1:A:137:VAL:HG23	1:A:141:SER:HB2	0.62	1.71	1	1
1:A:167:LEU:HD12	1:A:171:PHE:CE1	0.62	2.30	2	1

6.3 Torsion angles [i](#)

6.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	126/208 (61%)	111±3 (88±3%)	12±3 (10±2%)	3±1 (2±1%)	8	49
All	All	2520/4160 (61%)	2222 (88%)	247 (10%)	51 (2%)	8	49

5 of 19 unique Ramachandran outliers are listed below. They are sorted by the frequency of

occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	3	LYS	10
1	A	2	GLN	8
1	A	137	VAL	5
1	A	10	LEU	4
1	A	162	ILE	3

6.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	109/181 (60%)	94±4 (86±4%)	15±4 (14±4%)	5	45
All	All	2180/3620 (60%)	1878 (86%)	302 (14%)	5	45

5 of 69 unique residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	167	LEU	16
1	A	123	GLU	15
1	A	183	LEU	13
1	A	2	GLN	12
1	A	10	LEU	11

6.3.3 RNA [i](#)

There are no RNA molecules in this entry.

6.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.6 Ligand geometry [i](#)

There are no ligands in this entry.

6.7 Other polymers [i](#)

There are no such molecules in this entry.

6.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

7 Chemical shift validation

The completeness of assignment taking into account all chemical shift lists is 77% for the well-defined parts and 76% for the entire structure.

7.1 Chemical shift list 1

File name: working_cs.cif

Chemical shift list name: *assigned_chem_shift_list_1*

7.1.1 Bookkeeping

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	2213
Number of shifts mapped to atoms	1415
Number of unparsed shifts	0
Number of shifts with mapping errors	798
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	7

The following assigned chemical shifts were not mapped to the molecules present in the coordinate file.

- No matching atom found in the structure. First 5 (of 798) occurrences are reported below.

List ID	Chain	Res	Type	Atom	Shift Data		
					Value	Uncertainty	Ambiguity
1	A	14	LEU	HA	4.319	0.020	1
1	A	14	LEU	HB2	0.968	0.020	2
1	A	14	LEU	HB3	1.591	0.020	2
1	A	14	LEU	HD11	0.133	0.020	1
1	A	14	LEU	HD12	0.133	0.020	1
1	A	14	LEU	HD13	0.133	0.020	1
1	A	14	LEU	HD21	-0.142	0.020	1
1	A	14	LEU	HD22	-0.142	0.020	1
1	A	14	LEU	HD23	-0.142	0.020	1
1	A	14	LEU	HG	1.562	0.020	1
1	A	14	LEU	CA	55.551	0.3	1
1	A	14	LEU	CB	45.022	0.3	1
1	A	14	LEU	CD1	25.061	0.3	1
1	A	14	LEU	CD2	22.897	0.3	1

Continued on next page...

Continued from previous page...

List ID	Chain	Res	Type	Atom	Shift Data		
					Value	Uncertainty	Ambiguity
1	A	14	LEU	CG	26.685	0.3	1
1	A	14	LEU	N	115.127	0.3	1
1	A	15	LEU	HA	4.555	0.020	1
1	A	15	LEU	HB2	1.14	0.020	2
1	A	15	LEU	HB3	1.677	0.020	2
1	A	15	LEU	HD11	0.609	0.020	1
1	A	15	LEU	HD12	0.609	0.020	1
1	A	15	LEU	HD13	0.609	0.020	1
1	A	15	LEU	HD21	0.417	0.020	1
1	A	15	LEU	HD22	0.417	0.020	1
1	A	15	LEU	HD23	0.417	0.020	1
1	A	15	LEU	HG	1.286	0.020	1
1	A	15	LEU	CA	52.747	0.3	1
1	A	15	LEU	CB	43.387	0.3	1
1	A	15	LEU	CD1	25.632	0.3	1
1	A	15	LEU	CD2	22.292	0.3	1
1	A	15	LEU	CG	26.188	0.3	1
1	A	15	LEU	N	114.497	0.3	1
1	A	16	ASP	HA	4.981	0.020	1
1	A	16	ASP	HB2	2.275	0.020	2
1	A	16	ASP	HB3	2.916	0.020	2
1	A	16	ASP	CA	52.322	0.3	1
1	A	16	ASP	CB	39.475	0.3	1
1	A	16	ASP	N	124.003	0.3	1
1	A	17	SER	HA	4.745	0.020	1
1	A	17	SER	HB2	3.337	0.020	2
1	A	17	SER	HB3	3.926	0.020	2
1	A	17	SER	CA	57.39	0.3	1
1	A	17	SER	CB	63.756	0.3	1
1	A	17	SER	N	114.347	0.3	1
1	A	18	TYR	HA	4.213	0.020	1
1	A	18	TYR	HB2	2.861	0.020	2
1	A	18	TYR	HB3	3.132	0.020	2
1	A	18	TYR	HD1	7.014	0.020	1
1	A	18	TYR	HD2	7.014	0.020	1
1	A	18	TYR	HE1	6.614	0.020	1
1	A	18	TYR	HE2	6.614	0.020	1
1	A	18	TYR	CA	63.037	0.3	1
1	A	18	TYR	CB	36.913	0.3	1
1	A	18	TYR	CD1	131.783	0.3	1
1	A	18	TYR	CE1	118.09	0.3	1

Continued on next page...

Continued from previous page...

List ID	Chain	Res	Type	Atom	Shift Data		
					Value	Uncertainty	Ambiguity
1	A	18	TYR	N	122.052	0.3	1
1	A	19	GLU	HA	4.022	0.020	1
1	A	19	GLU	HB2	1.953	0.020	2
1	A	19	GLU	HB3	1.993	0.020	2
1	A	19	GLU	HG2	2.261	0.020	1
1	A	19	GLU	HG3	2.261	0.020	1
1	A	19	GLU	CA	59.617	0.3	1
1	A	19	GLU	CB	28.225	0.3	1
1	A	19	GLU	CG	35.997	0.3	1
1	A	19	GLU	N	118.11	0.3	1
1	A	20	ALA	HA	3.855	0.020	1
1	A	20	ALA	HB1	1.344	0.020	1
1	A	20	ALA	HB2	1.344	0.020	1
1	A	20	ALA	HB3	1.344	0.020	1
1	A	20	ALA	CA	55.197	0.3	1
1	A	20	ALA	CB	18.324	0.3	1
1	A	20	ALA	N	123.891	0.3	1
1	A	21	ILE	HA	3.585	0.020	1
1	A	21	ILE	HB	1.838	0.020	1
1	A	21	ILE	HD11	0.506	0.020	1
1	A	21	ILE	HD12	0.506	0.020	1
1	A	21	ILE	HD13	0.506	0.020	1
1	A	21	ILE	HG12	0.929	0.020	2
1	A	21	ILE	HG13	1.577	0.020	2
1	A	21	ILE	HG21	0.777	0.020	1
1	A	21	ILE	HG22	0.777	0.020	1
1	A	21	ILE	HG23	0.777	0.020	1
1	A	21	ILE	CA	64.297	0.3	1
1	A	21	ILE	CB	38.337	0.3	1
1	A	21	ILE	CD1	12.801	0.3	1
1	A	21	ILE	CG1	28.722	0.3	1
1	A	21	ILE	CG2	16.855	0.3	1
1	A	21	ILE	N	119.273	0.3	1
1	A	22	LEU	HA	3.875	0.020	1
1	A	22	LEU	HB2	1.653	0.020	2
1	A	22	LEU	HB3	1.922	0.020	2
1	A	22	LEU	HD11	0.739	0.020	1
1	A	22	LEU	HD12	0.739	0.020	1
1	A	22	LEU	HD13	0.739	0.020	1
1	A	22	LEU	HD21	0.788	0.020	1
1	A	22	LEU	HD22	0.788	0.020	1

Continued on next page...

Continued from previous page...

List ID	Chain	Res	Type	Atom	Shift Data		
					Value	Uncertainty	Ambiguity
1	A	22	LEU	HD23	0.788	0.020	1
1	A	22	LEU	HG	1.818	0.020	1
1	A	22	LEU	CA	58.47	0.3	1
1	A	22	LEU	CB	39.871	0.3	1
1	A	22	LEU	CD1	25.955	0.3	1
1	A	22	LEU	CD2	23.469	0.3	1
1	A	22	LEU	CG	27.264	0.3	1
1	A	22	LEU	N	121.307	0.3	1
1	A	23	SER	HA	4.085	0.020	1
1	A	23	SER	HB2	3.678	0.020	2
1	A	23	SER	HB3	3.894	0.020	2
1	A	23	SER	CA	62.551	0.3	1
1	A	23	SER	CB	62.334	0.3	1
1	A	23	SER	N	116.237	0.3	1
1	A	24	GLY	HA2	4.08	0.020	1
1	A	24	GLY	CA	46.744	0.3	1
1	A	24	GLY	N	109.813	0.3	1
1	A	25	ILE	HA	3.208	0.020	1
1	A	25	ILE	HB	1.867	0.020	1
1	A	25	ILE	HD11	0.714	0.020	1
1	A	25	ILE	HD12	0.714	0.020	1
1	A	25	ILE	HD13	0.714	0.020	1
1	A	25	ILE	HG12	0.712	0.020	2
1	A	25	ILE	HG13	1.674	0.020	2
1	A	25	ILE	HG21	0.073	0.020	1
1	A	25	ILE	HG22	0.073	0.020	1
1	A	25	ILE	HG23	0.073	0.020	1
1	A	25	ILE	CA	65.163	0.3	1
1	A	25	ILE	CB	36.781	0.3	1
1	A	25	ILE	CD1	13.811	0.3	1
1	A	25	ILE	CG1	28.766	0.3	1
1	A	25	ILE	CG2	17.304	0.3	1
1	A	25	ILE	N	125.721	0.3	1
1	A	26	GLU	HA	2.424	0.020	1
1	A	26	GLU	HB2	1.054	0.020	2
1	A	26	GLU	HB3	1.743	0.020	2
1	A	26	GLU	HG2	1.423	0.020	2
1	A	26	GLU	HG3	1.658	0.020	2
1	A	26	GLU	CA	59.967	0.3	1
1	A	26	GLU	CB	28.857	0.3	1
1	A	26	GLU	CG	35.25	0.3	1

Continued on next page...

Continued from previous page...

List ID	Chain	Res	Type	Atom	Shift Data		
					Value	Uncertainty	Ambiguity
1	A	26	GLU	N	122.409	0.3	1
1	A	27	GLU	HA	3.916	0.020	1
1	A	27	GLU	HB2	1.97	0.020	2
1	A	27	GLU	HB3	2.01	0.020	2
1	A	27	GLU	HG2	2.277	0.020	1
1	A	27	GLU	HG3	2.277	0.020	1
1	A	27	GLU	CA	59.39	0.3	1
1	A	27	GLU	CB	29.837	0.3	1
1	A	27	GLU	CG	36.175	0.3	1
1	A	27	GLU	N	118.448	0.3	1
1	A	28	THR	HA	3.778	0.020	1
1	A	28	THR	HB	4.371	0.020	1
1	A	28	THR	HG21	1.272	0.020	1
1	A	28	THR	HG22	1.272	0.020	1
1	A	28	THR	HG23	1.272	0.020	1
1	A	28	THR	CA	67.418	0.3	1
1	A	28	THR	CB	68.057	0.3	1
1	A	28	THR	CG2	20.738	0.3	1
1	A	28	THR	N	117.81	0.3	1
1	A	29	PHE	HA	4.223	0.020	1
1	A	29	PHE	HB2	3.127	0.020	2
1	A	29	PHE	HB3	3.713	0.020	2
1	A	29	PHE	HD1	7.0	0.020	1
1	A	29	PHE	HD2	7.0	0.020	1
1	A	29	PHE	HE1	7.043	0.020	1
1	A	29	PHE	HE2	7.043	0.020	1
1	A	29	PHE	HZ	6.832	0.020	1
1	A	29	PHE	CA	59.329	0.3	1
1	A	29	PHE	CB	34.988	0.3	1
1	A	29	PHE	CD1	130.24	0.3	1
1	A	29	PHE	CE1	130.313	0.3	1
1	A	29	PHE	CZ	128.616	0.3	1
1	A	29	PHE	N	121.353	0.3	1
1	A	30	ALA	HA	4.19	0.020	1
1	A	30	ALA	HB1	1.475	0.020	1
1	A	30	ALA	HB2	1.475	0.020	1
1	A	30	ALA	HB3	1.475	0.020	1
1	A	30	ALA	CA	55.066	0.3	1
1	A	30	ALA	CB	17.523	0.3	1
1	A	30	ALA	N	121.612	0.3	1
1	A	31	GLN	HA	3.85	0.020	1

Continued on next page...

Continued from previous page...

List ID	Chain	Res	Type	Atom	Shift Data		
					Value	Uncertainty	Ambiguity
1	A	31	GLN	HB2	1.816	0.020	2
1	A	31	GLN	HB3	2.028	0.020	2
1	A	31	GLN	HE21	6.706	0.020	1
1	A	31	GLN	HE22	7.03	0.020	1
1	A	31	GLN	HG2	1.903	0.020	2
1	A	31	GLN	HG3	2.047	0.020	2
1	A	31	GLN	CA	58.169	0.3	1
1	A	31	GLN	CB	27.732	0.3	1
1	A	31	GLN	CG	33.621	0.3	1
1	A	31	GLN	N	117.11	0.3	1
1	A	31	GLN	NE2	111.661	0.3	1
1	A	32	PHE	HA	4.551	0.020	1
1	A	32	PHE	HB2	2.29	0.020	2
1	A	32	PHE	HB3	3.371	0.020	2
1	A	32	PHE	HD1	7.399	0.020	1
1	A	32	PHE	HD2	7.399	0.020	1
1	A	32	PHE	HE1	7.154	0.020	1
1	A	32	PHE	HE2	7.154	0.020	1
1	A	32	PHE	HZ	7.097	0.020	1
1	A	32	PHE	CA	57.54	0.3	1
1	A	32	PHE	CB	40.387	0.3	1
1	A	32	PHE	CD1	132.462	0.3	1
1	A	32	PHE	CE1	130.515	0.3	1
1	A	32	PHE	CZ	129.555	0.3	1
1	A	32	PHE	N	114.473	0.3	1
1	A	33	SER	HA	3.925	0.020	1
1	A	33	SER	HB2	3.974	0.020	1
1	A	33	SER	HB3	3.974	0.020	1
1	A	33	SER	CA	58.846	0.3	1
1	A	33	SER	CB	61.052	0.3	1
1	A	33	SER	N	113.652	0.3	1
1	A	34	ILE	HA	3.97	0.020	1
1	A	34	ILE	HB	1.01	0.020	1
1	A	34	ILE	HD11	0.209	0.020	1
1	A	34	ILE	HD12	0.209	0.020	1
1	A	34	ILE	HD13	0.209	0.020	1
1	A	34	ILE	HG12	0.395	0.020	2
1	A	34	ILE	HG13	1.388	0.020	2
1	A	34	ILE	HG21	0.002	0.020	1
1	A	34	ILE	HG22	0.002	0.020	1
1	A	34	ILE	HG23	0.002	0.020	1

Continued on next page...

Continued from previous page...

List ID	Chain	Res	Type	Atom	Shift Data		
					Value	Uncertainty	Ambiguity
1	A	34	ILE	CA	58.227	0.3	1
1	A	34	ILE	CB	39.02	0.3	1
1	A	34	ILE	CD1	13.617	0.3	1
1	A	34	ILE	CG1	27.189	0.3	1
1	A	34	ILE	CG2	16.486	0.3	1
1	A	34	ILE	N	122.257	0.3	1
1	A	35	PRO	HA	4.158	0.020	1
1	A	35	PRO	HB2	1.755	0.020	2
1	A	35	PRO	HB3	2.196	0.020	2
1	A	35	PRO	HD2	3.347	0.020	2
1	A	35	PRO	HD3	3.88	0.020	2
1	A	35	PRO	HG2	1.838	0.020	2
1	A	35	PRO	HG3	1.984	0.020	2
1	A	35	PRO	CA	63.986	0.3	1
1	A	35	PRO	CB	31.901	0.3	1
1	A	35	PRO	CD	50.761	0.3	1
1	A	35	PRO	CG	27.609	0.3	1
1	A	36	TYR	HA	4.652	0.020	1
1	A	36	TYR	HB2	3.012	0.020	1
1	A	36	TYR	HB3	3.012	0.020	1
1	A	36	TYR	HD1	6.779	0.020	1
1	A	36	TYR	HD2	6.779	0.020	1
1	A	36	TYR	HE1	6.341	0.020	1
1	A	36	TYR	HE2	6.341	0.020	1
1	A	36	TYR	CA	57.238	0.3	1
1	A	36	TYR	CB	41.453	0.3	1
1	A	36	TYR	CD1	132.834	0.3	1
1	A	36	TYR	CE1	118.787	0.3	1
1	A	36	TYR	N	125.28	0.3	1
1	A	37	ASP	HA	4.441	0.020	1
1	A	37	ASP	HB2	2.233	0.020	2
1	A	37	ASP	HB3	2.634	0.020	2
1	A	37	ASP	CA	51.992	0.3	1
1	A	37	ASP	CB	42.016	0.3	1
1	A	37	ASP	N	130.12	0.3	1
1	A	38	LYS	HA	3.144	0.020	1
1	A	38	LYS	HB2	1.595	0.020	2
1	A	38	LYS	HB3	1.72	0.020	2
1	A	38	LYS	HD2	1.645	0.020	2
1	A	38	LYS	HD3	1.726	0.020	2
1	A	38	LYS	HE2	2.831	0.020	1

Continued on next page...

Continued from previous page...

List ID	Chain	Res	Type	Atom	Shift Data		
					Value	Uncertainty	Ambiguity
1	A	38	LYS	HE3	2.831	0.020	1
1	A	38	LYS	HG2	1.448	0.020	2
1	A	38	LYS	HG3	1.102	0.020	2
1	A	38	LYS	CA	60.355	0.3	1
1	A	38	LYS	CB	33.554	0.3	1
1	A	38	LYS	CD	29.996	0.3	1
1	A	38	LYS	CE	42.284	0.3	1
1	A	38	LYS	CG	24.98	0.3	1
1	A	38	LYS	N	125.978	0.3	1
1	A	39	GLU	HA	3.944	0.020	1
1	A	39	GLU	HB2	1.894	0.020	2
1	A	39	GLU	HB3	1.949	0.020	2
1	A	39	GLU	HG2	2.187	0.020	2
1	A	39	GLU	HG3	2.269	0.020	2
1	A	39	GLU	CA	58.622	0.3	1
1	A	39	GLU	CB	28.674	0.3	1
1	A	39	GLU	CG	36.011	0.3	1
1	A	39	GLU	N	114.411	0.3	1
1	A	40	LYS	HA	4.037	0.020	1
1	A	40	LYS	HB2	1.738	0.020	1
1	A	40	LYS	HB3	1.738	0.020	1
1	A	40	LYS	HD2	1.516	0.020	2
1	A	40	LYS	HD3	1.599	0.020	2
1	A	40	LYS	HE2	2.895	0.020	1
1	A	40	LYS	HE3	2.895	0.020	1
1	A	40	LYS	HG2	1.292	0.020	2
1	A	40	LYS	HG3	1.432	0.020	2
1	A	40	LYS	CA	58.647	0.3	1
1	A	40	LYS	CB	32.272	0.3	1
1	A	40	LYS	CD	28.695	0.3	1
1	A	40	LYS	CE	41.945	0.3	1
1	A	40	LYS	CG	25.169	0.3	1
1	A	40	LYS	N	120.252	0.3	1
1	A	41	VAL	HA	3.477	0.020	1
1	A	41	VAL	HB	1.823	0.020	1
1	A	41	VAL	HG11	0.813	0.020	1
1	A	41	VAL	HG12	0.813	0.020	1
1	A	41	VAL	HG13	0.813	0.020	1
1	A	41	VAL	HG21	0.87	0.020	1
1	A	41	VAL	HG22	0.87	0.020	1
1	A	41	VAL	HG23	0.87	0.020	1

Continued on next page...

Continued from previous page...

List ID	Chain	Res	Type	Atom	Shift Data		
					Value	Uncertainty	Ambiguity
1	A	41	VAL	CA	67.209	0.3	1
1	A	41	VAL	CB	30.955	0.3	1
1	A	41	VAL	CG1	22.726	0.3	1
1	A	41	VAL	CG2	23.432	0.3	1
1	A	41	VAL	N	122.149	0.3	1
1	A	42	ARG	HA	3.528	0.020	1
1	A	42	ARG	HB2	1.687	0.020	2
1	A	42	ARG	HB3	1.769	0.020	2
1	A	42	ARG	HD2	2.915	0.020	2
1	A	42	ARG	HD3	3.021	0.020	2
1	A	42	ARG	HE	7.748	0.020	1
1	A	42	ARG	HG2	1.069	0.020	2
1	A	42	ARG	HG3	1.179	0.020	2
1	A	42	ARG	CA	60.002	0.3	1
1	A	42	ARG	CB	29.92	0.3	1
1	A	42	ARG	CD	43.0	0.3	1
1	A	42	ARG	CG	26.733	0.3	1
1	A	42	ARG	N	120.182	0.3	1
1	A	42	ARG	NE	83.246	0.3	1
1	A	43	GLU	HA	3.85	0.020	1
1	A	43	GLU	HB2	2.028	0.020	1
1	A	43	GLU	HB3	2.028	0.020	1
1	A	43	GLU	HG2	2.158	0.020	2
1	A	43	GLU	HG3	2.336	0.020	2
1	A	43	GLU	CA	59.047	0.3	1
1	A	43	GLU	CB	29.688	0.3	1
1	A	43	GLU	CG	36.12	0.3	1
1	A	43	GLU	N	115.453	0.3	1
1	A	44	PHE	HA	4.131	0.020	1
1	A	44	PHE	HB2	3.213	0.020	2
1	A	44	PHE	HB3	3.322	0.020	2
1	A	44	PHE	HD1	7.185	0.020	1
1	A	44	PHE	HD2	7.185	0.020	1
1	A	44	PHE	HE1	7.186	0.020	1
1	A	44	PHE	HE2	7.186	0.020	1
1	A	44	PHE	HZ	6.833	0.020	1
1	A	44	PHE	CA	62.113	0.3	1
1	A	44	PHE	CB	39.815	0.3	1
1	A	44	PHE	CD1	132.34	0.3	1
1	A	44	PHE	CE1	131.247	0.3	1
1	A	44	PHE	CZ	129.394	0.3	1

Continued on next page...

Continued from previous page...

List ID	Chain	Res	Type	Atom	Shift Data		
					Value	Uncertainty	Ambiguity
1	A	44	PHE	N	119.694	0.3	1
1	A	45	ILE	HA	3.892	0.020	1
1	A	45	ILE	HB	1.964	0.020	1
1	A	45	ILE	HD11	0.687	0.020	1
1	A	45	ILE	HD12	0.687	0.020	1
1	A	45	ILE	HD13	0.687	0.020	1
1	A	45	ILE	HG12	1.387	0.020	2
1	A	45	ILE	HG13	1.511	0.020	2
1	A	45	ILE	HG21	1.023	0.020	1
1	A	45	ILE	HG22	1.023	0.020	1
1	A	45	ILE	HG23	1.023	0.020	1
1	A	45	ILE	CA	64.764	0.3	1
1	A	45	ILE	CB	37.783	0.3	1
1	A	45	ILE	CD1	14.398	0.3	1
1	A	45	ILE	CG1	26.165	0.3	1
1	A	45	ILE	CG2	19.028	0.3	1
1	A	45	ILE	N	113.389	0.3	1
1	A	46	PHE	HA	4.249	0.020	1
1	A	46	PHE	HB2	2.954	0.020	2
1	A	46	PHE	HB3	3.028	0.020	2
1	A	46	PHE	HD1	7.012	0.020	1
1	A	46	PHE	HD2	7.012	0.020	1
1	A	46	PHE	HE1	6.841	0.020	1
1	A	46	PHE	HE2	6.841	0.020	1
1	A	46	PHE	CA	59.203	0.3	1
1	A	46	PHE	CB	38.529	0.3	1
1	A	46	PHE	CD1	130.658	0.3	1
1	A	46	PHE	CE1	130.717	0.3	1
1	A	46	PHE	N	119.349	0.3	1
1	A	47	LYS	HA	3.793	0.020	1
1	A	47	LYS	HB2	0.972	0.020	2
1	A	47	LYS	HB3	1.32	0.020	2
1	A	47	LYS	HD2	1.332	0.020	2
1	A	47	LYS	HD3	1.373	0.020	2
1	A	47	LYS	HE2	2.731	0.020	2
1	A	47	LYS	HE3	2.752	0.020	2
1	A	47	LYS	HG2	0.505	0.020	2
1	A	47	LYS	HG3	0.979	0.020	2
1	A	47	LYS	CA	58.171	0.3	1
1	A	47	LYS	CB	33.615	0.3	1
1	A	47	LYS	CD	29.185	0.3	1

Continued on next page...

Continued from previous page...

List ID	Chain	Res	Type	Atom	Shift Data		
					Value	Uncertainty	Ambiguity
1	A	47	LYS	CE	41.849	0.3	1
1	A	47	LYS	CG	24.907	0.3	1
1	A	47	LYS	N	119.458	0.3	1
1	A	48	TYR	HA	4.64	0.020	1
1	A	48	TYR	HB2	2.291	0.020	2
1	A	48	TYR	HB3	3.139	0.020	2
1	A	48	TYR	HD1	6.264	0.020	1
1	A	48	TYR	HD2	6.264	0.020	1
1	A	48	TYR	HE1	6.49	0.020	1
1	A	48	TYR	HE2	6.49	0.020	1
1	A	48	TYR	CA	56.263	0.3	1
1	A	48	TYR	CB	36.947	0.3	1
1	A	48	TYR	CD1	133.681	0.3	1
1	A	48	TYR	CE1	117.165	0.3	1
1	A	48	TYR	N	119.211	0.3	1
1	A	49	SER	HA	4.79	0.020	1
1	A	49	SER	HB2	4.281	0.020	2
1	A	49	SER	HB3	4.366	0.020	2
1	A	49	SER	CA	57.955	0.3	1
1	A	49	SER	CB	65.271	0.3	1
1	A	49	SER	N	110.613	0.3	1
1	A	50	VAL	HA	3.689	0.020	1
1	A	50	VAL	HB	2.187	0.020	1
1	A	50	VAL	HG11	0.804	0.020	1
1	A	50	VAL	HG12	0.804	0.020	1
1	A	50	VAL	HG13	0.804	0.020	1
1	A	50	VAL	HG21	1.08	0.020	1
1	A	50	VAL	HG22	1.08	0.020	1
1	A	50	VAL	HG23	1.08	0.020	1
1	A	50	VAL	CA	66.71	0.3	1
1	A	50	VAL	CB	31.236	0.3	1
1	A	50	VAL	CG1	20.952	0.3	1
1	A	50	VAL	CG2	23.451	0.3	1
1	A	51	GLN	HA	3.907	0.020	1
1	A	51	GLN	HB2	1.857	0.020	2
1	A	51	GLN	HB3	2.061	0.020	2
1	A	51	GLN	HE21	6.916	0.020	1
1	A	51	GLN	HE22	7.288	0.020	1
1	A	51	GLN	HG2	2.243	0.020	2
1	A	51	GLN	HG3	2.316	0.020	2
1	A	51	GLN	CA	59.509	0.3	1

Continued on next page...

Continued from previous page...

List ID	Chain	Res	Type	Atom	Shift Data		
					Value	Uncertainty	Ambiguity
1	A	51	GLN	CB	27.36	0.3	1
1	A	51	GLN	CG	33.219	0.3	1
1	A	51	GLN	N	120.02	0.3	1
1	A	51	GLN	NE2	111.077	0.3	1
1	A	52	ASP	HA	4.307	0.020	1
1	A	52	ASP	HB2	2.704	0.020	2
1	A	52	ASP	HB3	2.785	0.020	2
1	A	52	ASP	CA	57.493	0.3	1
1	A	52	ASP	CB	40.877	0.3	1
1	A	52	ASP	N	116.384	0.3	1
1	A	53	LEU	HA	3.636	0.020	1
1	A	53	LEU	HB2	1.569	0.020	2
1	A	53	LEU	HB3	2.329	0.020	2
1	A	53	LEU	HD11	0.428	0.020	1
1	A	53	LEU	HD12	0.428	0.020	1
1	A	53	LEU	HD13	0.428	0.020	1
1	A	53	LEU	HD21	0.91	0.020	1
1	A	53	LEU	HD22	0.91	0.020	1
1	A	53	LEU	HD23	0.91	0.020	1
1	A	53	LEU	HG	1.447	0.020	1
1	A	53	LEU	CA	57.677	0.3	1
1	A	53	LEU	CB	40.864	0.3	1
1	A	53	LEU	CD1	21.883	0.3	1
1	A	53	LEU	CD2	28.201	0.3	1
1	A	53	LEU	CG	27.139	0.3	1
1	A	53	LEU	N	121.833	0.3	1
1	A	54	LEU	HA	3.877	0.020	1
1	A	54	LEU	HB2	1.221	0.020	2
1	A	54	LEU	HB3	1.836	0.020	2
1	A	54	LEU	HD11	0.749	0.020	1
1	A	54	LEU	HD12	0.749	0.020	1
1	A	54	LEU	HD13	0.749	0.020	1
1	A	54	LEU	HD21	0.77	0.020	1
1	A	54	LEU	HD22	0.77	0.020	1
1	A	54	LEU	HD23	0.77	0.020	1
1	A	54	LEU	HG	1.925	0.020	1
1	A	54	LEU	CA	57.851	0.3	1
1	A	54	LEU	CB	40.004	0.3	1
1	A	54	LEU	CD1	22.014	0.3	1
1	A	54	LEU	CD2	25.576	0.3	1
1	A	54	LEU	CG	26.969	0.3	1

Continued on next page...

Continued from previous page...

List ID	Chain	Res	Type	Atom	Shift Data		
					Value	Uncertainty	Ambiguity
1	A	54	LEU	N	117.282	0.3	1
1	A	55	VAL	HA	3.436	0.020	1
1	A	55	VAL	HB	2.041	0.020	1
1	A	55	VAL	HG11	0.853	0.020	1
1	A	55	VAL	HG12	0.853	0.020	1
1	A	55	VAL	HG13	0.853	0.020	1
1	A	55	VAL	HG21	1.037	0.020	1
1	A	55	VAL	HG22	1.037	0.020	1
1	A	55	VAL	HG23	1.037	0.020	1
1	A	55	VAL	CA	66.618	0.3	1
1	A	55	VAL	CB	31.999	0.3	1
1	A	55	VAL	CG1	20.92	0.3	1
1	A	55	VAL	CG2	23.396	0.3	1
1	A	55	VAL	N	118.307	0.3	1
1	A	56	ARG	HA	3.982	0.020	1
1	A	56	ARG	HB2	1.847	0.020	1
1	A	56	ARG	HB3	1.847	0.020	1
1	A	56	ARG	HD2	3.07	0.020	1
1	A	56	ARG	HD3	3.07	0.020	1
1	A	56	ARG	HE	7.286	0.020	1
1	A	56	ARG	HG2	1.523	0.020	2
1	A	56	ARG	HG3	1.59	0.020	2
1	A	56	ARG	CA	58.609	0.3	1
1	A	56	ARG	CB	29.933	0.3	1
1	A	56	ARG	CD	43.096	0.3	1
1	A	56	ARG	CG	26.467	0.3	1
1	A	56	ARG	N	119.881	0.3	1
1	A	56	ARG	NE	85.31	0.3	1
1	A	57	VAL	HA	3.73	0.020	1
1	A	57	VAL	HB	1.78	0.020	1
1	A	57	VAL	HG11	0.797	0.020	1
1	A	57	VAL	HG12	0.797	0.020	1
1	A	57	VAL	HG13	0.797	0.020	1
1	A	57	VAL	HG21	0.591	0.020	1
1	A	57	VAL	HG22	0.591	0.020	1
1	A	57	VAL	HG23	0.591	0.020	1
1	A	57	VAL	CA	64.976	0.3	1
1	A	57	VAL	CB	31.216	0.3	1
1	A	57	VAL	CG1	21.228	0.3	1
1	A	57	VAL	CG2	21.535	0.3	1
1	A	57	VAL	N	115.815	0.3	1

Continued on next page...

Continued from previous page...

List ID	Chain	Res	Type	Atom	Shift Data		
					Value	Uncertainty	Ambiguity
1	A	58	ALA	HA	3.64	0.020	1
1	A	58	ALA	HB1	1.294	0.020	1
1	A	58	ALA	HB2	1.294	0.020	1
1	A	58	ALA	HB3	1.294	0.020	1
1	A	58	ALA	CA	55.345	0.3	1
1	A	58	ALA	CB	17.556	0.3	1
1	A	58	ALA	N	122.132	0.3	1
1	A	59	GLU	HA	4.004	0.020	1
1	A	59	GLU	HB2	1.983	0.020	2
1	A	59	GLU	HB3	2.105	0.020	2
1	A	59	GLU	HG2	2.182	0.020	2
1	A	59	GLU	HG3	2.364	0.020	2
1	A	59	GLU	CA	58.871	0.3	1
1	A	59	GLU	CB	29.244	0.3	1
1	A	59	GLU	CG	36.236	0.3	1
1	A	59	GLU	N	117.496	0.3	1
1	A	60	ASP	HA	4.298	0.020	1
1	A	60	ASP	HB2	2.54	0.020	2
1	A	60	ASP	HB3	2.649	0.020	2
1	A	60	ASP	CA	56.881	0.3	1
1	A	60	ASP	CB	41.121	0.3	1
1	A	60	ASP	N	118.807	0.3	1
1	A	61	ARG	HA	4.312	0.020	1
1	A	61	ARG	HB2	1.38	0.020	2
1	A	61	ARG	HB3	1.951	0.020	2
1	A	61	ARG	HD2	2.978	0.020	1
1	A	61	ARG	HD3	2.978	0.020	1
1	A	61	ARG	HE	7.525	0.020	1
1	A	61	ARG	HG2	1.447	0.020	2
1	A	61	ARG	HG3	1.523	0.020	2
1	A	61	ARG	CA	54.13	0.3	1
1	A	61	ARG	CB	29.993	0.3	1
1	A	61	ARG	CD	42.322	0.3	1
1	A	61	ARG	CG	27.372	0.3	1
1	A	61	ARG	N	114.261	0.3	1
1	A	61	ARG	NE	83.709	0.3	1
1	A	62	ASN	HA	4.329	0.020	1
1	A	62	ASN	HB2	2.659	0.020	2
1	A	62	ASN	HB3	3.023	0.020	2
1	A	62	ASN	HD21	7.41	0.020	1
1	A	62	ASN	HD22	6.704	0.020	1

Continued on next page...

Continued from previous page...

List ID	Chain	Res	Type	Atom	Shift Data		
					Value	Uncertainty	Ambiguity
1	A	62	ASN	CA	54.228	0.3	1
1	A	62	ASN	CB	36.795	0.3	1
1	A	62	ASN	N	117.542	0.3	1
1	A	62	ASN	ND2	111.835	0.3	1
1	A	63	LEU	HA	4.536	0.020	1
1	A	63	LEU	HB2	1.059	0.020	1
1	A	63	LEU	HB3	1.059	0.020	1
1	A	63	LEU	HD11	0.426	0.020	1
1	A	63	LEU	HD12	0.426	0.020	1
1	A	63	LEU	HD13	0.426	0.020	1
1	A	63	LEU	HD21	0.729	0.020	1
1	A	63	LEU	HD22	0.729	0.020	1
1	A	63	LEU	HD23	0.729	0.020	1
1	A	63	LEU	HG	1.336	0.020	1
1	A	63	LEU	CA	52.588	0.3	1
1	A	63	LEU	CB	45.196	0.3	1
1	A	63	LEU	CD1	26.101	0.3	1
1	A	63	LEU	CD2	22.582	0.3	1
1	A	63	LEU	CG	26.13	0.3	1
1	A	63	LEU	N	117.915	0.3	1
1	A	64	ASP	HA	4.585	0.020	1
1	A	64	ASP	HB2	2.46	0.020	2
1	A	64	ASP	HB3	2.715	0.020	2
1	A	64	ASP	CA	52.711	0.3	1
1	A	64	ASP	CB	41.699	0.3	1
1	A	64	ASP	N	120.276	0.3	1
1	A	65	VAL	HA	3.408	0.020	1
1	A	65	VAL	HB	1.922	0.020	1
1	A	65	VAL	HG11	0.85	0.020	1
1	A	65	VAL	HG12	0.85	0.020	1
1	A	65	VAL	HG13	0.85	0.020	1
1	A	65	VAL	HG21	0.833	0.020	1
1	A	65	VAL	HG22	0.833	0.020	1
1	A	65	VAL	HG23	0.833	0.020	1
1	A	65	VAL	CA	65.238	0.3	1
1	A	65	VAL	CB	31.564	0.3	1
1	A	65	VAL	CG1	19.812	0.3	1
1	A	65	VAL	CG2	22.669	0.3	1
1	A	65	VAL	N	128.221	0.3	1
1	A	66	GLU	HA	4.119	0.020	1
1	A	66	GLU	HB2	1.946	0.020	1

Continued on next page...

Continued from previous page...

List ID	Chain	Res	Type	Atom	Shift Data		
					Value	Uncertainty	Ambiguity
1	A	66	GLU	HB3	1.946	0.020	1
1	A	66	GLU	HG2	2.19	0.020	2
1	A	66	GLU	HG3	2.277	0.020	2
1	A	66	GLU	CA	58.74	0.3	1
1	A	66	GLU	CB	28.611	0.3	1
1	A	66	GLU	CG	35.864	0.3	1
1	A	66	GLU	N	120.317	0.3	1
1	A	67	VAL	HA	3.704	0.020	1
1	A	67	VAL	HB	2.189	0.020	1
1	A	67	VAL	HG11	0.976	0.020	1
1	A	67	VAL	HG12	0.976	0.020	1
1	A	67	VAL	HG13	0.976	0.020	1
1	A	67	VAL	HG21	0.991	0.020	1
1	A	67	VAL	HG22	0.991	0.020	1
1	A	67	VAL	HG23	0.991	0.020	1
1	A	67	VAL	CA	65.671	0.3	1
1	A	67	VAL	CB	31.416	0.3	1
1	A	67	VAL	CG1	22.266	0.3	1
1	A	67	VAL	CG2	21.17	0.3	1
1	A	67	VAL	N	120.128	0.3	1
1	A	68	LEU	HA	3.72	0.020	1
1	A	68	LEU	HB2	1.139	0.020	2
1	A	68	LEU	HB3	1.744	0.020	2
1	A	68	LEU	HD11	0.11	0.020	1
1	A	68	LEU	HD12	0.11	0.020	1
1	A	68	LEU	HD13	0.11	0.020	1
1	A	68	LEU	HD21	0.43	0.020	1
1	A	68	LEU	HD22	0.43	0.020	1
1	A	68	LEU	HD23	0.43	0.020	1
1	A	68	LEU	HG	1.204	0.020	1
1	A	68	LEU	CA	58.337	0.3	1
1	A	68	LEU	CB	41.701	0.3	1
1	A	68	LEU	CD1	23.427	0.3	1
1	A	68	LEU	CD2	26.214	0.3	1
1	A	68	LEU	CG	27.057	0.3	1
1	A	68	LEU	N	118.223	0.3	1
1	A	69	ASN	HA	4.258	0.020	1
1	A	69	ASN	HB2	2.669	0.020	2
1	A	69	ASN	HB3	2.763	0.020	2
1	A	69	ASN	HD21	7.363	0.020	1
1	A	69	ASN	HD22	6.928	0.020	1

Continued on next page...

Continued from previous page...

List ID	Chain	Res	Type	Atom	Shift Data		
					Value	Uncertainty	Ambiguity
1	A	69	ASN	CA	55.971	0.3	1
1	A	69	ASN	CB	38.425	0.3	1
1	A	69	ASN	N	115.822	0.3	1
1	A	69	ASN	ND2	112.222	0.3	1
1	A	70	GLN	HA	4.012	0.020	1
1	A	70	GLN	HB2	2.12	0.020	2
1	A	70	GLN	HB3	2.191	0.020	2
1	A	70	GLN	HE21	7.422	0.020	1
1	A	70	GLN	HE22	6.694	0.020	1
1	A	70	GLN	HG2	2.341	0.020	2
1	A	70	GLN	HG3	2.47	0.020	2
1	A	70	GLN	CA	58.849	0.3	1
1	A	70	GLN	CB	28.149	0.3	1
1	A	70	GLN	CG	33.612	0.3	1
1	A	70	GLN	N	121.411	0.3	1
1	A	70	GLN	NE2	111.273	0.3	1
1	A	71	VAL	HA	3.613	0.020	1
1	A	71	VAL	HB	2.227	0.020	1
1	A	71	VAL	HG11	1.033	0.020	1
1	A	71	VAL	HG12	1.033	0.020	1
1	A	71	VAL	HG13	1.033	0.020	1
1	A	71	VAL	HG21	1.21	0.020	1
1	A	71	VAL	HG22	1.21	0.020	1
1	A	71	VAL	HG23	1.21	0.020	1
1	A	71	VAL	CA	66.367	0.3	1
1	A	71	VAL	CB	31.585	0.3	1
1	A	71	VAL	CG1	22.339	0.3	1
1	A	71	VAL	CG2	23.375	0.3	1
1	A	71	VAL	N	120.434	0.3	1
1	A	72	ARG	HA	3.834	0.020	1
1	A	72	ARG	HB2	1.856	0.020	1
1	A	72	ARG	HB3	1.856	0.020	1
1	A	72	ARG	HD2	2.792	0.020	2
1	A	72	ARG	HD3	3.159	0.020	2
1	A	72	ARG	HE	7.627	0.020	1
1	A	72	ARG	HG2	1.322	0.020	2
1	A	72	ARG	HG3	1.42	0.020	2
1	A	72	ARG	CA	59.718	0.3	1
1	A	72	ARG	CB	30.068	0.3	1
1	A	72	ARG	CD	43.785	0.3	1
1	A	72	ARG	CG	27.894	0.3	1

Continued on next page...

Continued from previous page...

List ID	Chain	Res	Type	Atom	Shift Data		
					Value	Uncertainty	Ambiguity
1	A	72	ARG	N	122.174	0.3	1
1	A	72	ARG	NE	82.911	0.3	1
1	A	73	ALA	HA	3.953	0.020	1
1	A	73	ALA	HB1	1.445	0.020	1
1	A	73	ALA	HB2	1.445	0.020	1
1	A	73	ALA	HB3	1.445	0.020	1
1	A	73	ALA	CA	54.381	0.3	1
1	A	73	ALA	CB	18.135	0.3	1
1	A	73	ALA	N	120.614	0.3	1
1	A	74	GLN	HA	4.275	0.020	1
1	A	74	GLN	HB2	1.999	0.020	2
1	A	74	GLN	HB3	2.225	0.020	2
1	A	74	GLN	HE21	7.397	0.020	1
1	A	74	GLN	HE22	6.779	0.020	1
1	A	74	GLN	HG2	2.365	0.020	2
1	A	74	GLN	HG3	2.472	0.020	2
1	A	74	GLN	CA	54.842	0.3	1
1	A	74	GLN	CB	28.863	0.3	1
1	A	74	GLN	CG	33.596	0.3	1
1	A	74	GLN	N	114.424	0.3	1
1	A	74	GLN	NE2	111.725	0.3	1
1	A	75	SER	HA	4.222	0.020	1
1	A	75	SER	HB2	3.85	0.020	2
1	A	75	SER	HB3	4.109	0.020	2
1	A	75	SER	CA	58.931	0.3	1
1	A	75	SER	CB	63.641	0.3	1
1	A	75	SER	N	113.737	0.3	1
1	A	76	LEU	HA	4.049	0.020	1
1	A	76	LEU	HB2	1.482	0.020	2
1	A	76	LEU	HB3	1.744	0.020	2
1	A	76	LEU	HD11	0.793	0.020	1
1	A	76	LEU	HD12	0.793	0.020	1
1	A	76	LEU	HD13	0.793	0.020	1
1	A	76	LEU	HD21	0.848	0.020	1
1	A	76	LEU	HD22	0.848	0.020	1
1	A	76	LEU	HD23	0.848	0.020	1
1	A	76	LEU	HG	1.71	0.020	1
1	A	76	LEU	CA	56.992	0.3	1
1	A	76	LEU	CB	41.652	0.3	1
1	A	76	LEU	CD1	23.465	0.3	1
1	A	76	LEU	CD2	24.692	0.3	1

Continued on next page...

Continued from previous page...

List ID	Chain	Res	Type	Atom	Shift Data		
					Value	Uncertainty	Ambiguity
1	A	76	LEU	CG	26.844	0.3	1
1	A	76	LEU	N	132.236	0.3	1
1	A	77	ALA	HA	3.905	0.020	1
1	A	77	ALA	HB1	1.167	0.020	1
1	A	77	ALA	HB2	1.167	0.020	1
1	A	77	ALA	HB3	1.167	0.020	1
1	A	77	ALA	CA	54.677	0.3	1
1	A	77	ALA	CB	18.3	0.3	1
1	A	77	ALA	N	122.734	0.3	1
1	A	78	GLU	HA	3.849	0.020	1
1	A	78	GLU	HB2	1.775	0.020	1
1	A	78	GLU	HB3	1.775	0.020	1
1	A	78	GLU	HG2	1.913	0.020	2
1	A	78	GLU	HG3	1.964	0.020	2
1	A	78	GLU	CA	58.714	0.3	1
1	A	78	GLU	CB	29.12	0.3	1
1	A	78	GLU	CG	36.045	0.3	1
1	A	78	GLU	N	116.091	0.3	1
1	A	79	LYS	HA	3.94	0.020	1
1	A	79	LYS	HB2	1.776	0.020	2
1	A	79	LYS	HB3	1.81	0.020	2
1	A	79	LYS	HD2	1.557	0.020	1
1	A	79	LYS	HD3	1.557	0.020	1
1	A	79	LYS	HE2	2.868	0.020	1
1	A	79	LYS	HE3	2.868	0.020	1
1	A	79	LYS	HG2	1.357	0.020	2
1	A	79	LYS	HG3	1.43	0.020	2
1	A	79	LYS	CA	58.657	0.3	1
1	A	79	LYS	CB	32.541	0.3	1
1	A	79	LYS	CD	28.92	0.3	1
1	A	79	LYS	CE	41.98	0.3	1
1	A	79	LYS	CG	24.652	0.3	1
1	A	79	LYS	N	119.239	0.3	1
1	A	80	ASN	HA	4.577	0.020	1
1	A	80	ASN	HB2	2.63	0.020	2
1	A	80	ASN	HB3	2.793	0.020	2
1	A	80	ASN	HD21	7.438	0.020	1
1	A	80	ASN	HD22	6.814	0.020	1
1	A	80	ASN	CA	52.937	0.3	1
1	A	80	ASN	CB	38.585	0.3	1
1	A	80	ASN	N	114.534	0.3	1

Continued on next page...

Continued from previous page...

List ID	Chain	Res	Type	Atom	Shift Data		
					Value	Uncertainty	Ambiguity
1	A	80	ASN	ND2	111.676	0.3	1
1	A	81	ALA	HA	4.126	0.020	1
1	A	81	ALA	HB1	1.346	0.020	1
1	A	81	ALA	HB2	1.346	0.020	1
1	A	81	ALA	HB3	1.346	0.020	1
1	A	81	ALA	CA	52.384	0.3	1
1	A	81	ALA	CB	19.065	0.3	1
1	A	81	ALA	N	123.795	0.3	1
1	A	82	GLN	HA	4.246	0.020	1
1	A	82	GLN	HB2	1.898	0.020	2
1	A	82	GLN	HB3	1.938	0.020	2
1	A	82	GLN	HE21	6.766	0.020	1
1	A	82	GLN	HE22	7.421	0.020	1
1	A	82	GLN	HG2	2.191	0.020	2
1	A	82	GLN	HG3	2.248	0.020	2
1	A	82	GLN	CA	55.792	0.3	1
1	A	82	GLN	CB	28.931	0.3	1
1	A	82	GLN	CG	33.885	0.3	1
1	A	82	GLN	N	120.773	0.3	1
1	A	82	GLN	NE2	112.419	0.3	1
1	A	83	VAL	HA	4.179	0.020	1
1	A	83	VAL	HB	1.84	0.020	1
1	A	83	VAL	HG11	0.722	0.020	1
1	A	83	VAL	HG12	0.722	0.020	1
1	A	83	VAL	HG13	0.722	0.020	1
1	A	83	VAL	HG21	0.793	0.020	1
1	A	83	VAL	HG22	0.793	0.020	1
1	A	83	VAL	HG23	0.793	0.020	1
1	A	83	VAL	CA	61.998	0.3	1
1	A	83	VAL	CB	33.163	0.3	1
1	A	83	VAL	CG1	22.929	0.3	1
1	A	83	VAL	CG2	21.286	0.3	1
1	A	83	VAL	N	124.751	0.3	1
1	A	84	VAL	HA	4.637	0.020	1
1	A	84	VAL	HB	2.3	0.020	1
1	A	84	VAL	HG11	0.851	0.020	1
1	A	84	VAL	HG12	0.851	0.020	1
1	A	84	VAL	HG13	0.851	0.020	1
1	A	84	VAL	HG21	0.87	0.020	1
1	A	84	VAL	HG22	0.87	0.020	1
1	A	84	VAL	HG23	0.87	0.020	1

Continued on next page...

Continued from previous page...

List ID	Chain	Res	Type	Atom	Shift Data		
					Value	Uncertainty	Ambiguity
1	A	84	VAL	CA	58.712	0.3	1
1	A	84	VAL	CB	35.158	0.3	1
1	A	84	VAL	CG1	21.394	0.3	1
1	A	84	VAL	CG2	18.566	0.3	1
1	A	84	VAL	N	117.432	0.3	1

7.1.2 Chemical shift referencing [i](#)

The following table shows the suggested chemical shift referencing corrections.

Nucleus	# values	Correction $\pm$ precision, ppm	Suggested action
$^{13}\text{C}_\alpha$	205	-0.12 ± 0.12	None needed (< 0.5 ppm)
$^{13}\text{C}_\beta$	196	0.41 ± 0.11	None needed (< 0.5 ppm)
$^{13}\text{C}'$	0	—	None (insufficient data)
^{15}N	196	0.23 ± 0.47	None needed (< 0.5 ppm)

7.1.3 Completeness of resonance assignments [i](#)

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 77%, i.e. 1325 atoms were assigned a chemical shift out of a possible 1728. 0 out of 15 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	^1H	^{13}C	^{15}N
Backbone	367/633 (58%)	124/257 (48%)	123/252 (49%)	120/124 (97%)
Sidechain	830/914 (91%)	564/592 (95%)	246/287 (86%)	20/35 (57%)
Aromatic	128/181 (71%)	78/88 (89%)	48/89 (54%)	2/4 (50%)
Overall	1325/1728 (77%)	766/937 (82%)	417/628 (66%)	142/163 (87%)

7.1.4 Statistically unusual chemical shifts [i](#)

The following table lists the statistically unusual chemical shifts. These are statistical measures, and large deviations from the mean do not necessarily imply incorrect assignments. Molecules containing paramagnetic centres or hemes are expected to give rise to anomalous chemical shifts.

List Id	Chain	Res	Type	Atom	Shift, ppm	Expected range, ppm	Z-score
1	A	162	ILE	HD11	-1.47	-0.72 – 2.09	-7.7
1	A	162	ILE	HD12	-1.47	-0.72 – 2.09	-7.7
1	A	162	ILE	HD13	-1.47	-0.72 – 2.09	-7.7
1	A	151	LYS	HG2	-0.37	0.13 – 2.61	-7.0

Continued on next page...

Continued from previous page...

List Id	Chain	Res	Type	Atom	Shift, ppm	Expected range, ppm	Z-score
1	A	200	SER	HB2	2.12	2.61 – 5.13	-7.0
1	A	173	GLN	HB2	0.59	0.80 – 3.29	-5.9
1	A	93	LEU	HB2	-0.14	-0.07 – 3.30	-5.2

7.1.5 Random Coil Index (RCI) plots [i](#)

The image below reports *random coil index* values for the protein chains in the structure. The height of each bar gives a probability of a given residue to be disordered, as predicted from the available chemical shifts and the amino acid sequence. A value above 0.2 is an indication of significant predicted disorder. The colour of the bar shows whether the residue is in the well-defined core (black) or in the ill-defined residue ranges (cyan), as described in section 2 on ensemble composition. If well-defined core and ill-defined regions are not identified then it is shown as gray bars.

Random coil index (RCI) for chain A:

