



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 07:28 PM UTC

PDB ID : 4MUU / pdb_00004muu
Title : Structure of ThiT with pyrithiamine bound
Authors : Swier, L.J.Y.M.; Guskov, A.; Slotboom, D.J.
Deposited on : 2013-09-23
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6658 (2.10-2.10)
Clashscore	190562	7164 (2.10-2.10)
Ramachandran outliers	187476	7099 (2.10-2.10)
Sidechain outliers	187428	7100 (2.10-2.10)
RSRZ outliers	180081	6662 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	192	3% 72% 19% •• 7%
1	B	192	4% 76% 16% • 8%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	BNG	B	203	-	-	X	-
4	PEG	A	203	-	-	X	-
4	PEG	A	206	-	-	X	-
4	PEG	B	205	-	-	X	-
6	PG4	A	218	-	-	X	-
6	PG4	B	215	-	-	X	-
7	1PE	A	221	-	-	X	-
8	PGE	A	222	-	-	X	-
9	P6G	B	208	-	-	X	-
9	P6G	B	209	-	-	X	-
9	P6G	B	210	-	-	X	-

2 Entry composition

There are 11 unique types of molecules in this entry. The entry contains 3380 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Thiamine transporter ThiT.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	178	Total	C	N	O	S	0	0	0
			1382	948	215	216	3			
1	B	177	Total	C	N	O	S	0	1	0
			1381	948	214	216	3			

There are 20 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	1	MET	-	expression tag	UNP D8KFM5
A	2	HIS	-	expression tag	UNP D8KFM5
A	3	HIS	-	expression tag	UNP D8KFM5
A	4	HIS	-	expression tag	UNP D8KFM5
A	5	HIS	-	expression tag	UNP D8KFM5
A	6	HIS	-	expression tag	UNP D8KFM5
A	7	HIS	-	expression tag	UNP D8KFM5
A	8	HIS	-	expression tag	UNP D8KFM5
A	9	HIS	-	expression tag	UNP D8KFM5
A	10	ALA	-	expression tag	UNP D8KFM5
B	1	MET	-	expression tag	UNP D8KFM5
B	2	HIS	-	expression tag	UNP D8KFM5
B	3	HIS	-	expression tag	UNP D8KFM5
B	4	HIS	-	expression tag	UNP D8KFM5
B	5	HIS	-	expression tag	UNP D8KFM5
B	6	HIS	-	expression tag	UNP D8KFM5
B	7	HIS	-	expression tag	UNP D8KFM5
B	8	HIS	-	expression tag	UNP D8KFM5
B	9	HIS	-	expression tag	UNP D8KFM5
B	10	ALA	-	expression tag	UNP D8KFM5

- Molecule 2 is 1-[(4-AMINO-2-METHYLPYRIMIDIN-5-YL)METHYL]-3-(2-HYDROXYETHYL)-2-METHYLPYRIDINIUM (CCD ID: 218) (formula: C₁₄H₁₉N₄O).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			19	14	4	1		
2	B	1	Total	C	N	O	0	0
			19	14	4	1		

- Molecule 3 is nonyl beta-D-glucopyranoside (CCD ID: BNG) (formula: C₁₅H₃₀O₆).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			21	15	6		
3	B	1	Total	C	O	0	0
			21	15	6		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	B	1	Total	C	O	0	0
			21	15	6		

- Molecule 4 is DI(HYDROXYETHYL)ETHER (CCD ID: PEG) (formula: $C_4H_{10}O_3$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			7	4	3		
4	A	1	Total	C	O	0	0
			7	4	3		
4	A	1	Total	C	O	0	0
			7	4	3		
4	A	1	Total	C	O	0	0
			7	4	3		
4	A	1	Total	C	O	0	0
			7	4	3		
4	A	1	Total	C	O	0	0
			7	4	3		
4	B	1	Total	C	O	0	0
			7	4	3		
4	B	1	Total	C	O	0	0
			7	4	3		
4	B	1	Total	C	O	0	0
			7	4	3		

- Molecule 5 is 2-(2-METHOXYETHOXY)ETHANOL (CCD ID: PG0) (formula: C₅H₁₂O₃).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			8	5	3		
5	A	1	Total	C	O	0	0
			8	5	3		
5	A	1	Total	C	O	0	0
			8	5	3		
5	A	1	Total	C	O	0	0
			8	5	3		
5	A	1	Total	C	O	0	0
			8	5	3		
5	B	1	Total	C	O	0	0
			8	5	3		
5	B	1	Total	C	O	0	0
			8	5	3		

- Molecule 6 is TETRAETHYLENE GLYCOL (CCD ID: PG4) (formula: C₈H₁₈O₅).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			13	8	5		
6	A	1	Total	C	O	0	0
			13	8	5		
6	A	1	Total	C	O	0	0
			13	8	5		
6	A	1	Total	C	O	0	0
			13	8	5		
6	A	1	Total	C	O	0	0
			13	8	5		
6	B	1	Total	C	O	0	0
			13	8	5		
6	B	1	Total	C	O	0	0
			13	8	5		
6	B	1	Total	C	O	0	0
			13	8	5		

- Molecule 7 is PENTAETHYLENE GLYCOL (CCD ID: 1PE) (formula: C₁₀H₂₂O₆).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	A	1	Total	C	O	0	0
			16	10	6		

- Molecule 8 is TRIETHYLENE GLYCOL (CCD ID: PGE) (formula: $C_6H_{14}O_4$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	A	1	Total	C	O	0	0
			10	6	4		
8	B	1	Total	C	O	0	0
			10	6	4		
8	B	1	Total	C	O	0	0
			10	6	4		

- Molecule 9 is HEXAETHYLENE GLYCOL (CCD ID: P6G) (formula: C₁₂H₂₆O₇).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
9	B	1	Total	C	O	0	0
			19	12	7		
9	B	1	Total	C	O	0	0
			19	12	7		
9	B	1	Total	C	O	0	0
			19	12	7		
9	B	1	Total	C	O	0	0
			19	12	7		


- Molecule 10 is 3,6,9,12,15,18,21,24-OCTAOXAHEXACOSAN-1-OL (CCD ID: PE5) (formula: C₁₈H₃₈O₉).




3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Thiamine transporter ThiT



- Molecule 1: Thiamine transporter ThiT



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	61.56Å 84.59Å 127.26Å 90.00° 95.61° 90.00°	Depositor
Resolution (Å)	42.22 – 2.10 42.22 – 2.10	Depositor EDS
% Data completeness (in resolution range)	98.8 (42.22-2.10) 98.8 (42.22-2.10)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.93 (at 2.10Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.8.2_1309)	Depositor
R, R_{free}	0.194 , 0.236 0.201 , 0.237	Depositor DCC
R_{free} test set	1877 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	31.5	Xtriage
Anisotropy	0.304	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.29 , 57.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.41$, $\langle L^2 \rangle = 0.24$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	3380	wwPDB-VP
Average B, all atoms (Å ²)	38.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.92% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: 1PE, PG4, P6G, PG0, PE5, PGE, PEG, 218, BNG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.78	0/1421	0.93	3/1937 (0.2%)
1	B	0.76	0/1420	0.89	1/1937 (0.1%)
All	All	0.77	0/2841	0.91	4/3874 (0.1%)

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	98	ALA	CA-C-N	-6.20	112.62	119.19
1	A	98	ALA	C-N-CA	-6.20	112.62	119.19
1	A	47	VAL	CB-CA-C	5.77	118.49	110.99
1	B	17	ASN	N-CA-C	5.46	116.91	111.07

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1382	0	1473	51	0
1	B	1381	0	1470	39	0
2	A	19	0	19	2	0
2	B	19	0	19	0	0
3	A	21	0	30	4	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	42	0	60	15	0
4	A	49	0	63	13	0
4	B	21	0	27	7	0
5	A	48	0	72	14	0
5	B	16	0	24	1	0
6	A	65	0	90	18	0
6	B	52	0	72	15	0
7	A	16	0	22	22	0
8	A	10	0	14	7	0
8	B	20	0	28	0	0
9	B	76	0	104	35	0
10	B	27	0	38	6	0
11	A	61	0	0	4	0
11	B	55	0	0	3	0
All	All	3380	0	3625	149	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 22.

All (149) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:42:TYR:HA	6:B:216:PG4:H11	1.51	0.90
4:A:206:PEG:H32	4:A:207:PEG:H21	1.53	0.90
9:B:207:P6G:H22	6:B:213:PG4:H71	1.54	0.88
4:A:206:PEG:H42	4:B:204:PEG:H31	1.60	0.84
1:A:122:LEU:HD22	4:A:203:PEG:H42	1.60	0.83
1:A:152:GLY:H	6:A:217:PG4:H12	1.45	0.82
1:A:116:LYS:HG2	6:B:216:PG4:H71	1.60	0.81
3:A:202:BNG:H7'1	3:A:202:BNG:H3'1	1.63	0.80
1:B:42:TYR:CE2	4:B:205:PEG:H42	2.19	0.77
1:A:81:GLY:CA	6:A:218:PG4:H22	2.15	0.77
1:B:46:ILE:HD13	9:B:208:P6G:H22	1.67	0.76
1:A:46:ILE:HG21	7:A:221:1PE:H141	1.68	0.76
6:A:220:PG4:H22	9:B:210:P6G:H171	1.68	0.76
5:A:213:PG0:H31	3:B:203:BNG:H2'1	1.68	0.74
9:B:207:P6G:C2	6:B:213:PG4:H71	2.18	0.74
1:B:39:ASN:OD1	9:B:208:P6G:H31	1.88	0.73
10:B:217:PE5:H12	10:B:217:PE5:H61	1.72	0.72
1:B:19:ARG:HG2	5:B:212:PG0:H31	1.70	0.72
1:A:35:SER:HB2	7:A:221:1PE:H161	1.73	0.71

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
7:A:221:1PE:H131	8:A:222:PGE:H52	1.72	0.70
1:A:47:VAL:HG13	5:A:210:PG0:H41	1.72	0.69
1:B:117:LEU:H	6:B:215:PG4:H51	1.57	0.69
9:B:208:P6G:H92	9:B:209:P6G:C18	2.22	0.69
9:B:208:P6G:H151	11:B:312:HOH:O	1.91	0.69
1:A:84:TYR:CE2	7:A:221:1PE:H122	2.28	0.69
1:B:117:LEU:N	6:B:215:PG4:H51	2.07	0.69
7:A:221:1PE:H131	8:A:222:PGE:H12	1.75	0.68
1:B:126:VAL:CG1	3:B:202:BNG:H9'3	2.25	0.67
1:B:129[A]:LEU:HD21	3:B:203:BNG:H9'1	1.75	0.66
7:A:221:1PE:C13	8:A:222:PGE:H52	2.25	0.66
1:A:84:TYR:HE2	7:A:221:1PE:H122	1.60	0.65
4:A:206:PEG:H32	4:A:207:PEG:C2	2.25	0.65
9:B:210:P6G:H81	9:B:210:P6G:H122	1.78	0.65
1:A:115:LEU:O	6:B:216:PG4:H82	1.99	0.63
1:A:151:TRP:CE2	6:A:217:PG4:H51	2.34	0.63
1:A:190:SER:OG	1:A:191:ASN:O	2.16	0.62
5:A:213:PG0:H52	3:B:203:BNG:H4'2	1.82	0.61
9:B:209:P6G:H82	9:B:209:P6G:O4	2.01	0.61
1:A:34:ILE:HD13	6:A:219:PG4:H61	1.83	0.61
6:B:215:PG4:O2	6:B:215:PG4:H52	1.99	0.60
1:A:81:GLY:HA3	6:A:218:PG4:H22	1.83	0.60
1:B:34:ILE:HD13	9:B:207:P6G:H92	1.83	0.59
4:B:205:PEG:H11	4:B:205:PEG:H41	1.84	0.59
1:B:43:GLY:O	9:B:208:P6G:H91	2.03	0.59
1:B:129[A]:LEU:CD2	3:B:203:BNG:H9'1	2.33	0.59
1:B:116:LYS:HA	6:B:215:PG4:H62	1.84	0.58
6:A:216:PG4:H12	6:A:216:PG4:C4	2.32	0.58
1:B:46:ILE:CD1	9:B:208:P6G:H22	2.33	0.58
1:B:151:TRP:NE1	9:B:210:P6G:H172	2.19	0.57
1:B:126:VAL:HG11	3:B:202:BNG:H9'3	1.86	0.57
1:A:88:LEU:CD2	4:A:204:PEG:H22	2.34	0.57
1:A:163:ILE:HG21	4:A:207:PEG:H42	1.86	0.57
1:B:43:GLY:HA3	4:B:205:PEG:H31	1.86	0.57
1:A:122:LEU:CD2	4:A:203:PEG:H21	2.35	0.56
1:A:129:LEU:HD22	5:A:212:PG0:H21	1.86	0.56
7:A:221:1PE:C13	8:A:222:PGE:H12	2.34	0.56
9:B:208:P6G:H92	9:B:209:P6G:H182	1.86	0.56
3:B:203:BNG:O5	3:B:203:BNG:H2'2	2.06	0.56
1:A:116:LYS:CG	6:B:216:PG4:H71	2.33	0.56
1:B:146:TYR:CG	9:B:208:P6G:H152	2.41	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
9:B:209:P6G:H111	9:B:209:P6G:H51	1.88	0.56
5:A:213:PG0:H31	3:B:203:BNG:C2'	2.35	0.55
1:A:130:LEU:HD13	5:A:212:PG0:H11	1.88	0.55
1:B:84:TYR:CE1	9:B:209:P6G:H142	2.41	0.54
1:A:122:LEU:CD2	4:A:203:PEG:H42	2.34	0.54
1:A:35:SER:CA	7:A:221:1PE:H161	2.38	0.54
1:B:126:VAL:HG13	3:B:202:BNG:H9'3	1.90	0.54
1:B:56:LEU:HD23	9:B:207:P6G:H151	1.90	0.54
7:A:221:1PE:H262	11:A:317:HOH:O	2.08	0.53
1:B:27:MET:SD	9:B:207:P6G:H152	2.47	0.53
9:B:208:P6G:H81	9:B:209:P6G:H151	1.89	0.53
1:A:35:SER:CB	7:A:221:1PE:H161	2.39	0.52
9:B:209:P6G:O1	9:B:209:P6G:H52	2.09	0.52
5:A:211:PG0:H22	6:A:218:PG4:H42	1.92	0.52
1:A:129:LEU:CD2	5:A:212:PG0:H21	2.39	0.52
6:B:215:PG4:C6	6:B:215:PG4:H31	2.39	0.52
4:A:209:PEG:H31	1:B:167:LEU:HD22	1.91	0.51
1:B:151:TRP:CE2	9:B:210:P6G:H172	2.45	0.51
1:A:35:SER:HB2	7:A:221:1PE:C16	2.42	0.50
1:A:44:TRP:CG	2:A:201:218:H6A	2.47	0.50
1:A:155:ALA:CB	6:A:217:PG4:H11	2.42	0.50
1:B:148:TRP:CD1	4:B:205:PEG:H12	2.48	0.49
1:A:182:LYS:NZ	11:A:344:HOH:O	2.44	0.49
1:B:129[A]:LEU:HD11	3:B:203:BNG:H5	1.95	0.49
5:A:213:PG0:H31	3:B:203:BNG:C3'	2.43	0.48
9:B:209:P6G:H51	9:B:209:P6G:C11	2.43	0.48
10:B:217:PE5:H111	10:B:217:PE5:H132	1.47	0.48
3:A:202:BNG:H9'1	6:A:218:PG4:O5	2.13	0.48
1:B:146:TYR:O	4:B:205:PEG:H21	2.13	0.48
1:A:26:PHE:CD1	1:A:27:MET:HE2	2.48	0.48
1:A:162:GLY:HA3	3:B:203:BNG:H6'2	1.96	0.48
1:B:148:TRP:HD1	4:B:205:PEG:H12	1.78	0.48
1:B:117:LEU:H	6:B:215:PG4:C5	2.25	0.47
1:A:20:LEU:HD21	5:A:214:PG0:H31	1.96	0.47
11:A:308:HOH:O	6:B:216:PG4:H72	2.14	0.47
1:B:117:LEU:H	6:B:215:PG4:H72	1.80	0.47
9:B:210:P6G:H81	9:B:210:P6G:C12	2.44	0.47
1:A:166:ILE:HD11	3:B:203:BNG:H1	1.95	0.47
1:A:174:VAL:HG22	4:A:208:PEG:H42	1.95	0.47
1:A:155:ALA:HB3	6:A:217:PG4:H11	1.98	0.46
1:A:151:TRP:NE1	6:A:217:PG4:H62	2.31	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:26:PHE:HD1	1:A:27:MET:HE2	1.81	0.46
1:A:151:TRP:HE1	6:A:217:PG4:H62	1.81	0.46
7:A:221:1PE:C13	8:A:222:PGE:C5	2.94	0.46
3:A:202:BNG:H3'1	3:A:202:BNG:C7'	2.36	0.45
1:B:44:TRP:HD1	9:B:208:P6G:H141	1.81	0.45
1:A:108:PHE:CZ	6:A:220:PG4:H21	2.51	0.45
3:A:202:BNG:H1'2	3:A:202:BNG:H2	1.68	0.45
10:B:217:PE5:H52A	10:B:217:PE5:H32	1.75	0.45
1:A:129:LEU:HD23	1:A:129:LEU:C	2.42	0.44
1:B:146:TYR:CD2	9:B:208:P6G:H152	2.52	0.44
10:B:217:PE5:O8	11:B:352:HOH:O	2.21	0.44
7:A:221:1PE:H262	7:A:221:1PE:H252	1.30	0.44
1:A:81:GLY:HA2	6:A:218:PG4:H22	1.96	0.44
1:B:154:VAL:HB	9:B:210:P6G:H31	1.98	0.44
9:B:208:P6G:C8	9:B:209:P6G:H151	2.47	0.44
7:A:221:1PE:H162	11:A:330:HOH:O	2.17	0.43
6:B:216:PG4:H32	6:B:216:PG4:H61	2.00	0.43
6:A:218:PG4:H41	6:A:218:PG4:H21	1.49	0.43
1:A:44:TRP:CD1	2:A:201:218:H6A	2.53	0.43
1:B:155:ALA:HB1	9:B:210:P6G:H121	1.98	0.43
1:A:44:TRP:CZ3	7:A:221:1PE:H142	2.54	0.43
7:A:221:1PE:H132	8:A:222:PGE:C5	2.49	0.43
1:B:158:LEU:HD23	9:B:210:P6G:H91	2.00	0.43
1:A:46:ILE:CG2	7:A:221:1PE:H141	2.44	0.42
1:A:177:ILE:HG22	4:A:208:PEG:H12	2.01	0.42
1:A:30:LEU:CD2	6:A:219:PG4:H31	2.49	0.42
7:A:221:1PE:H232	7:A:221:1PE:H241	1.35	0.42
1:A:16:PHE:CE2	1:A:18:VAL:HB	2.54	0.42
1:A:44:TRP:CE2	7:A:221:1PE:H231	2.55	0.42
5:A:212:PG0:H22	9:B:210:P6G:H81	2.02	0.42
1:B:27:MET:HA	1:B:27:MET:HE2	2.01	0.42
1:A:15:LYS:N	1:A:15:LYS:CD	2.82	0.42
5:A:215:PG0:H21	1:B:177:ILE:HD11	2.01	0.42
1:B:56:LEU:CD2	9:B:207:P6G:H151	2.48	0.42
10:B:217:PE5:H32	10:B:217:PE5:H11	1.87	0.42
7:A:221:1PE:H131	8:A:222:PGE:C1	2.47	0.42
1:A:158:LEU:HD11	3:B:203:BNG:H4'1	2.02	0.41
1:A:163:ILE:CD1	4:A:206:PEG:H41	2.51	0.41
4:A:203:PEG:H42	4:A:203:PEG:H21	1.55	0.41
5:A:213:PG0:H11	5:A:213:PG0:H32	1.21	0.41
10:B:217:PE5:H71	10:B:217:PE5:H51	1.67	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:35:SER:HA	7:A:221:1PE:H161	2.01	0.41
9:B:208:P6G:H81	9:B:208:P6G:H111	1.83	0.41
9:B:209:P6G:H31	11:B:318:HOH:O	2.20	0.41
3:B:203:BNG:H9'3	3:B:203:BNG:H6'1	1.60	0.40
5:A:211:PG0:C2	6:A:218:PG4:H42	2.50	0.40
1:B:50:ALA:O	1:B:53:PRO:HD2	2.22	0.40
9:B:210:P6G:H121	9:B:210:P6G:H92	1.70	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	176/192 (92%)	173 (98%)	3 (2%)	0	100	100
1	B	176/192 (92%)	173 (98%)	3 (2%)	0	100	100
All	All	352/384 (92%)	346 (98%)	6 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	141/155 (91%)	133 (94%)	8 (6%)	18	17

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	B	141/155 (91%)	134 (95%)	7 (5%)	22	22
All	All	282/310 (91%)	267 (95%)	15 (5%)	20	19

All (15) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	19	ARG
1	A	21	LEU
1	A	47	VAL
1	A	76	LEU
1	A	107	LEU
1	A	149	LYS
1	A	182	LYS
1	A	190	SER
1	B	57	LEU
1	B	76	LEU
1	B	107	LEU
1	B	112	THR
1	B	116	LYS
1	B	122	LEU
1	B	145	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	161	ASN
1	A	189	HIS
1	B	82	HIS
1	B	161	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

41 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
6	PG4	B	215	-	12,12,12	0.68	0	11,11,11	0.40	0
4	PEG	B	206	-	6,6,6	0.67	0	5,5,5	0.32	0
8	PGE	B	218	-	9,9,9	0.31	0	8,8,8	0.35	0
8	PGE	B	219	-	9,9,9	0.34	0	8,8,8	0.30	0
6	PG4	B	214	-	12,12,12	0.72	0	11,11,11	0.24	0
5	PG0	B	212	-	7,7,7	0.32	0	6,6,6	0.18	0
6	PG4	A	216	-	12,12,12	0.81	0	11,11,11	0.38	0
6	PG4	B	213	-	12,12,12	0.73	0	11,11,11	0.25	0
5	PG0	B	211	-	7,7,7	0.30	0	6,6,6	0.34	0
2	218	A	201	-	19,20,20	1.96	8 (42%)	23,27,27	1.43	4 (17%)
3	BNG	A	202	-	21,21,21	0.86	0	26,26,26	1.44	5 (19%)
6	PG4	B	216	-	12,12,12	0.72	0	11,11,11	0.29	0
9	P6G	B	209	-	18,18,18	0.70	0	17,17,17	0.57	0
6	PG4	A	217	-	12,12,12	0.73	0	11,11,11	0.25	0
9	P6G	B	207	-	18,18,18	0.75	0	17,17,17	0.32	0
4	PEG	A	207	-	6,6,6	0.58	0	5,5,5	0.39	0
5	PG0	A	213	-	7,7,7	0.25	0	6,6,6	0.68	0
9	P6G	B	208	-	18,18,18	0.78	0	17,17,17	0.59	0
6	PG4	A	218	-	12,12,12	0.72	0	11,11,11	0.42	0
6	PG4	A	220	-	12,12,12	0.71	0	11,11,11	0.38	0
5	PG0	A	211	-	7,7,7	0.30	0	6,6,6	0.37	0
5	PG0	A	214	-	7,7,7	0.30	0	6,6,6	0.23	0
4	PEG	A	206	-	6,6,6	0.59	0	5,5,5	0.27	0
5	PG0	A	210	-	7,7,7	0.31	0	6,6,6	0.34	0
4	PEG	A	204	-	6,6,6	0.61	0	5,5,5	0.73	0
7	1PE	A	221	-	15,15,15	0.71	0	14,14,14	0.66	0
3	BNG	B	202	-	21,21,21	0.82	0	26,26,26	1.08	2 (7%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
9	P6G	B	210	-	18,18,18	0.76	0	17,17,17	0.33	0
10	PE5	B	217	-	26,26,26	0.78	0	25,25,25	0.29	0
4	PEG	A	208	-	6,6,6	0.58	0	5,5,5	0.66	0
4	PEG	A	203	-	6,6,6	0.59	0	5,5,5	0.42	0
4	PEG	A	205	-	6,6,6	0.56	0	5,5,5	0.23	0
2	218	B	201	-	19,20,20	1.98	4 (21%)	23,27,27	1.33	3 (13%)
5	PG0	A	215	-	7,7,7	0.36	0	6,6,6	0.38	0
8	PGE	A	222	-	9,9,9	0.42	0	8,8,8	0.70	0
3	BNG	B	203	-	21,21,21	0.95	0	26,26,26	1.19	2 (7%)
4	PEG	A	209	-	6,6,6	0.53	0	5,5,5	0.61	0
4	PEG	B	205	-	6,6,6	0.58	0	5,5,5	0.31	0
5	PG0	A	212	-	7,7,7	0.33	0	6,6,6	0.32	0
4	PEG	B	204	-	6,6,6	0.56	0	5,5,5	0.37	0
6	PG4	A	219	-	12,12,12	0.74	0	11,11,11	0.35	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	PG4	B	215	-	-	5/10/10/10	-
4	PEG	B	206	-	-	2/4/4/4	-
8	PGE	B	218	-	-	6/7/7/7	-
8	PGE	B	219	-	-	4/7/7/7	-
6	PG4	B	214	-	-	5/10/10/10	-
5	PG0	B	212	-	-	4/5/5/5	-
6	PG4	A	216	-	-	8/10/10/10	-
6	PG4	B	213	-	-	6/10/10/10	-
5	PG0	B	211	-	-	5/5/5/5	-
2	218	A	201	-	-	0/7/7/7	0/2/2/2
3	BNG	A	202	-	-	8/12/32/32	0/1/1/1
6	PG4	B	216	-	-	4/10/10/10	-
9	P6G	B	209	-	-	10/16/16/16	-
6	PG4	A	217	-	-	5/10/10/10	-
9	P6G	B	207	-	-	10/16/16/16	-
4	PEG	A	207	-	-	2/4/4/4	-
5	PG0	A	213	-	-	5/5/5/5	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
9	P6G	B	208	-	-	7/16/16/16	-
6	PG4	A	218	-	-	6/10/10/10	-
6	PG4	A	220	-	-	1/10/10/10	-
5	PG0	A	211	-	-	2/5/5/5	-
5	PG0	A	214	-	-	1/5/5/5	-
4	PEG	A	206	-	-	1/4/4/4	-
5	PG0	A	210	-	-	3/5/5/5	-
4	PEG	A	204	-	-	3/4/4/4	-
7	1PE	A	221	-	-	9/13/13/13	-
3	BNG	B	202	-	-	11/12/32/32	0/1/1/1
9	P6G	B	210	-	-	7/16/16/16	-
10	PE5	B	217	-	-	13/24/24/24	-
4	PEG	A	208	-	-	2/4/4/4	-
4	PEG	A	203	-	-	2/4/4/4	-
4	PEG	A	205	-	-	2/4/4/4	-
2	218	B	201	-	-	0/7/7/7	0/2/2/2
5	PG0	A	215	-	-	3/5/5/5	-
8	PGE	A	222	-	-	3/7/7/7	-
3	BNG	B	203	-	-	8/12/32/32	0/1/1/1
4	PEG	A	209	-	-	3/4/4/4	-
4	PEG	B	205	-	-	1/4/4/4	-
5	PG0	A	212	-	-	2/5/5/5	-
4	PEG	B	204	-	-	2/4/4/4	-
6	PG4	A	219	-	-	5/10/10/10	-

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	201	218	C4A-N4A	4.78	1.46	1.34
2	A	201	218	C4A-N4A	4.24	1.45	1.34
2	B	201	218	CM4-C4	3.35	1.56	1.49
2	A	201	218	CM4-C4	3.04	1.56	1.49
2	A	201	218	C4-N3	-2.97	1.32	1.36
2	B	201	218	C1-C6	2.55	1.43	1.38
2	B	201	218	CM6-C5	2.43	1.56	1.51
2	A	201	218	C6-C5	2.43	1.43	1.39
2	A	201	218	C7A-N3	-2.29	1.44	1.48
2	A	201	218	C1-C6	2.26	1.42	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	201	218	CM6-C5	2.08	1.55	1.51
2	A	201	218	C7A-C5A	2.07	1.55	1.51

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	201	218	C5A-C6A-N1A	-2.98	118.98	123.83
2	A	201	218	C1-C6-C5	-2.89	116.64	120.88
3	A	202	BNG	O5-C1-O1	-2.80	103.42	110.04
3	A	202	BNG	C4-C3-C2	-2.69	106.10	110.83
2	A	201	218	CM2-C2A-N1A	2.65	120.02	117.20
3	B	202	BNG	C6-C5-C4	-2.65	106.51	113.02
2	B	201	218	C5A-C6A-N1A	-2.59	119.62	123.83
3	A	202	BNG	O1-C1-C2	-2.57	104.37	108.27
2	B	201	218	C1-C6-C5	-2.57	117.12	120.88
2	A	201	218	C6A-N1A-C2A	2.46	120.11	116.07
3	A	202	BNG	C3-C4-C5	-2.38	105.92	110.23
3	A	202	BNG	C1-C2-C3	2.35	114.94	110.01
3	B	203	BNG	O5-C5-C4	-2.31	105.54	109.70
3	B	202	BNG	C4-C3-C2	-2.23	106.92	110.83
2	B	201	218	C6A-N1A-C2A	2.05	119.45	116.07
3	B	203	BNG	C1-O5-C5	-2.01	109.79	113.72

There are no chirality outliers.

All (186) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	B	202	BNG	C2-C1-O1-C1'
9	B	209	P6G	C5-C6-O7-C8
9	B	210	P6G	C12-C11-O10-C9
6	B	215	PG4	C3-C4-O3-C5
7	A	221	1PE	C23-C13-OH4-C24
4	A	203	PEG	C4-C3-O2-C2
5	A	213	PG0	C1-C2-O1-C3
6	A	218	PG4	C4-C3-O2-C2
9	B	208	P6G	C8-C9-O10-C11
3	B	203	BNG	O5-C5-C6-O6
7	A	221	1PE	C25-C15-OH6-C26
10	B	217	PE5	C11-C12-O7-C13
6	A	216	PG4	C1-C2-O2-C3
10	B	217	PE5	O7-C13-C14-O8
6	A	216	PG4	O2-C3-C4-O3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
9	B	208	P6G	C11-C12-O13-C14
3	B	202	BNG	O5-C1-O1-C1'
6	A	216	PG4	O3-C5-C6-O4
6	A	220	PG4	O2-C3-C4-O3
7	A	221	1PE	OH5-C14-C24-OH4
3	B	203	BNG	C4-C5-C6-O6
7	A	221	1PE	OH4-C13-C23-OH3
3	A	202	BNG	O5-C5-C6-O6
9	B	207	P6G	O10-C11-C12-O13
7	A	221	1PE	OH6-C15-C25-OH5
6	B	215	PG4	O3-C5-C6-O4
8	B	219	PGE	O2-C3-C4-O3
10	B	217	PE5	O4-C7-C8-O5
6	B	214	PG4	O3-C5-C6-O4
5	A	213	PG0	O1-C3-C4-O2
6	B	213	PG4	O3-C5-C6-O4
9	B	209	P6G	O10-C11-C12-O13
4	A	208	PEG	O2-C3-C4-O4
4	A	209	PEG	O2-C3-C4-O4
5	B	211	PG0	O1-C3-C4-O2
3	A	202	BNG	C4-C5-C6-O6
6	A	219	PG4	O2-C3-C4-O3
9	B	208	P6G	O7-C8-C9-O10
9	B	207	P6G	O7-C8-C9-O10
3	B	202	BNG	O5-C5-C6-O6
10	B	217	PE5	O6-C11-C12-O7
3	B	203	BNG	C6'-C7'-C8'-C9'
4	A	203	PEG	O2-C3-C4-O4
4	A	207	PEG	O2-C3-C4-O4
5	A	212	PG0	OTT-C1-C2-O1
8	A	222	PGE	O3-C5-C6-O4
8	B	218	PGE	O1-C1-C2-O2
9	B	209	P6G	O16-C17-C18-O19
9	B	207	P6G	O4-C5-C6-O7
9	B	210	P6G	C18-C17-O16-C15
9	B	209	P6G	O7-C8-C9-O10
4	A	209	PEG	O1-C1-C2-O2
4	B	204	PEG	O1-C1-C2-O2
6	A	216	PG4	O1-C1-C2-O2
6	A	217	PG4	O1-C1-C2-O2
3	A	202	BNG	C1'-C2'-C3'-C4'
3	B	202	BNG	C2'-C3'-C4'-C5'

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
9	B	210	P6G	O10-C11-C12-O13
3	B	202	BNG	C2'-C1'-O1-C1
3	B	203	BNG	C5'-C6'-C7'-C8'
4	B	206	PEG	O2-C3-C4-O4
5	A	213	PG0	OTT-C1-C2-O1
9	B	209	P6G	C2-C3-O4-C5
3	B	202	BNG	C5'-C6'-C7'-C8'
4	B	205	PEG	O2-C3-C4-O4
3	A	202	BNG	C4'-C5'-C6'-C7'
6	B	213	PG4	C5-C6-O4-C7
5	A	215	PG0	OTT-C1-C2-O1
5	B	212	PG0	OTT-C1-C2-O1
6	A	217	PG4	O4-C7-C8-O5
6	B	215	PG4	O1-C1-C2-O2
9	B	207	P6G	O16-C17-C18-O19
9	B	210	P6G	O1-C2-C3-O4
3	B	203	BNG	C4'-C5'-C6'-C7'
5	A	215	PG0	O1-C3-C4-O2
9	B	210	P6G	O13-C14-C15-O16
9	B	210	P6G	C2-C3-O4-C5
10	B	217	PE5	C1-C2-O2-C3
6	A	218	PG4	O1-C1-C2-O2
3	B	203	BNG	C2'-C3'-C4'-C5'
3	B	202	BNG	C4-C5-C6-O6
9	B	207	P6G	O13-C14-C15-O16
5	A	211	PG0	OTT-C1-C2-O1
6	A	219	PG4	O4-C7-C8-O5
10	B	217	PE5	O8-C15-C16-O52
5	A	212	PG0	O1-C3-C4-O2
3	A	202	BNG	C6'-C7'-C8'-C9'
3	B	203	BNG	O1-C1'-C2'-C3'
3	A	202	BNG	C3'-C4'-C5'-C6'
3	B	203	BNG	C2'-C1'-O1-C1
3	B	202	BNG	C4'-C5'-C6'-C7'
3	A	202	BNG	C2-C1-O1-C1'
4	B	206	PEG	C4-C3-O2-C2
4	A	204	PEG	O2-C3-C4-O4
6	B	213	PG4	C4-C3-O2-C2
9	B	207	P6G	C8-C9-O10-C11
10	B	217	PE5	C3-C4-O3-C5
3	A	202	BNG	C2'-C3'-C4'-C5'
6	B	214	PG4	O1-C1-C2-O2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	B	202	BNG	C3'-C4'-C5'-C6'
10	B	217	PE5	C5-C6-O4-C7
6	A	219	PG4	O3-C5-C6-O4
6	A	219	PG4	C4-C3-O2-C2
4	B	204	PEG	C1-C2-O2-C3
10	B	217	PE5	C7-C8-O5-C9
6	B	213	PG4	C3-C4-O3-C5
9	B	209	P6G	C14-C15-O16-C17
6	A	216	PG4	C3-C4-O3-C5
9	B	207	P6G	C12-C11-O10-C9
6	A	218	PG4	C5-C6-O4-C7
9	B	207	P6G	C9-C8-O7-C6
4	A	205	PEG	O2-C3-C4-O4
4	A	206	PEG	O2-C3-C4-O4
5	B	212	PG0	O1-C3-C4-O2
8	B	218	PGE	C3-C4-O3-C5
8	B	219	PGE	C6-C5-O3-C4
8	B	218	PGE	C4-C3-O2-C2
9	B	209	P6G	C6-C5-O4-C3
6	A	218	PG4	O3-C5-C6-O4
5	B	211	PG0	C4-C3-O1-C2
9	B	209	P6G	C12-C11-O10-C9
6	A	217	PG4	C8-C7-O4-C6
6	B	215	PG4	C1-C2-O2-C3
6	B	213	PG4	O4-C7-C8-O5
4	A	205	PEG	C4-C3-O2-C2
8	B	218	PGE	C1-C2-O2-C3
9	B	208	P6G	C2-C3-O4-C5
5	B	212	PG0	C3-C4-O2-C5
10	B	217	PE5	C2-C1-O1-C50
5	B	211	PG0	C1-C2-O1-C3
9	B	209	P6G	C8-C9-O10-C11
3	B	202	BNG	O1-C1'-C2'-C3'
5	B	212	PG0	C4-C3-O1-C2
5	B	211	PG0	OTT-C1-C2-O1
5	B	211	PG0	C3-C4-O2-C5
9	B	208	P6G	O10-C11-C12-O13
5	A	214	PG0	O1-C3-C4-O2
8	B	218	PGE	C6-C5-O3-C4
6	B	216	PG4	C8-C7-O4-C6
4	A	207	PEG	O1-C1-C2-O2
6	A	219	PG4	C8-C7-O4-C6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
6	B	216	PG4	C4-C3-O2-C2
8	A	222	PGE	C1-C2-O2-C3
9	B	207	P6G	C18-C17-O16-C15
9	B	209	P6G	O13-C14-C15-O16
4	A	204	PEG	O1-C1-C2-O2
6	A	217	PG4	C6-C5-O3-C4
6	B	214	PG4	C6-C5-O3-C4
9	B	208	P6G	C15-C14-O13-C12
10	B	217	PE5	C13-C14-O8-C15
4	A	208	PEG	C1-C2-O2-C3
6	A	218	PG4	C6-C5-O3-C4
7	A	221	1PE	C15-C25-OH5-C14
6	B	214	PG4	C5-C6-O4-C7
6	A	216	PG4	C5-C6-O4-C7
7	A	221	1PE	C13-C23-OH3-C22
4	A	204	PEG	C4-C3-O2-C2
10	B	217	PE5	O1-C1-C2-O2
8	B	219	PGE	O1-C1-C2-O2
5	A	213	PG0	C4-C3-O1-C2
9	B	207	P6G	C14-C15-O16-C17
10	B	217	PE5	C4-C3-O2-C2
9	B	208	P6G	O4-C5-C6-O7
5	A	213	PG0	C3-C4-O2-C5
5	A	210	PG0	C3-C4-O2-C5
6	A	218	PG4	C8-C7-O4-C6
6	A	216	PG4	C4-C3-O2-C2
8	A	222	PGE	C4-C3-O2-C2
4	A	209	PEG	C1-C2-O2-C3
6	B	216	PG4	C3-C4-O3-C5
9	B	210	P6G	C8-C9-O10-C11
5	A	215	PG0	C3-C4-O2-C5
6	B	215	PG4	O4-C7-C8-O5
8	B	219	PGE	C3-C4-O3-C5
3	B	202	BNG	C6'-C7'-C8'-C9'
5	A	211	PG0	O1-C3-C4-O2
6	B	214	PG4	O2-C3-C4-O3
5	A	210	PG0	OTT-C1-C2-O1
6	B	216	PG4	O4-C7-C8-O5
6	A	217	PG4	C4-C3-O2-C2
6	B	213	PG4	O2-C3-C4-O3
8	B	218	PGE	O2-C3-C4-O3
6	A	216	PG4	O4-C7-C8-O5

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
7	A	221	1PE	OH7-C16-C26-OH6
5	A	210	PG0	O1-C3-C4-O2
7	A	221	1PE	C24-C14-OH5-C25


There are no ring outliers.


34 monomers are involved in 140 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	B	215	PG4	7	0
5	B	212	PG0	1	0
6	A	216	PG4	1	0
6	B	213	PG4	2	0
2	A	201	218	2	0
3	A	202	BNG	4	0
6	B	216	PG4	6	0
9	B	209	P6G	10	0
6	A	217	PG4	6	0
9	B	207	P6G	6	0
4	A	207	PEG	3	0
5	A	213	PG0	5	0
9	B	208	P6G	13	0
6	A	218	PG4	7	0
6	A	220	PG4	2	0
5	A	211	PG0	2	0
5	A	214	PG0	1	0
4	A	206	PEG	4	0
5	A	210	PG0	1	0
4	A	204	PEG	1	0
7	A	221	1PE	22	0
3	B	202	BNG	3	0
9	B	210	P6G	10	0
10	B	217	PE5	6	0
4	A	208	PEG	2	0
4	A	203	PEG	4	0
5	A	215	PG0	1	0
8	A	222	PGE	7	0
3	B	203	BNG	12	0
4	A	209	PEG	1	0
4	B	205	PEG	6	0
5	A	212	PG0	4	0
4	B	204	PEG	1	0
6	A	219	PG4	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	178/192 (92%)	0.07	5 (2%) 55 57	17, 30, 57, 79	0
1	B	177/192 (92%)	0.16	8 (4%) 38 40	14, 32, 56, 87	1 (0%)
All	All	355/384 (92%)	0.11	13 (3%) 45 47	14, 32, 57, 87	1 (0%)

All (13) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	192	TYR	4.4
1	B	192	TYR	4.0
1	A	16	PHE	3.6
1	B	26	PHE	2.7
1	A	149	LYS	2.5
1	B	112	THR	2.4
1	A	112	THR	2.3
1	B	190	SER	2.3
1	B	145	GLN	2.3
1	A	26	PHE	2.1
1	B	16	PHE	2.1
1	B	185	LYS	2.1
1	B	186	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	PG0	A	212	8/8	0.73	0.23	44,67,72,73	0
5	PG0	B	212	8/8	0.73	0.18	59,72,78,78	0
5	PG0	A	214	8/8	0.75	0.25	77,83,87,91	0
4	PEG	B	205	7/7	0.75	0.21	66,73,78,78	0
6	PG4	A	218	13/13	0.77	0.17	55,68,76,77	0
6	PG4	A	217	13/13	0.78	0.16	54,61,72,74	0
6	PG4	B	216	13/13	0.78	0.20	36,67,86,87	0
6	PG4	B	215	13/13	0.79	0.14	56,62,71,75	0
6	PG4	A	216	13/13	0.79	0.18	45,59,79,82	0
8	PGE	B	219	10/10	0.79	0.14	47,61,70,71	0
6	PG4	B	213	13/13	0.81	0.14	63,66,78,79	0
9	P6G	B	208	19/19	0.81	0.19	25,45,64,68	0
5	PG0	A	211	8/8	0.82	0.16	52,56,62,64	0
5	PG0	A	213	8/8	0.82	0.19	40,69,77,80	0
8	PGE	A	222	10/10	0.83	0.14	38,50,56,56	0
4	PEG	A	206	7/7	0.83	0.14	49,54,66,68	0
6	PG4	B	214	13/13	0.83	0.18	62,72,86,91	0
5	PG0	A	215	8/8	0.84	0.13	44,62,64,66	0
6	PG4	A	219	13/13	0.84	0.17	57,64,70,75	0
3	BNG	B	203	21/21	0.84	0.20	46,67,82,90	0
9	P6G	B	207	19/19	0.85	0.15	57,68,83,83	0
5	PG0	B	211	8/8	0.85	0.14	45,55,59,60	0
9	P6G	B	209	19/19	0.85	0.14	40,46,57,61	0
9	P6G	B	210	19/19	0.85	0.14	53,63,73,74	0
4	PEG	B	206	7/7	0.87	0.15	42,51,58,58	0
4	PEG	A	205	7/7	0.87	0.15	61,63,67,73	0
8	PGE	B	218	10/10	0.87	0.13	48,60,67,68	0
6	PG4	A	220	13/13	0.87	0.14	46,56,77,78	0
4	PEG	A	203	7/7	0.88	0.12	49,52,53,55	0
3	BNG	A	202	21/21	0.88	0.11	29,51,60,67	21
7	1PE	A	221	16/16	0.89	0.13	27,46,60,63	0
3	BNG	B	202	21/21	0.89	0.11	41,51,65,72	0
4	PEG	A	204	7/7	0.89	0.11	44,48,51,63	0
4	PEG	A	208	7/7	0.89	0.11	48,54,59,64	0
10	PE5	B	217	27/27	0.89	0.12	29,38,43,45	27
5	PG0	A	210	8/8	0.90	0.11	42,50,57,57	0
4	PEG	A	207	7/7	0.91	0.11	48,57,58,65	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	PEG	A	209	7/7	0.92	0.10	33,52,62,65	0
4	PEG	B	204	7/7	0.93	0.08	49,53,59,59	0
2	218	A	201	19/19	0.96	0.07	18,24,30,32	0
2	218	B	201	19/19	0.97	0.07	15,23,33,35	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around P6G B 208:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around BNG B 203:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around P6G B 207:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around P6G B 209:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around P6G B 210:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around BNG A 202:**

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around BNG B 202:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around PE5 B 217:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 218 A 201:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around 218 B 201:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.