



# wwPDB X-ray Structure Validation Summary Report ⓘ

Mar 5, 2026 – 02:20 PM UTC

PDB ID : 5MVM / pdb\_00005mvm  
Title : X-ray structure of the F14'A -N15'A double mutant of GLIC in complex with propofol  
Authors : Fourati, Z.; Delarue, M.  
Deposited on : 2017-01-16  
Resolution : 3.10 Å (reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0  
Mogul : 2022.3.0, CSD as543be (2022)  
Xtrriage (Phenix) : 2.0  
EDS : 3.0  
Buster-report : wwPDB partial adaption of 1.1.7 (2018)  
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)  
CCP4 : 9.0.010 (Gargrove)  
Density-Fitness : 1.0.12  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.49


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 3.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	180053	1456 (3.10-3.10)
Clashscore	190562	1539 (3.10-3.10)
Ramachandran outliers	187476	1467 (3.10-3.10)
Sidechain outliers	187428	1467 (3.10-3.10)
RSRZ outliers	180081	1456 (3.10-3.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	317	
1	B	317	
1	C	317	
1	D	317	
1	E	317	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

<b>Mol</b>	<b>Type</b>	<b>Chain</b>	<b>Res</b>	<b>Chirality</b>	<b>Geometry</b>	<b>Clashes</b>	<b>Electron density</b>
7	PFL	A	510	-	-	X	-
7	PFL	A	511	-	-	X	-
7	PFL	B	510	-	-	X	-
7	PFL	C	408	-	-	X	-
7	PFL	E	409	-	-	X	-

## 2 Entry composition

There are 8 unique types of molecules in this entry. The entry contains 13400 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Proton-gated ion channel.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	311	2534	1668	406	456	4	0	2	0
1	B	311	2525	1662	404	455	4	0	1	0
1	C	311	2525	1662	404	455	4	0	1	0
1	D	311	2533	1666	406	457	4	0	2	0
1	E	311	2536	1671	405	456	4	0	2	0

There are 10 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	238	ALA	PHE	engineered mutation	UNP Q7NDN8
A	239	ALA	ASN	engineered mutation	UNP Q7NDN8
B	238	ALA	PHE	engineered mutation	UNP Q7NDN8
B	239	ALA	ASN	engineered mutation	UNP Q7NDN8
C	238	ALA	PHE	engineered mutation	UNP Q7NDN8
C	239	ALA	ASN	engineered mutation	UNP Q7NDN8
D	238	ALA	PHE	engineered mutation	UNP Q7NDN8
D	239	ALA	ASN	engineered mutation	UNP Q7NDN8
E	238	ALA	PHE	engineered mutation	UNP Q7NDN8
E	239	ALA	ASN	engineered mutation	UNP Q7NDN8

- Molecule 2 is DODECYL-BETA-D-MALTOSE (CCD ID: LMT) (formula: C<sub>24</sub>H<sub>46</sub>O<sub>11</sub>).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	C O	0	0
			14	13 1		
2	B	1	Total	C O	0	0
			14	13 1		
2	C	1	Total	C O	0	0
			14	13 1		
2	D	1	Total	C O	0	0
			14	13 1		
2	E	1	Total	C	0	0
			12	12		
2	E	1	Total	C O	0	0
			14	13 1		

- Molecule 3 is ACETATE ION (CCD ID: ACT) (formula: C<sub>2</sub>H<sub>3</sub>O<sub>2</sub>).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C O 4 2 2	0	0
3	A	1	Total C O 4 2 2	0	0
3	B	1	Total C O 4 2 2	0	0
3	B	1	Total C O 4 2 2	0	0
3	B	1	Total C O 4 2 2	0	0
3	C	1	Total C O 4 2 2	0	0
3	D	1	Total C O 4 2 2	0	0
3	D	1	Total C O 4 2 2	0	0
3	D	1	Total C O 4 2 2	0	0
3	E	1	Total C O 4 2 2	0	0

- Molecule 4 is CHLORIDE ION (CCD ID: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total Cl 1 1	0	0
4	B	1	Total Cl 1 1	0	0

*Continued on next page...*


*Continued from previous page...*

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	C	1	Total Cl 1 1	0	0
4	D	1	Total Cl 1 1	0	0
4	E	1	Total Cl 1 1	0	0

- Molecule 5 is SODIUM ION (CCD ID: NA) (formula: Na).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	2	Total Na 2 2	0	0
5	B	1	Total Na 1 1	0	0
5	C	1	Total Na 1 1	0	0
5	D	1	Total Na 1 1	0	0
5	E	2	Total Na 2 2	0	0

- Molecule 6 is DIUNDECYL PHOSPHATIDYL CHOLINE (CCD ID: PLC) (formula: C<sub>32</sub>H<sub>65</sub>NO<sub>8</sub>P).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	1	Total C N O P 34 24 1 8 1	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	1	Total C 24 24	0	0
6	A	1	Total C 12 12	0	0
6	B	1	Total C N O P 34 24 1 8 1	0	0
6	B	1	Total C 24 24	0	0
6	B	1	Total C 12 12	0	0
6	C	1	Total C N O P 34 24 1 8 1	0	0
6	C	1	Total C 24 24	0	0
6	C	1	Total C 12 12	0	0
6	D	1	Total C N O P 34 24 1 8 1	0	0
6	D	1	Total C 24 24	0	0
6	D	1	Total C 12 12	0	0
6	E	1	Total C N O P 34 24 1 8 1	0	0
6	E	1	Total C 24 24	0	0
6	E	1	Total C 12 12	0	0

- Molecule 7 is 2,6-BIS(1-METHYLETHYL)PHENOL (CCD ID: PFL) (formula: C<sub>12</sub>H<sub>18</sub>O).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	1	Total	C O	0	0
			13	12 1		
7	A	1	Total	C O	0	0
			13	12 1		
7	B	1	Total	C O	0	0
			13	12 1		
7	C	1	Total	C O	0	0
			13	12 1		
7	E	1	Total	C O	0	0
			13	12 1		


- Molecule 8 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	45	Total	O	0	0
			45	45		
8	B	43	Total	O	0	0
			43	43		
8	C	34	Total	O	0	0
			34	34		
8	D	42	Total	O	0	0
			42	42		
8	E	34	Total	O	0	0
			34	34		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Proton-gated ion channel




- Molecule 1: Proton-gated ion channel




- Molecule 1: Proton-gated ion channel



- Molecule 1: Proton-gated ion channel



- Molecule 1: Proton-gated ion channel



## 4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	181.76Å 132.51Å 160.52Å 90.00° 102.72° 90.00°	Depositor
Resolution (Å)	20.00 – 3.10 20.00 – 3.10	Depositor EDS
% Data completeness (in resolution range)	98.4 (20.00-3.10) 98.0 (20.00-3.10)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.59 (at 3.09Å)	Xtrriage
Refinement program	BUSTER 2.10.2	Depositor
R, $R_{free}$	0.195 , 0.208 0.212 , 0.223	Depositor DCC
$R_{free}$ test set	3345 reflections (5.06%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	78.5	Xtrriage
Anisotropy	0.275	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.32 , 91.1	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.46$ , $\langle L^2 \rangle = 0.29$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.92	EDS
Total number of atoms	13400	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	81.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.92% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: LMT, PFL, PLC, ACT, NA, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.84	0/2601	1.28	9/3555 (0.3%)
1	B	0.85	0/2592	1.30	7/3544 (0.2%)
1	C	0.85	0/2592	1.28	6/3544 (0.2%)
1	D	0.85	0/2600	1.29	6/3555 (0.2%)
1	E	0.85	1/2604 (0.0%)	1.28	4/3560 (0.1%)
All	All	0.85	1/12989 (0.0%)	1.29	32/17758 (0.2%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	E	27	CYS	CA-C	-6.90	1.44	1.52

The worst 5 of 32 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	207	PHE	CA-CB-CG	8.95	122.75	113.80
1	E	152	ASN	CA-CB-CG	7.12	119.72	112.60
1	B	152	ASN	CA-CB-CG	7.08	119.69	112.60
1	C	152	ASN	CA-CB-CG	7.08	119.68	112.60
1	A	152	ASN	CA-CB-CG	7.02	119.62	112.60

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within

the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2534	0	2557	55	0
1	B	2525	0	2545	81	0
1	C	2525	0	2545	30	0
1	D	2533	0	2550	43	0
1	E	2536	0	2553	68	0
2	A	14	0	25	1	0
2	B	14	0	25	0	0
2	C	14	0	25	2	0
2	D	14	0	25	0	0
2	E	26	0	48	5	0
3	A	8	0	6	1	0
3	B	12	0	9	0	0
3	C	4	0	3	0	0
3	D	12	0	9	0	0
3	E	4	0	3	0	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
4	C	1	0	0	0	0
4	D	1	0	0	0	0
4	E	1	0	0	0	0
5	A	2	0	0	0	0
5	B	1	0	0	0	0
5	C	1	0	0	0	0
5	D	1	0	0	0	0
5	E	2	0	0	0	0
6	A	70	0	111	1	0
6	B	70	0	111	1	0
6	C	70	0	111	3	0
6	D	70	0	111	1	0
6	E	70	0	111	1	0
7	A	26	0	35	44	0
7	B	13	0	17	25	0
7	C	13	0	17	13	0
7	E	13	0	17	7	0
8	A	45	0	0	7	0
8	B	43	0	0	8	0
8	C	34	0	0	5	0
8	D	42	0	0	3	0
8	E	34	0	0	8	0
All	All	13400	0	13569	261	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including

hydrogen atoms). The all-atom clashscore for this structure is 10.

The worst 5 of 261 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:241:LEU:CD2	7:B:510:PFL:H82	1.33	1.55
1:D:207:PHE:HB3	1:E:267[B]:PHE:CE1	1.40	1.55
6:C:404:PLC:H73	8:C:516:HOH:O	1.15	1.31
1:E:265:PHE:HB3	8:E:518:HOH:O	1.17	1.28
7:A:511:PFL:C11	1:B:243:GLU:HG3	1.67	1.25

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	311/317 (98%)	298 (96%)	13 (4%)	0	100	100
1	B	310/317 (98%)	300 (97%)	10 (3%)	0	100	100
1	C	310/317 (98%)	299 (96%)	11 (4%)	0	100	100
1	D	311/317 (98%)	301 (97%)	10 (3%)	0	100	100
1	E	311/317 (98%)	301 (97%)	10 (3%)	0	100	100
All	All	1553/1585 (98%)	1499 (96%)	54 (4%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was

analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	280/282 (99%)	271 (97%)	9 (3%)	34	64
1	B	279/282 (99%)	268 (96%)	11 (4%)	28	60
1	C	279/282 (99%)	269 (96%)	10 (4%)	31	62
1	D	280/282 (99%)	269 (96%)	11 (4%)	28	60
1	E	280/282 (99%)	266 (95%)	14 (5%)	22	53
All	All	1398/1410 (99%)	1343 (96%)	55 (4%)	28	60

5 of 55 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	C	222	GLU
1	D	163	GLU
1	E	304	LEU
1	E	163	GLU
1	C	304	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 11 such sidechains are listed below:

Mol	Chain	Res	Type
1	C	307	ASN
1	D	152	ASN
1	E	152	ASN
1	D	307	ASN
1	B	307	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry

Of 48 ligands modelled in this entry, 12 are monoatomic - leaving 36 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
6	PLC	E	407	-	22,22,41	0.66	0	20,20,49	0.51	0
3	ACT	A	502	-	3,3,3	1.06	0	3,3,3	0.85	0
6	PLC	D	407	-	22,22,41	0.59	0	20,20,49	0.48	0
3	ACT	B	502	-	3,3,3	1.03	0	3,3,3	1.02	0
7	PFL	A	511	-	13,13,13	0.54	0	18,18,18	0.65	1 (5%)
3	ACT	E	403	-	3,3,3	1.01	0	3,3,3	0.77	0
2	LMT	B	501	-	13,13,36	0.64	0	12,12,47	0.88	1 (8%)
6	PLC	D	408	-	11,11,41	0.41	0	10,10,49	0.65	0
6	PLC	C	404	-	33,33,41	1.01	2 (6%)	39,41,49	1.16	3 (7%)
6	PLC	B	507	-	22,22,41	0.60	0	20,20,49	0.49	0
3	ACT	C	401	-	3,3,3	1.34	0	3,3,3	0.89	0
2	LMT	A	501	-	13,13,36	0.70	0	12,12,47	0.50	0
6	PLC	E	406	-	33,33,41	1.07	2 (6%)	39,41,49	1.10	2 (5%)
7	PFL	A	510	-	13,13,13	0.36	0	18,18,18	0.70	0
6	PLC	A	507	-	22,22,41	0.58	0	20,20,49	0.55	0
7	PFL	B	510	-	13,13,13	0.43	0	18,18,18	0.63	0
3	ACT	D	402	-	3,3,3	1.32	0	3,3,3	0.69	0
3	ACT	D	409	-	3,3,3	1.56	0	3,3,3	0.55	0
2	LMT	E	402	-	13,13,36	0.80	0	12,12,47	0.49	0
3	ACT	D	404	-	3,3,3	1.39	0	3,3,3	0.58	0
2	LMT	C	407	-	13,13,36	0.72	0	12,12,47	0.59	0
3	ACT	A	504	-	3,3,3	1.34	0	3,3,3	0.45	0
6	PLC	B	508	-	11,11,41	0.49	0	10,10,49	0.63	0
3	ACT	B	509	-	3,3,3	1.55	0	3,3,3	0.42	0
3	ACT	B	504	-	3,3,3	1.50	0	3,3,3	0.59	0
2	LMT	D	401	-	13,13,36	0.82	0	12,12,47	0.50	0
6	PLC	A	506	-	33,33,41	1.05	2 (6%)	39,41,49	1.09	2 (5%)
6	PLC	B	506	-	33,33,41	1.12	3 (9%)	39,41,49	1.07	2 (5%)
7	PFL	E	409	-	13,13,13	0.22	0	18,18,18	0.51	0
7	PFL	C	408	-	13,13,13	0.29	0	18,18,18	0.49	0
6	PLC	A	508	-	11,11,41	0.48	0	10,10,49	0.62	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
6	PLC	C	406	-	11,11,41	0.45	0	10,10,49	0.68	0
2	LMT	E	401	-	11,11,36	0.82	0	10,10,47	0.36	0
6	PLC	C	405	-	22,22,41	0.65	0	20,20,49	0.47	0
6	PLC	D	406	-	33,33,41	1.11	3 (9%)	39,41,49	1.12	2 (5%)
6	PLC	E	408	-	11,11,41	0.47	0	10,10,49	0.61	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	PLC	E	407	-	-	8/18/18/45	-
6	PLC	D	407	-	-	8/18/18/45	-
7	PFL	A	511	-	-	3/8/8/8	0/1/1/1
2	LMT	B	501	-	-	2/11/11/61	-
6	PLC	D	408	-	-	0/9/9/45	-
6	PLC	C	404	-	-	22/37/37/45	-
6	PLC	B	507	-	-	6/18/18/45	-
6	PLC	E	406	-	-	20/37/37/45	-
2	LMT	A	501	-	-	1/11/11/61	-
7	PFL	A	510	-	-	3/8/8/8	0/1/1/1
6	PLC	A	507	-	-	6/18/18/45	-
7	PFL	B	510	-	-	6/8/8/8	0/1/1/1
2	LMT	E	402	-	-	1/11/11/61	-
2	LMT	C	407	-	-	0/11/11/61	-
6	PLC	B	508	-	-	1/9/9/45	-
2	LMT	D	401	-	-	0/11/11/61	-
6	PLC	A	506	-	-	20/37/37/45	-
6	PLC	B	506	-	-	21/37/37/45	-
7	PFL	E	409	-	-	0/8/8/8	0/1/1/1
7	PFL	C	408	-	-	0/8/8/8	0/1/1/1
6	PLC	A	508	-	-	1/9/9/45	-
6	PLC	C	406	-	-	1/9/9/45	-
2	LMT	E	401	-	-	0/9/9/61	-
6	PLC	C	405	-	-	6/18/18/45	-
6	PLC	D	406	-	-	19/37/37/45	-
6	PLC	E	408	-	-	1/9/9/45	-

The worst 5 of 12 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	D	406	PLC	O2-C'	3.01	1.42	1.34
6	B	506	PLC	O2-C'	2.90	1.42	1.34
6	E	406	PLC	O2-C'	2.80	1.42	1.34
6	A	506	PLC	O2-C'	2.63	1.41	1.34
6	C	404	PLC	O2-C'	2.53	1.41	1.34

The worst 5 of 13 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	D	406	PLC	C2-O2-C'	4.39	128.31	117.80
6	A	506	PLC	C2-O2-C'	3.89	127.10	117.80
6	C	404	PLC	C2-O2-C'	3.88	127.09	117.80
6	B	506	PLC	C2-O2-C'	3.88	127.08	117.80
6	E	406	PLC	C2-O2-C'	3.68	126.61	117.80

There are no chirality outliers.

5 of 156 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	A	506	PLC	C1'-C'-O2-C2
6	A	506	PLC	C1-O3P-P-O1P
6	A	506	PLC	C1-O3P-P-O4P
6	A	506	PLC	C4-O4P-P-O3P
6	B	506	PLC	C1'-C'-O2-C2

There are no ring outliers.

16 monomers are involved in 103 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	E	407	PLC	1	0
6	D	407	PLC	1	0
7	A	511	PFL	25	0
6	C	404	PLC	2	0
6	B	507	PLC	1	0
2	A	501	LMT	1	0
7	A	510	PFL	19	0
6	A	507	PLC	1	0
7	B	510	PFL	25	0
2	E	402	LMT	3	0
2	C	407	LMT	2	0



*Continued on next page...*


*Continued from previous page...*



Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	504	ACT	1	0
7	E	409	PFL	7	0
7	C	408	PFL	13	0
2	E	401	LMT	3	0
6	C	405	PLC	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





























## 5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	311/317 (98%)	0.28	14 (4%) 38 20	34, 76, 122, 170	2 (0%)
1	B	311/317 (98%)	0.23	6 (1%) 66 45	37, 75, 110, 146	1 (0%)
1	C	311/317 (98%)	0.23	12 (3%) 43 24	35, 76, 119, 168	1 (0%)
1	D	311/317 (98%)	0.29	13 (4%) 40 22	36, 75, 119, 173	2 (0%)
1	E	311/317 (98%)	0.29	9 (2%) 53 32	34, 77, 117, 157	2 (0%)
All	All	1555/1585 (98%)	0.26	54 (3%) 47 27	34, 76, 118, 173	8 (0%)

The worst 5 of 54 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	57	VAL	5.2
1	E	267[A]	PHE	4.6
1	A	280[A]	LYS	4.3
1	D	178	ASP	3.7
1	C	12	ALA	3.7

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,

median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
6	PLC	C	405	24/42	0.67	0.28	78,91,101,102	0
6	PLC	B	506	34/42	0.68	0.29	95,130,172,174	0
6	PLC	E	408	12/42	0.68	0.26	94,96,111,112	0
2	LMT	E	402	14/35	0.71	0.25	71,84,102,103	0
6	PLC	E	407	24/42	0.72	0.29	75,90,112,112	0
6	PLC	C	404	34/42	0.73	0.27	85,123,169,170	0
6	PLC	D	406	34/42	0.73	0.28	85,129,164,165	0
7	PFL	A	510	13/13	0.74	0.28	120,128,130,130	0
6	PLC	E	406	34/42	0.75	0.28	85,132,170,171	0
6	PLC	C	406	12/42	0.75	0.24	98,102,110,110	0
6	PLC	A	506	34/42	0.76	0.29	89,132,174,175	0
6	PLC	A	508	12/42	0.77	0.21	91,95,105,105	0
6	PLC	B	508	12/42	0.78	0.24	101,102,116,117	0
6	PLC	D	407	24/42	0.78	0.26	83,104,111,113	0
6	PLC	A	507	24/42	0.79	0.27	78,100,120,121	0
7	PFL	E	409	13/13	0.79	0.33	144,149,152,154	0
2	LMT	B	501	14/35	0.80	0.18	74,86,103,103	0
2	LMT	E	401	12/35	0.80	0.17	74,83,89,90	0
6	PLC	D	408	12/42	0.81	0.22	89,90,113,114	0
6	PLC	B	507	24/42	0.81	0.24	83,93,107,108	0
2	LMT	A	501	14/35	0.82	0.22	62,76,110,110	0
3	ACT	B	502	4/4	0.83	0.29	77,79,80,80	0
2	LMT	C	407	14/35	0.84	0.18	56,76,102,103	0
7	PFL	A	511	13/13	0.85	0.28	131,139,142,143	0
7	PFL	B	510	13/13	0.85	0.36	138,139,141,142	13
5	NA	E	410	1/1	0.85	0.16	92,92,92,92	0
7	PFL	C	408	13/13	0.86	0.33	145,149,152,154	0
2	LMT	D	401	14/35	0.86	0.18	77,81,101,102	0
5	NA	B	505	1/1	0.88	0.12	70,70,70,70	0
3	ACT	D	409	4/4	0.89	0.17	70,71,72,74	0
5	NA	E	405	1/1	0.90	0.15	72,72,72,72	0
3	ACT	C	401	4/4	0.90	0.15	70,73,73,74	0
3	ACT	E	403	4/4	0.91	0.15	83,86,87,89	0
5	NA	C	403	1/1	0.91	0.12	72,72,72,72	0
3	ACT	B	504	4/4	0.92	0.14	81,86,87,87	0
4	CL	B	503	1/1	0.92	0.22	168,168,168,168	0
3	ACT	A	504	4/4	0.93	0.13	69,71,72,74	0
3	ACT	A	502	4/4	0.94	0.12	65,68,69,72	0
5	NA	D	405	1/1	0.94	0.20	81,81,81,81	0
5	NA	A	509	1/1	0.94	0.21	82,82,82,82	0
3	ACT	D	404	4/4	0.94	0.21	64,65,65,65	0

*Continued on next page...*

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
5	NA	A	505	1/1	0.95	0.12	74,74,74,74	0
3	ACT	B	509	4/4	0.95	0.15	74,74,76,79	0
4	CL	D	403	1/1	0.95	0.09	68,68,68,68	0
4	CL	E	404	1/1	0.97	0.07	72,72,72,72	0
3	ACT	D	402	4/4	0.97	0.07	64,64,65,65	0
4	CL	C	402	1/1	0.97	0.07	82,82,82,82	0
4	CL	A	503	1/1	0.97	0.12	73,73,73,73	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.







**Electron density around PLC B 506:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around PLC E 408:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around PLC C 404:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around PLC D 406:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around PLC E 406:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around PLC C 406:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around PLC A 506:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around PLC A 508:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around PLC B 508:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around PLC D 407:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around PLC A 507:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around LMT B 501:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around PLC B 507:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around LMT A 501:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



## 6.5 Other polymers [i](#)

There are no such residues in this entry.