



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 26, 2026 – 09:24 PM UTC

PDB ID : 4MW2 / pdb_00004mw2
Title : Trypanosoma brucei methionyl-tRNA synthetase in complex with inhibitor 1-(3-{[5-chloro-2-hydroxy-3-(prop-2-en-1-yl)benzyl]amino}propyl)-3-thiophen-3-ylurea (Chem 1472)
Authors : Koh, C.Y.; Kim, J.E.; Wetzel, A.B.; de van der Schueren, W.J.; Shibata, S.; Liu, J.; Zhang, Z.; Fan, E.; Verlinde, C.L.M.J.; Hol, W.G.J.
Deposited on : 2013-09-24
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6319 (2.30-2.30)
Clashscore	190562	6919 (2.30-2.30)
Ramachandran outliers	187476	6854 (2.30-2.30)
Sidechain outliers	187428	6854 (2.30-2.30)
RSRZ outliers	180081	6325 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	542	6% 92% 7%
1	B	542	7% 92% 7%

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 8846 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Methionyl-tRNA synthetase.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	521	Total	As	C	N	O	S	0	1	0
			4178	1	2691	702	772	12			
1	B	533	Total	As	C	N	O	S	0	1	0
			4253	1	2740	719	781	12			

There are 22 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-4	GLY	-	expression tag	UNP Q38C91
A	-3	PRO	-	expression tag	UNP Q38C91
A	-2	GLY	-	expression tag	UNP Q38C91
A	-1	SER	-	expression tag	UNP Q38C91
A	0	MET	-	expression tag	UNP Q38C91
A	309	THR	ALA	conflict	UNP Q38C91
A	452	ALA	LYS	engineered mutation	UNP Q38C91
A	453	ARG	LYS	engineered mutation	UNP Q38C91
A	454	ALA	GLU	engineered mutation	UNP Q38C91
A	499	VAL	ALA	conflict	UNP Q38C91
A	503	ASN	SER	conflict	UNP Q38C91
B	-4	GLY	-	expression tag	UNP Q38C91
B	-3	PRO	-	expression tag	UNP Q38C91
B	-2	GLY	-	expression tag	UNP Q38C91
B	-1	SER	-	expression tag	UNP Q38C91
B	0	MET	-	expression tag	UNP Q38C91
B	309	THR	ALA	conflict	UNP Q38C91
B	452	ALA	LYS	engineered mutation	UNP Q38C91
B	453	ARG	LYS	engineered mutation	UNP Q38C91
B	454	ALA	GLU	engineered mutation	UNP Q38C91
B	499	VAL	ALA	conflict	UNP Q38C91
B	503	ASN	SER	conflict	UNP Q38C91

- Molecule 2 is GLYCEROL (CCD ID: GOL) (formula: C₃H₈O₃).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			6	3	3		
2	A	1	Total	C	O	0	0
			6	3	3		
2	A	1	Total	C	O	0	0
			6	3	3		
2	A	1	Total	C	O	0	0
			6	3	3		
2	A	1	Total	C	O	0	0
			6	3	3		
2	A	1	Total	C	O	0	0
			6	3	3		
2	A	1	Total	C	O	0	0
			6	3	3		
2	B	1	Total	C	O	0	0
			6	3	3		
2	B	1	Total	C	O	0	0
			6	3	3		
2	B	1	Total	C	O	0	0
			6	3	3		

- Molecule 3 is DIMETHYL SULFOXIDE (CCD ID: DMS) (formula: C₂H₆OS).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	O	S	0	0
			4	2	1	1		
3	A	1	Total	C	O	S	0	0
			4	2	1	1		
3	A	1	Total	C	O	S	0	0
			4	2	1	1		
3	A	1	Total	C	O	S	0	0
			4	2	1	1		
3	B	1	Total	C	O	S	0	0
			4	2	1	1		

- Molecule 4 is SULFATE ION (CCD ID: SO4) (formula: O₄S).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total O S 5 4 1	0	0
4	B	1	Total O S 5 4 1	0	0
4	B	1	Total O S 5 4 1	0	0
4	B	1	Total O S 5 4 1	0	0

- Molecule 5 is METHIONINE (CCD ID: MET) (formula: $C_5H_{11}NO_2S$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total C N O S 9 5 1 2 1	0	0

- Molecule 6 is 1-(3-{[5-chloro-2-hydroxy-3-(prop-2-en-1-yl)benzyl]amino}propyl)-3-thiophen-3-ylurea (CCD ID: 2E9) (formula: $C_{18}H_{22}ClN_3O_2S$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	
6	B	1	Total	C	Cl	N	O	S	0	0
			25	18	1	3	2	1		


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	141	Total	O	0	0
			141	141		
7	B	128	Total	O	0	0
			128	128		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Methionyl-tRNA synthetase



• Molecule 1: Methionyl-tRNA synthetase



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	87.71Å 106.08Å 206.28Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	30.00 – 2.30 30.00 – 2.30	Depositor EDS
% Data completeness (in resolution range)	95.9 (30.00-2.30) 95.9 (30.00-2.30)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	0.11	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.20 (at 2.29Å)	Xtriage
Refinement program	REFMAC refmac_5.7.0032	Depositor
R, R_{free}	0.203 , 0.238 0.207 , 0.240	Depositor DCC
R_{free} test set	4139 reflections (4.81%)	wwPDB-VP
Wilson B-factor (Å ²)	36.8	Xtriage
Anisotropy	0.751	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 36.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	8846	wwPDB-VP
Average B, all atoms (Å ²)	47.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.03% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, SO4, 2E9, CAS, DMS

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.57	0/4277	0.77	0/5815
1	B	0.56	0/4357	0.80	3/5922 (0.1%)
All	All	0.57	0/8634	0.78	3/11737 (0.0%)

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	473	VAL	N-CA-C	5.61	117.02	110.62
1	B	766	SER	N-CA-C	5.48	117.96	110.24
1	B	285	GLY	N-CA-C	5.47	117.57	110.45

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4178	0	4112	11	0
1	B	4253	0	4199	17	0
2	A	54	0	72	3	0
2	B	18	0	24	0	0
3	A	16	0	24	0	0
3	B	4	0	6	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	A	5	0	0	0	0
4	B	15	0	0	0	0
5	A	9	0	8	0	0
6	B	25	0	21	0	0
7	A	141	0	0	0	0
7	B	128	0	0	0	0
All	All	8846	0	8466	28	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (28) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:487:LEU:HD22	1:A:495:GLU:HG3	1.73	0.69
1:A:396:VAL:H	2:A:803:GOL:H12	1.66	0.61
1:A:343:GLU:HB3	2:A:806:GOL:H12	1.86	0.57
1:A:668:VAL:HG11	1:A:713:LEU:HG	1.84	0.57
1:B:453:ARG:HA	1:B:470:CAS:SG	2.47	0.54
1:B:284:THR:HG22	1:B:326:ILE:HG21	1.93	0.51
1:A:263:THR:HG22	1:A:324:TYR:CE2	2.46	0.50
1:B:487:LEU:HD22	1:B:495:GLU:HG3	1.94	0.50
1:A:284:THR:HG22	1:A:326:ILE:HG21	1.94	0.49
1:A:568:LYS:NZ	1:A:595:ASP:OD1	2.46	0.48
1:B:376:ILE:HD12	1:B:397:VAL:HG21	1.94	0.48
1:B:268:VAL:HG21	1:B:582:LEU:HD11	1.98	0.46
1:B:487:LEU:HD22	1:B:495:GLU:CG	2.47	0.45
1:B:705:GLY:O	1:B:709:THR:HG23	2.16	0.44
1:B:602:LEU:HD21	1:B:765:ARG:HH11	1.83	0.43
1:B:625:ASN:O	1:B:751:ARG:NH1	2.51	0.43
1:B:345:TRP:CD1	1:B:345:TRP:C	2.97	0.43
1:B:523:HIS:O	1:B:528:PRO:HD3	2.19	0.42
1:A:658:ILE:N	1:A:659:PRO:HA	2.34	0.42
1:B:-1:SER:OG	1:B:657:LEU:HD11	2.20	0.41
1:B:668:VAL:CG1	1:B:709:THR:HB	2.50	0.41
1:B:602:LEU:HD21	1:B:765:ARG:NH1	2.35	0.41
1:A:518:ASP:HB3	1:A:548:TRP:CE3	2.55	0.41
1:B:328:TYR:OH	1:B:495:GLU:HB2	2.21	0.41
1:A:263:THR:CG2	1:A:324:TYR:CE2	3.04	0.41
1:A:343:GLU:CB	2:A:806:GOL:H12	2.50	0.40
1:B:335:GLU:OE2	1:B:338:LYS:NZ	2.45	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:714:SER:N	1:B:715:PRO:CD	2.84	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	517/542 (95%)	504 (98%)	13 (2%)	0	100	100
1	B	529/542 (98%)	519 (98%)	10 (2%)	0	100	100
All	All	1046/1084 (96%)	1023 (98%)	23 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	449/468 (96%)	444 (99%)	5 (1%)	65	81
1	B	456/468 (97%)	450 (99%)	6 (1%)	61	77
All	All	905/936 (97%)	894 (99%)	11 (1%)	63	79

All (11) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	376	ILE
1	A	480	ASN
1	A	538	LEU
1	A	681	ASP
1	A	728	LEU
1	B	398	THR
1	B	441	GLU
1	B	518	ASP
1	B	567	GLU
1	B	605	GLU
1	B	760	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	336	GLN
1	A	375	ASN
1	A	612	ASN
1	A	643	GLN
1	B	336	GLN
1	B	374	GLN
1	B	375	ASN
1	B	404	ASN
1	B	466	ASN
1	B	480	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	CAS	B	470	1	5,8,9	1.03	0	1,9,11	1.72	0
1	CAS	A	470	1	5,8,9	1.10	0	1,9,11	1.34	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	CAS	B	470	1	-	0/0/7/9	-
1	CAS	A	470	1	-	0/0/7/9	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	B	470	CAS	1	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

23 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	MET	A	815	-	7,8,8	0.91	1 (14%)	5,9,9	1.21	1 (20%)
4	SO4	B	804	-	4,4,4	0.39	0	6,6,6	0.19	0
3	DMS	A	810	-	3,3,3	0.52	0	3,3,3	0.72	0
2	GOL	B	801	-	5,5,5	0.29	0	5,5,5	0.19	0
2	GOL	A	805	-	5,5,5	0.26	0	5,5,5	0.49	0
2	GOL	A	806	-	5,5,5	0.42	0	5,5,5	0.94	0
4	SO4	A	814	-	4,4,4	0.43	0	6,6,6	0.17	0
2	GOL	A	801	-	5,5,5	0.22	0	5,5,5	0.34	0
2	GOL	B	802	-	5,5,5	0.33	0	5,5,5	1.06	0
2	GOL	A	807	-	5,5,5	0.28	0	5,5,5	0.22	0
3	DMS	A	813	-	3,3,3	0.58	0	3,3,3	0.57	0
4	SO4	B	805	-	4,4,4	0.46	0	6,6,6	0.25	0
2	GOL	A	804	-	5,5,5	0.46	0	5,5,5	0.42	0
2	GOL	A	802	-	5,5,5	0.33	0	5,5,5	0.22	0
2	GOL	A	809	-	5,5,5	0.30	0	5,5,5	0.35	0
6	2E9	B	808	-	26,26,26	0.73	1 (3%)	33,33,33	0.66	1 (3%)
3	DMS	B	807	-	3,3,3	0.53	0	3,3,3	0.62	0
2	GOL	A	808	-	5,5,5	0.28	0	5,5,5	0.20	0
3	DMS	A	811	-	3,3,3	0.55	0	3,3,3	0.74	0
3	DMS	A	812	-	3,3,3	0.62	0	3,3,3	0.44	0
4	SO4	B	806	-	4,4,4	0.51	0	6,6,6	0.12	0
2	GOL	B	803	-	5,5,5	0.24	0	5,5,5	0.75	0
2	GOL	A	803	-	5,5,5	0.22	0	5,5,5	0.11	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GOL	A	804	-	-	2/4/4/4	-
2	GOL	A	802	-	-	2/4/4/4	-
2	GOL	A	806	-	-	4/4/4/4	-
2	GOL	A	809	-	-	0/4/4/4	-
5	MET	A	815	-	-	0/8/8/8	-
2	GOL	A	801	-	-	0/4/4/4	-
2	GOL	B	802	-	-	4/4/4/4	-
6	2E9	B	808	-	-	1/16/16/16	0/2/2/2
2	GOL	A	807	-	-	2/4/4/4	-
2	GOL	B	803	-	-	2/4/4/4	-
2	GOL	A	803	-	-	2/4/4/4	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GOL	A	808	-	-	0/4/4/4	-
2	GOL	B	801	-	-	4/4/4/4	-
2	GOL	A	805	-	-	2/4/4/4	-

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	B	808	2E9	C15-C14	3.45	1.39	1.34
5	A	815	MET	OXT-C	-2.21	1.23	1.30

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	815	MET	OXT-C-O	-2.53	118.34	124.08
6	B	808	2E9	C14-N2-C13	-2.10	123.17	124.95

There are no chirality outliers.

All (25) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	803	GOL	C1-C2-C3-O3
2	A	804	GOL	C1-C2-C3-O3
2	A	804	GOL	O2-C2-C3-O3
2	A	805	GOL	C1-C2-C3-O3
2	A	805	GOL	O2-C2-C3-O3
2	A	807	GOL	C1-C2-C3-O3
2	B	801	GOL	O1-C1-C2-C3
2	B	801	GOL	C1-C2-C3-O3
2	B	803	GOL	O1-C1-C2-C3
2	A	806	GOL	O1-C1-C2-C3
2	A	806	GOL	C1-C2-C3-O3
2	B	802	GOL	C1-C2-C3-O3
2	A	803	GOL	O2-C2-C3-O3
2	A	807	GOL	O2-C2-C3-O3
2	B	801	GOL	O1-C1-C2-O2
2	B	801	GOL	O2-C2-C3-O3
2	B	802	GOL	O2-C2-C3-O3
2	B	803	GOL	O1-C1-C2-O2
2	A	806	GOL	O1-C1-C2-O2
2	B	802	GOL	O1-C1-C2-O2
2	A	802	GOL	O2-C2-C3-O3

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
6	B	808	2E9	C-C1-C2-C3
2	A	802	GOL	C1-C2-C3-O3
2	A	806	GOL	O2-C2-C3-O3
2	B	802	GOL	O1-C1-C2-C3

There are no ring outliers.

2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	806	GOL	2	0
2	A	803	GOL	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	520/542 (95%)	0.22	30 (5%)	29 31	24, 41, 80, 128	1 (0%)
1	B	532/542 (98%)	0.30	40 (7%)	20 22	27, 44, 94, 149	1 (0%)
All	All	1052/1084 (97%)	0.26	70 (6%)	24 26	24, 42, 87, 149	2 (0%)

All (70) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	380	VAL	8.0
1	A	548	TRP	7.4
1	A	757	GLU	7.3
1	A	549	THR	7.2
1	B	385	ASN	7.2
1	B	386	PRO	7.1
1	A	758	GLY	5.7
1	B	756	VAL	5.5
1	A	560	GLY	5.5
1	A	756	VAL	5.0
1	B	391	LEU	4.8
1	B	767	THR	4.7
1	A	760	VAL	4.6
1	A	562	VAL	4.6
1	B	757	GLU	4.4
1	B	376	ILE	4.3
1	A	589	ASP	4.2
1	B	547	TRP	4.1
1	A	547	TRP	4.1
1	A	238	VAL	4.1
1	B	755	ALA	4.0
1	B	758	GLY	3.9
1	B	387	CYS	3.8
1	B	373	PRO	3.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	760	VAL	3.7
1	B	396	VAL	3.6
1	B	398	THR	3.3
1	B	491	GLU	3.1
1	B	397	VAL	3.0
1	A	767	THR	3.0
1	A	492	SER	3.0
1	B	369	SER	3.0
1	A	759	GLU	3.0
1	A	585	SER	2.9
1	B	381	ASP	2.9
1	B	365	ILE	2.8
1	B	378	ASP	2.7
1	B	377	THR	2.7
1	A	588	SER	2.7
1	B	371	LEU	2.7
1	B	394	GLY	2.7
1	B	389	VAL	2.6
1	A	768	GLU	2.6
1	A	754	PRO	2.6
1	A	755	ALA	2.5
1	A	587	PHE	2.5
1	B	388	LYS	2.5
1	A	494	LYS	2.5
1	B	370	PHE	2.5
1	A	382	LYS	2.5
1	B	759	GLU	2.4
1	B	559	LEU	2.4
1	B	363	TYR	2.3
1	A	384	GLY	2.3
1	A	563	PHE	2.3
1	A	421	HIS	2.3
1	B	362	TRP	2.3
1	B	320	GLU	2.3
1	B	557	LYS	2.2
1	B	555	ILE	2.2
1	A	693	GLU	2.2
1	A	586	GLY	2.2
1	B	765	ARG	2.1
1	A	621	LYS	2.1
1	A	496	VAL	2.1
1	B	372	THR	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	612	ASN	2.1
1	B	494	LYS	2.1
1	B	558	SER	2.0
1	B	366	SER	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	CAS	B	470	9/10	0.94	0.14	38,43,57,57	3
1	CAS	A	470	9/10	0.96	0.10	36,39,51,52	3

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	DMS	A	810	4/4	0.76	0.29	85,88,91,91	0
2	GOL	A	807	6/6	0.77	0.18	66,67,68,70	0
2	GOL	A	804	6/6	0.79	0.18	54,58,60,62	0
3	DMS	A	811	4/4	0.81	0.27	74,84,85,89	0
2	GOL	A	805	6/6	0.83	0.22	65,67,70,70	0
2	GOL	B	803	6/6	0.83	0.19	55,57,59,61	0
2	GOL	B	802	6/6	0.84	0.17	47,48,52,56	0
2	GOL	A	803	6/6	0.85	0.14	64,65,66,75	0
2	GOL	A	802	6/6	0.85	0.16	59,61,62,64	0
2	GOL	A	809	6/6	0.86	0.19	54,58,60,63	0
4	SO4	B	806	5/5	0.86	0.24	68,68,73,77	0
2	GOL	B	801	6/6	0.89	0.19	56,57,60,61	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	GOL	A	806	6/6	0.89	0.16	48,49,50,54	0
2	GOL	A	808	6/6	0.90	0.15	55,58,61,63	0
4	SO4	B	805	5/5	0.92	0.20	60,63,65,69	0
2	GOL	A	801	6/6	0.92	0.14	59,60,61,64	0
4	SO4	A	814	5/5	0.93	0.27	58,60,65,66	0
4	SO4	B	804	5/5	0.93	0.20	58,60,61,61	0
3	DMS	A	812	4/4	0.95	0.14	64,67,68,69	0
6	2E9	B	808	25/25	0.95	0.09	30,36,42,43	0
3	DMS	B	807	4/4	0.97	0.13	52,54,54,55	0
5	MET	A	815	9/9	0.97	0.08	32,35,36,38	0
3	DMS	A	813	4/4	0.97	0.12	56,64,64,65	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers ⓘ

There are no such residues in this entry.