



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 05:33 AM UTC

PDB ID : 3MX2 / pdb_00003mx2
Title : Lassa fever virus Nucleoprotein complexed with dTTP
Authors : Qi, X.; Lan, S.; Wang, W.; Schelde, L.M.; Dong, H.; Wallat, G.; Liang, Y.;
Ly, H.; Dong, C.; Scottish Structural Proteomics Facility (SSPF)
Deposited on : 2010-05-06
Resolution : 1.98 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtrriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.98 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1506 (1.98-1.98)
Clashscore	190562	1534 (1.98-1.98)
Ramachandran outliers	187476	1518 (1.98-1.98)
Sidechain outliers	187428	1518 (1.98-1.98)
RSRZ outliers	180081	1506 (1.98-1.98)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	577	 19% 74% 15% • 11%
1	B	577	 8% 75% 13% • 10%
1	C	577	 8% 78% 10% • 11%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	ZN	A	570	-	-	-	X
3	ZN	B	570	-	-	-	X
3	ZN	C	570	-	-	-	X

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 12638 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Nucleoprotein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	514	4020	2525	699	769	27	0	0	0
1	B	517	4041	2536	706	772	27	0	0	0
1	C	513	4012	2519	698	768	27	0	0	0

There are 24 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-7	GLY	-	expression tag	UNP P13699
A	-6	ALA	-	expression tag	UNP P13699
A	-5	MET	-	expression tag	UNP P13699
A	-4	ASP	-	expression tag	UNP P13699
A	-3	HIS	-	expression tag	UNP P13699
A	-2	VAL	-	expression tag	UNP P13699
A	-1	GLU	-	expression tag	UNP P13699
A	0	PHE	-	expression tag	UNP P13699
B	-7	GLY	-	expression tag	UNP P13699
B	-6	ALA	-	expression tag	UNP P13699
B	-5	MET	-	expression tag	UNP P13699
B	-4	ASP	-	expression tag	UNP P13699
B	-3	HIS	-	expression tag	UNP P13699
B	-2	VAL	-	expression tag	UNP P13699
B	-1	GLU	-	expression tag	UNP P13699
B	0	PHE	-	expression tag	UNP P13699
C	-7	GLY	-	expression tag	UNP P13699
C	-6	ALA	-	expression tag	UNP P13699
C	-5	MET	-	expression tag	UNP P13699
C	-4	ASP	-	expression tag	UNP P13699
C	-3	HIS	-	expression tag	UNP P13699
C	-2	VAL	-	expression tag	UNP P13699
C	-1	GLU	-	expression tag	UNP P13699


Continued on next page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	106	Total 106	O 106	0	0
4	B	204	Total 204	O 204	0	0
4	C	165	Total 165	O 165	0	0


3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Nucleoprotein





- Molecule 1: Nucleoprotein





- Molecule 1: Nucleoprotein



4 Data and refinement statistics i

Property	Value	Source
Space group	P 3	Depositor
Cell constants a, b, c, α , β , γ	176.15Å 176.15Å 56.47Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	152.55 – 1.98 152.55 – 1.98	Depositor EDS
% Data completeness (in resolution range)	99.1 (152.55-1.98) 99.5 (152.55-1.98)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	0.08	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.30 (at 1.98Å)	Xtrriage
Refinement program	REFMAC 5.5.0102	Depositor
R, R_{free}	0.180 , 0.208 0.212 , 0.245	Depositor DCC
R_{free} test set	6871 reflections (5.06%)	wwPDB-VP
Wilson B-factor (Å ²)	31.4	Xtrriage
Anisotropy	0.225	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 57.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtrriage
Estimated twinning fraction	0.017 for -h,-k,l 0.017 for h,-h-k,-l 0.003 for -k,-h,-l	Xtrriage
Reported twinning fraction	0.606 for H, K, L 0.394 for K, H, -L	Depositor
Outliers	0 of 135046 reflections	Xtrriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	12638	wwPDB-VP
Average B, all atoms (Å ²)	54.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.55% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: TTP, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.73	0/4077	0.94	2/5505 (0.0%)
1	B	0.93	0/4098	1.03	5/5531 (0.1%)
1	C	0.86	0/4068	0.98	5/5491 (0.1%)
All	All	0.84	0/12243	0.98	12/16527 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	2

There are no bond length outliers.

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	262	GLY	N-CA-C	7.66	131.34	113.18
1	B	241	ILE	N-CA-C	6.92	119.79	108.99
1	B	213	TYR	CA-C-N	-5.70	114.06	119.76
1	B	213	TYR	C-N-CA	-5.70	114.06	119.76
1	C	456	ASN	N-CA-C	5.67	119.39	111.90
1	C	317	TRP	CA-C-N	5.62	125.99	119.47
1	C	317	TRP	C-N-CA	5.62	125.99	119.47
1	C	226	HIS	CA-C-N	5.22	125.53	119.47
1	C	226	HIS	C-N-CA	5.22	125.53	119.47
1	A	317	TRP	CA-C-N	5.21	125.01	119.28
1	A	317	TRP	C-N-CA	5.21	125.01	119.28
1	B	512	VAL	N-CA-CB	5.12	117.28	110.26

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	261	GLY	Peptide
1	B	561	ARG	Sidechain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4020	0	4091	51	0
1	B	4041	0	4114	56	0
1	C	4012	0	4079	40	0
2	A	29	0	13	3	0
2	B	29	0	13	1	0
2	C	29	0	13	7	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
3	C	1	0	0	0	0
4	A	106	0	0	8	0
4	B	204	0	0	9	0
4	C	165	0	0	6	0
All	All	12638	0	12323	145	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (145) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:146:MET:HE3	1:A:163:VAL:HG23	1.38	1.05
1:C:238:SER:O	2:C:800:TTP:H3'	1.63	0.98
1:B:445:LEU:HB2	4:B:645:HOH:O	1.63	0.96
1:B:155:ALA:HB1	1:B:156:GLY:HA3	1.55	0.86
1:A:164:TRP:NE1	2:A:800:TTP:O4	2.18	0.77
1:B:256:ALA:HB1	1:B:264:MET:CG	2.20	0.72
1:B:155:ALA:HB3	4:B:669:HOH:O	1.89	0.71

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:238:SER:O	2:C:800:TTP:C3'	2.36	0.71
1:A:66:ARG:O	4:A:627:HOH:O	2.09	0.71
1:A:446:THR:HB	4:A:608:HOH:O	1.91	0.70
1:A:19:GLU:HG3	1:A:281:SER:HB3	1.74	0.70
1:B:120:LEU:HD23	2:B:800:TTP:HM52	1.74	0.70
1:B:256:ALA:HB1	1:B:264:MET:HG2	1.74	0.70
1:B:36:GLN:OE1	1:B:195:LEU:HD22	1.91	0.69
1:C:164:TRP:NE1	2:C:800:TTP:O4	2.25	0.68
1:A:439:PHE:O	1:A:561:ARG:NH1	2.28	0.67
1:C:237:SER:O	1:C:241:ILE:HG12	1.95	0.66
1:A:133:GLN:HG2	4:A:644:HOH:O	1.96	0.66
1:B:522:LYS:N	4:B:697:HOH:O	2.29	0.65
1:C:8:LYS:HG3	1:C:11:LEU:H	1.62	0.65
1:C:384:ALA:HB1	4:C:655:HOH:O	1.97	0.64
1:B:468:ARG:O	1:B:472:GLU:HG3	1.98	0.64
1:A:105:ASP:OD2	1:A:286:LYS:HE3	1.97	0.63
1:B:551:ARG:HH11	1:B:551:ARG:HG2	1.62	0.63
1:A:293:ILE:HG23	1:A:304:GLU:HG2	1.81	0.62
1:B:237:SER:H	1:B:240:ASN:HD22	1.48	0.61
1:C:110:LYS:HD2	1:C:331:TRP:CD1	2.35	0.61
1:B:377:MET:HE1	1:B:449:VAL:HG13	1.84	0.59
1:B:110:LYS:HG3	1:B:331:TRP:CE2	2.37	0.58
1:C:30:GLN:HG2	4:C:703:HOH:O	2.04	0.57
1:C:176:PHE:HB2	2:C:800:TTP:H1'	1.86	0.57
1:A:133:GLN:CG	4:A:644:HOH:O	2.51	0.57
1:B:414:PHE:HB2	1:B:441:THR:HG21	1.87	0.57
1:B:491:SER:CB	4:B:738:HOH:O	2.52	0.57
1:B:464:SER:HB2	1:B:483:ASP:HB2	1.87	0.56
1:A:29:LEU:O	1:A:29:LEU:HD23	2.05	0.56
1:B:46:GLU:OE2	1:B:66:ARG:HD2	2.05	0.56
1:B:155:ALA:CB	4:B:669:HOH:O	2.52	0.56
1:B:143:MET:HE1	1:B:296:THR:HB	1.87	0.56
1:A:194:ASP:O	1:A:197:ASP:HB2	2.07	0.55
1:B:256:ALA:HB1	1:B:264:MET:HG3	1.87	0.55
1:C:110:LYS:O	1:C:114:ILE:HG13	2.07	0.55
1:A:44:PHE:CG	1:A:189:LYS:HG2	2.42	0.54
1:B:551:ARG:HG2	1:B:551:ARG:NH1	2.23	0.54
1:B:268:ILE:O	1:B:318:PRO:HD2	2.08	0.53
1:C:218:ASP:OD1	1:C:221:ARG:NH2	2.41	0.53
1:B:306:ILE:HG12	1:B:310:ILE:HD12	1.90	0.53
1:B:143:MET:CE	1:B:296:THR:HB	2.39	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:164:TRP:CD1	2:C:800:TTP:O4	2.63	0.52
1:B:490:ASP:HA	4:B:672:HOH:O	2.08	0.52
1:A:62:ASN:O	1:A:65:LYS:HB3	2.10	0.51
1:C:120:LEU:HD13	2:C:800:TTP:C4	2.44	0.51
1:A:280:LYS:NZ	4:A:628:HOH:O	1.95	0.51
1:B:367:TYR:CZ	1:B:371:MET:SD	3.03	0.51
1:A:49:ASN:O	1:A:53:LEU:HG	2.11	0.51
1:B:373:LEU:HD11	1:B:377:MET:HE2	1.94	0.50
1:A:270:VAL:HG22	1:A:278:ILE:HD13	1.94	0.50
1:A:280:LYS:CE	4:A:628:HOH:O	2.52	0.50
1:C:306:ILE:HG12	1:C:310:ILE:HD12	1.94	0.50
1:B:547:THR:O	1:B:547:THR:HG22	2.12	0.49
1:C:223:THR:HG21	1:C:230:ASN:HB3	1.93	0.49
1:B:495:GLU:HG3	1:B:536:MET:HE1	1.94	0.49
1:A:115:ARG:NH2	1:A:295:ASP:O	2.46	0.49
1:C:466:ASP:HB3	4:C:637:HOH:O	2.12	0.49
1:A:414:PHE:HB2	1:A:441:THR:HG21	1.95	0.49
1:C:110:LYS:HD2	1:C:331:TRP:NE1	2.28	0.48
1:B:155:ALA:HB1	1:B:156:GLY:CA	2.35	0.48
1:B:373:LEU:O	1:B:377:MET:HG2	2.13	0.48
1:A:64:LEU:HD13	1:A:172:LEU:HD23	1.95	0.48
1:A:257:CYS:SG	1:A:320:ILE:HG21	2.54	0.48
1:A:295:ASP:HB2	1:A:371:MET:HE1	1.94	0.48
1:B:429:TYR:HB2	4:B:753:HOH:O	2.13	0.48
1:C:195:LEU:HB2	4:C:641:HOH:O	2.14	0.47
1:C:454:PRO:O	1:C:457:MET:HG3	2.13	0.47
1:A:387:TRP:O	1:A:402:LEU:HA	2.14	0.47
1:A:209:TYR:HA	1:A:212:LYS:O	2.13	0.47
1:C:9:SER:HB2	1:C:302:PRO:HD3	1.97	0.47
1:B:223:THR:HG21	1:B:230:ASN:OD1	2.15	0.46
1:A:178:THR:HG21	1:A:250:ALA:HB2	1.98	0.46
1:A:259:LEU:O	1:B:221:ARG:HD2	2.14	0.46
1:B:223:THR:HG21	1:B:230:ASN:CG	2.40	0.46
1:B:561:ARG:HA	4:B:776:HOH:O	2.16	0.46
1:C:112:LYS:HE3	1:C:304:GLU:OE1	2.16	0.46
1:A:306:ILE:O	1:A:310:ILE:HG13	2.15	0.46
1:C:120:LEU:HD23	1:C:146:MET:HG2	1.97	0.46
1:A:179:MET:HE2	1:A:181:SER:OG	2.15	0.46
1:A:241:ILE:N	2:A:800:TTP:O2	2.48	0.45
1:B:439:PHE:O	1:B:561:ARG:NH2	2.49	0.45
1:C:487:SER:O	1:C:491:SER:HB2	2.15	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:235:LYS:O	1:C:237:SER:N	2.49	0.45
1:C:377:MET:HE1	1:C:453:LEU:HD23	1.97	0.45
1:A:115:ARG:HD3	1:A:372:THR:HA	1.97	0.45
1:B:464:SER:HB2	1:B:483:ASP:OD2	2.16	0.45
1:B:466:ASP:OD1	1:B:466:ASP:N	2.46	0.45
1:C:176:PHE:CB	2:C:800:TTP:H1'	2.47	0.45
1:B:440:ALA:O	1:B:561:ARG:HG3	2.17	0.45
1:A:223:THR:HG21	1:A:230:ASN:HB3	2.00	0.44
1:C:502:TYR:CE1	1:C:550:LEU:HD22	2.52	0.44
1:A:78:VAL:O	1:A:81:LYS:HE2	2.17	0.44
1:B:561:ARG:HG3	1:B:561:ARG:H	1.55	0.44
1:B:72:GLN:HB3	4:B:721:HOH:O	2.17	0.44
1:C:387:TRP:O	1:C:402:LEU:HA	2.17	0.44
1:C:308:TYR:CE1	1:C:330:ALA:HB3	2.52	0.44
1:A:395:GLU:H	1:A:395:GLU:CD	2.26	0.44
1:A:241:ILE:HD12	1:A:241:ILE:HA	1.76	0.44
1:C:112:LYS:NZ	1:C:298:GLY:O	2.50	0.44
1:C:49:ASN:O	1:C:53:LEU:HG	2.17	0.43
1:C:466:ASP:N	4:C:637:HOH:O	2.50	0.43
1:C:126:MET:HE1	1:C:138:ARG:HG3	1.99	0.43
1:A:30:GLN:HG3	1:A:80:LEU:HG	1.99	0.43
1:B:235:LYS:NZ	1:B:235:LYS:HB2	2.33	0.43
1:A:12:TRP:CD1	1:A:289:LEU:HD13	2.54	0.43
1:B:401:ALA:HA	1:B:411:ILE:O	2.19	0.43
1:A:533:ASP:HA	1:A:536:MET:HG2	2.00	0.43
1:B:219:LEU:HD11	1:B:229:LEU:HB3	2.00	0.42
1:A:72:GLN:NE2	4:A:620:HOH:O	2.52	0.42
1:B:27:ILE:HD11	1:B:80:LEU:CD2	2.49	0.42
1:C:102:LEU:HG	1:C:283:LEU:HD11	2.01	0.42
1:A:558:MET:HE3	1:A:558:MET:HB2	1.95	0.42
1:A:241:ILE:HG13	1:A:245:ASN:CB	2.50	0.42
1:C:516:LYS:H	1:C:516:LYS:CD	2.30	0.42
1:A:133:GLN:HB3	4:A:644:HOH:O	2.18	0.42
1:A:469:LYS:HE3	1:A:469:LYS:HB2	1.81	0.42
1:C:556:ARG:NH2	4:C:590:HOH:O	2.53	0.42
1:C:237:SER:HB2	1:C:299:GLU:OE2	2.20	0.41
1:B:27:ILE:HD11	1:B:80:LEU:HD22	2.01	0.41
1:C:209:TYR:HA	1:C:212:LYS:O	2.20	0.41
1:A:29:LEU:HD23	1:A:29:LEU:C	2.45	0.41
1:A:370:LEU:O	1:A:374:LYS:HG3	2.20	0.41
1:A:401:ALA:HA	1:A:411:ILE:O	2.21	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:223:THR:O	1:B:223:THR:HG22	2.20	0.41
1:A:126:MET:N	1:A:159:GLY:O	2.36	0.41
1:A:176:PHE:HB2	2:A:800:TTP:H1'	2.01	0.41
1:C:516:LYS:H	1:C:516:LYS:HD2	1.86	0.41
1:B:38:LEU:HD22	1:B:42:LEU:HD22	2.03	0.41
1:B:44:PHE:CG	1:B:189:LYS:HG2	2.56	0.41
1:B:49:ASN:O	1:B:53:LEU:HG	2.21	0.41
1:B:269:LYS:HD2	1:B:317:TRP:CE2	2.56	0.41
1:B:241:ILE:HB	1:B:245:ASN:HB2	2.04	0.40
1:A:270:VAL:HG21	1:A:310:ILE:HG23	2.03	0.40
1:B:157:ARG:HA	1:B:158:ASP:CB	2.51	0.40
1:C:488:LYS:O	1:C:491:SER:HB3	2.22	0.40
1:A:222:LEU:HD23	1:B:207:LEU:HD13	2.03	0.40
1:A:222:LEU:HB3	1:A:229:LEU:HD12	2.04	0.40
1:B:387:TRP:O	1:B:402:LEU:HA	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	506/577 (88%)	493 (97%)	11 (2%)	2 (0%)	30 20
1	B	509/577 (88%)	497 (98%)	12 (2%)	0	100 100
1	C	503/577 (87%)	495 (98%)	7 (1%)	1 (0%)	43 35
All	All	1518/1731 (88%)	1485 (98%)	30 (2%)	3 (0%)	43 35

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	557	ASP
1	C	365	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	463	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	451/498 (91%)	432 (96%)	19 (4%)	26	15
1	B	452/498 (91%)	438 (97%)	14 (3%)	35	26
1	C	450/498 (90%)	437 (97%)	13 (3%)	37	28
All	All	1353/1494 (91%)	1307 (97%)	46 (3%)	32	22

All (46) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	7	ILE
1	A	8	LYS
1	A	107	GLU
1	A	197	ASP
1	A	233	ASP
1	A	234	THR
1	A	241	ILE
1	A	295	ASP
1	A	395	GLU
1	A	462	GLN
1	A	464	SER
1	A	465	ASP
1	A	473	SER
1	A	474	GLN
1	A	481	LEU
1	A	489	THR
1	A	491	SER
1	A	549	VAL
1	A	561	ARG
1	B	15	SER
1	B	61	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	83	THR
1	B	120	LEU
1	B	131	SER
1	B	158	ASP
1	B	208	ILE
1	B	294	SER
1	B	481	LEU
1	B	491	SER
1	B	493	LYS
1	B	512	VAL
1	B	550	LEU
1	B	561	ARG
1	C	9	SER
1	C	143	MET
1	C	241	ILE
1	C	287	LYS
1	C	365	LEU
1	C	393	ARG
1	C	462	GLN
1	C	473	SER
1	C	484	ILE
1	C	489	THR
1	C	516	LYS
1	C	549	VAL
1	C	550	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (19) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	30	GLN
1	A	72	GLN
1	A	133	GLN
1	A	173	ASN
1	A	379	GLN
1	A	383	ASN
1	B	30	GLN
1	B	132	GLN
1	B	174	ASN
1	B	200	GLN
1	B	240	ASN
1	B	379	GLN
1	B	383	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	26	ASN
1	C	30	GLN
1	C	72	GLN
1	C	273	GLN
1	C	442	GLN
1	C	507	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 6 ligands modelled in this entry, 3 are monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	TTP	B	800	-	29,30,30	2.58	8 (27%)	43,47,47	2.37	15 (34%)
2	TTP	C	800	-	29,30,30	1.26	4 (13%)	43,47,47	3.03	16 (37%)
2	TTP	A	800	-	29,30,30	1.35	3 (10%)	43,47,47	3.06	17 (39%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.

'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	TTP	B	800	-	-	2/22/34/34	0/2/2/2
2	TTP	C	800	-	-	10/22/34/34	0/2/2/2
2	TTP	A	800	-	-	9/22/34/34	0/2/2/2

All (15) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	800	TTP	PA-O3A	10.46	1.70	1.59
2	B	800	TTP	PB-O3A	4.73	1.64	1.59
2	A	800	TTP	C6-C5	3.31	1.40	1.34
2	B	800	TTP	C6-C5	3.09	1.39	1.34
2	A	800	TTP	PA-O3A	2.95	1.62	1.59
2	C	800	TTP	C6-C5	2.93	1.39	1.34
2	C	800	TTP	C4-C5	-2.92	1.40	1.44
2	A	800	TTP	C4-C5	-2.66	1.40	1.44
2	B	800	TTP	C2-N1	2.62	1.42	1.38
2	B	800	TTP	C6-N1	2.62	1.42	1.38
2	B	800	TTP	C4-C5	-2.49	1.40	1.44
2	C	800	TTP	PG-O2G	2.08	1.62	1.54
2	B	800	TTP	PG-O2G	2.05	1.62	1.54
2	B	800	TTP	PB-O1B	-2.04	1.43	1.50
2	C	800	TTP	PA-O3A	2.01	1.61	1.59

All (48) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	800	TTP	O4'-C1'-N1	10.39	126.30	107.86
2	C	800	TTP	O4'-C1'-N1	8.42	122.80	107.86
2	C	800	TTP	C5-C4-N3	7.17	121.56	115.32
2	C	800	TTP	C4'-O4'-C1'	-7.14	92.54	109.51
2	A	800	TTP	C5-C4-N3	6.81	121.25	115.32
2	B	800	TTP	C5-C4-N3	6.69	121.13	115.32
2	C	800	TTP	O5'-PA-O1A	-6.65	82.59	108.94
2	C	800	TTP	C4-N3-C2	-6.64	118.63	127.34
2	A	800	TTP	C4-N3-C2	-6.53	118.77	127.34
2	A	800	TTP	C4'-O4'-C1'	-5.67	96.04	109.51
2	B	800	TTP	C4-N3-C2	-5.49	120.14	127.34
2	A	800	TTP	N3-C2-N1	4.87	121.24	114.89
2	A	800	TTP	O5'-PA-O1A	-4.56	90.87	108.94
2	B	800	TTP	O5'-PA-O1A	-4.53	90.99	108.94
2	A	800	TTP	O2A-PA-O5'	-4.52	87.08	107.57

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	800	TTP	C5-C6-N1	-4.10	118.86	123.31
2	C	800	TTP	N3-C2-N1	4.07	120.19	114.89
2	C	800	TTP	O4-C4-C5	-4.04	120.29	124.92
2	A	800	TTP	C5-C6-N1	-4.02	118.95	123.31
2	B	800	TTP	N3-C2-N1	3.97	120.06	114.89
2	B	800	TTP	O2A-PA-O3A	3.93	117.91	107.27
2	A	800	TTP	O2A-PA-O3A	3.92	117.87	107.27
2	A	800	TTP	O4'-C1'-C2'	-3.73	99.28	106.25
2	B	800	TTP	O2A-PA-O5'	-3.61	91.20	107.57
2	B	800	TTP	C5-C6-N1	-3.51	119.50	123.31
2	C	800	TTP	O2A-PA-O5'	-3.27	92.76	107.57
2	B	800	TTP	O4'-C1'-N1	3.08	113.33	107.86
2	B	800	TTP	C5M-C5-C6	-3.07	118.69	122.85
2	C	800	TTP	O4'-C1'-C2'	-3.02	100.61	106.25
2	C	800	TTP	O3A-PA-O1A	2.93	119.52	110.70
2	B	800	TTP	O3A-PA-O1A	2.82	119.18	110.70
2	B	800	TTP	C2'-C1'-N1	-2.76	106.90	113.81
2	B	800	TTP	C5M-C5-C4	2.73	121.69	118.78
2	A	800	TTP	C5M-C5-C6	-2.69	119.21	122.85
2	C	800	TTP	O2A-PA-O3A	2.59	114.28	107.27
2	A	800	TTP	O4-C4-C5	-2.49	122.06	124.92
2	C	800	TTP	O2A-PA-O1A	2.46	123.88	112.44
2	B	800	TTP	O2-C2-N3	-2.45	116.97	121.49
2	C	800	TTP	C5M-C5-C6	-2.38	119.63	122.85
2	A	800	TTP	O2A-PA-O1A	2.37	123.47	112.44
2	A	800	TTP	C6-C5-C4	2.36	119.97	118.02
2	A	800	TTP	O3A-PA-O1A	2.22	117.39	110.70
2	C	800	TTP	O4'-C4'-C5'	2.22	116.43	109.33
2	C	800	TTP	C6-C5-C4	2.18	119.82	118.02
2	A	800	TTP	C3'-C2'-C1'	-2.18	97.26	102.60
2	B	800	TTP	O2A-PA-O1A	2.10	122.23	112.44
2	B	800	TTP	O4-C4-N3	-2.09	116.18	120.11
2	A	800	TTP	O4'-C4'-C5'	2.06	115.93	109.33

There are no chirality outliers.

All (21) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	800	TTP	C5'-O5'-PA-O1A
2	A	800	TTP	C5'-O5'-PA-O2A
2	A	800	TTP	C5'-O5'-PA-O3A
2	C	800	TTP	PB-O3B-PG-O2G

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	C	800	TTP	C2'-C1'-N1-C2
2	C	800	TTP	C2'-C1'-N1-C6
2	C	800	TTP	O4'-C4'-C5'-O5'
2	C	800	TTP	C3'-C4'-C5'-O5'
2	A	800	TTP	PB-O3B-PG-O1G
2	A	800	TTP	C2'-C1'-N1-C2
2	A	800	TTP	C4'-C5'-O5'-PA
2	A	800	TTP	C2'-C1'-N1-C6
2	B	800	TTP	C5'-O5'-PA-O1A
2	C	800	TTP	C5'-O5'-PA-O1A
2	C	800	TTP	C5'-O5'-PA-O2A
2	A	800	TTP	PB-O3A-PA-O1A
2	C	800	TTP	PB-O3B-PG-O3G
2	B	800	TTP	PB-O3B-PG-O1G
2	C	800	TTP	PB-O3B-PG-O1G
2	A	800	TTP	PA-O3A-PB-O2B
2	C	800	TTP	PA-O3A-PB-O2B


There are no ring outliers.

3 monomers are involved in 11 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	800	TTP	1	0
2	C	800	TTP	7	0
2	A	800	TTP	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	514/577 (89%)	1.44	111 (21%) 2 2	36, 49, 70, 81	0
1	B	517/577 (89%)	0.84	46 (8%) 15 22	28, 38, 56, 90	0
1	C	513/577 (88%)	0.89	48 (9%) 14 19	28, 40, 62, 80	0
All	All	1544/1731 (89%)	1.06	205 (13%) 7 10	28, 43, 65, 90	0

All (205) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	338	LEU	6.4
1	A	338	LEU	5.6
1	A	420	LEU	5.2
1	A	7	ILE	5.0
1	B	261	GLY	4.9
1	A	367	TYR	4.7
1	C	338	LEU	4.6
1	B	157	ARG	4.6
1	A	241	ILE	4.4
1	A	484	ILE	4.2
1	A	549	VAL	4.0
1	C	241	ILE	3.9
1	A	238	SER	3.8
1	A	473	SER	3.8
1	B	260	ASP	3.8
1	C	160	VAL	3.8
1	B	546	ASN	3.7
1	C	556	ARG	3.7
1	A	546	ASN	3.6
1	B	406	SER	3.6
1	A	429	TYR	3.6
1	A	461	CYS	3.6
1	C	364	GLY	3.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	156	GLY	3.5
1	C	295	ASP	3.3
1	A	455	ARG	3.3
1	A	288	ALA	3.3
1	A	516	LYS	3.3
1	A	522	LYS	3.3
1	A	196	ASN	3.3
1	B	40	HIS	3.2
1	C	239	LEU	3.2
1	C	546	ASN	3.2
1	A	327	THR	3.2
1	A	239	LEU	3.2
1	B	262	GLY	3.2
1	C	235	LYS	3.2
1	A	88	ILE	3.2
1	C	238	SER	3.2
1	B	155	ALA	3.1
1	A	133	GLN	3.1
1	C	367	TYR	3.1
1	B	491	SER	3.1
1	A	132	GLN	3.1
1	A	370	LEU	3.0
1	B	240	ASN	3.0
1	A	463	GLY	3.0
1	A	465	ASP	3.0
1	A	552	ALA	3.0
1	C	133	GLN	3.0
1	A	213	TYR	3.0
1	B	196	ASN	3.0
1	B	545	LEU	3.0
1	A	308	TYR	3.0
1	A	237	SER	3.0
1	A	252	VAL	2.9
1	A	240	ASN	2.9
1	A	406	SER	2.9
1	B	27	ILE	2.9
1	B	227	PRO	2.8
1	C	561	ARG	2.8
1	A	491	SER	2.8
1	C	545	LEU	2.8
1	C	263	ASN	2.8
1	A	556	ARG	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	100	LEU	2.7
1	C	517	LYS	2.7
1	A	158	ASP	2.7
1	A	489	THR	2.7
1	C	557	ASP	2.7
1	C	549	VAL	2.7
1	A	439	PHE	2.7
1	A	466	ASP	2.7
1	C	468	ARG	2.7
1	A	295	ASP	2.6
1	B	561	ARG	2.6
1	A	409	CYS	2.6
1	A	423	PHE	2.6
1	C	418	THR	2.6
1	C	479	ILE	2.6
1	A	220	ASP	2.6
1	B	234	THR	2.6
1	A	222	LEU	2.6
1	A	230	ASN	2.6
1	C	516	LYS	2.5
1	C	240	ASN	2.5
1	C	40	HIS	2.5
1	B	216	THR	2.5
1	A	488	LYS	2.5
1	A	457	MET	2.5
1	A	235	LYS	2.5
1	A	179	MET	2.5
1	A	452	ALA	2.5
1	B	541	VAL	2.5
1	A	131	SER	2.4
1	B	208	ILE	2.4
1	B	458	VAL	2.4
1	B	133	GLN	2.4
1	A	380	LEU	2.4
1	A	471	LEU	2.4
1	A	477	LYS	2.4
1	C	484	ILE	2.4
1	A	161	VAL	2.4
1	B	548	SER	2.4
1	B	516	LYS	2.4
1	A	390	ILE	2.4
1	C	463	GLY	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	237	SER	2.4
1	A	554	LEU	2.3
1	A	290	GLY	2.3
1	A	47	VAL	2.3
1	C	260	ASP	2.3
1	A	373	LEU	2.3
1	A	83	THR	2.3
1	B	544	GLY	2.3
1	A	217	SER	2.3
1	A	270	VAL	2.3
1	C	158	ASP	2.3
1	B	222	LEU	2.3
1	B	263	ASN	2.3
1	A	261	GLY	2.3
1	A	278	ILE	2.3
1	A	400	ILE	2.3
1	A	408	GLY	2.3
1	A	464	SER	2.3
1	A	136	GLN	2.3
1	A	39	LEU	2.3
1	A	219	LEU	2.3
1	B	522	LYS	2.3
1	A	139	ALA	2.2
1	C	473	SER	2.2
1	A	557	ASP	2.2
1	A	480	LYS	2.2
1	B	18	ARG	2.2
1	B	100	LEU	2.2
1	C	420	LEU	2.2
1	A	485	ALA	2.2
1	C	419	ASP	2.2
1	A	114	ILE	2.2
1	A	275	MET	2.2
1	A	553	VAL	2.2
1	A	312	LEU	2.2
1	A	25	SER	2.2
1	C	272	PRO	2.2
1	A	535	ILE	2.2
1	C	228	ILE	2.2
1	A	223	THR	2.2
1	A	234	THR	2.2
1	B	327	THR	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	451	ASP	2.2
1	C	276	ASP	2.2
1	C	454	PRO	2.2
1	C	452	ALA	2.2
1	C	540	ALA	2.2
1	A	377	MET	2.1
1	A	331	TRP	2.1
1	A	116	THR	2.1
1	A	337	ASP	2.1
1	C	512	VAL	2.1
1	B	463	GLY	2.1
1	A	106	LEU	2.1
1	A	146	MET	2.1
1	A	472	GLU	2.1
1	A	497	ALA	2.1
1	B	540	ALA	2.1
1	C	465	ASP	2.1
1	A	418	THR	2.1
1	B	83	THR	2.1
1	B	238	SER	2.1
1	A	236	LYS	2.1
1	B	236	LYS	2.1
1	A	103	ALA	2.1
1	B	200	GLN	2.1
1	B	560	PHE	2.1
1	A	209	TYR	2.1
1	A	96	SER	2.1
1	A	561	ARG	2.1
1	A	366	THR	2.1
1	A	317	TRP	2.1
1	A	435	VAL	2.1
1	C	440	ALA	2.1
1	A	233	ASP	2.1
1	C	135	ASP	2.1
1	C	466	ASP	2.1
1	A	246	PHE	2.0
1	B	145	GLY	2.0
1	B	364	GLY	2.0
1	C	132	GLN	2.0
1	C	230	ASN	2.0
1	A	227	PRO	2.0
1	A	53	LEU	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	140	LEU	2.0
1	A	289	LEU	2.0
1	A	365	LEU	2.0
1	A	481	LEU	2.0
1	B	80	LEU	2.0
1	B	239	LEU	2.0
1	B	221	ARG	2.0
1	C	488	LYS	2.0
1	A	447	SER	2.0
1	C	457	MET	2.0
1	A	293	ILE	2.0
1	B	484	ILE	2.0
1	A	18	ARG	2.0
1	C	541	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.


6.4 Ligands [i](#)


In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	ZN	C	570	1/1	0.42	0.57	0,0,0,0	0
3	ZN	A	570	1/1	0.44	0.63	0,0,0,0	0
3	ZN	B	570	1/1	0.53	0.57	625,625,625,625	0
2	TTP	A	800	29/29	0.82	0.33	75,109,141,165	7
2	TTP	B	800	29/29	0.84	0.24	69,78,92,94	0
2	TTP	C	800	29/29	0.87	0.26	56,85,117,125	6

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers

as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





6.5 Other polymers [i](#)

There are no such residues in this entry.