



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 11:37 AM UTC

PDB ID : 4MXY / pdb_00004mxy
Title : Src M314L T338M double mutant bound to kinase inhibitor bosutinib
Authors : Levinson, N.M.; Boxer, S.G.
Deposited on : 2013-09-26
Resolution : 2.58 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.58 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4770 (2.60-2.56)
Clashscore	190562	5124 (2.60-2.56)
Ramachandran outliers	187476	5046 (2.60-2.56)
Sidechain outliers	187428	5046 (2.60-2.56)
RSRZ outliers	180081	4770 (2.60-2.56)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	286	13% 57% 29% 6% 7%
1	B	286	6% 63% 26% • 8%

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 4410 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Proto-oncogene tyrosine-protein kinase Src.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	266	Total	C	N	O	S	0	0	0
			2145	1379	358	392	16			
1	B	264	Total	C	N	O	S	0	0	0
			2127	1368	355	388	16			

There are 10 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	248	GLY	-	expression tag	UNP P12931
A	249	HIS	-	expression tag	UNP P12931
A	250	MET	-	expression tag	UNP P12931
A	314	LEU	MET	engineered mutation	UNP P12931
A	338	MET	THR	engineered mutation	UNP P12931
B	248	GLY	-	expression tag	UNP P12931
B	249	HIS	-	expression tag	UNP P12931
B	250	MET	-	expression tag	UNP P12931
B	314	LEU	MET	engineered mutation	UNP P12931
B	338	MET	THR	engineered mutation	UNP P12931

- Molecule 2 is 4-[(2,4-dichloro-5-methoxyphenyl)amino]-6-methoxy-7-[3-(4-methylpiperazin-1-yl)propoxy]quinoline-3-carbonitrile (CCD ID: DB8) (formula: C₂₆H₂₉Cl₂N₅O₃).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total 36	C 26	Cl 2	N 5	O 3	0	0
2	B	1	Total 36	C 26	Cl 2	N 5	O 3	0	0


- Molecule 3 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	39	Total O 39 39	0	0
3	B	27	Total O 27 27	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Proto-oncogene tyrosine-protein kinase Src



- Molecule 1: Proto-oncogene tyrosine-protein kinase Src



4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	41.87Å 63.05Å 73.96Å 79.03° 87.82° 89.91°	Depositor
Resolution (Å)	61.89 – 2.58 61.89 – 2.58	Depositor EDS
% Data completeness (in resolution range)	94.1 (61.89-2.58) 94.1 (61.89-2.58)	Depositor EDS
R_{merge}	0.20	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.80 (at 2.58Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.7_650)	Depositor
R, R_{free}	0.208 , 0.266 0.197 , 0.255	Depositor DCC
R_{free} test set	1108 reflections (3.74%)	wwPDB-VP
Wilson B-factor (Å ²)	31.7	Xtriage
Anisotropy	0.519	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 36.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	0.038 for h,-k,-l	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	4410	wwPDB-VP
Average B, all atoms (Å ²)	41.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.43% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: DB8

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.52	0/2197	0.93	9/2974 (0.3%)
1	B	0.49	0/2179	0.83	4/2951 (0.1%)
All	All	0.50	0/4376	0.88	13/5925 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

There are no bond length outliers.

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	A	306	ALA	N-CA-C	-7.85	102.67	112.72
1	A	302	MET	N-CA-C	6.13	116.66	108.38
1	A	334	ILE	N-CA-C	5.45	116.33	108.48
1	A	461	VAL	CA-C-N	5.40	125.70	119.92
1	A	461	VAL	C-N-CA	5.40	125.70	119.92
1	A	298	LYS	CA-C-N	5.38	126.56	119.84
1	A	298	LYS	C-N-CA	5.38	126.56	119.84
1	A	300	GLY	N-CA-C	5.33	120.61	114.16
1	B	506	ARG	CA-C-N	5.30	125.28	120.03
1	B	506	ARG	C-N-CA	5.30	125.28	120.03
1	A	342	SER	N-CA-C	5.19	116.93	111.28
1	B	430	ALA	CA-C-N	5.05	124.49	119.24
1	B	430	ALA	C-N-CA	5.05	124.49	119.24

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	298	LYS	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2145	0	2139	68	0
1	B	2127	0	2120	57	0
2	A	36	0	29	5	0
2	B	36	0	29	7	0
3	A	39	0	0	2	0
3	B	27	0	0	0	0
All	All	4410	0	4317	127	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 15.

All (127) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:385:ARG:HD2	1:A:409:ARG:HD3	1.45	0.95
1:B:363:LEU:HD23	1:B:366:MET:HE3	1.62	0.82
1:A:383:VAL:HG12	1:A:411:ILE:HG12	1.62	0.81
1:A:309:GLN:HA	1:A:312:GLN:HG2	1.64	0.79
1:B:363:LEU:HD23	1:B:366:MET:CE	2.13	0.79
1:A:435:LEU:HD21	1:A:472:LEU:HD21	1.67	0.76
1:B:358:LEU:HD13	1:B:366:MET:HE1	1.69	0.73
1:B:383:VAL:HG13	1:B:409:ARG:HG3	1.73	0.71
1:B:295:LYS:HB2	2:B:601:DB8:O02	1.91	0.69
1:A:257:LYS:HD2	1:A:261:GLU:HG3	1.74	0.69
1:A:323:VAL:HG12	1:A:338:MET:HE2	1.74	0.68
1:A:332:GLU:HA	1:A:333:PRO:C	2.19	0.67
1:B:269:LEU:HD22	1:B:294:ILE:HD12	1.75	0.67
1:B:320:GLU:O	1:B:401:LYS:HE3	1.95	0.66

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:385:ARG:HD2	1:B:409:ARG:HG2	1.79	0.65
1:B:260:TRP:CD1	1:B:315:LYS:HE2	2.33	0.62
1:B:432:GLU:HG2	1:B:433:ALA:N	2.13	0.62
1:B:346:LEU:HD21	1:B:455:LEU:HD21	1.82	0.61
1:A:388:ARG:HB3	1:A:428:TRP:CD1	2.36	0.61
1:A:264:ARG:HH11	1:A:264:ARG:HG3	1.65	0.60
1:A:332:GLU:HG3	1:A:333:PRO:HA	1.83	0.60
1:B:409:ARG:HH21	1:B:411:ILE:HG23	1.67	0.60
1:A:323:VAL:HG12	1:A:338:MET:CE	2.32	0.59
1:B:343:LYS:HB2	1:B:394:VAL:HB	1.85	0.59
1:A:310:GLU:O	1:A:310:GLU:HG3	2.04	0.58
1:A:342:SER:O	2:A:601:DB8:HAMA	2.03	0.58
1:A:295:LYS:HB2	2:A:601:DB8:O02	2.05	0.57
1:A:322:LEU:HD22	1:A:402:VAL:HB	1.88	0.56
1:A:318:ARG:HH12	1:A:324:GLN:NE2	2.04	0.56
1:B:297:LEU:HB2	1:B:307:PHE:CE2	2.41	0.55
1:B:384:HIS:O	1:B:385:ARG:HB2	2.07	0.55
1:A:383:VAL:HG22	1:A:385:ARG:HG3	1.89	0.55
1:A:310:GLU:OE2	2:A:601:DB8:CL1	2.62	0.55
1:B:275:GLN:HB2	1:B:280:GLU:HG2	1.89	0.55
1:A:323:VAL:HG21	1:A:403:ALA:HB2	1.89	0.54
1:A:460:ARG:O	3:A:706:HOH:O	2.18	0.54
1:B:308:LEU:HB3	1:B:312:GLN:HE21	1.73	0.54
1:B:435:LEU:HD21	1:B:472:LEU:HD21	1.90	0.54
1:B:262:ILE:HD11	1:B:337:VAL:HG21	1.91	0.52
1:A:428:TRP:HE1	1:A:454:GLU:CD	2.17	0.52
1:B:297:LEU:HD13	1:B:307:PHE:CD1	2.44	0.52
1:A:363:LEU:HD23	1:A:366:MET:CE	2.40	0.52
1:A:383:VAL:CG1	1:A:411:ILE:HG12	2.35	0.52
1:A:369:GLN:O	1:A:372:SER:HB3	2.10	0.51
1:A:297:LEU:HG	1:A:299:PRO:O	2.11	0.51
1:A:386:ASP:HB2	1:A:407:LEU:HD12	1.91	0.51
2:A:601:DB8:CAJ	2:A:601:DB8:CAG	2.89	0.50
1:A:360:LEU:HB3	1:A:361:PRO:HD3	1.94	0.50
1:B:273:LEU:HD13	2:B:601:DB8:CBD	2.42	0.50
1:A:404:ASP:C	1:A:406:GLY:H	2.19	0.50
1:B:383:VAL:HG12	1:B:411:ILE:HG12	1.93	0.50
1:B:362:GLN:O	1:B:366:MET:HG3	2.11	0.49
2:A:601:DB8:CAG	2:A:601:DB8:CBB	2.91	0.49
1:B:317:LEU:HB3	1:B:376:TYR:HE2	1.78	0.48
1:A:309:GLN:HA	1:A:312:GLN:CG	2.38	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:338:MET:CG	2:B:601:DB8:H01B	2.44	0.48
1:A:460:ARG:NH2	3:A:713:HOH:O	2.47	0.47
1:A:273:LEU:HB2	1:A:281:VAL:HG12	1.96	0.47
1:A:518:ASP:CG	1:B:461:VAL:HG23	2.39	0.47
1:A:264:ARG:HH11	1:A:264:ARG:CG	2.28	0.47
1:B:388:ARG:HB3	1:B:428:TRP:CD1	2.50	0.47
1:A:297:LEU:HD12	1:A:301:THR:OG1	2.15	0.47
1:A:520:PHE:O	1:A:525:PRO:HA	2.14	0.47
1:B:323:VAL:HG21	1:B:393:LEU:HD12	1.97	0.47
1:B:358:LEU:HD13	1:B:366:MET:CE	2.44	0.47
1:B:446:TRP:C	1:B:446:TRP:CD1	2.92	0.47
1:A:311:ALA:O	1:A:315:LYS:HG3	2.15	0.46
1:B:338:MET:HG3	2:B:601:DB8:H01B	1.96	0.46
1:A:330:SER:HA	1:A:334:ILE:HG12	1.98	0.46
2:B:601:DB8:CAG	2:B:601:DB8:CBB	2.94	0.46
1:A:426:ILE:HD13	1:A:472:LEU:HD13	1.98	0.46
1:A:463:TYR:N	1:A:464:PRO:HD3	2.32	0.45
1:A:483:CYS:SG	1:A:487:CYS:O	2.75	0.45
1:A:313:VAL:HG12	1:A:317:LEU:HD12	1.99	0.45
1:B:269:LEU:HD23	1:B:269:LEU:N	2.31	0.45
1:A:310:GLU:O	1:A:314:LEU:HB2	2.17	0.44
1:A:382:TYR:CE2	1:A:410:LEU:HD22	2.52	0.44
1:A:473:ASP:O	1:A:477:ARG:HG3	2.17	0.44
1:A:385:ARG:CD	1:A:409:ARG:HD3	2.33	0.44
1:B:341:MET:O	2:B:601:DB8:HAK	2.18	0.44
1:B:451:LEU:HD12	1:B:451:LEU:O	2.17	0.44
1:B:297:LEU:HD22	1:B:307:PHE:CD2	2.53	0.44
1:A:457:THR:OG1	1:A:460:ARG:HB2	2.18	0.44
1:B:361:PRO:HA	1:B:520:PHE:CE2	2.54	0.43
1:B:383:VAL:HG22	1:B:385:ARG:HG3	1.99	0.43
1:A:432:GLU:OE2	1:A:506:ARG:NH2	2.52	0.43
1:A:385:ARG:HD3	1:A:407:LEU:O	2.19	0.43
1:A:445:VAL:O	1:A:446:TRP:C	2.61	0.43
1:B:308:LEU:HB3	1:B:312:GLN:NE2	2.34	0.43
1:B:378:GLU:HA	1:B:441:ILE:HD13	2.00	0.43
1:B:385:ARG:HB3	1:B:424:PHE:HE2	1.84	0.43
1:B:321:LYS:HA	1:B:401:LYS:HG3	2.01	0.42
1:B:441:ILE:O	1:B:444:ASP:HB2	2.19	0.42
1:A:323:VAL:CG1	1:A:338:MET:HE2	2.47	0.42
1:A:321:LYS:HE3	1:A:369:GLN:HG2	2.02	0.42
1:A:372:SER:HA	1:A:513:GLN:NE2	2.35	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:450:ILE:HD13	1:A:499:TRP:CZ2	2.54	0.42
1:A:323:VAL:CG2	1:A:403:ALA:HB2	2.49	0.42
1:B:329:VAL:HB	1:B:335:TYR:HB2	2.02	0.42
1:B:442:LYS:HA	1:B:442:LYS:HD3	1.70	0.42
1:A:302:MET:HE2	1:A:303:SER:H	1.85	0.42
1:A:309:GLN:O	1:A:313:VAL:HG23	2.20	0.42
1:B:430:ALA:HB2	1:B:446:TRP:HB3	2.00	0.42
1:A:446:TRP:CE3	1:A:499:TRP:HA	2.55	0.42
1:B:295:LYS:HB2	2:B:601:DB8:C01	2.49	0.42
1:A:300:GLY:O	1:A:302:MET:N	2.53	0.42
1:B:269:LEU:CD2	1:B:294:ILE:HD12	2.47	0.42
1:A:405:PHE:HB3	1:A:408:ALA:HB3	2.02	0.41
1:A:435:LEU:CD2	1:A:472:LEU:HD21	2.43	0.41
1:B:461:VAL:HA	1:B:462:PRO:HD3	1.89	0.41
1:A:446:TRP:CZ3	1:A:499:TRP:O	2.73	0.41
1:B:358:LEU:O	1:B:458:LYS:HE2	2.20	0.41
1:B:428:TRP:HE1	1:B:454:GLU:CD	2.29	0.41
1:A:308:LEU:HD23	1:A:308:LEU:HA	1.79	0.41
1:B:483:CYS:SG	1:B:487:CYS:O	2.78	0.41
1:B:495:MET:HB3	1:B:499:TRP:CH2	2.56	0.41
1:A:358:LEU:HA	1:A:358:LEU:HD23	1.85	0.41
1:A:264:ARG:CG	1:A:264:ARG:NH1	2.84	0.41
1:A:493:ASP:O	1:A:497:GLN:HG3	2.20	0.41
1:B:310:GLU:HB2	1:B:406:GLY:HA2	2.03	0.41
1:B:360:LEU:HD12	1:B:360:LEU:HA	1.91	0.41
1:A:302:MET:HE2	1:A:302:MET:HB2	1.50	0.40
1:A:264:ARG:HG3	1:A:335:TYR:HE2	1.86	0.40
1:B:260:TRP:HB3	1:B:328:VAL:HG23	2.01	0.40
1:B:308:LEU:HD21	1:B:334:ILE:HG21	2.02	0.40
1:A:362:GLN:O	1:A:366:MET:HG3	2.21	0.40
1:B:332:GLU:HA	1:B:333:PRO:C	2.47	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	262/286 (92%)	240 (92%)	17 (6%)	5 (2%)	6	12
1	B	260/286 (91%)	247 (95%)	12 (5%)	1 (0%)	30	49
All	All	522/572 (91%)	487 (93%)	29 (6%)	6 (1%)	11	24

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	299	PRO
1	A	301	THR
1	A	304	PRO
1	B	385	ARG
1	A	331	GLU
1	A	405	PHE

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	231/245 (94%)	201 (87%)	30 (13%)	4	8
1	B	229/245 (94%)	208 (91%)	21 (9%)	8	18
All	All	460/490 (94%)	409 (89%)	51 (11%)	6	11

All (51) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	264	ARG
1	A	268	ARG
1	A	271	VAL
1	A	275	GLN
1	A	278	PHE
1	A	283	MET
1	A	290	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	291	ARG
1	A	298	LYS
1	A	301	THR
1	A	302	MET
1	A	305	GLU
1	A	307	PHE
1	A	309	GLN
1	A	310	GLU
1	A	312	GLN
1	A	314	LEU
1	A	328	VAL
1	A	336	ILE
1	A	347	LEU
1	A	356	LYS
1	A	383	VAL
1	A	407	LEU
1	A	410	LEU
1	A	411	ILE
1	A	424	PHE
1	A	426	ILE
1	A	460	ARG
1	A	469	ARG
1	A	470	GLU
1	B	265	GLU
1	B	266	SER
1	B	269	LEU
1	B	272	LYS
1	B	275	GLN
1	B	285	THR
1	B	290	THR
1	B	291	ARG
1	B	294	ILE
1	B	298	LYS
1	B	328	VAL
1	B	332	GLU
1	B	347	LEU
1	B	383	VAL
1	B	401	LYS
1	B	411	ILE
1	B	443	SER
1	B	469	ARG
1	B	470	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	474	GLN
1	B	528	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	275	GLN
1	A	287	ASN
1	A	312	GLN
1	A	319	HIS
1	A	324	GLN
1	A	391	ASN
1	A	397	ASN
1	A	497	GLN
1	A	513	GLN
1	B	275	GLN
1	B	312	GLN
1	B	391	ASN
1	B	397	ASN
1	B	474	GLN
1	B	513	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	DB8	B	601	-	39,39,39	5.01	20 (51%)	53,54,54	2.38	17 (32%)
2	DB8	A	601	-	39,39,39	4.75	20 (51%)	53,54,54	2.41	16 (30%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	DB8	B	601	-	-	8/17/27/27	0/4/4/4
2	DB8	A	601	-	-	8/17/27/27	0/4/4/4

All (40) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	601	DB8	CBE-CBA	14.43	1.53	1.40
2	A	601	DB8	CBE-CBA	13.71	1.53	1.40
2	B	601	DB8	CAH-CBA	8.31	1.51	1.40
2	B	601	DB8	CAK-CBD	8.26	1.51	1.36
2	B	601	DB8	CAH-NAT	7.89	1.45	1.31
2	B	601	DB8	CAL-CBC	7.74	1.50	1.36
2	A	601	DB8	CAL-CBC	7.63	1.50	1.36
2	A	601	DB8	CAK-CBD	7.60	1.50	1.36
2	A	601	DB8	CAH-CBA	7.60	1.50	1.40
2	B	601	DB8	CAI-CAZ	7.27	1.50	1.38
2	A	601	DB8	CAJ-CBB	7.18	1.50	1.39
2	B	601	DB8	CAK-CBF	7.16	1.52	1.41
2	B	601	DB8	CAI-CAY	7.15	1.50	1.38
2	B	601	DB8	CAJ-CBB	7.08	1.50	1.39
2	A	601	DB8	CAK-CBF	6.81	1.52	1.41
2	A	601	DB8	CAH-NAT	6.71	1.43	1.31
2	B	601	DB8	CBG-CBF	6.69	1.53	1.42
2	A	601	DB8	CAI-CAZ	6.62	1.49	1.38
2	B	601	DB8	CAX-CAY	6.56	1.51	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	601	DB8	CAX-CAY	6.55	1.51	1.39
2	B	601	DB8	CAJ-CAX	6.53	1.49	1.38
2	A	601	DB8	CAJ-CAX	6.50	1.49	1.38
2	A	601	DB8	CBG-CBF	6.47	1.52	1.42
2	B	601	DB8	CBE-CBG	6.46	1.54	1.43
2	A	601	DB8	CAI-CAY	6.32	1.48	1.38
2	A	601	DB8	CBE-CBG	6.13	1.54	1.43
2	B	601	DB8	CBB-CAZ	5.80	1.52	1.39
2	A	601	DB8	CBB-CAZ	5.35	1.51	1.39
2	B	601	DB8	CBF-NAT	4.61	1.45	1.37
2	A	601	DB8	CBD-CBC	4.47	1.50	1.40
2	B	601	DB8	CAL-CBG	4.44	1.50	1.42
2	A	601	DB8	CAL-CBG	4.44	1.50	1.42
2	B	601	DB8	CBD-CBC	4.22	1.49	1.40
2	A	601	DB8	CBA-CAG	4.13	1.50	1.44
2	B	601	DB8	CBA-CAG	4.06	1.50	1.44
2	A	601	DB8	CBF-NAT	4.04	1.44	1.37
2	A	601	DB8	CBE-NAU	3.04	1.48	1.38
2	B	601	DB8	CBE-NAU	2.98	1.48	1.38
2	B	601	DB8	CBB-NAU	2.34	1.46	1.39
2	A	601	DB8	CBB-NAU	2.18	1.45	1.39

All (33) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	601	DB8	OAV-CBC-CAL	-6.70	116.68	125.16
2	B	601	DB8	O02-CAX-CAY	6.00	122.27	116.62
2	A	601	DB8	O02-CAX-CAY	5.52	121.82	116.62
2	B	601	DB8	CAO-NBI-CAS	5.49	121.09	110.63
2	A	601	DB8	CAO-NBI-CAS	5.48	121.08	110.63
2	A	601	DB8	OAV-CBC-CBD	5.15	122.39	115.40
2	B	601	DB8	CBA-CAH-NAT	-5.07	122.05	125.66
2	B	601	DB8	OAV-CBC-CAL	-4.98	118.86	125.16
2	A	601	DB8	OAW-CBD-CAK	-4.45	117.90	125.20
2	A	601	DB8	CAC-NBH-CAP	4.42	123.02	111.24
2	B	601	DB8	O02-CAX-CAJ	-4.33	116.62	124.08
2	A	601	DB8	CBA-CAH-NAT	-4.30	122.60	125.66
2	B	601	DB8	CAC-NBH-CAP	4.23	122.52	111.24
2	B	601	DB8	CAH-NAT-CBF	3.92	121.50	116.96
2	B	601	DB8	OAV-CBC-CBD	3.90	120.70	115.40
2	A	601	DB8	O02-CAX-CAJ	-3.69	117.72	124.08
2	B	601	DB8	CAL-CBG-CBE	-3.56	119.09	123.19

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	601	DB8	CBB-CAZ-CL2	3.55	123.37	119.52
2	B	601	DB8	OAW-CBD-CAK	-3.37	119.67	125.20
2	A	601	DB8	CAH-NAT-CBF	3.32	120.81	116.96
2	A	601	DB8	CAL-CBG-CBE	-3.31	119.38	123.19
2	B	601	DB8	CAK-CBF-NAT	3.12	121.60	118.01
2	B	601	DB8	CBB-CAZ-CL2	3.02	122.79	119.52
2	A	601	DB8	CAO-NBI-CAR	2.87	116.11	110.63
2	A	601	DB8	OAW-CBD-CBC	2.84	121.61	115.75
2	B	601	DB8	CAO-NBI-CAR	2.82	116.01	110.63
2	B	601	DB8	CBE-CBA-CAG	-2.58	120.17	124.15
2	B	601	DB8	CBG-CBF-NAT	-2.55	120.12	122.82
2	A	601	DB8	CAX-CAY-CL1	2.48	122.29	119.44
2	B	601	DB8	CAJ-CBB-NAU	-2.26	116.48	121.12
2	B	601	DB8	CAI-CAZ-CBB	-2.23	120.00	121.77
2	A	601	DB8	CAI-CAZ-CBB	-2.14	120.07	121.77
2	A	601	DB8	CBG-CBF-NAT	-2.05	120.65	122.82

There are no chirality outliers.

All (16) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	601	DB8	CAM-CAC-NBH-CAQ
2	B	601	DB8	NBH-CAC-CAM-CAN
2	A	601	DB8	CAC-CAM-CAN-OAW
2	A	601	DB8	CAY-CAX-O02-C01
2	B	601	DB8	CAY-CAX-O02-C01
2	A	601	DB8	CAM-CAC-NBH-CAP
2	B	601	DB8	CAM-CAC-NBH-CAP
2	B	601	DB8	CAM-CAC-NBH-CAQ
2	A	601	DB8	CAJ-CAX-O02-C01
2	A	601	DB8	CAZ-CBB-NAU-CBE
2	B	601	DB8	CAZ-CBB-NAU-CBE
2	B	601	DB8	CAJ-CAX-O02-C01
2	A	601	DB8	CAJ-CBB-NAU-CBE
2	B	601	DB8	CAJ-CBB-NAU-CBE
2	B	601	DB8	CBD-CBC-OAV-CAA
2	A	601	DB8	CAM-CAN-OAW-CBD


There are no ring outliers.

2 monomers are involved in 12 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	601	DB8	7	0
2	A	601	DB8	5	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


Ligand DB8 B 601




Bond lengths




Bond angles



Torsions



Rings



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	266/286 (93%)	0.52	38 (14%) 6 5	19, 35, 85, 99	0
1	B	264/286 (92%)	0.31	18 (6%) 23 19	19, 36, 75, 89	0
All	All	530/572 (92%)	0.42	56 (10%) 11 9	19, 36, 83, 99	0

All (56) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	299	PRO	5.4
1	A	302	MET	5.2
1	B	311	ALA	5.2
1	B	278	PHE	5.0
1	A	334	ILE	4.8
1	A	278	PHE	4.8
1	A	308	LEU	4.7
1	A	297	LEU	4.6
1	A	333	PRO	4.4
1	B	277	CYS	4.4
1	A	307	PHE	4.3
1	A	304	PRO	3.8
1	A	407	LEU	3.8
1	B	301	THR	3.5
1	A	411	ILE	3.5
1	A	301	THR	3.3
1	A	332	GLU	3.3
1	A	298	LYS	3.3
1	A	424	PHE	3.2
1	A	331	GLU	3.2
1	B	308	LEU	3.1
1	A	335	TYR	3.1
1	B	306	ALA	3.1
1	A	310	GLU	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	408	ALA	3.0
1	A	300	GLY	3.0
1	B	411	ILE	2.9
1	A	410	LEU	2.9
1	A	277	CYS	2.9
1	B	410	LEU	2.8
1	A	303	SER	2.8
1	A	289	THR	2.8
1	B	424	PHE	2.7
1	B	313	VAL	2.7
1	B	314	LEU	2.7
1	A	311	ALA	2.7
1	B	300	GLY	2.6
1	A	275	GLN	2.6
1	A	306	ALA	2.6
1	A	288	GLY	2.6
1	B	304	PRO	2.6
1	A	412	GLU	2.5
1	B	302	MET	2.5
1	A	425	PRO	2.5
1	A	274	GLY	2.4
1	B	307	PHE	2.3
1	B	276	GLY	2.3
1	A	406	GLY	2.3
1	A	263	PRO	2.2
1	B	409	ARG	2.2
1	A	296	THR	2.2
1	A	267	LEU	2.1
1	A	312	GLN	2.1
1	A	279	GLY	2.1
1	B	310	GLU	2.1
1	A	330	SER	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands ⓘ




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	DB8	A	601	36/36	0.85	0.16	43,54,70,88	0
2	DB8	B	601	36/36	0.85	0.16	36,50,73,76	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around DB8 A 601:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around DB8 B 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.