



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 06:47 PM UTC

PDB ID : 1MYJ / pdb_00001myj
Title : DISTAL POLARITY IN LIGAND BINDING TO MYOGLOBIN: STRUCTURAL AND FUNCTIONAL CHARACTERIZATION OF A THREONINE68(E11) MUTANT
Authors : Smerdon, S.J.; Oldfield, T.J.; Wilkinson, A.J.; Dauter, Z.; Petratos, K.; Wilson, K.S.
Deposited on : 1992-02-27
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	8410 (1.90-1.90)
Ramachandran outliers	187476	8333 (1.90-1.90)
Sidechain outliers	187428	8333 (1.90-1.90)
RSRZ outliers	180081	7790 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	153	2% 25% 58% 13% .
1	B	153	2% 27% 51% 18% .

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 2597 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called MYOGLOBIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	153	Total	C	N	O	S	21	0	0
			1197	763	208	223	3			
1	B	153	Total	C	N	O	S	19	0	0
			1197	763	208	223	3			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	68	THR	VAL	conflict	UNP P02189
B	68	THR	VAL	conflict	UNP P02189

- Molecule 2 is SULFATE ION (CCD ID: SO4) (formula: O₄S).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	S	0	0
			5	4	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	B	1	Total	O	S	0	0
			5	4	1		

- Molecule 3 is PROTOPORPHYRIN IX CONTAINING FE (CCD ID: HEM) (formula: $C_{34}H_{32}FeN_4O_4$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
3	B	1	Total 43	C 34	Fe 1	N 4	O 4	0	0


- Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	53	Total O 53 53	0	0
4	B	54	Total O 54 54	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: MYOGLOBIN



• Molecule 1: MYOGLOBIN



4 Data and refinement statistics

Property	Value	Source
Space group	I 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	123.75Å 42.48Å 92.05Å 90.00° 92.05° 90.00°	Depositor
Resolution (Å)	7.00 – 1.90 7.00 – 1.90	Depositor EDS
% Data completeness (in resolution range)	(Not available) (7.00-1.90) 91.1 (7.00-1.90)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.41 (at 1.90Å)	Xtriage
Refinement program	PROLSQ	Depositor
R, R_{free}	0.207 , (Not available) 0.201 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å ²)	22.0	Xtriage
Anisotropy	0.191	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 88.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	0.217 for -h,-k,l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	2597	wwPDB-VP
Average B, all atoms (Å ²)	23.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 100.00 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 0.0000e+00.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: HEM, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.92	26/1222 (2.1%)	3.38	194/1637 (11.9%)
1	B	1.85	21/1222 (1.7%)	3.51	217/1637 (13.3%)
All	All	1.89	47/2444 (1.9%)	3.45	411/3274 (12.6%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1

All (47) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	146	TYR	C-N	9.20	1.46	1.33
1	B	95	THR	C-N	-8.96	1.22	1.33
1	A	65	GLY	CA-C	8.33	1.61	1.52
1	B	1	GLY	N-CA	7.72	1.57	1.45
1	A	46	PHE	C-N	-7.70	1.23	1.34
1	A	115	LEU	N-CA	7.32	1.55	1.46
1	A	62	LYS	C-N	7.07	1.42	1.33
1	A	80	GLY	N-CA	6.92	1.55	1.45
1	A	99	ILE	CA-CB	6.79	1.60	1.53
1	A	79	LYS	C-O	6.50	1.31	1.23
1	A	95	THR	CA-CB	6.46	1.63	1.53
1	B	22	ALA	C-N	-6.41	1.26	1.33
1	B	34	LYS	CA-CB	-6.39	1.43	1.53
1	A	128	GLN	CA-C	-6.31	1.44	1.52
1	B	79	LYS	C-O	6.08	1.31	1.23
1	B	80	GLY	N-CA	6.01	1.54	1.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	11	LEU	C-N	-5.87	1.26	1.33
1	A	119	HIS	ND1-CE1	5.86	1.38	1.32
1	A	107	ILE	N-CA	5.84	1.53	1.46
1	B	100	PRO	C-O	5.79	1.30	1.23
1	A	20	ASP	N-CA	5.74	1.53	1.46
1	A	112	ILE	C-N	5.74	1.41	1.33
1	A	66	ASN	C-O	5.72	1.30	1.24
1	A	29	LEU	C-N	-5.67	1.26	1.33
1	A	9	LEU	C-N	-5.52	1.27	1.33
1	A	7	TRP	N-CA	5.48	1.53	1.46
1	B	95	THR	CA-CB	5.42	1.61	1.53
1	A	2	LEU	C-N	-5.40	1.25	1.33
1	A	127	ALA	N-CA	5.38	1.52	1.46
1	B	111	ILE	N-CA	5.35	1.52	1.46
1	B	74	GLY	N-CA	5.33	1.52	1.45
1	B	33	PHE	C-N	-5.32	1.26	1.33
1	B	65	GLY	CA-C	5.32	1.58	1.52
1	A	126	ASP	C-N	-5.28	1.27	1.33
1	B	41	GLU	C-N	5.19	1.41	1.33
1	B	113	GLN	N-CA	5.16	1.52	1.46
1	B	9	LEU	CA-C	5.13	1.59	1.52
1	B	44	ASP	C-O	5.10	1.30	1.24
1	B	152	GLN	C-O	5.09	1.30	1.24
1	B	106	PHE	N-CA	5.09	1.52	1.46
1	B	121	GLY	C-N	-5.08	1.25	1.33
1	A	7	TRP	CA-C	-5.06	1.45	1.52
1	A	112	ILE	CA-C	-5.05	1.46	1.52
1	A	31	ARG	NE-CZ	5.04	1.38	1.33
1	B	118	LYS	CA-C	-5.03	1.45	1.52
1	A	131	MET	N-CA	5.02	1.52	1.46
1	A	96	LYS	C-N	5.00	1.41	1.33

All (411) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	34	LYS	CA-CB-CG	27.53	169.17	114.10
1	B	12	ASN	OD1-CG-ND2	21.05	143.65	122.60
1	B	128	GLN	OE1-CD-NE2	20.39	142.99	122.60
1	A	128	GLN	OE1-CD-NE2	19.95	142.54	122.60
1	B	53	ASP	CA-CB-CG	-15.02	97.58	112.60
1	B	12	ASN	N-CA-CB	-14.87	88.51	110.07
1	B	26	GLN	OE1-CD-NE2	14.63	137.23	122.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	12	ASN	CA-CB-CG	-14.02	98.58	112.60
1	B	151	PHE	CA-C-N	13.85	147.99	121.54
1	B	151	PHE	C-N-CA	13.85	147.99	121.54
1	A	146	TYR	O-C-N	12.53	134.97	122.07
1	A	79	LYS	CA-C-N	-12.46	102.39	122.20
1	A	79	LYS	C-N-CA	-12.46	102.39	122.20
1	A	12	ASN	OD1-CG-ND2	-12.42	110.18	122.60
1	A	83	GLU	CB-CG-CD	12.31	133.52	112.60
1	B	31	ARG	CD-NE-CZ	12.29	141.61	124.40
1	A	45	LYS	CA-C-O	-12.28	104.42	119.28
1	B	33	PHE	CA-C-O	-11.39	106.88	119.97
1	B	94	ALA	CA-C-O	11.06	132.29	120.90
1	A	34	LYS	CG-CD-CE	11.03	136.66	111.30
1	A	136	GLU	CB-CG-CD	-10.95	93.99	112.60
1	A	5	GLY	O-C-N	10.70	132.46	122.19
1	B	72	LEU	CA-C-N	10.64	131.79	119.98
1	B	72	LEU	C-N-CA	10.64	131.79	119.98
1	B	117	SER	CA-C-O	-10.62	109.16	120.42
1	A	113	GLN	OE1-CD-NE2	-10.60	112.00	122.60
1	A	85	GLU	OE1-CD-OE2	10.47	148.04	122.90
1	A	148	GLU	N-CA-C	10.33	122.62	111.36
1	A	85	GLU	CG-CD-OE1	-10.22	94.89	118.40
1	A	112	ILE	CB-CG1-CD1	-10.02	92.75	113.80
1	A	35	GLY	CA-C-O	-10.00	110.06	120.66
1	A	19	ALA	CA-C-O	-9.97	106.35	119.11
1	A	149	LEU	N-CA-C	-9.92	101.17	113.18
1	B	48	HIS	CA-C-O	-9.90	106.18	119.05
1	A	143	ALA	CA-C-N	9.86	133.67	120.65
1	A	143	ALA	C-N-CA	9.86	133.67	120.65
1	A	79	LYS	O-C-N	-9.75	110.38	122.57
1	A	117	SER	CA-C-O	-9.67	110.74	120.70
1	B	87	THR	O-C-N	9.60	132.36	121.32
1	A	77	LYS	CA-CB-CG	-9.48	95.14	114.10
1	A	86	LEU	N-CA-CB	-9.47	96.14	110.16
1	A	133	LYS	CA-C-O	9.41	130.79	119.97
1	B	90	ALA	CA-C-O	9.40	130.69	120.82
1	A	64	HIS	CA-CB-CG	-9.38	104.42	113.80
1	B	40	LEU	CA-C-N	9.38	133.79	120.28
1	B	40	LEU	C-N-CA	9.38	133.79	120.28
1	A	66	ASN	CA-CB-CG	-9.37	103.23	112.60
1	B	64	HIS	CA-CB-CG	-9.34	104.46	113.80
1	B	59	GLU	CB-CG-CD	-9.32	96.75	112.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	9	LEU	CA-C-N	9.32	132.97	120.77
1	A	9	LEU	C-N-CA	9.32	132.97	120.77
1	A	40	LEU	CA-C-N	9.27	133.63	120.28
1	A	40	LEU	C-N-CA	9.27	133.63	120.28
1	A	132	SER	CB-CA-C	-9.21	95.50	110.79
1	B	37	PRO	O-C-N	9.19	133.29	122.17
1	B	132	SER	CA-C-O	-9.17	110.83	120.55
1	B	79	LYS	CA-C-O	-9.17	111.31	122.03
1	A	145	LYS	N-CA-CB	9.16	123.59	110.12
1	B	145	LYS	CB-CG-CD	9.15	132.34	111.30
1	B	138	PHE	O-C-N	-9.13	112.59	122.09
1	B	19	ALA	N-CA-C	-9.13	102.14	113.18
1	B	152	GLN	CA-CB-CG	9.12	132.34	114.10
1	A	36	HIS	CA-CB-CG	-9.10	104.70	113.80
1	A	124	GLY	CA-C-O	-9.07	113.21	122.28
1	B	1	GLY	CA-C-O	-9.00	101.91	120.80
1	B	152	GLN	CA-C-O	8.95	133.30	120.51
1	A	72	LEU	CA-C-O	-8.93	110.96	120.42
1	B	83	GLU	CB-CG-CD	8.92	127.76	112.60
1	B	8	GLN	CG-CD-NE2	8.90	129.76	116.40
1	A	48	HIS	CA-CB-CG	-8.84	104.96	113.80
1	A	132	SER	CA-CB-OG	-8.83	93.45	111.10
1	B	4	ASP	CA-C-O	8.83	129.91	120.55
1	B	62	LYS	O-C-N	-8.78	112.82	122.12
1	B	118	LYS	CA-C-O	-8.74	108.47	119.31
1	A	125	ALA	O-C-N	-8.74	112.86	122.12
1	A	148	GLU	CB-CG-CD	-8.74	97.75	112.60
1	B	117	SER	CA-CB-OG	-8.73	93.64	111.10
1	A	59	GLU	CB-CA-C	-8.72	96.02	110.85
1	B	90	ALA	CA-C-N	8.67	132.24	120.54
1	B	90	ALA	C-N-CA	8.67	132.24	120.54
1	B	98	LYS	CA-C-O	8.58	132.75	122.03
1	A	24	HIS	CA-C-N	8.52	129.38	120.00
1	A	24	HIS	C-N-CA	8.52	129.38	120.00
1	B	35	GLY	CA-C-O	-8.50	111.00	120.09
1	B	79	LYS	CA-C-N	-8.48	104.78	121.41
1	B	79	LYS	C-N-CA	-8.48	104.78	121.41
1	B	75	ILE	CA-C-N	8.46	131.61	120.28
1	B	75	ILE	C-N-CA	8.46	131.61	120.28
1	B	148	GLU	CA-CB-CG	8.44	130.98	114.10
1	A	35	GLY	CA-C-N	8.41	131.66	122.74
1	A	35	GLY	C-N-CA	8.41	131.66	122.74

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	83	GLU	CA-C-O	-8.41	111.50	120.92
1	B	113	GLN	CG-CD-NE2	8.36	128.94	116.40
1	A	149	LEU	CA-C-O	8.32	129.76	119.11
1	B	99	ILE	CA-C-O	-8.30	112.94	119.25
1	A	113	GLN	CG-CD-NE2	8.29	128.84	116.40
1	B	40	LEU	N-CA-CB	-8.28	97.65	110.06
1	A	101	VAL	CA-C-N	8.27	131.71	120.38
1	A	101	VAL	C-N-CA	8.27	131.71	120.38
1	B	86	LEU	CA-C-O	-8.26	111.66	120.42
1	B	11	LEU	CA-C-O	8.21	129.41	119.97
1	B	99	ILE	O-C-N	8.20	126.54	121.37
1	A	15	GLY	O-C-N	-8.15	114.37	122.19
1	A	126	ASP	O-C-N	8.14	132.82	122.23
1	B	126	ASP	CA-C-O	-8.11	112.35	120.70
1	A	2	LEU	CA-C-O	-8.07	112.45	121.89
1	A	123	PHE	O-C-N	8.06	133.30	122.82
1	B	48	HIS	CA-CB-CG	-8.05	105.75	113.80
1	A	34	LYS	CB-CG-CD	-8.00	92.91	111.30
1	A	152	GLN	OE1-CD-NE2	7.96	130.56	122.60
1	A	25	GLY	CA-C-O	-7.93	112.26	120.66
1	B	132	SER	CA-CB-OG	-7.92	95.25	111.10
1	B	66	ASN	CA-CB-CG	-7.90	104.70	112.60
1	A	145	LYS	CA-C-O	-7.89	112.19	120.55
1	B	113	GLN	OE1-CD-NE2	-7.84	114.76	122.60
1	B	5	GLY	O-C-N	7.83	129.78	122.19
1	B	95	THR	N-CA-C	7.83	119.89	111.36
1	A	98	LYS	CA-C-N	7.81	137.79	123.34
1	A	98	LYS	C-N-CA	7.81	137.79	123.34
1	B	64	HIS	CA-C-N	7.79	128.63	119.98
1	B	64	HIS	C-N-CA	7.79	128.63	119.98
1	B	117	SER	CB-CA-C	-7.77	97.64	110.85
1	B	119	HIS	O-C-N	7.76	127.72	121.20
1	A	81	HIS	N-CA-C	-7.71	94.37	110.80
1	B	91	GLN	O-C-N	-7.69	114.09	122.09
1	B	9	LEU	O-C-N	7.63	130.21	122.12
1	A	45	LYS	O-C-N	7.62	132.88	122.37
1	B	77	LYS	CA-CB-CG	-7.62	98.86	114.10
1	B	98	LYS	N-CA-C	7.60	121.55	111.28
1	A	114	VAL	CA-CB-CG1	7.60	123.32	110.40
1	A	66	ASN	OD1-CG-ND2	-7.58	115.02	122.60
1	A	19	ALA	N-CA-C	-7.57	104.02	113.18
1	B	31	ARG	NE-CZ-NH1	7.55	129.05	121.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	87	THR	CA-CB-OG1	-7.49	98.36	109.60
1	B	133	LYS	CA-C-O	7.49	128.49	120.55
1	B	81	HIS	N-CA-C	-7.48	98.40	109.62
1	A	31	ARG	NE-CZ-NH2	-7.48	112.47	119.20
1	B	65	GLY	N-CA-C	-7.47	103.76	112.73
1	A	109	GLU	CB-CG-CD	-7.44	99.95	112.60
1	A	126	ASP	CA-C-O	-7.42	112.01	120.24
1	A	25	GLY	O-C-N	7.42	129.38	122.19
1	B	82	HIS	CA-C-O	7.34	127.84	119.18
1	B	117	SER	O-C-N	7.34	130.52	122.15
1	B	69	LEU	CA-C-O	-7.34	110.21	119.31
1	B	43	PHE	O-C-N	7.33	132.36	123.13
1	B	42	LYS	CB-CG-CD	-7.32	94.47	111.30
1	B	29	LEU	CA-C-O	-7.30	111.57	119.97
1	B	62	LYS	CG-CD-CE	-7.29	94.54	111.30
1	B	77	LYS	CA-C-O	-7.27	111.89	120.10
1	A	67	THR	CA-CB-OG1	-7.27	98.70	109.60
1	B	132	SER	O-C-N	7.25	129.81	122.12
1	A	15	GLY	N-CA-C	-7.25	104.03	112.73
1	B	117	SER	CA-C-N	-7.24	108.47	121.14
1	B	117	SER	C-N-CA	-7.24	108.47	121.14
1	B	85	GLU	CG-CD-OE1	7.24	135.04	118.40
1	B	62	LYS	N-CA-CB	-7.23	99.49	110.12
1	A	65	GLY	CA-C-O	-7.22	113.31	120.75
1	A	48	HIS	CA-C-O	-7.19	110.58	119.28
1	A	31	ARG	CA-C-N	7.12	130.40	120.29
1	A	31	ARG	C-N-CA	7.12	130.40	120.29
1	B	85	GLU	N-CA-C	-7.10	102.96	111.69
1	B	62	LYS	CA-CB-CG	-7.08	99.93	114.10
1	B	85	GLU	N-CA-CB	7.04	120.70	110.20
1	A	74	GLY	O-C-N	-7.04	114.61	122.28
1	B	111	ILE	CA-C-O	7.02	128.62	121.17
1	B	83	GLU	CB-CA-C	-7.01	99.10	110.74
1	B	85	GLU	CA-C-O	-7.01	112.46	120.24
1	A	85	GLU	CB-CG-CD	-6.97	100.76	112.60
1	B	135	LEU	N-CA-C	-6.96	103.46	112.23
1	A	10	VAL	N-CA-CB	6.94	117.91	110.62
1	B	122	ASP	CB-CG-OD1	-6.92	102.49	118.40
1	A	44	ASP	CA-C-O	-6.91	113.10	120.42
1	B	31	ARG	NE-CZ-NH2	-6.89	112.99	119.20
1	B	108	SER	O-C-N	-6.89	114.30	122.15
1	B	136	GLU	CB-CG-CD	-6.87	100.92	112.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	97	HIS	N-CA-CB	6.86	121.14	110.44
1	B	36	HIS	CA-C-N	6.85	127.41	119.47
1	B	36	HIS	C-N-CA	6.85	127.41	119.47
1	A	79	LYS	CA-C-O	-6.84	114.03	122.03
1	B	139	ARG	NE-CZ-NH1	6.84	128.34	121.50
1	B	145	LYS	CA-C-N	6.83	129.44	120.28
1	B	145	LYS	C-N-CA	6.83	129.44	120.28
1	B	6	GLU	CA-C-O	-6.82	113.20	120.42
1	B	19	ALA	CA-C-O	-6.81	110.39	119.11
1	B	1	GLY	CA-C-N	-6.80	110.36	122.74
1	B	1	GLY	C-N-CA	-6.80	110.36	122.74
1	B	38	GLU	CB-CG-CD	6.79	124.14	112.60
1	B	18	GLU	CA-C-O	-6.79	111.03	119.38
1	A	132	SER	N-CA-CB	6.78	120.09	110.12
1	A	116	GLN	O-C-N	-6.77	114.43	122.15
1	A	121	GLY	O-C-N	-6.76	113.91	122.70
1	B	43	PHE	CA-C-N	-6.76	110.03	120.31
1	B	43	PHE	C-N-CA	-6.76	110.03	120.31
1	A	118	LYS	CA-C-O	-6.72	110.98	119.31
1	A	29	LEU	CA-C-O	-6.71	113.31	120.42
1	A	30	ILE	O-C-N	-6.71	115.34	121.91
1	B	105	GLU	N-CA-C	-6.71	103.44	111.69
1	A	117	SER	O-C-N	6.71	129.33	122.09
1	A	146	TYR	CA-C-O	-6.71	113.78	120.82
1	A	76	LEU	CA-C-O	-6.68	113.47	120.55
1	B	24	HIS	CA-C-N	6.68	127.35	120.00
1	B	24	HIS	C-N-CA	6.68	127.35	120.00
1	A	117	SER	CA-CB-OG	-6.66	97.79	111.10
1	B	97	HIS	CA-CB-CG	-6.66	107.14	113.80
1	A	2	LEU	N-CA-CB	-6.66	100.31	110.42
1	B	85	GLU	CG-CD-OE2	-6.65	103.10	118.40
1	A	109	GLU	CG-CD-OE2	-6.64	103.14	118.40
1	B	101	VAL	O-C-N	-6.63	113.36	122.05
1	A	125	ALA	N-CA-CB	-6.62	100.14	110.06
1	B	123	PHE	O-C-N	6.61	131.49	122.83
1	B	109	GLU	CA-CB-CG	6.61	127.31	114.10
1	A	57	ALA	CA-C-N	6.59	130.73	121.24
1	A	57	ALA	C-N-CA	6.59	130.73	121.24
1	A	121	GLY	CA-C-N	6.58	132.65	121.14
1	A	121	GLY	C-N-CA	6.58	132.65	121.14
1	A	134	ALA	CA-C-O	-6.54	113.49	120.42
1	B	129	GLY	O-C-N	-6.53	115.92	122.19

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	130	ALA	CA-C-O	-6.53	113.96	120.82
1	B	94	ALA	CA-C-N	6.53	129.56	120.29
1	B	94	ALA	C-N-CA	6.53	129.56	120.29
1	B	78	LYS	CD-CE-NZ	6.51	132.74	111.90
1	A	44	ASP	CB-CG-OD1	6.50	133.36	118.40
1	A	75	ILE	O-C-N	-6.50	115.14	121.90
1	A	14	TRP	CZ3-CH2-CZ2	6.50	129.95	121.50
1	B	132	SER	CB-CA-C	-6.48	100.03	110.79
1	B	9	LEU	CA-C-O	-6.48	113.69	120.55
1	A	69	LEU	O-C-N	6.46	130.22	122.27
1	B	113	GLN	O-C-N	-6.44	115.30	122.12
1	A	113	GLN	O-C-N	-6.43	115.30	122.12
1	B	132	SER	N-CA-CB	6.43	119.58	110.12
1	A	105	GLU	OE1-CD-OE2	6.42	138.30	122.90
1	B	98	LYS	O-C-N	-6.41	115.29	122.91
1	A	44	ASP	CA-C-N	-6.37	110.84	122.38
1	A	44	ASP	C-N-CA	-6.37	110.84	122.38
1	A	116	GLN	OE1-CD-NE2	6.36	128.96	122.60
1	A	87	THR	CA-C-N	6.36	126.57	119.32
1	A	87	THR	C-N-CA	6.36	126.57	119.32
1	B	50	LYS	CB-CG-CD	6.35	125.91	111.30
1	A	122	ASP	CA-CB-CG	6.34	118.94	112.60
1	A	124	GLY	O-C-N	6.32	128.89	122.88
1	B	95	THR	N-CA-CB	-6.31	100.82	110.16
1	B	33	PHE	O-C-N	6.29	130.01	122.27
1	B	70	THR	CA-CB-OG1	-6.27	100.20	109.60
1	A	12	ASN	CA-C-O	-6.27	113.78	120.42
1	A	14	TRP	CE3-CZ3-CH2	-6.26	112.96	121.10
1	A	129	GLY	O-C-N	-6.25	116.19	122.19
1	A	91	GLN	CA-C-O	-6.24	114.44	121.00
1	B	113	GLN	CA-CB-CG	-6.24	101.61	114.10
1	A	125	ALA	CA-C-O	6.23	127.36	120.63
1	A	81	HIS	CA-CB-CG	6.21	120.01	113.80
1	B	116	GLN	CG-CD-NE2	6.17	125.65	116.40
1	B	134	ALA	CA-C-O	-6.15	113.91	120.42
1	A	66	ASN	CB-CG-ND2	6.14	125.62	116.40
1	B	149	LEU	CA-C-O	6.14	126.97	119.11
1	B	82	HIS	CA-C-N	6.14	130.03	120.82
1	B	82	HIS	C-N-CA	6.14	130.03	120.82
1	A	128	GLN	CG-CD-OE1	-6.13	108.54	120.80
1	B	85	GLU	CA-CB-CG	6.10	126.30	114.10
1	A	105	GLU	CA-CB-CG	-6.09	101.91	114.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	16	LYS	CA-C-N	-6.09	110.31	120.30
1	B	16	LYS	C-N-CA	-6.09	110.31	120.30
1	B	128	GLN	CG-CD-NE2	-6.09	107.27	116.40
1	A	138	PHE	N-CA-C	-6.06	104.37	110.97
1	B	112	ILE	CB-CG1-CD1	-6.05	101.09	113.80
1	B	61	LEU	N-CA-C	-6.05	104.59	111.07
1	A	125	ALA	CB-CA-C	6.03	120.93	110.68
1	A	122	ASP	CA-C-N	-6.03	113.48	123.37
1	A	122	ASP	C-N-CA	-6.03	113.48	123.37
1	B	12	ASN	CB-CG-ND2	-6.03	107.36	116.40
1	A	24	HIS	O-C-N	-6.03	115.28	122.15
1	A	133	LYS	O-C-N	-6.01	114.87	122.27
1	B	14	TRP	CE3-CZ3-CH2	-6.01	113.29	121.10
1	A	136	GLU	O-C-N	-6.00	115.31	122.15
1	A	112	ILE	CA-CB-CG1	-5.98	100.23	110.40
1	A	94	ALA	CA-C-O	-5.97	114.55	120.70
1	B	152	GLN	N-CA-CB	-5.96	100.42	110.49
1	B	24	HIS	CA-CB-CG	-5.95	107.85	113.80
1	B	12	ASN	CB-CG-OD1	-5.94	108.92	120.80
1	A	113	GLN	CB-CA-C	-5.93	100.94	110.79
1	A	16	LYS	CA-C-O	5.90	126.67	120.42
1	B	24	HIS	CE1-NE2-CD2	-5.89	103.11	109.00
1	B	113	GLN	CA-C-O	5.89	126.80	120.55
1	B	81	HIS	CB-CA-C	5.89	120.95	112.12
1	B	6	GLU	N-CA-CB	5.88	118.86	110.16
1	A	144	ALA	CA-C-O	-5.87	114.83	121.00
1	B	57	ALA	CA-C-N	5.86	132.74	121.54
1	B	57	ALA	C-N-CA	5.86	132.74	121.54
1	A	146	TYR	CB-CA-C	-5.86	101.68	110.88
1	B	102	LYS	CA-C-O	-5.84	113.25	119.97
1	B	117	SER	N-CA-CB	5.84	118.81	110.16
1	A	6	GLU	N-CA-C	-5.83	105.01	111.36
1	A	62	LYS	CA-C-O	5.82	126.72	120.55
1	B	145	LYS	O-C-N	-5.82	115.95	122.12
1	A	101	VAL	CA-CB-CG2	5.80	120.27	110.40
1	B	55	MET	N-CA-CB	-5.79	101.61	110.12
1	A	101	VAL	CB-CA-C	5.78	119.62	112.04
1	A	139	ARG	CD-NE-CZ	-5.78	116.31	124.40
1	A	97	HIS	CA-C-O	-5.78	112.78	119.14
1	B	78	LYS	N-CA-C	-5.78	106.21	113.20
1	A	51	SER	CA-C-O	-5.77	115.27	121.45
1	A	127	ALA	O-C-N	-5.77	116.00	122.12

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	145	LYS	N-CA-CB	5.76	118.59	110.12
1	B	97	HIS	CA-C-O	-5.75	112.54	119.27
1	B	26	GLN	O-C-N	-5.75	116.05	122.03
1	A	91	GLN	N-CA-CB	5.74	118.29	109.91
1	B	27	GLU	O-C-N	-5.74	116.04	122.12
1	B	141	ASP	CA-CB-CG	-5.74	106.86	112.60
1	A	142	MET	N-CA-CB	5.72	118.63	110.16
1	A	91	GLN	OE1-CD-NE2	5.71	128.31	122.60
1	B	15	GLY	CA-C-N	5.71	127.93	120.28
1	B	15	GLY	C-N-CA	5.71	127.93	120.28
1	B	97	HIS	N-CA-C	-5.71	106.15	113.23
1	B	60	ASP	N-CA-CB	-5.71	101.43	110.28
1	B	53	ASP	CB-CG-OD2	-5.69	105.32	118.40
1	A	104	LEU	N-CA-C	-5.67	105.86	112.89
1	A	50	LYS	CA-C-O	-5.64	112.84	119.05
1	A	139	ARG	NE-CZ-NH2	-5.63	114.14	119.20
1	B	134	ALA	O-C-N	5.62	128.56	122.15
1	A	137	LEU	N-CA-C	-5.61	105.24	111.36
1	A	152	GLN	O-C-N	5.61	130.05	122.59
1	B	140	ASN	CA-C-O	-5.61	114.92	120.70
1	B	138	PHE	CA-C-O	5.59	126.89	120.90
1	B	140	ASN	N-CA-C	-5.58	105.11	111.14
1	B	62	LYS	CA-C-N	5.58	128.22	120.29
1	B	62	LYS	C-N-CA	5.58	128.22	120.29
1	B	1	GLY	N-CA-C	-5.58	97.13	113.30
1	B	136	GLU	CG-CD-OE2	-5.57	105.58	118.40
1	B	82	HIS	CA-CB-CG	5.56	119.36	113.80
1	A	148	GLU	CB-CA-C	-5.54	101.43	110.85
1	B	128	GLN	CG-CD-OE1	-5.54	109.73	120.80
1	B	95	THR	CA-CB-OG1	-5.53	101.31	109.60
1	B	63	LYS	CB-CG-CD	-5.48	98.69	111.30
1	B	8	GLN	OE1-CD-NE2	-5.48	117.12	122.60
1	A	94	ALA	O-C-N	5.47	128.00	122.09
1	A	143	ALA	CA-C-O	-5.46	114.63	120.42
1	B	6	GLU	N-CA-C	-5.46	105.41	111.36
1	B	95	THR	OG1-CB-CG2	5.46	120.21	109.30
1	A	52	GLU	CG-CD-OE2	5.46	130.95	118.40
1	A	6	GLU	CG-CD-OE2	-5.44	105.89	118.40
1	A	58	SER	CA-C-N	5.43	128.00	120.29
1	A	58	SER	C-N-CA	5.43	128.00	120.29
1	B	64	HIS	O-C-N	-5.43	115.59	122.27
1	A	108	SER	N-CA-C	-5.43	105.36	111.28

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	142	MET	N-CA-C	-5.41	105.46	111.36
1	A	31	ARG	CA-C-O	-5.41	114.82	120.55
1	A	40	LEU	N-CA-CB	-5.40	102.18	110.12
1	A	61	LEU	N-CA-C	-5.40	105.29	111.07
1	A	22	ALA	CA-C-O	-5.40	113.76	119.97
1	A	10	VAL	CA-C-O	-5.39	115.80	121.41
1	B	108	SER	CA-C-O	5.39	126.14	120.42
1	A	136	GLU	CA-CB-CG	5.39	124.87	114.10
1	A	91	GLN	CB-CG-CD	-5.38	103.45	112.60
1	B	63	LYS	CB-CA-C	-5.38	101.70	110.85
1	B	139	ARG	CB-CG-CD	-5.37	98.94	111.30
1	A	131	MET	N-CA-CB	-5.36	102.23	110.16
1	A	29	LEU	N-CA-C	-5.34	105.53	111.36
1	A	148	GLU	CA-C-O	5.34	126.08	120.42
1	B	74	GLY	N-CA-C	-5.33	106.33	112.73
1	A	138	PHE	CA-CB-CG	5.33	119.13	113.80
1	B	148	GLU	CA-C-N	5.33	131.97	121.58
1	B	148	GLU	C-N-CA	5.33	131.97	121.58
1	A	84	ALA	CB-CA-C	-5.30	101.67	110.68
1	A	24	HIS	CA-CB-CG	-5.28	108.52	113.80
1	B	53	ASP	CA-C-O	-5.28	113.90	119.97
1	A	59	GLU	CG-CD-OE2	-5.28	106.27	118.40
1	A	101	VAL	O-C-N	-5.27	116.72	121.89
1	A	2	LEU	N-CA-C	-5.26	102.96	110.59
1	B	78	LYS	O-C-N	5.25	130.17	122.39
1	A	146	TYR	CA-C-N	-5.25	112.20	120.60
1	A	146	TYR	C-N-CA	-5.25	112.20	120.60
1	B	14	TRP	CD2-CE2-CZ2	-5.25	117.15	122.40
1	A	107	ILE	CA-CB-CG2	5.23	119.40	110.50
1	A	152	GLN	N-CA-C	-5.22	99.68	110.80
1	A	31	ARG	NE-CZ-NH1	5.22	126.72	121.50
1	B	5	GLY	CA-C-O	-5.21	115.14	120.66
1	A	147	LYS	CA-C-N	5.19	127.66	120.29
1	A	147	LYS	C-N-CA	5.19	127.66	120.29
1	B	63	LYS	N-CA-CB	5.19	117.84	110.16
1	A	65	GLY	O-C-N	5.18	127.17	122.19
1	A	16	LYS	CB-CA-C	-5.17	102.07	110.85
1	B	99	ILE	CB-CG1-CD1	-5.17	102.95	113.80
1	A	25	GLY	N-CA-C	-5.17	106.16	112.77
1	B	75	ILE	O-C-N	-5.16	116.53	121.90
1	B	69	LEU	O-C-N	5.15	129.56	122.46
1	A	97	HIS	O-C-N	5.14	129.38	122.49

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	35	GLY	O-C-N	5.14	128.25	122.34
1	A	41	GLU	CB-CG-CD	5.14	121.34	112.60
1	B	113	GLN	CB-CA-C	-5.14	102.26	110.79
1	B	112	ILE	CA-C-O	-5.14	115.73	121.17
1	A	31	ARG	CD-NE-CZ	5.13	131.59	124.40
1	B	38	GLU	CG-CD-OE2	-5.13	106.59	118.40
1	B	90	ALA	O-C-N	-5.13	116.78	122.07
1	A	105	GLU	CB-CG-CD	-5.12	103.90	112.60
1	A	40	LEU	N-CA-C	5.10	116.84	111.28
1	B	78	LYS	N-CA-CB	5.09	118.67	110.42
1	B	78	LYS	CA-C-O	-5.09	112.45	119.12
1	A	81	HIS	CB-CA-C	5.08	120.54	110.42
1	B	14	TRP	CZ3-CH2-CZ2	5.08	128.10	121.50
1	A	118	LYS	CA-CB-CG	-5.08	103.95	114.10
1	B	6	GLU	CA-CB-CG	-5.08	103.95	114.10
1	A	69	LEU	CA-C-N	-5.07	113.49	120.28
1	A	69	LEU	C-N-CA	-5.07	113.49	120.28
1	B	38	GLU	CA-CB-CG	5.05	124.19	114.10
1	B	40	LEU	CB-CG-CD2	-5.05	95.56	110.70
1	B	121	GLY	O-C-N	-5.04	116.54	122.34
1	B	85	GLU	CA-C-N	-5.03	113.15	120.29
1	B	85	GLU	C-N-CA	-5.03	113.15	120.29
1	B	60	ASP	O-C-N	5.03	128.45	122.27
1	B	57	ALA	N-CA-CB	-5.02	102.06	110.39
1	B	57	ALA	O-C-N	-5.02	115.70	122.43
1	B	126	ASP	CB-CG-OD1	5.00	129.90	118.40

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	47	LYS	Mainchain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1197	0	1203	27	0
1	B	1197	0	1203	31	0
2	A	5	0	0	0	0
2	B	5	0	0	1	0
3	A	43	0	30	0	0
3	B	43	0	30	0	0
4	A	53	0	0	1	0
4	B	54	0	0	1	0
All	All	2597	0	2466	58	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (58) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:7:TRP:HB3	1:B:79:LYS:HE2	1.41	1.02
1:A:34:LYS:HE3	1:A:52:GLU:OE2	1.63	0.98
1:B:26:GLN:OE1	4:B:156:HOH:O	1.85	0.94
1:B:8:GLN:O	1:B:12:ASN:HB2	1.72	0.89
1:A:151:PHE:O	1:A:152:GLN:HB2	1.74	0.87
1:B:91:GLN:O	1:B:95:THR:HB	1.81	0.80
1:A:87:THR:HB	1:A:88:PRO:HD3	1.68	0.76
1:B:7:TRP:CB	1:B:79:LYS:HE2	2.17	0.72
1:B:87:THR:HB	1:B:88:PRO:HD3	1.73	0.71
1:A:151:PHE:O	1:A:152:GLN:CB	2.40	0.69
1:B:34:LYS:HD3	1:B:52:GLU:OE1	1.93	0.69
1:B:86:LEU:HD12	1:B:86:LEU:N	2.08	0.68
1:A:34:LYS:CE	1:A:52:GLU:OE2	2.43	0.64
1:B:62:LYS:CB	1:B:62:LYS:NZ	2.61	0.63
1:A:8:GLN:OE1	1:A:12:ASN:OD1	2.17	0.62
1:A:73:GLY:O	1:A:77:LYS:HG3	1.99	0.62
1:A:27:GLU:OE1	1:A:118:LYS:HD2	2.02	0.59
1:B:124:GLY:O	1:B:128:GLN:HG3	2.03	0.59
1:A:87:THR:HB	1:A:88:PRO:CD	2.36	0.56
1:A:2:LEU:HB3	1:A:6:GLU:HB2	1.87	0.56
1:B:82:HIS:O	1:B:86:LEU:HD13	2.06	0.55
1:A:48:HIS:HB2	4:A:198:HOH:O	2.05	0.55
1:B:151:PHE:CD1	1:B:151:PHE:N	2.76	0.54
1:B:73:GLY:O	1:B:77:LYS:HD2	2.07	0.54
1:B:119:HIS:N	1:B:120:PRO:CD	2.71	0.54
1:A:87:THR:CB	1:A:88:PRO:CD	2.86	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:86:LEU:N	1:B:86:LEU:CD1	2.71	0.53
1:A:87:THR:CB	1:A:88:PRO:HD3	2.40	0.51
1:A:135:LEU:O	1:A:139:ARG:HG3	2.11	0.51
1:B:87:THR:N	1:B:88:PRO:HD2	2.26	0.51
1:A:145:LYS:HE3	1:A:149:LEU:HD21	1.94	0.50
1:B:34:LYS:CD	1:B:52:GLU:OE1	2.59	0.49
1:A:87:THR:N	1:A:88:PRO:HD2	2.28	0.49
1:B:62:LYS:CB	1:B:62:LYS:HZ3	2.25	0.49
1:A:82:HIS:O	1:A:85:GLU:HG2	2.13	0.49
1:B:110:ALA:O	1:B:114:VAL:HG23	2.14	0.48
1:B:62:LYS:HZ2	1:B:62:LYS:HB2	1.79	0.47
1:A:45:LYS:H	1:A:45:LYS:HG2	1.23	0.46
1:A:148:GLU:C	1:A:150:GLY:H	2.13	0.46
1:B:9:LEU:O	1:B:12:ASN:HB3	2.16	0.46
1:B:87:THR:CB	1:B:88:PRO:HD3	2.44	0.46
1:B:64:HIS:HA	2:B:154:SO4:O3	2.15	0.45
1:B:78:LYS:HA	1:B:78:LYS:HD3	1.66	0.45
1:B:46:PHE:HB3	1:B:49:LEU:HD22	1.99	0.45
1:A:78:LYS:O	1:A:79:LYS:C	2.60	0.45
1:A:99:ILE:HA	1:A:100:PRO:HD2	1.69	0.44
1:A:148:GLU:C	1:A:150:GLY:N	2.71	0.44
1:B:87:THR:CB	1:B:88:PRO:CD	2.95	0.44
1:B:119:HIS:N	1:B:120:PRO:HD3	2.32	0.44
1:A:86:LEU:C	1:A:86:LEU:CD1	2.90	0.44
1:A:42:LYS:NZ	1:A:98:LYS:O	2.48	0.43
1:B:37:PRO:O	1:B:40:LEU:HB3	2.18	0.43
1:B:87:THR:HB	1:B:88:PRO:CD	2.46	0.43
1:B:7:TRP:HB3	1:B:79:LYS:CE	2.29	0.42
1:A:30:ILE:HG12	1:A:55:MET:HB3	2.02	0.42
1:A:11:LEU:HD23	1:A:11:LEU:HA	1.66	0.41
1:A:16:LYS:HA	1:A:16:LYS:HD2	1.76	0.41
1:B:24:HIS:NE2	1:B:119:HIS:NE2	2.57	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries

of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	151/153 (99%)	144 (95%)	6 (4%)	1 (1%)	18	10
1	B	151/153 (99%)	147 (97%)	3 (2%)	1 (1%)	18	10
All	All	302/306 (99%)	291 (96%)	9 (3%)	2 (1%)	18	10

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	152	GLN
1	B	47	LYS

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	124/124 (100%)	114 (92%)	10 (8%)	11	5
1	B	124/124 (100%)	107 (86%)	17 (14%)	3	1
All	All	248/248 (100%)	221 (89%)	27 (11%)	6	2

All (27) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	45	LYS
1	A	47	LYS
1	A	50	LYS
1	A	83	GLU
1	A	85	GLU
1	A	86	LEU
1	A	101	VAL
1	A	105	GLU
1	A	145	LYS
1	A	148	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	16	LYS
1	B	34	LYS
1	B	37	PRO
1	B	38	GLU
1	B	40	LEU
1	B	42	LYS
1	B	49	LEU
1	B	50	LYS
1	B	62	LYS
1	B	83	GLU
1	B	85	GLU
1	B	89	LEU
1	B	91	GLN
1	B	98	LYS
1	B	101	VAL
1	B	102	LYS
1	B	152	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	8	GLN
1	A	81	HIS
1	A	91	GLN
1	A	140	ASN
1	B	26	GLN
1	B	66	ASN
1	B	116	GLN
1	B	140	ASN
1	B	152	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	SO4	B	154	-	4,4,4	0.54	0	6,6,6	1.05	0
2	SO4	A	154	-	4,4,4	0.65	0	6,6,6	0.82	0
3	HEM	B	155	4,1	50,50,50	1.79	16 (32%)	67,82,82	2.33	24 (35%)
3	HEM	A	155	4,1	50,50,50	1.65	12 (24%)	67,82,82	1.86	20 (29%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	HEM	A	155	4,1	-	6/14/54/54	-
3	HEM	B	155	4,1	-	7/14/54/54	-

All (28) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	155	HEM	FE-NB	5.41	2.11	1.94
3	B	155	HEM	CMD-C2D	4.23	1.59	1.50
3	B	155	HEM	FE-NB	3.84	2.06	1.94
3	B	155	HEM	CAC-C3C	3.41	1.56	1.47
3	B	155	HEM	C3D-C2D	-3.38	1.29	1.36
3	B	155	HEM	CAB-C3B	3.01	1.55	1.47
3	A	155	HEM	C3D-C2D	-2.84	1.30	1.36
3	B	155	HEM	CMB-C2B	2.77	1.56	1.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	155	HEM	FE-ND	2.75	2.03	1.94
3	A	155	HEM	C3C-C4C	-2.75	1.41	1.46
3	B	155	HEM	C1B-NB	-2.65	1.35	1.40
3	A	155	HEM	CAC-C3C	2.58	1.54	1.47
3	B	155	HEM	CAA-C2A	2.53	1.57	1.51
3	B	155	HEM	C3C-C4C	-2.50	1.41	1.46
3	A	155	HEM	C2A-C3A	-2.47	1.32	1.38
3	A	155	HEM	CBA-CAA	2.44	1.60	1.51
3	B	155	HEM	C2A-C3A	-2.43	1.32	1.38
3	B	155	HEM	FE-ND	2.43	2.02	1.94
3	A	155	HEM	O1D-CGD	2.37	1.29	1.22
3	B	155	HEM	C1A-NA	2.29	1.43	1.39
3	B	155	HEM	O1A-CGA	2.25	1.29	1.22
3	A	155	HEM	CAB-C3B	2.21	1.53	1.47
3	A	155	HEM	C3B-C2B	-2.15	1.32	1.37
3	B	155	HEM	CBA-CGA	2.14	1.55	1.50
3	A	155	HEM	CHC-C1C	2.14	1.42	1.38
3	B	155	HEM	CBB-CAB	2.13	1.40	1.30
3	B	155	HEM	CBD-CAD	2.11	1.59	1.51
3	A	155	HEM	CMD-C2D	2.09	1.55	1.50

All (44) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	155	HEM	O2D-CGD-O1D	7.00	141.32	123.33
3	B	155	HEM	CBD-CAD-C3D	-5.77	96.58	112.53
3	B	155	HEM	CAD-CBD-CGD	-5.52	99.03	113.67
3	A	155	HEM	CBD-CAD-C3D	-4.88	99.04	112.53
3	B	155	HEM	C3D-C4D-ND	-4.85	104.85	110.17
3	B	155	HEM	O1D-CGD-CBD	-4.81	107.82	123.09
3	B	155	HEM	CHB-C1B-NB	4.24	129.61	124.37
3	B	155	HEM	C4D-C3D-C2D	3.92	112.59	106.89
3	A	155	HEM	CMB-C2B-C1B	-3.79	119.11	125.03
3	A	155	HEM	O1A-CGA-CBA	-3.72	111.28	123.09
3	B	155	HEM	CMD-C2D-C1D	-3.70	119.25	125.03
3	A	155	HEM	O1D-CGD-CBD	-3.44	112.17	123.09
3	B	155	HEM	CHD-C1D-ND	3.42	128.11	124.42
3	A	155	HEM	O2A-CGA-O1A	3.28	131.77	123.33
3	A	155	HEM	C3B-C4B-NB	-3.22	107.16	109.47
3	B	155	HEM	CMD-C2D-C3D	3.11	134.57	126.15
3	B	155	HEM	C4A-CHB-C1B	-3.11	118.93	126.25
3	A	155	HEM	CAD-C3D-C4D	-3.08	119.33	124.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	155	HEM	C3D-C4D-ND	-3.05	106.82	110.17
3	B	155	HEM	O1A-CGA-CBA	-3.04	113.44	123.09
3	A	155	HEM	C1B-NB-C4B	3.01	108.77	105.21
3	B	155	HEM	C1B-NB-C4B	2.83	108.56	105.21
3	B	155	HEM	CAC-C3C-C4C	-2.79	118.15	124.82
3	A	155	HEM	CMD-C2D-C1D	-2.75	120.73	125.03
3	A	155	HEM	C4D-C3D-C2D	2.75	110.90	106.89
3	B	155	HEM	O2A-CGA-O1A	2.50	129.77	123.33
3	A	155	HEM	CMD-C2D-C3D	2.48	132.85	126.15
3	B	155	HEM	CAD-C3D-C4D	-2.48	120.38	124.70
3	B	155	HEM	C4C-C3C-C2C	2.46	108.94	106.81
3	B	155	HEM	CHC-C1C-NC	-2.31	121.94	124.45
3	B	155	HEM	C1A-CHA-C4D	-2.29	120.87	126.25
3	B	155	HEM	C4D-ND-C1D	2.26	107.89	105.21
3	A	155	HEM	CHB-C1B-NB	2.22	127.11	124.37
3	A	155	HEM	C4C-NC-C1C	-2.21	102.21	105.82
3	B	155	HEM	CHB-C4A-C3A	-2.20	121.04	127.43
3	A	155	HEM	O2D-CGD-O1D	2.19	128.95	123.33
3	B	155	HEM	CHA-C1A-NA	2.17	127.80	123.86
3	A	155	HEM	C4B-C3B-C2B	2.15	109.26	107.28
3	A	155	HEM	CMB-C2B-C3B	2.13	133.59	128.43
3	A	155	HEM	C4D-ND-C1D	2.12	107.72	105.21
3	B	155	HEM	C2B-C1B-NB	-2.07	107.46	109.84
3	A	155	HEM	CBA-CAA-C2A	-2.06	106.83	112.53
3	B	155	HEM	CHA-C4D-ND	2.05	126.91	124.37
3	A	155	HEM	CHC-C1C-NC	-2.04	122.23	124.45

There are no chirality outliers.

All (13) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	155	HEM	C2B-C3B-CAB-CBB
3	B	155	HEM	C2B-C3B-CAB-CBB
3	A	155	HEM	CAA-CBA-CGA-O2A
3	A	155	HEM	CAD-CBD-CGD-O2D
3	B	155	HEM	CAD-CBD-CGD-O2D
3	A	155	HEM	CAD-CBD-CGD-O1D
3	B	155	HEM	CAA-CBA-CGA-O2A
3	B	155	HEM	CAD-CBD-CGD-O1D
3	B	155	HEM	CAA-CBA-CGA-O1A
3	B	155	HEM	C2A-CAA-CBA-CGA
3	A	155	HEM	CAA-CBA-CGA-O1A

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
3	A	155	HEM	C4B-C3B-CAB-CBB
3	B	155	HEM	C4B-C3B-CAB-CBB


There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	154	SO4	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	153/153 (100%)	-0.39	3 (1%) 65 69	7, 21, 43, 77	7 (4%)
1	B	153/153 (100%)	-0.42	3 (1%) 65 69	8, 20, 39, 75	7 (4%)
All	All	306/306 (100%)	-0.41	6 (1%) 65 69	7, 21, 42, 77	14 (4%)

All (6) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	150	GLY	3.8
1	B	80	GLY	3.5
1	B	150	GLY	2.5
1	A	80	GLY	2.5
1	B	152	GLN	2.2
1	A	151	PHE	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	SO4	A	154	5/5	0.93	0.09	64,64,65,65	0
2	SO4	B	154	5/5	0.93	0.11	63,63,64,64	0
3	HEM	A	155	43/43	0.98	0.06	12,16,31,40	0
3	HEM	B	155	43/43	0.98	0.05	8,13,26,34	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



Electron density around HEM B 155:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.