



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 08:16 AM UTC

PDB ID : 3MYH / pdb_00003myh
Title : Insights into the Importance of Hydrogen Bonding in the Gamma-Phosphate Binding Pocket of Myosin: Structural and Functional Studies of Ser236
Authors : Frye, J.J.; Klenchin, V.A.; Bagshaw, C.R.; Rayment, I.
Deposited on : 2010-05-10
Resolution : 2.01 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.01 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	10052 (2.00-2.00)
Clashscore	190562	11152 (2.00-2.00)
Ramachandran outliers	187476	11031 (2.00-2.00)
Sidechain outliers	187428	11029 (2.00-2.00)
RSRZ outliers	180081	10067 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	X	762	

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 6046 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Myosin-2 heavy chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	X	708	Total	C	N	O	S	0	8	0
			5640	3595	958	1070	17			


There are 5 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
X	1	GLY	-	expression tag	UNP P08799
X	236	ALA	SER	engineered mutation	UNP P08799
X	760	LEU	-	expression tag	UNP P08799
X	761	PRO	-	expression tag	UNP P08799
X	762	ASN	-	expression tag	UNP P08799

- Molecule 2 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	X	1	Total	Mg	0	0
			1	1		

- Molecule 3 is VANADATE ION (CCD ID: VO4) (formula: O₄V).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	X	1	Total	O	V	0	0
			5	4	1		

- Molecule 4 is ADENOSINE-5'-DIPHOSPHATE (CCD ID: ADP) (formula: $C_{10}H_{15}N_5O_{10}P_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	X	1	Total	C	N	O	P	0	0
			27	10	5	10	2		

- Molecule 5 is (-)-1-PHENYL-1,2,3,4-TETRAHYDRO-4-HYDROXYPYRROLO[2,3-B]-7-METHYLQUINOLIN-4-ONE (CCD ID: BIT) (formula: $C_{18}H_{16}N_2O_2$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	X	1	Total	C	N	O	0	0
			22	18	2	2		

- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	X	351	Total	O	0	0
			351	351		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Myosin-2 heavy chain



4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	88.43Å 146.44Å 153.76Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	35.62 – 2.01 35.62 – 2.01	Depositor EDS
% Data completeness (in resolution range)	96.7 (35.62-2.01) 96.7 (35.62-2.01)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	0.06	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.76 (at 2.01Å)	Xtriage
Refinement program	REFMAC 5.5.0066	Depositor
R, R_{free}	0.189 , 0.240 0.184 , 0.233	Depositor DCC
R_{free} test set	3262 reflections (4.91%)	wwPDB-VP
Wilson B-factor (Å ²)	23.7	Xtriage
Anisotropy	0.200	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 43.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.016 for 1/2*h-1/2*k,-3/2*h-1/2*k,-l 0.023 for 1/2*h+1/2*k,3/2*h-1/2*k,-l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	6046	wwPDB-VP
Average B, all atoms (Å ²)	27.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.16% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: BIT, VO4, ADP, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	X	1.33	9/5774 (0.2%)	1.19	13/7799 (0.2%)

All (9) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	X	158	ILE	CA-CB	8.42	1.66	1.54
1	X	590	ASP	C-O	-7.94	1.20	1.23
1	X	157	ALA	CA-CB	6.62	1.63	1.53
1	X	164	ARG	N-CA	5.83	1.53	1.46
1	X	427	GLY	N-CA	5.65	1.53	1.45
1	X	222	LEU	N-CA	5.25	1.52	1.46
1	X	665	ALA	CA-CB	5.25	1.61	1.53
1	X	567	GLU	N-CA	5.18	1.52	1.45
1	X	368	VAL	CA-CB	5.12	1.62	1.54

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	X	663	LEU	CA-C-N	6.90	126.86	120.03
1	X	663	LEU	C-N-CA	6.90	126.86	120.03
1	X	40	ASP	CA-C-N	6.24	125.92	119.56
1	X	40	ASP	C-N-CA	6.24	125.92	119.56
1	X	692	PHE	CA-C-N	6.19	125.87	119.56
1	X	692	PHE	C-N-CA	6.19	125.87	119.56
1	X	99	GLU	CA-C-N	-5.95	112.88	119.19
1	X	99	GLU	C-N-CA	-5.95	112.88	119.19
1	X	387	SER	N-CA-C	5.86	117.66	111.28
1	X	168	ASP	N-CA-C	5.50	117.27	111.28
1	X	289	THR	CB-CA-C	-5.35	99.78	110.42
1	X	538	ALA	N-CA-C	5.25	117.84	110.23

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	X	219	ASN	N-CA-C	5.08	119.65	112.75

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	X	5640	0	5512	120	0
2	X	1	0	0	0	0
3	X	5	0	0	0	0
4	X	27	0	12	0	0
5	X	22	0	16	0	0
6	X	351	0	0	21	1
All	All	6046	0	5540	120	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (120) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:X:480[B]:GLN:NE2	1:X:510:SER:HB2	1.11	1.38
1:X:480[B]:GLN:NE2	1:X:510:SER:CB	1.96	1.27
1:X:342[B]:MET:CE	6:X:1052:HOH:O	1.83	1.24
1:X:480[B]:GLN:HE22	1:X:510:SER:N	1.52	1.07
1:X:342[B]:MET:HE1	6:X:1052:HOH:O	1.47	1.06
1:X:297:HIS:CE1	6:X:991:HOH:O	2.13	0.99
1:X:480[B]:GLN:NE2	1:X:510:SER:H	1.63	0.97
1:X:289:THR:HG21	1:X:291:GLU:OE1	1.66	0.95
1:X:480[B]:GLN:HE22	1:X:510:SER:H	0.92	0.90
1:X:219:ASN:ND2	6:X:1047:HOH:O	1.95	0.90
1:X:130:LYS:HE2	6:X:1104:HOH:O	1.71	0.89
1:X:480[B]:GLN:HE21	1:X:510:SER:CB	1.67	0.88
1:X:289:THR:HG22	1:X:290:ALA:H	1.41	0.85

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:X:565:LYS:HE3	6:X:941:HOH:O	1.76	0.84
1:X:480[B]:GLN:HE22	1:X:510:SER:CB	1.73	0.84
1:X:51:GLU:H	1:X:63[B]:LYS:HD2	1.43	0.84
1:X:51:GLU:H	1:X:63[B]:LYS:CD	1.91	0.83
1:X:480[B]:GLN:HE22	1:X:510:SER:CA	1.92	0.83
1:X:289:THR:CG2	1:X:291:GLU:OE1	2.26	0.82
1:X:342[B]:MET:HE3	6:X:1052:HOH:O	1.59	0.82
1:X:443:GLN:HA	1:X:443:GLN:OE1	1.80	0.80
1:X:319:SER:HB3	1:X:322:GLU:HG3	1.63	0.79
1:X:319:SER:CB	1:X:322:GLU:HG3	2.13	0.78
1:X:610:LYS:HG3	6:X:1117:HOH:O	1.84	0.76
1:X:232:ARG:NH1	6:X:955:HOH:O	2.15	0.76
1:X:616:ASN:HB3	6:X:1114:HOH:O	1.85	0.76
1:X:319:SER:OG	1:X:322:GLU:HG2	1.85	0.75
1:X:319:SER:OG	1:X:322:GLU:CG	2.35	0.74
1:X:699:ALA:CA	1:X:700:ASP:HB2	2.18	0.74
1:X:620:ARG:HH11	1:X:620:ARG:HG3	1.53	0.73
1:X:480[B]:GLN:NE2	1:X:510:SER:CA	2.51	0.71
1:X:97:LEU:CD2	1:X:686:ARG:HG2	2.20	0.71
1:X:297:HIS:ND1	6:X:991:HOH:O	2.20	0.71
1:X:289:THR:HG22	1:X:290:ALA:N	2.06	0.69
1:X:202:ARG:HH11	1:X:202:ARG:HG2	1.58	0.69
1:X:443:GLN:OE1	1:X:443:GLN:CA	2.41	0.68
1:X:442:CYS:O	1:X:443:GLN:OE1	2.10	0.68
1:X:480[B]:GLN:NE2	1:X:510:SER:N	2.29	0.67
1:X:499:ILE:O	1:X:500:ASN:O	2.13	0.65
1:X:442:CYS:C	1:X:443:GLN:OE1	2.40	0.65
1:X:692:PHE:CZ	1:X:747:ARG:NH1	2.65	0.65
1:X:615:PRO:O	1:X:619:SER:HB2	1.98	0.63
1:X:222:LEU:HD11	1:X:258:ILE:HD13	1.81	0.62
1:X:51:GLU:N	1:X:63[B]:LYS:HD2	2.13	0.62
1:X:357:ILE:HG23	1:X:369:LEU:HD11	1.84	0.60
1:X:620:ARG:HH11	1:X:620:ARG:CG	2.13	0.60
1:X:64:THR:OG1	1:X:68:GLN:HG3	2.02	0.60
1:X:234:ASN:H	1:X:662:GLN:HE22	1.48	0.60
1:X:490:GLU:HA	1:X:490:GLU:OE1	2.01	0.60
1:X:699:ALA:CA	1:X:700:ASP:CB	2.80	0.59
1:X:319:SER:OG	1:X:322:GLU:HG3	2.02	0.59
1:X:241:LYS:CE	1:X:243:ILE:HD11	2.33	0.58
1:X:138:GLU:O	1:X:142:ILE:HG13	2.04	0.58
1:X:614:ASP:OD1	1:X:614:ASP:C	2.46	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:X:130:LYS:CE	6:X:1104:HOH:O	2.42	0.57
1:X:241:LYS:HE2	1:X:243:ILE:HD11	1.88	0.56
1:X:297:HIS:HE1	6:X:1056:HOH:O	1.88	0.55
1:X:104:HIS:ND1	1:X:107[A]:ARG:NH1	2.54	0.54
1:X:735:GLU:HB2	1:X:736:GLN:NE2	2.23	0.54
1:X:97:LEU:HD23	1:X:686:ARG:HG2	1.89	0.54
1:X:480[B]:GLN:HE21	1:X:510:SER:HB2	0.72	0.54
1:X:289:THR:HG21	1:X:291:GLU:CD	2.33	0.54
1:X:620:ARG:HG3	1:X:620:ARG:NH1	2.16	0.53
1:X:662:GLN:NE2	6:X:1011:HOH:O	2.28	0.52
1:X:301:PRO:HD2	1:X:302[B]:GLU:OE2	2.10	0.51
1:X:567:GLU:HA	1:X:579:TYR:O	2.11	0.51
1:X:4:ILE:O	1:X:12:HIS:NE2	2.43	0.51
1:X:496:LYS:O	1:X:496:LYS:HG3	2.10	0.51
1:X:97:LEU:CD2	1:X:686:ARG:CG	2.88	0.51
1:X:567:GLU:OE2	6:X:1009:HOH:O	2.19	0.50
1:X:97:LEU:HD23	1:X:686:ARG:NE	2.26	0.50
1:X:293:LYS:CD	6:X:1048:HOH:O	2.60	0.50
1:X:499:ILE:O	1:X:500:ASN:HB2	2.12	0.50
1:X:6:ASP:OD1	1:X:8:THR:OG1	2.30	0.49
1:X:499:ILE:O	1:X:500:ASN:C	2.53	0.49
1:X:51:GLU:N	1:X:63[B]:LYS:CD	2.71	0.49
1:X:736:GLN:HA	1:X:737:TYR:CB	2.42	0.49
1:X:305[B]:ASN:ND2	6:X:966:HOH:O	2.46	0.49
1:X:518:ASP:OD2	1:X:635:LYS:HD2	2.12	0.48
1:X:435:LYS:NZ	6:X:1114:HOH:O	2.45	0.48
1:X:66:ASP:OD1	1:X:66:ASP:N	2.39	0.48
1:X:234:ASN:ND2	6:X:837:HOH:O	2.47	0.48
1:X:697:ILE:HA	1:X:742:THR:O	2.14	0.48
1:X:55:GLU:OE1	1:X:74:LYS:NZ	2.39	0.47
1:X:147:ARG:HB2	1:X:150:GLU:HG3	1.96	0.47
1:X:535:PHE:HD1	1:X:536:PRO:HD2	1.79	0.47
1:X:51:GLU:H	1:X:63[B]:LYS:CE	2.28	0.47
1:X:63[A]:LYS:HG2	1:X:69:ASP:OD1	2.15	0.46
1:X:283:GLN:HB3	1:X:324:PHE:HB2	1.99	0.45
1:X:302[B]:GLU:H	1:X:302[B]:GLU:CD	2.23	0.45
1:X:322:GLU:OE2	1:X:325:LYS:NZ	2.49	0.45
1:X:342[A]:MET:HA	1:X:342[A]:MET:HE3	1.98	0.45
1:X:339:GLU:OE1	1:X:342[B]:MET:HE2	2.16	0.44
1:X:693:PRO:HD2	1:X:747:ARG:HA	1.99	0.44
1:X:21:ASP:OD1	1:X:23:ASP:HB2	2.18	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:X:202:ARG:HG2	1:X:202:ARG:NH1	2.29	0.43
1:X:296:LEU:HD11	1:X:342[A]:MET:HE1	2.00	0.43
1:X:65:VAL:HG22	6:X:1045:HOH:O	2.18	0.43
1:X:296:LEU:HB2	1:X:298:LEU:HG	1.99	0.43
1:X:696:ILE:O	1:X:697:ILE:C	2.62	0.43
1:X:109:ARG:HB3	1:X:114:LEU:HB2	2.00	0.43
1:X:229:LYS:HG3	1:X:234:ASN:HD22	1.84	0.43
1:X:66:ASP:OD2	1:X:68:GLN:OE1	2.36	0.42
1:X:635:LYS:HB3	1:X:635:LYS:HE3	1.46	0.42
1:X:308:ASN:OD1	1:X:309:GLN:NE2	2.52	0.42
1:X:497:GLU:HG3	1:X:745:PHE:CZ	2.54	0.42
1:X:97:LEU:HD23	1:X:686:ARG:CG	2.49	0.42
1:X:289:THR:HG22	1:X:291:GLU:OE1	2.15	0.42
1:X:480[B]:GLN:CD	1:X:510:SER:H	2.24	0.41
1:X:339:GLU:OE1	1:X:342[B]:MET:CE	2.69	0.41
1:X:65:VAL:HG23	1:X:66:ASP:OD1	2.20	0.41
1:X:610:LYS:HE2	1:X:614:ASP:HB2	2.03	0.41
1:X:25:PHE:O	1:X:29:VAL:HG22	2.20	0.41
1:X:66:ASP:OD2	1:X:68:GLN:CG	2.69	0.41
1:X:135:TYR:CG	1:X:191:LYS:HE2	2.55	0.41
1:X:273:GLU:HG2	1:X:274:THR:HG23	2.02	0.41
1:X:459:GLU:HA	6:X:955:HOH:O	2.21	0.41
1:X:477:LYS:HE3	1:X:477:LYS:HB3	1.90	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:X:888:HOH:O	6:X:951:HOH:O[3_655]	2.02	0.18

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	X	710/762 (93%)	688 (97%)	18 (2%)	4 (1%)	21	17

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	X	734	PRO
1	X	68	GLN
1	X	699	ALA
1	X	737	TYR

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	X	600/664 (90%)	574 (96%)	26 (4%)	26	25

All (26) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	X	66	ASP
1	X	68	GLN
1	X	151	VAL
1	X	213	GLN
1	X	216	LEU
1	X	219	ASN
1	X	249	SER
1	X	253	ILE
1	X	289	THR
1	X	302[A]	GLU
1	X	302[B]	GLU
1	X	322	GLU
1	X	328	ARG
1	X	360	GLU
1	X	365	GLU
1	X	391	LYS
1	X	443	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	X	496	LYS
1	X	546	LYS
1	X	602	ASP
1	X	619	SER
1	X	620	ARG
1	X	670	LYS
1	X	695	ARG
1	X	736	GLN
1	X	744	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	X	68	GLN
1	X	71	GLN
1	X	137	GLN
1	X	188	ASN
1	X	219	ASN
1	X	234	ASN
1	X	309	GLN
1	X	407	GLN
1	X	500	ASN
1	X	582	GLN
1	X	606	ASN
1	X	616	ASN
1	X	649	ASN
1	X	662	GLN
1	X	736	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

Of 4 ligands modelled in this entry, 1 is monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	ADP	X	999	2,3	28,29,29	1.49	5 (17%)	43,45,45	1.93	11 (25%)
5	BIT	X	800	-	23,25,25	2.44	9 (39%)	29,38,38	2.40	9 (31%)
3	VO4	X	998	2,4	0,4,4	-	-	-	-	-

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	ADP	X	999	2,3	-	2/16/32/32	0/3/3/3
5	BIT	X	800	-	-	0/4/34/34	0/3/4/4

All (14) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	X	800	BIT	C11-N2	8.39	1.40	1.29
4	X	999	ADP	C5-C4	4.11	1.46	1.39
5	X	800	BIT	C5-C4	-3.68	1.43	1.48
4	X	999	ADP	C4-N9	-2.91	1.31	1.37
5	X	800	BIT	C16-C15	2.84	1.44	1.38
5	X	800	BIT	C1-N1	2.70	1.51	1.47
5	X	800	BIT	C14-C13	2.65	1.43	1.38
4	X	999	ADP	C5-C6	2.63	1.48	1.41
4	X	999	ADP	C5-N7	-2.42	1.34	1.39
5	X	800	BIT	C13-C12	2.41	1.43	1.39
5	X	800	BIT	O1-C3	2.36	1.46	1.42
4	X	999	ADP	C8-N7	2.35	1.36	1.31
5	X	800	BIT	C9-C8	2.13	1.42	1.38
5	X	800	BIT	C6-C7	2.00	1.42	1.39

All (20) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	X	800	BIT	C10-N2-C11	5.73	124.77	116.41
5	X	800	BIT	C17-C12-N1	5.39	127.93	120.18
4	X	999	ADP	N3-C2-N1	-5.22	120.69	128.58
4	X	999	ADP	C5-C4-N3	-4.59	120.39	126.72
5	X	800	BIT	C16-C17-C12	4.21	124.69	119.68
4	X	999	ADP	C2-N3-C4	4.19	122.07	111.83
5	X	800	BIT	C9-C8-C7	-4.07	116.68	121.37
5	X	800	BIT	C13-C12-N1	-3.77	114.75	120.18
4	X	999	ADP	N3-C4-N9	3.62	133.32	127.17
5	X	800	BIT	C9-C10-C5	3.60	122.69	119.14
4	X	999	ADP	C2-N1-C6	3.46	124.41	118.73
5	X	800	BIT	C8-C7-C6	3.11	122.54	117.96
4	X	999	ADP	C6-C5-N7	3.07	138.00	132.09
4	X	999	ADP	O2B-PB-O1B	2.78	121.65	110.83
4	X	999	ADP	C4-N9-C8	2.74	108.61	105.74
4	X	999	ADP	O2'-C2'-C1'	-2.68	100.89	110.10
4	X	999	ADP	C4-C5-N7	-2.60	107.61	110.58
5	X	800	BIT	C6-C5-C4	2.30	122.72	118.94
4	X	999	ADP	C6-C5-C4	-2.04	114.39	117.18
5	X	800	BIT	C9-C10-N2	-2.02	116.03	118.61

There are no chirality outliers.

All (2) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
4	X	999	ADP	PA-O3A-PB-O3B
4	X	999	ADP	PA-O3A-PB-O2B

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier.

The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2		OWAB(Å ²)	Q < 0.9
1	X	708/762 (92%)	-0.18	30 (4%)	40 39	10, 25, 50, 81	8 (1%)

All (30) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	X	737	TYR	4.8
1	X	746	PHE	4.8
1	X	739	PHE	4.3
1	X	738	ARG	3.9
1	X	697	ILE	3.5
1	X	696	ILE	3.4
1	X	734	PRO	3.4
1	X	67	GLY	3.4
1	X	63[A]	LYS	3.3
1	X	4	ILE	3.2
1	X	536	PRO	3.1
1	X	699	ALA	2.9
1	X	65	VAL	2.9
1	X	623	LYS	2.9
1	X	698	TYR	2.8
1	X	733	ASP	2.7
1	X	535	PHE	2.6
1	X	68	GLN	2.6
1	X	736	GLN	2.6
1	X	499	ILE	2.5
1	X	741	ILE	2.5
1	X	700	ASP	2.5
1	X	745	PHE	2.4
1	X	692	PHE	2.3
1	X	747	ARG	2.3
1	X	627	PHE	2.2
1	X	291	GLU	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	X	289	THR	2.2
1	X	744	ILE	2.1
1	X	694	ASN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	MG	X	997	1/1	0.97	0.03	12,12,12,12	0
5	BIT	X	800	22/22	0.98	0.04	12,16,18,19	0
4	ADP	X	999	27/27	0.99	0.04	12,16,20,21	0
3	VO4	X	998	5/5	1.00	0.04	13,13,15,16	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around BIT X 800:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers ⓘ

There are no such residues in this entry.