



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 08:33 PM UTC

PDB ID : 3N0V / pdb_00003n0v
Title : Crystal structure of a formyltetrahydrofolate deformylase (PP_0327) from PSEUDOMONAS PUTIDA KT2440 at 2.25 Å resolution
Authors : Joint Center for Structural Genomics (JCSG)
Deposited on : 2010-05-14
Resolution : 2.25 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.25 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1898 (2.26-2.26)
Clashscore	190562	2005 (2.26-2.26)
Ramachandran outliers	187476	1965 (2.26-2.26)
Sidechain outliers	187428	1966 (2.26-2.26)
RSRZ outliers	180081	1898 (2.26-2.26)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	286	15% 90% 8% .
1	B	286	18% 85% 12% .
1	C	286	23% 87% 10% .
1	D	286	14% 86% 12% .

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 9481 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Formyltetrahydrofolate deformylase.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	280	Total	C	N	O	S	Se	0	3	0
			2267	1444	404	408	5	6			
1	B	278	Total	C	N	O	S	Se	0	8	0
			2276	1451	405	408	5	7			
1	C	279	Total	C	N	O	S	Se	0	2	0
			2241	1425	401	403	5	7			
1	D	280	Total	C	N	O	S	Se	0	5	0
			2273	1447	407	408	5	6			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	0	GLY	-	expression tag	UNP Q88R07
B	0	GLY	-	expression tag	UNP Q88R07
C	0	GLY	-	expression tag	UNP Q88R07
D	0	GLY	-	expression tag	UNP Q88R07


- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	131	Total	O	0	1
			132	132		
2	B	108	Total	O	0	0
			108	108		
2	C	93	Total	O	0	1
			94	94		
2	D	89	Total	O	0	1
			90	90		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Formyltetrahydrofolate deformylase




• Molecule 1: Formyltetrahydrofolate deformylase



• Molecule 1: Formyltetrahydrofolate deformylase



● Molecule 1: Formyltetrahydrofolate deformylase



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	81.21Å 93.97Å 97.13Å 90.00° 101.38° 90.00°	Depositor
Resolution (Å)	42.13 – 2.25 42.13 – 2.25	Depositor EDS
% Data completeness (in resolution range)	99.8 (42.13-2.25) 99.8 (42.13-2.25)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.11	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.08 (at 2.24Å)	Xtriage
Refinement program	REFMAC 5.6.0073, PHENIX	Depositor
R, R_{free}	0.222 , 0.274 (Not available) , 0.283	Depositor DCC
R_{free} test set	3425 reflections (5.04%)	wwPDB-VP
Wilson B-factor (Å ²)	37.3	Xtriage
Anisotropy	0.202	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 44.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	9481	wwPDB-VP
Average B, all atoms (Å ²)	64.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 22.51 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 5.6132e-03. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.55	0/2322	0.74	0/3142
1	B	0.50	0/2337	0.71	0/3160
1	C	0.50	0/2296	0.71	0/3103
1	D	0.54	0/2334	0.75	0/3157
All	All	0.53	0/9289	0.73	0/12562

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2267	0	2221	17	0
1	B	2276	0	2242	32	0
1	C	2241	0	2189	21	0
1	D	2273	0	2228	25	0
2	A	132	0	0	1	0
2	B	108	0	0	0	0
2	C	94	0	0	3	0
2	D	90	0	0	1	0
All	All	9481	0	8880	84	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (84) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:23[B]:VAL:HG11	1:B:77:PHE:CE1	2.12	0.84
1:C:171:LEU:HD21	1:C:178:LEU:HD11	1.65	0.79
1:D:197:LEU:HD11	1:D:207:TYR:CD1	2.25	0.71
1:A:237:GLN:NE2	1:B:198:LEU:HD13	2.09	0.66
1:B:218:VAL:HG11	1:B:251[A]:LEU:HD23	1.75	0.66
1:C:109:ARG:HH11	1:C:114:GLN:HE22	1.45	0.64
1:B:12:ALA:HB3	1:B:51:ILE:HG22	1.79	0.63
1:A:197[A]:LEU:HD11	1:A:207:TYR:CD1	2.34	0.63
1:D:12:ALA:HB3	1:D:51:ILE:CG2	2.30	0.62
1:D:178:LEU:HD12	1:D:225:ILE:HD13	1.82	0.62
1:A:120:VAL:HG11	1:A:164:THR:HB	1.82	0.61
1:C:96:VAL:HG11	1:C:103:LEU:HD22	1.82	0.61
1:B:12:ALA:HB3	1:B:51:ILE:CG2	2.30	0.60
2:C:594:HOH:O	1:D:280:ASN:ND2	2.35	0.60
1:D:12:ALA:HB3	1:D:51:ILE:HG22	1.85	0.59
1:B:23[B]:VAL:HG11	1:B:77:PHE:CZ	2.40	0.57
1:A:197[B]:LEU:O	1:A:198[B]:LEU:C	2.48	0.56
1:C:178:LEU:HD22	1:C:182:LEU:HD23	1.88	0.56
1:B:186:LEU:HB3	1:B:190:ALA:HB2	1.89	0.54
1:B:198:LEU:HD11	1:B:217:MSE:CE	2.37	0.54
1:B:16:SER:O	1:B:17[B]:MSE:HE3	2.07	0.54
1:B:16:SER:HB3	1:D:34:TYR:OH	2.08	0.53
1:B:20:THR:O	1:B:23[A]:VAL:HG12	2.10	0.52
1:C:109:ARG:NH1	1:C:114:GLN:HE22	2.07	0.52
1:D:171:LEU:HD21	1:D:178:LEU:HD11	1.92	0.52
1:B:20:THR:O	1:B:23[B]:VAL:HG22	2.10	0.52
1:C:70:LEU:HD23	1:C:81:PHE:CE1	2.45	0.52
1:C:120:VAL:HG11	1:C:164:THR:HB	1.91	0.52
1:D:197:LEU:HD11	1:D:207:TYR:CE1	2.45	0.51
1:D:93:VAL:HG23	1:D:166:ALA:HB2	1.92	0.51
1:A:237:GLN:HE22	1:B:198:LEU:HD13	1.75	0.51
1:A:34:TYR:OH	1:C:16:SER:HB3	2.11	0.51
1:B:10:LEU:HB3	1:B:53[A]:VAL:CG1	2.41	0.51
1:C:20:THR:O	1:C:23:VAL:HG12	2.11	0.50
1:D:158[B]:LEU:HD11	1:D:185:ARG:HG2	1.93	0.50
1:A:120:VAL:CG1	1:A:164:THR:HB	2.42	0.50
1:C:10:LEU:HB3	1:C:53[A]:VAL:CG1	2.42	0.50
1:A:247:TYR:HB3	1:A:248:PRO:HD2	1.94	0.50
1:B:218:VAL:CG1	1:B:251[A]:LEU:HD23	2.41	0.49
1:B:38:HIS:CE1	1:B:51:ILE:HD11	2.47	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:93:VAL:HG23	1:A:166:ALA:HB2	1.95	0.49
1:B:198:LEU:HD11	1:B:217:MSE:HE2	1.96	0.48
1:D:103:LEU:HD23	1:D:132:LEU:HD23	1.95	0.48
1:A:237:GLN:CD	1:B:198:LEU:HD13	2.39	0.47
1:B:18:LEU:HD21	1:D:32:ARG:HA	1.97	0.47
1:D:170:ILE:HD13	1:D:267:VAL:HG21	1.97	0.47
1:D:95:MSE:HE2	1:D:174:TYR:CE2	2.50	0.46
1:D:171:LEU:HD22	1:D:225:ILE:HD11	1.97	0.46
1:D:130:GLU:HB3	1:D:131:PRO:HD3	1.96	0.46
1:D:247:TYR:HB3	1:D:248:PRO:HD2	1.97	0.46
1:B:158:LEU:HD11	1:B:185:ARG:HG2	1.98	0.46
1:A:95:MSE:HE2	1:A:174:TYR:CE2	2.51	0.46
2:A:431:HOH:O	1:D:26:ARG:NH1	2.36	0.46
1:A:197[B]:LEU:HD11	1:A:207:TYR:CD1	2.51	0.45
1:C:281:ARG:NH1	2:C:602:HOH:O	2.49	0.45
1:C:186:LEU:HB3	1:C:190:ALA:HB2	1.99	0.45
1:D:48:ARG:HB3	2:D:690:HOH:O	2.16	0.45
1:B:231[A]:GLU:HA	1:B:231[A]:GLU:OE1	2.17	0.45
1:C:244:HIS:CD2	1:D:283:VAL:HG13	2.51	0.45
1:B:92:VAL:HG11	1:B:170:ILE:HD12	1.99	0.45
1:B:96:VAL:HG11	1:B:103:LEU:HD22	1.98	0.45
1:D:66:PHE:CE1	1:D:83:LEU:HD22	2.52	0.45
1:C:213:LYS:NZ	2:C:600:HOH:O	2.49	0.44
1:A:158:LEU:HD21	1:A:185:ARG:HG2	1.99	0.44
1:B:23[B]:VAL:CG1	1:B:77:PHE:CE1	2.93	0.44
1:A:213:LYS:NZ	1:B:231[A]:GLU:OE1	2.43	0.44
1:A:21:VAL:HG12	1:C:25:THR:HG21	1.99	0.43
1:C:70:LEU:HD23	1:C:81:PHE:CD1	2.53	0.43
1:B:130:GLU:HB3	1:B:131:PRO:HD3	2.01	0.43
1:C:158:LEU:HD13	1:C:182:LEU:CD1	2.48	0.43
1:B:40:SER:OG	1:D:38:HIS:HB3	2.18	0.42
1:C:21:VAL:HG22	1:C:49:PHE:CZ	2.54	0.42
1:D:178:LEU:CD1	1:D:225:ILE:HD13	2.48	0.42
1:A:9:ILE:HG21	1:A:273:ARG:HB2	2.02	0.42
1:C:150:LYS:N	1:C:151:PRO:CD	2.83	0.42
1:B:23[B]:VAL:CG1	1:B:77:PHE:CZ	3.02	0.42
1:C:244:HIS:CG	1:D:283:VAL:HG13	2.55	0.42
1:B:70:LEU:HD23	1:B:81:PHE:CD1	2.55	0.41
1:B:207:TYR:HD1	1:B:251[A]:LEU:HD22	1.83	0.41
1:D:197:LEU:O	1:D:198:LEU:C	2.63	0.41
1:C:193:ILE:HD12	1:C:221:THR:O	2.21	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:70:LEU:HD23	1:B:81:PHE:CE1	2.56	0.41
1:B:171:LEU:HD21	1:B:178:LEU:HD11	2.03	0.41
1:A:242:VAL:HG12	1:A:254:LYS:HG3	2.03	0.41

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	281/286 (98%)	272 (97%)	9 (3%)	0	100	100
1	B	282/286 (99%)	272 (96%)	10 (4%)	0	100	100
1	C	277/286 (97%)	271 (98%)	6 (2%)	0	100	100
1	D	283/286 (99%)	276 (98%)	7 (2%)	0	100	100
All	All	1123/1144 (98%)	1091 (97%)	32 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	241/236 (102%)	240 (100%)	1 (0%)	84	89
1	B	242/236 (102%)	238 (98%)	4 (2%)	53	65

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	C	237/236 (100%)	236 (100%)	1 (0%)	84	89
1	D	241/236 (102%)	239 (99%)	2 (1%)	73	80
All	All	961/944 (102%)	953 (99%)	8 (1%)	76	80

All (8) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	45	GLN
1	B	21	VAL
1	B	251[A]	LEU
1	B	251[B]	LEU
1	B	281	ARG
1	C	45	GLN
1	D	45	GLN
1	D	111	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	192	ASN
1	C	45	GLN
1	C	114	GLN
1	C	126	HIS
1	D	45	GLN
1	D	142	HIS
1	D	227	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

There are no ligands in this entry.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	274/286 (95%)	1.18	44 (16%) 4 4	30, 59, 82, 101	3 (1%)
1	B	272/286 (95%)	1.21	52 (19%) 3 2	30, 62, 91, 112	7 (2%)
1	C	273/286 (95%)	1.32	65 (23%) 2 1	34, 65, 98, 128	1 (0%)
1	D	274/286 (95%)	1.17	41 (14%) 5 5	28, 59, 82, 100	5 (1%)
All	All	1093/1144 (95%)	1.22	202 (18%) 3 3	28, 61, 90, 128	16 (1%)

All (202) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	198	LEU	6.9
1	C	198	LEU	6.7
1	C	73	ARG	5.9
1	B	76	ALA	5.7
1	A	200	GLY	5.1
1	B	74	SER	4.9
1	B	87	ASN	4.7
1	B	73	ARG	4.7
1	C	69	GLY	4.7
1	C	77	PHE	4.6
1	B	77	PHE	4.5
1	C	76	ALA	4.5
1	B	69	GLY	4.3
1	B	75	GLU	4.3
1	D	199	PRO	4.3
1	C	38	HIS	4.3
1	B	70	LEU	4.3
1	D	200	GLY	4.3
1	C	74	SER	4.2
1	C	200	GLY	4.2
1	A	199	PRO	4.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	70	LEU	3.9
1	B	204[A]	ALA	3.9
1	D	181	GLU	3.8
1	B	201	PHE	3.7
1	A	38	HIS	3.7
1	B	81	PHE	3.6
1	C	148	LYS	3.6
1	A	61	PHE	3.6
1	D	65	GLY	3.5
1	C	81	PHE	3.4
1	D	61	PHE	3.4
1	C	23	VAL	3.4
1	C	183	CYS	3.4
1	B	197	LEU	3.4
1	C	15	PRO	3.4
1	B	71	ALA	3.4
1	A	65	GLY	3.4
1	D	60	ASP	3.4
1	C	68	ALA	3.3
1	B	232[A]	GLY	3.2
1	A	87	ASN	3.2
1	B	147	PRO	3.2
1	A	197[A]	LEU	3.2
1	B	38	HIS	3.2
1	A	227	ASN	3.2
1	C	197	LEU	3.2
1	B	19	GLY	3.2
1	C	49	PHE	3.1
1	B	72	GLU	3.1
1	D	279	ALA	3.1
1	B	15	PRO	3.1
1	B	20	THR	3.1
1	C	75	GLU	3.1
1	C	64	ALA	3.1
1	C	72	GLU	3.0
1	C	87	ASN	3.0
1	C	56	ARG	3.0
1	A	279	ALA	3.0
1	D	147	PRO	3.0
1	D	39	HIS	3.0
1	D	7	THR	3.0
1	C	231	GLU	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	38	HIS	3.0
1	B	14	CYS	2.9
1	A	202	LYS	2.9
1	C	19	GLY	2.9
1	C	184	ARG	2.9
1	C	21	VAL	2.9
1	D	35	VAL	2.9
1	A	208[A]	HIS	2.9
1	A	8	TRP	2.9
1	B	21	VAL	2.9
1	C	212	ASN	2.9
1	D	227	ASN	2.9
1	C	232	GLY	2.8
1	B	227	ASN	2.8
1	C	147	PRO	2.8
1	B	148	LYS	2.8
1	C	202	LYS	2.8
1	C	7	THR	2.8
1	C	61	PHE	2.8
1	B	212	ASN	2.7
1	B	150	LYS	2.7
1	C	27	TYR	2.7
1	C	144	ALA	2.7
1	C	177	VAL	2.7
1	D	87	ASN	2.7
1	B	65	GLY	2.7
1	D	34	TYR	2.7
1	C	66	PHE	2.7
1	C	227	ASN	2.7
1	D	148	LYS	2.7
1	A	235	ILE	2.7
1	D	196	SER	2.7
1	C	145	LEU	2.7
1	B	202	LYS	2.6
1	A	60	ASP	2.6
1	D	177	VAL	2.6
1	C	65	GLY	2.6
1	D	74	SER	2.6
1	C	6	ASP	2.6
1	A	29	PHE	2.6
1	C	150	LYS	2.6
1	A	37	GLU	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	8	TRP	2.6
1	A	6	ASP	2.6
1	A	84	THR	2.6
1	B	49	PHE	2.6
1	B	23[A]	VAL	2.6
1	B	7	THR	2.5
1	B	184	ARG	2.5
1	C	44	ARG	2.5
1	B	18	LEU	2.5
1	D	51	ILE	2.5
1	C	45	GLN	2.5
1	A	228	ASP	2.5
1	A	280	ASN	2.5
1	B	16	SER	2.4
1	A	34	TYR	2.4
1	C	201	PHE	2.4
1	C	48	ARG	2.4
1	D	162	GLU	2.4
1	A	35	VAL	2.4
1	C	29	PHE	2.4
1	A	28	LEU	2.4
1	C	249	GLU	2.4
1	D	37	GLU	2.4
1	C	206	PRO	2.3
1	D	64	ALA	2.3
1	C	196	SER	2.3
1	D	208[A]	HIS	2.3
1	B	6	ASP	2.3
1	A	148	LYS	2.3
1	C	151	PRO	2.3
1	C	25	THR	2.3
1	D	202	LYS	2.3
1	C	214	GLY	2.3
1	C	71	ALA	2.3
1	A	7	THR	2.3
1	C	20	THR	2.3
1	C	120	VAL	2.3
1	D	55	PHE	2.3
1	D	66	PHE	2.3
1	A	86	PRO	2.3
1	B	206	PRO	2.3
1	A	196	SER	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	176	GLN	2.3
1	B	13	ASP	2.2
1	C	14	CYS	2.2
1	D	6	ASP	2.2
1	D	13	ASP	2.2
1	D	86	PRO	2.2
1	A	39	HIS	2.2
1	A	204	ALA	2.2
1	C	210	ALA	2.2
1	C	16	SER	2.2
1	A	177	VAL	2.2
1	B	56	ARG	2.2
1	B	27	TYR	2.2
1	C	39	HIS	2.2
1	A	64	ALA	2.2
1	B	68	ALA	2.2
1	A	252	ILE	2.2
1	C	132	LEU	2.2
1	A	62	ASP	2.2
1	B	280	ASN	2.2
1	C	60	ASP	2.2
1	D	280	ASN	2.2
1	D	205	LYS	2.2
1	A	19	GLY	2.2
1	C	208	HIS	2.2
1	B	196	SER	2.2
1	A	273	ARG	2.1
1	D	83	LEU	2.1
1	D	189	TRP	2.1
1	D	62	ASP	2.1
1	A	147	PRO	2.1
1	B	58	PRO	2.1
1	A	56	ARG	2.1
1	D	180	PRO	2.1
1	B	44	ARG	2.1
1	A	45	GLN	2.1
1	A	218	VAL	2.1
1	B	203	GLY	2.1
1	A	184	ARG	2.1
1	B	231[A]	GLU	2.1
1	C	146	ASP	2.1
1	A	32	ARG	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	32	ARG	2.1
1	D	273	ARG	2.1
1	A	85	ALA	2.0
1	C	18	LEU	2.0
1	A	21	VAL	2.0
1	D	157	VAL	2.0
1	D	249	GLU	2.0
1	A	83	LEU	2.0
1	B	251[A]	LEU	2.0
1	C	229	LEU	2.0
1	D	198	LEU	2.0
1	B	48	ARG	2.0
1	B	180	PRO	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.