



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 09:58 PM UTC

PDB ID : 1N10 / pdb_00001n10
Title : Crystal Structure of Phl p 1, a Major Timothy Grass Pollen Allergen
Authors : Fedorov, A.A.; Ball, T.; Leistler, B.; Valenta, R.; Almo, S.C.; Burley, S.K.;
New York SGX Research Center for Structural Genomics (NYSGXRC)
Deposited on : 2002-10-16
Resolution : 2.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2481 (2.90-2.90)
Clashscore	190562	2690 (2.90-2.90)
Ramachandran outliers	187476	2623 (2.90-2.90)
Sidechain outliers	187428	2625 (2.90-2.90)
RSRZ outliers	180081	2481 (2.90-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	241	
1	B	241	

2 Entry composition [i](#)

There are 2 unique types of molecules in this entry. The entry contains 3540 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Pollen allergen Phl p 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	228	Total	C	N	O	S	0	0	0
			1756	1114	292	341	9			
1	B	228	Total	C	N	O	S	0	0	0
			1756	1114	292	341	9			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1001	ALA	GLY	SEE REMARK 999	UNP P43213
B	2001	ALA	GLY	SEE REMARK 999	UNP P43213

- Molecule 2 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			14	8	1	5		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	B	1	Total	C	N	O	0	0
			14	8	1	5		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Pollen allergen Phl p 1



• Molecule 1: Pollen allergen Phl p 1



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	59.69Å 65.53Å 144.77Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 2.90 20.00 – 2.90	Depositor EDS
% Data completeness (in resolution range)	98.6 (20.00-2.90) 98.2 (20.00-2.90)	Depositor EDS
R_{merge}	0.04	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	21.24 (at 2.88Å)	Xtriage
Refinement program	CNS 1.0	Depositor
R, R_{free}	0.239 , 0.267 0.240 , 0.261	Depositor DCC
R_{free} test set	664 reflections (5.13%)	wwPDB-VP
Wilson B-factor (Å ²)	50.2	Xtriage
Anisotropy	0.515	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.27 , 26.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.90	EDS
Total number of atoms	3540	wwPDB-VP
Average B, all atoms (Å ²)	45.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.00% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.49	0/1803	1.02	11/2440 (0.5%)
1	B	0.48	0/1803	1.01	10/2440 (0.4%)
All	All	0.49	0/3606	1.02	21/4880 (0.4%)

There are no bond length outliers.

All (21) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	1230	GLU	N-CA-C	-6.38	101.50	110.50
1	B	2080	LYS	CA-C-N	-6.33	113.76	120.03
1	B	2080	LYS	C-N-CA	-6.33	113.76	120.03
1	B	2086	GLY	N-CA-C	-6.25	107.05	115.36
1	B	2023	LYS	N-CA-C	-6.24	102.13	110.55
1	A	1015	TYR	N-CA-C	-6.07	101.50	110.48
1	B	2230	GLU	N-CA-C	-6.00	102.04	110.50
1	A	1086	GLY	N-CA-C	-5.94	107.46	115.36
1	A	1075	GLU	N-CA-C	-5.78	100.26	109.96
1	B	2075	GLU	N-CA-C	-5.72	100.36	109.96
1	A	1023	LYS	N-CA-C	-5.70	102.85	110.55
1	A	1061	THR	N-CA-C	5.60	122.19	109.81
1	B	2167	TYR	N-CA-C	5.56	118.86	111.30
1	B	2061	THR	N-CA-C	5.48	121.92	109.81
1	B	2015	TYR	N-CA-C	-5.43	102.44	110.48
1	A	1163	LEU	N-CA-C	5.37	117.35	109.24
1	B	2163	LEU	N-CA-C	5.34	117.31	109.24
1	A	1109	SER	N-CA-C	-5.32	103.67	110.53
1	A	1080	LYS	CA-C-N	-5.29	114.51	119.85
1	A	1080	LYS	C-N-CA	-5.29	114.51	119.85
1	A	1167	TYR	N-CA-C	5.18	118.54	111.39

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1756	0	1692	85	0
1	B	1756	0	1692	88	0
2	A	14	0	13	0	0
2	B	14	0	13	0	0
All	All	3540	0	3410	169	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 24.

All (169) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:2027:TYR:HE2	1:B:2058:CYS:HG	1.04	0.97
1:B:2027:TYR:CE2	1:B:2058:CYS:SG	2.66	0.89
1:B:2055:MET:HA	1:B:2055:MET:HE2	1.62	0.80
1:A:1027:TYR:CE2	1:A:1058:CYS:SG	2.76	0.78
1:A:1055:MET:HA	1:A:1055:MET:HE2	1.65	0.78
1:B:2075:GLU:HG3	1:B:2138:VAL:HG11	1.65	0.78
1:A:1075:GLU:HG3	1:A:1138:VAL:HG11	1.66	0.78
1:A:1027:TYR:HE2	1:A:1058:CYS:HG	1.32	0.76
1:A:1224:ALA:HB1	1:A:1227:VAL:HG21	1.68	0.76
1:B:2224:ALA:HB1	1:B:2227:VAL:HG21	1.67	0.76
1:A:1058:CYS:HB2	1:A:1107:ASP:HB3	1.69	0.74
1:B:2027:TYR:HE2	1:B:2058:CYS:SG	2.05	0.73
1:A:1055:MET:HE3	1:A:1111:HIS:ND1	2.05	0.72
1:A:1026:TRP:CE2	1:A:1126:ARG:HG2	2.25	0.71
1:B:2055:MET:HE3	1:B:2111:HIS:ND1	2.06	0.70
1:B:2058:CYS:HB2	1:B:2107:ASP:HB3	1.72	0.70
1:B:2026:TRP:CE2	1:B:2126:ARG:HG2	2.27	0.70
1:A:1026:TRP:CZ2	1:A:1126:ARG:HG2	2.26	0.70
1:A:1157:ASN:HB2	1:A:1158:PRO:HD2	1.75	0.68

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:2157:ASN:HB2	1:B:2158:PRO:HD2	1.74	0.68
1:A:1025:THR:HG22	1:A:1130:GLU:HG2	1.76	0.68
1:A:1027:TYR:HE2	1:A:1058:CYS:SG	2.17	0.67
1:A:1080:LYS:HB3	1:A:1081:PRO:CD	2.24	0.67
1:B:2026:TRP:CZ2	1:B:2126:ARG:HG2	2.30	0.66
1:B:2080:LYS:HB3	1:B:2081:PRO:CD	2.25	0.66
1:B:2024:SER:HB3	1:B:2131:LEU:HD23	1.78	0.65
1:B:2025:THR:HG22	1:B:2130:GLU:HG2	1.79	0.63
1:A:1024:SER:HB3	1:A:1131:LEU:HD23	1.80	0.62
1:B:2164:LEU:HD21	1:B:2197:ILE:HG12	1.81	0.61
1:A:1123:GLN:HA	1:A:1126:ARG:NH2	2.16	0.60
1:B:2123:GLN:HA	1:B:2126:ARG:NH2	2.17	0.60
1:A:1055:MET:HE3	1:A:1111:HIS:CE1	2.36	0.59
1:B:2024:SER:HB3	1:B:2131:LEU:CD2	2.32	0.59
1:B:2190:LEU:HB3	1:B:2198:TRP:HB3	1.84	0.59
1:A:1215:THR:CG2	1:A:1221:LYS:HG2	2.32	0.59
1:A:1164:LEU:HD21	1:A:1197:ILE:HG12	1.83	0.59
1:A:1024:SER:HB3	1:A:1131:LEU:CD2	2.33	0.58
1:A:1012:THR:O	1:A:1014:THR:HG23	2.04	0.57
1:A:1061:THR:HG23	1:A:1062:PRO:HD3	1.85	0.57
1:B:2055:MET:HE3	1:B:2111:HIS:CE1	2.39	0.57
1:A:1154:LYS:HD2	1:A:1154:LYS:H	1.69	0.57
1:A:1232:TRP:C	1:A:1233:LYS:HD3	2.29	0.57
1:B:2232:TRP:C	1:B:2233:LYS:HD3	2.28	0.57
1:A:1190:LEU:HB3	1:A:1198:TRP:HB3	1.86	0.56
1:B:2168:VAL:C	1:B:2170:GLY:H	2.13	0.56
1:B:2215:THR:CG2	1:B:2221:LYS:HG2	2.35	0.56
1:A:1023:LYS:HD2	1:A:1132:GLU:OE1	2.05	0.56
1:A:1224:ALA:CB	1:A:1227:VAL:HG21	2.37	0.55
1:A:1168:VAL:C	1:A:1170:GLY:H	2.14	0.55
1:B:2224:ALA:HB1	1:B:2227:VAL:CG2	2.37	0.54
1:B:2154:LYS:H	1:B:2154:LYS:HD2	1.72	0.54
1:A:1224:ALA:HB1	1:A:1227:VAL:CG2	2.37	0.54
1:A:1055:MET:HE1	1:A:1112:ALA:HA	1.89	0.54
1:B:2023:LYS:HD2	1:B:2132:GLU:OE1	2.08	0.54
1:B:2080:LYS:CB	1:B:2081:PRO:CD	2.86	0.54
1:A:1080:LYS:CB	1:A:1081:PRO:CD	2.86	0.53
1:B:2061:THR:HG23	1:B:2062:PRO:HD3	1.90	0.53
1:B:2055:MET:HE1	1:B:2112:ALA:HA	1.90	0.53
1:A:1144:GLU:OE1	1:A:1144:GLU:N	2.42	0.53
1:A:1163:LEU:HD21	1:A:1190:LEU:CD2	2.39	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1047:VAL:HG13	1:A:1056:THR:HG21	1.92	0.52
1:A:1224:ALA:O	1:A:1227:VAL:HG23	2.10	0.52
1:A:1232:TRP:CD1	1:A:1232:TRP:H	2.27	0.52
1:B:2047:VAL:HG13	1:B:2056:THR:HG21	1.91	0.52
1:B:2080:LYS:HD3	1:B:2131:LEU:HB2	1.92	0.52
1:B:2224:ALA:O	1:B:2227:VAL:HG23	2.10	0.52
1:B:2015:TYR:O	1:B:2016:GLY:O	2.28	0.51
1:B:2018:LYS:HB3	1:B:2018:LYS:NZ	2.25	0.51
1:B:2025:THR:CG2	1:B:2130:GLU:HG2	2.41	0.51
1:A:1018:LYS:HB3	1:A:1018:LYS:NZ	2.26	0.51
1:A:1133:LEU:HD12	1:A:1133:LEU:C	2.36	0.51
1:B:2179:ILE:HA	1:B:2211:THR:O	2.11	0.51
1:A:1025:THR:CG2	1:A:1130:GLU:HG2	2.41	0.50
1:B:2163:LEU:HD21	1:B:2190:LEU:CD2	2.41	0.50
1:A:1078:CYS:O	1:A:1084:CYS:HB3	2.11	0.50
1:B:2224:ALA:CB	1:B:2227:VAL:HG21	2.38	0.49
1:B:2144:GLU:N	1:B:2144:GLU:OE1	2.46	0.49
1:B:2078:CYS:O	1:B:2084:CYS:HB3	2.13	0.49
1:B:2080:LYS:CD	1:B:2132:GLU:H	2.26	0.48
1:A:1186:LYS:NZ	1:B:2186:LYS:HB3	2.28	0.48
1:B:2152:VAL:O	1:B:2235:ASP:N	2.46	0.48
1:A:1095:ASP:CG	1:A:1096:ASP:H	2.22	0.48
1:B:2191:LYS:N	1:B:2191:LYS:HD2	2.29	0.48
1:A:1080:LYS:HD3	1:A:1131:LEU:HB2	1.94	0.48
1:B:2133:LEU:HD12	1:B:2133:LEU:C	2.39	0.47
1:B:2232:TRP:CD1	1:B:2232:TRP:H	2.30	0.47
1:A:1179:ILE:HA	1:A:1211:THR:O	2.14	0.47
1:A:1015:TYR:O	1:A:1016:GLY:O	2.32	0.47
1:A:1161:LEU:HB2	1:A:1206:LEU:HD13	1.95	0.47
1:A:1045:LYS:HZ3	1:A:1166:LYS:HZ1	1.61	0.47
1:A:1161:LEU:CD1	1:A:1163:LEU:HD22	2.45	0.47
1:A:1163:LEU:H	1:A:1163:LEU:HD23	1.80	0.47
1:B:2055:MET:HE2	1:B:2055:MET:CA	2.40	0.47
1:B:2068:ARG:HG3	1:B:2173:ASP:HB3	1.96	0.47
1:A:1005:VAL:HG21	1:B:2102:ALA:HA	1.97	0.47
1:A:1140:CYS:HB2	1:A:1169:ASN:ND2	2.30	0.47
1:A:1152:VAL:O	1:A:1235:ASP:N	2.46	0.47
1:B:2080:LYS:HD2	1:B:2132:GLU:H	1.79	0.47
1:A:1169:ASN:O	1:A:1170:GLY:O	2.32	0.47
1:B:2171:ASP:OD1	1:B:2172:GLY:N	2.48	0.46
1:B:2060:ASN:CG	1:B:2062:PRO:HD2	2.39	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:2095:ASP:CG	1:B:2096:ASP:H	2.23	0.46
1:B:2169:ASN:O	1:B:2170:GLY:O	2.33	0.46
1:A:1191:LYS:N	1:A:1191:LYS:HD2	2.30	0.46
1:A:1080:LYS:CD	1:A:1132:GLU:H	2.28	0.46
1:B:2161:LEU:CD1	1:B:2163:LEU:HD22	2.45	0.46
1:A:1080:LYS:HD2	1:A:1132:GLU:H	1.80	0.46
1:A:1118:LYS:O	1:A:1119:LYS:C	2.59	0.46
1:B:2075:GLU:HG3	1:B:2138:VAL:CG1	2.39	0.46
1:B:2161:LEU:HB2	1:B:2206:LEU:HD13	1.96	0.46
1:A:1215:THR:HG22	1:A:1221:LYS:HG2	1.95	0.46
1:B:2072:SER:HB3	1:B:2074:PHE:CE1	2.51	0.46
1:A:1080:LYS:HB3	1:A:1081:PRO:HD3	1.98	0.46
1:B:2123:GLN:HA	1:B:2126:ARG:HH22	1.81	0.46
1:B:2045:LYS:HZ3	1:B:2166:LYS:HZ1	1.62	0.46
1:B:2140:CYS:HB2	1:B:2169:ASN:ND2	2.30	0.46
1:B:2073:CYS:SG	1:B:2092:HIS:CD2	3.08	0.45
1:B:2080:LYS:HB3	1:B:2081:PRO:HD2	1.98	0.45
1:A:1123:GLN:HA	1:A:1126:ARG:HH22	1.79	0.45
1:B:2163:LEU:H	1:B:2163:LEU:HD23	1.81	0.45
1:A:1075:GLU:HG3	1:A:1138:VAL:CG1	2.41	0.45
1:B:2211:THR:OG1	1:B:2225:GLU:HA	2.16	0.45
1:A:1072:SER:HB3	1:A:1074:PHE:CE1	2.51	0.45
1:A:1097:ASN:HD22	1:A:1097:ASN:C	2.25	0.45
1:B:2118:LYS:O	1:B:2119:LYS:C	2.59	0.45
1:A:1186:LYS:HD2	1:B:2186:LYS:HD2	1.99	0.45
1:A:1171:ASP:OD1	1:A:1172:GLY:N	2.49	0.45
1:B:2027:TYR:CZ	1:B:2058:CYS:SG	3.06	0.44
1:A:1165:VAL:HG12	1:A:1168:VAL:CG2	2.48	0.44
1:A:1178:ASP:OD1	1:A:1189:GLU:HG2	2.17	0.44
1:A:1005:VAL:HG21	1:B:2102:ALA:CA	2.48	0.44
1:A:1068:ARG:HG3	1:A:1173:ASP:HB3	2.00	0.44
1:A:1070:CYS:O	1:A:1093:ILE:O	2.36	0.44
1:A:1211:THR:OG1	1:A:1225:GLU:HA	2.17	0.44
1:A:1073:CYS:SG	1:A:1092:HIS:CD2	3.12	0.43
1:A:1019:TRP:CZ2	1:A:1077:LYS:HE3	2.54	0.43
1:A:1047:VAL:CG1	1:A:1056:THR:HG21	2.47	0.43
1:B:2060:ASN:ND2	1:B:2062:PRO:HD2	2.34	0.43
1:B:2082:GLU:HA	1:B:2082:GLU:OE2	2.19	0.43
1:B:2168:VAL:C	1:B:2170:GLY:N	2.76	0.43
1:B:2019:TRP:CZ2	1:B:2077:LYS:HE3	2.55	0.42
1:B:2080:LYS:HB3	1:B:2081:PRO:HD3	2.01	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:2076:ILE:O	1:B:2076:ILE:HG13	2.19	0.42
1:B:2047:VAL:CG1	1:B:2056:THR:HG21	2.48	0.42
1:B:2164:LEU:CD2	1:B:2197:ILE:HG12	2.49	0.42
1:B:2215:THR:HG22	1:B:2221:LYS:HG2	2.00	0.42
1:B:2097:ASN:C	1:B:2097:ASN:ND2	2.78	0.42
1:B:2165:VAL:HG12	1:B:2168:VAL:CG2	2.50	0.42
1:A:1082:GLU:OE2	1:A:1082:GLU:HA	2.19	0.42
1:A:1168:VAL:C	1:A:1170:GLY:N	2.78	0.42
1:B:2070:CYS:O	1:B:2093:ILE:O	2.38	0.42
1:A:1097:ASN:C	1:A:1097:ASN:ND2	2.77	0.41
1:A:1162:ALA:HA	1:A:1198:TRP:O	2.20	0.41
1:A:1164:LEU:CD2	1:A:1197:ILE:HG12	2.51	0.41
1:B:2073:CYS:HA	1:B:2091:VAL:O	2.20	0.41
1:A:1045:LYS:NZ	1:A:1166:LYS:HZ1	2.19	0.41
1:A:1061:THR:HG23	1:A:1062:PRO:CD	2.47	0.41
1:B:2097:ASN:C	1:B:2097:ASN:HD22	2.26	0.41
1:A:1060:ASN:CG	1:A:1062:PRO:HD2	2.45	0.41
1:A:1069:GLY:O	1:A:1072:SER:HB2	2.21	0.41
1:A:1163:LEU:HD21	1:A:1190:LEU:HD23	2.03	0.41
1:B:2162:ALA:HA	1:B:2198:TRP:O	2.21	0.41
1:B:2178:ASP:OD1	1:B:2189:GLU:HG2	2.21	0.41
1:B:2047:VAL:CG1	1:B:2047:VAL:O	2.69	0.40
1:A:1060:ASN:ND2	1:A:1062:PRO:HD2	2.36	0.40
1:B:2075:GLU:OE1	1:B:2136:ARG:NH2	2.52	0.40
1:A:1076:ILE:O	1:A:1076:ILE:HG13	2.22	0.40
1:B:2102:ALA:O	1:B:2103:PRO:C	2.63	0.40
1:B:2209:PRO:HD3	1:B:2230:GLU:HB2	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	224/241 (93%)	197 (88%)	18 (8%)	9 (4%)	2	9
1	B	224/241 (93%)	199 (89%)	16 (7%)	9 (4%)	2	9
All	All	448/482 (93%)	396 (88%)	34 (8%)	18 (4%)	2	9

All (18) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	1080	LYS
1	B	2080	LYS
1	A	1016	GLY
1	A	1170	GLY
1	A	1182	LYS
1	B	2016	GLY
1	B	2170	GLY
1	B	2182	LYS
1	B	2072	SER
1	B	2169	ASN
1	A	1072	SER
1	A	1169	ASN
1	A	1208	GLY
1	A	1061	THR
1	A	1219	GLY
1	B	2061	THR
1	B	2208	GLY
1	B	2219	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	187/196 (95%)	171 (91%)	16 (9%)	10	30
1	B	187/196 (95%)	171 (91%)	16 (9%)	10	30
All	All	374/392 (95%)	342 (91%)	32 (9%)	10	30

All (32) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1017	ASP
1	A	1018	LYS
1	A	1048	ASP
1	A	1061	THR
1	A	1131	LEU
1	A	1132	GLU
1	A	1136	ARG
1	A	1144	GLU
1	A	1147	LYS
1	A	1148	VAL
1	A	1154	LYS
1	A	1174	VAL
1	A	1182	LYS
1	A	1211	THR
1	A	1215	THR
1	A	1222	THR
1	B	2017	ASP
1	B	2018	LYS
1	B	2048	ASP
1	B	2061	THR
1	B	2131	LEU
1	B	2132	GLU
1	B	2136	ARG
1	B	2144	GLU
1	B	2147	LYS
1	B	2148	VAL
1	B	2154	LYS
1	B	2174	VAL
1	B	2182	LYS
1	B	2211	THR
1	B	2215	THR
1	B	2222	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	1092	HIS
1	A	1097	ASN
1	A	1169	ASN
1	B	2092	HIS
1	B	2097	ASN
1	B	2169	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	NAG	A	3001	1	14,14,15	1.31	3 (21%)	17,19,21	1.31	2 (11%)
2	NAG	B	3002	1	14,14,15	1.32	2 (14%)	17,19,21	1.31	3 (17%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	A	3001	1	-	0/6/23/26	0/1/1/1
2	NAG	B	3002	1	-	0/6/23/26	0/1/1/1

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	3002	NAG	O5-C5	2.73	1.48	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	3001	NAG	C2-N2	2.36	1.50	1.46
2	A	3001	NAG	O5-C5	2.33	1.48	1.43
2	B	3002	NAG	C4-C5	2.30	1.57	1.53
2	A	3001	NAG	C4-C5	2.13	1.57	1.53

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	3001	NAG	C1-O5-C5	3.68	117.12	112.19
2	B	3002	NAG	C1-O5-C5	3.27	116.57	112.19
2	A	3001	NAG	C8-C7-N2	-2.18	112.50	116.12
2	B	3002	NAG	C2-N2-C7	-2.13	120.05	122.90
2	B	3002	NAG	C8-C7-N2	-2.07	112.68	116.12

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	228/241 (94%)	0.08	7 (3%) 51 42	18, 38, 76, 100	0
1	B	228/241 (94%)	0.25	12 (5%) 32 25	19, 42, 85, 114	0
All	All	456/482 (94%)	0.16	19 (4%) 40 32	18, 40, 82, 114	0

All (19) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	2218	GLY	3.7
1	B	2169	ASN	3.6
1	B	2219	GLY	3.4
1	B	2208	GLY	3.2
1	A	1218	GLY	3.2
1	B	2027	TYR	3.0
1	B	2207	THR	2.9
1	A	1027	TYR	2.9
1	B	2080	LYS	2.6
1	B	2226	ASP	2.6
1	A	1039	GLY	2.5
1	A	1058	CYS	2.5
1	B	2209	PRO	2.5
1	B	2186	LYS	2.3
1	A	1144	GLU	2.2
1	B	2220	THR	2.2
1	A	1145	GLY	2.2
1	A	1040	GLY	2.1
1	B	2123	GLN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	NAG	A	3001	14/15	0.68	0.14	47,51,63,70	0
2	NAG	B	3002	14/15	0.74	0.12	47,53,63,68	0

6.5 Other polymers [i](#)

There are no such residues in this entry.