



wwPDB NMR Structure Validation Summary Report ⓘ

Mar 8, 2026 – 11:19 AM UTC

PDB ID : 2N1B / pdb_00002n1b
BMRB ID : 25554
Title : NMR solution structure of nucleotide-free Ran GTPase
Authors : Bacot-Davis, V.R.; Palmenberg, A.C.
Deposited on : 2015-03-26

This is a wwPDB NMR Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/NMRValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
wwPDB-RCI : v_1n_11_5_13_A (Berjanski et al., 2005)
PANAV : Wang et al. (2010)
wwPDB-ShiftChecker : v1.2
BMRB Restraints Analysis : v1.2
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

SOLUTION NMR

The overall completeness of chemical shifts assignment is 83%.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	229148	14424
Ramachandran outliers	224038	12848
Sidechain outliers	223484	12823

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

Mol	Chain	Length	Quality of chain
1	A	261	

2 Ensemble composition and analysis

This entry contains 10 models. Model 2 is the overall representative, medoid model (most similar to other models). The authors have identified model 1 as representative, based on the following criterion: *fewest violations*.

The following residues are included in the computation of the global validation metrics.

Well-defined (core) protein residues			
Well-defined core	Residue range (total)	Backbone RMSD (Å)	Medoid model
1	A:5-A:216 (212)	0.04	2

Ill-defined regions of proteins are excluded from the global statistics.

Ligands and non-protein polymers are included in the analysis.

The models can be grouped into 2 clusters and 1 single-model cluster was found.

Cluster number	Models
1	1, 2, 4, 7, 8
2	3, 5, 9, 10
Single-model clusters	6

3 Entry composition

There is only 1 type of molecule in this entry. The entry contains 3447 atoms, of which 1724 are hydrogens and 0 are deuteriums.

- Molecule 1 is a protein called GTP-binding nuclear protein Ran.

Mol	Chain	Residues	Atoms						Trace
1	A	216	Total	C	H	N	O	S	0
			3447	1109	1724	295	312	7	

There are 45 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-40	MET	-	expression tag	UNP P62826
A	-39	ARG	-	expression tag	UNP P62826
A	-38	GLY	-	expression tag	UNP P62826
A	-37	SER	-	expression tag	UNP P62826
A	-36	HIS	-	expression tag	UNP P62826
A	-35	HIS	-	expression tag	UNP P62826
A	-34	HIS	-	expression tag	UNP P62826
A	-33	HIS	-	expression tag	UNP P62826
A	-32	HIS	-	expression tag	UNP P62826
A	-31	HIS	-	expression tag	UNP P62826
A	-30	GLY	-	expression tag	UNP P62826
A	-29	MET	-	expression tag	UNP P62826
A	-28	ALA	-	expression tag	UNP P62826
A	-27	SER	-	expression tag	UNP P62826
A	-26	MET	-	expression tag	UNP P62826
A	-25	THR	-	expression tag	UNP P62826
A	-24	GLY	-	expression tag	UNP P62826
A	-23	GLY	-	expression tag	UNP P62826
A	-22	GLN	-	expression tag	UNP P62826
A	-21	GLN	-	expression tag	UNP P62826
A	-20	MET	-	expression tag	UNP P62826
A	-19	GLY	-	expression tag	UNP P62826
A	-18	ARG	-	expression tag	UNP P62826
A	-17	ASP	-	expression tag	UNP P62826
A	-16	LEU	-	expression tag	UNP P62826
A	-15	TYR	-	expression tag	UNP P62826
A	-14	ASP	-	expression tag	UNP P62826
A	-13	ASP	-	expression tag	UNP P62826
A	-12	ASP	-	expression tag	UNP P62826
A	-11	ASP	-	expression tag	UNP P62826
A	-10	LYS	-	expression tag	UNP P62826

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	-9	ASP	-	expression tag	UNP P62826
A	-8	PRO	-	expression tag	UNP P62826
A	-7	SER	-	expression tag	UNP P62826
A	-6	SER	-	expression tag	UNP P62826
A	-5	ARG	-	expression tag	UNP P62826
A	-4	SER	-	expression tag	UNP P62826
A	-3	ALA	-	expression tag	UNP P62826
A	-2	ALA	-	expression tag	UNP P62826
A	-1	GLY	-	expression tag	UNP P62826
A	0	THR	-	expression tag	UNP P62826
A	217	GLU	-	expression tag	UNP P62826
A	218	PHE	-	expression tag	UNP P62826
A	219	GLU	-	expression tag	UNP P62826
A	220	ALA	-	expression tag	UNP P62826

5 Refinement protocol and experimental data overview

The models were refined using the following method: *torsion angle dynamics*.

Of the 50 calculated structures, 10 were deposited, based on the following criterion: *structures with the least restraint violations*.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
CYANA	refinement	

The following table shows chemical shift validation statistics as aggregates over all chemical shift files. Detailed validation can be found in section 7 of this report.

Chemical shift file(s)	working_cs.cif
Number of chemical shift lists	1
Total number of shifts	2589
Number of shifts mapped to atoms	2584
Number of unparsed shifts	0
Number of shifts with mapping errors	5
Number of shifts with mapping warnings	0
Assignment completeness (well-defined parts)	83%

6 Model quality [i](#)

6.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the (average) root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	#Z>5	RMSZ	#Z>5
1	A	0.26±0.01	0±0/1738 (0.0± 0.0%)	0.65±0.01	0±1/2358 (0.0± 0.0%)
All	All	0.26	0/17380 (0.0%)	0.65	4/23580 (0.0%)

There are no bond-length outliers.

All unique angle outliers are listed below. They are sorted according to the Z-score of the worst occurrence in the ensemble.

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)	Models	
								Worst	Total
1	A	5	GLY	CA-C-N	7.01	131.33	120.68	4	2
1	A	5	GLY	C-N-CA	7.01	131.33	120.68	4	2

There are no chirality outliers.

There are no planarity outliers.

6.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	A	1696	1697	1696	22±0
All	All	16960	16970	16960	221

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

5 of 23 unique clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:120:CYS:SG	1:A:147:TYR:HB2	0.76	2.21	1	10
1:A:124:VAL:HG12	1:A:150:SER:HB2	0.62	1.71	1	10
1:A:87:ILE:HG12	1:A:118:VAL:HB	0.60	1.73	1	10
1:A:6:GLU:HB3	1:A:7:PRO:HD2	0.60	1.74	6	1
1:A:11:PHE:HB3	1:A:85:CYS:SG	0.57	2.40	1	10

6.3 Torsion angles [i](#)

6.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	211/261 (81%)	209±0 (99±0%)	2±0 (1±0%)	0±0 (0±0%)	100	100
All	All	2110/2610 (81%)	2087 (99%)	23 (1%)	0 (0%)	100	100

There are no Ramachandran outliers.

6.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	183/220 (83%)	183±0 (100±0%)	0±0 (0±0%)	100	100
All	All	1830/2200 (83%)	1830 (100%)	0 (0%)	100	100

There are no protein residues with a non-rotameric sidechain to report.

6.3.3 RNA [i](#)

There are no RNA molecules in this entry.

6.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.6 Ligand geometry [i](#)

There are no ligands in this entry.

6.7 Other polymers [i](#)

There are no such molecules in this entry.

6.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

7 Chemical shift validation

The completeness of assignment taking into account all chemical shift lists is 83% for the well-defined parts and 83% for the entire structure.

7.1 Chemical shift list 1

File name: working_cs.cif

Chemical shift list name: *assigned_chem_shift_list_1*

7.1.1 Bookkeeping

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	2589
Number of shifts mapped to atoms	2584
Number of unparsed shifts	0
Number of shifts with mapping errors	5
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	56

The following assigned chemical shifts were not mapped to the molecules present in the coordinate file.

- No matching atom found in the structure. All 5 occurrences are reported below.

List ID	Chain	Res	Type	Atom	Shift Data		
					Value	Uncertainty	Ambiguity
1	A	30	HIS	HD1	10.269	0.020	1
1	A	53	HIS	HD1	10.367	0.020	1
1	A	105	HIS	HE2	11.112	0.020	1
1	A	139	HIS	HD1	10.687	0.020	1
1	A	199	HIS	HD1	10.494	0.020	1

7.1.2 Chemical shift referencing

The following table shows the suggested chemical shift referencing corrections.

Nucleus	# values	Correction $\pm$ precision, ppm	Suggested action
$^{13}\text{C}_\alpha$	212	-0.93 ± 0.24	Should be checked
$^{13}\text{C}_\beta$	198	0.15 ± 0.24	None needed (< 0.5 ppm)
$^{13}\text{C}'$	209	-0.47 ± 0.19	None needed (< 0.5 ppm)

Continued on next page...

Continued from previous page...

Nucleus	# values	Correction $\pm$ precision, ppm	Suggested action
^{15}N	215	1.51 $\pm$ 0.55	Should be applied

7.1.3 Completeness of resonance assignments [i](#)

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 83%, i.e. 2463 atoms were assigned a chemical shift out of a possible 2959. 0 out of 40 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	^1H	^{13}C	^{15}N
Backbone	839/1050 (80%)	227/426 (53%)	413/424 (97%)	199/200 (100%)
Sidechain	1363/1643 (83%)	972/1067 (91%)	328/513 (64%)	63/63 (100%)
Aromatic	261/266 (98%)	129/129 (100%)	117/122 (96%)	15/15 (100%)
Overall	2463/2959 (83%)	1328/1622 (82%)	858/1059 (81%)	277/278 (100%)

7.1.4 Statistically unusual chemical shifts [i](#)

The following table lists the statistically unusual chemical shifts. These are statistical measures, and large deviations from the mean do not necessarily imply incorrect assignments. Molecules containing paramagnetic centres or hemes are expected to give rise to anomalous chemical shifts.

List Id	Chain	Res	Type	Atom	Shift, ppm	Expected range, ppm	Z-score
1	A	114	ASN	ND2	1114.29	101.55 – 123.95	447.1
1	A	21	THR	HG1	6.38	0.08 – 2.19	24.8
1	A	66	THR	HG1	6.01	0.08 – 2.19	23.1
1	A	207	THR	HG1	5.99	0.08 – 2.19	23.0
1	A	206	THR	HG1	5.96	0.08 – 2.19	22.8
1	A	24	THR	HG1	5.91	0.08 – 2.19	22.6
1	A	93	THR	HG1	5.76	0.08 – 2.19	21.9
1	A	32	THR	HG1	5.71	0.08 – 2.19	21.7
1	A	54	THR	HG1	5.59	0.08 – 2.19	21.1
1	A	97	THR	HG1	5.48	0.08 – 2.19	20.6
1	A	25	THR	HG1	5.39	0.08 – 2.19	20.1
1	A	42	THR	HG1	5.31	0.08 – 2.19	19.8
1	A	134	LYS	CB	54.58	24.03 – 41.47	12.5
1	A	175	GLU	CA	76.25	47.03 – 67.62	9.2
1	A	45	VAL	CB	17.10	23.86 – 41.50	-8.8
1	A	68	GLY	C	189.53	164.92 – 182.89	8.7
1	A	151	ALA	C	160.74	167.61 – 188.05	-8.4
1	A	183	ALA	C	160.74	167.61 – 188.05	-8.4
1	A	37	LYS	NZ	53.20	19.79 – 46.09	7.7

Continued on next page...

Continued from previous page...


List Id	Chain	Res	Type	Atom	Shift, ppm	Expected range, ppm	Z-score
1	A	38	LYS	NZ	52.40	19.79 – 46.09	7.4
1	A	143	ASN	ND2	129.29	101.55 – 123.95	7.4
1	A	158	GLU	CA	72.15	47.03 – 67.62	7.2
1	A	44	GLY	CA	54.58	38.93 – 51.79	7.2
1	A	29	ARG	CA	72.15	45.44 – 68.13	6.8
1	A	33	GLY	C	161.91	164.92 – 182.89	-6.7
1	A	123	LYS	CA	70.98	46.18 – 67.77	6.5
1	A	170	GLY	C	162.50	164.92 – 182.89	-6.3
1	A	132	LYS	NZ	49.59	19.79 – 46.09	6.3
1	A	94	SER	C	163.97	166.15 – 183.14	-6.3
1	A	123	LYS	NZ	49.29	19.79 – 46.09	6.2
1	A	134	LYS	NZ	49.30	19.79 – 46.09	6.2
1	A	12	LYS	NZ	49.23	19.79 – 46.09	6.2
1	A	141	LYS	NZ	49.24	19.79 – 46.09	6.2
1	A	142	LYS	NZ	49.22	19.79 – 46.09	6.2
1	A	152	LYS	NZ	49.22	19.79 – 46.09	6.2
1	A	71	LYS	NZ	49.00	19.79 – 46.09	6.1
1	A	119	LEU	CA	42.87	45.17 – 66.21	-6.1
1	A	22	GLY	C	184.81	164.92 – 182.89	6.1
1	A	161	PHE	CE2	137.89	124.80 – 136.72	6.0
1	A	165	ALA	C	165.72	167.61 – 188.05	-5.9
1	A	110	ARG	NE	94.02	76.53 – 92.65	5.8
1	A	60	LYS	NZ	48.29	19.79 – 46.09	5.8
1	A	113	GLU	CA	69.22	47.03 – 67.62	5.8
1	A	154	ASN	ND2	125.21	101.55 – 123.95	5.6
1	A	20	GLY	N	129.37	91.59 – 127.52	5.5
1	A	127	LYS	NZ	47.33	19.79 – 46.09	5.5
1	A	29	ARG	NE	93.29	76.53 – 92.65	5.4
1	A	76	ARG	NE	93.29	76.53 – 92.65	5.4
1	A	67	ALA	N	104.86	106.13 – 140.55	-5.4
1	A	194	ALA	C	166.90	167.61 – 188.05	-5.3
1	A	167	LYS	NZ	46.77	19.79 – 46.09	5.3
1	A	84	GLN	H	11.17	5.39 – 11.05	5.2
1	A	17	GLY	N	127.91	91.59 – 127.52	5.1
1	A	33	GLY	N	127.84	91.59 – 127.52	5.1
1	A	57	GLY	N	127.71	91.59 – 127.52	5.0
1	A	161	PHE	CE1	137.30	124.17 – 137.29	5.0

7.1.5 Random Coil Index (RCI) plots [i](#)

The image below reports *random coil index* values for the protein chains in the structure. The height of each bar gives a probability of a given residue to be disordered, as predicted from

the available chemical shifts and the amino acid sequence. A value above 0.2 is an indication of significant predicted disorder. The colour of the bar shows whether the residue is in the well-defined core (black) or in the ill-defined residue ranges (cyan), as described in section 2 on ensemble composition. If well-defined core and ill-defined regions are not identified then it is shown as gray bars.

Random coil index (RCI) for chain A:



8 NMR restraints analysis [i](#)

8.1 Conformationally restricting restraints [i](#)

The following table provides the summary of experimentally observed NMR restraints in different categories. Restraints are classified into different categories based on the sequence separation of the atoms involved.

Description	Value
Total distance restraints	0
Intra-residue ($ i-j =0$)	0
Sequential ($ i-j =1$)	0
Medium range ($ i-j >1$ and $ i-j <5$)	0
Long range ($ i-j \geq 5$)	0
Inter-chain	0
Hydrogen bond restraints	0
Disulfide bond restraints	0
Total dihedral-angle restraints	270
Number of unmapped restraints	0
Number of restraints per residue	0
Number of long range restraints per residue ¹	0

¹Long range hydrogen bonds and disulfide bonds are counted as long range restraints while calculating the number of long range restraints per residue

8.2 Residual restraint violations [i](#)

This section provides the overview of the restraint violations analysis. The violations are binned as small, medium and large violations based on its absolute value. Average number of violations per model is calculated by dividing the total number of violations in each bin by the size of the ensemble.

8.2.1 Average number of distance violations per model [i](#)

Distance violations less than 0.1 Å are not included in the calculation. There are no distance restraints

8.2.2 Average number of dihedral-angle violations per model [i](#)

Dihedral-angle violations less than 1° are not included in the calculation.

Bins (°)	Average number of violations per model	Max (°)
1.0-10.0 (Small)	20.1	9.91

Continued on next page...

Continued from previous page...

Bins (°)	Average number of violations per model	Max (°)
10.0-20.0 (Medium)	14.1	19.83
>20.0 (Large)	90.2	156.92

9 Distance violation analysis ⓘ

No distance restraints data found

10 Dihedral-angle violation analysis [i](#)


10.1 Summary of dihedral-angle violations [i](#)

The following table provides the summary of dihedral-angle violations in different dihedral-angle types. Violations less than 1° are not included in the calculation.

Angle type	Count	% ¹	Violated ³			Consistently Violated ⁴		
			Count	% ²	% ¹	Count	% ²	% ¹
PSI	135	50.0	82	60.7	30.4	80	59.3	29.6
PHI	135	50.0	45	33.3	16.7	43	31.9	15.9
Total	270	100.0	127	47.0	47.0	123	45.6	45.6

¹ percentage calculated with respect to total number of dihedral-angle restraints, ² percentage calculated with respect to number of restraints in a particular dihedral-angle type, ³ violated in at least one model, ⁴ violated in all the models

10.1.1 Bar chart : Distribution of dihedral-angles and violations [i](#)




Violated and consistently violated restraints are shown using different hatch patterns in their respective categories

10.2 Dihedral-angle violation statistics for each model [i](#)

The following table provides the dihedral-angle violation statistics for each model in the ensemble. Violations less than 1° are not included in the statistics.

Model ID	Number of violations			Mean (°)	Max (°)	SD (°)	Median (°)
	PSI	PHI	Total				
1	81	43	124	76.2	156.92	54.45	82.71
2	80	43	123	75.62	156.92	54.28	82.61
3	81	43	124	75.21	156.92	54.24	82.03
4	82	43	125	76.04	156.92	53.96	82.81
5	81	43	124	75.58	156.92	54.06	82.03
6	81	43	124	75.46	156.92	53.88	82.03
7	82	43	125	75.17	156.92	54.08	81.45
8	82	44	126	75.33	156.92	54.15	82.03
9	81	43	124	75.21	156.92	54.25	82.03
10	81	44	125	75.56	156.92	53.94	82.61

10.2.1 Bar graph : Dihedral violation statistics for each model [i](#)



The mean(dot),median(x) and the standard deviation are shown in blue with respect to the y axis on the right


10.3 Dihedral-angle violation statistics for the ensemble [i](#)

Violation analysis may find that some restraints are violated in very few models and some are violated in most of models. The following table provides this information as number of violated restraints for a given fraction of ensemble.

Number of violated restraints			Fraction of the ensemble	
PSI	PHI	Total	Count ¹	%
0	2	2	1	10.0
0	0	0	2	20.0
0	0	0	3	30.0
0	0	0	4	40.0
1	0	1	5	50.0
0	0	0	6	60.0
1	0	1	7	70.0
0	0	0	8	80.0
0	0	0	9	90.0
80	43	123	10	100.0

¹ Number of models with violations


10.3.1 Bar graph : Dihedral-angle Violation statistics for the ensemble [i](#)



10.4 Most violated dihedral-angle restraints in the ensemble [i](#)

10.4.1 Histogram : Distribution of mean dihedral-angle violations [i](#)

The following histogram shows the distribution of the average value of the violation. The average is calculated for each restraint that is violated in more than one model over all the violated models in the ensemble



10.4.2 Table: Most violated dihedral-angle restraints [i](#)

The following table provides the mean and the standard deviation of the violations for the 10 worst performing restraints, sorted by number of violated models and the mean violation value. The Key (restraint list ID, restraint ID) is the unique identifier for a given restraint.


Key	Atom-1	Atom-2	Atom-3	Atom-4	Models ¹	Mean	SD ²	Median
(1,82)	1:66:A:THR:N	1:66:A:THR:CA	1:66:A:THR:C	1:67:A:ALA:N	10	156.92	0.0	156.92
(1,208)	1:165:A:ALA:N	1:165:A:ALA:CA	1:165:A:ALA:C	1:166:A:ARG:N	10	156.21	0.0	156.21
(1,96)	1:81:A:ILE:N	1:81:A:ILE:CA	1:81:A:ILE:C	1:82:A:GLN:N	10	152.66	0.0	152.66
(1,100)	1:84:A:GLN:N	1:84:A:GLN:CA	1:84:A:GLN:C	1:85:A:CYS:N	10	150.58	0.0	150.58
(1,262)	1:209:A:LEU:N	1:209:A:LEU:CA	1:209:A:LEU:C	1:210:A:PRO:N	10	150.54	0.0	150.54
(1,72)	1:56:A:ARG:N	1:56:A:ARG:CA	1:56:A:ARG:C	1:57:A:GLY:N	10	149.94	0.0	149.94
(1,148)	1:117:A:ILE:N	1:117:A:ILE:CA	1:117:A:ILE:C	1:118:A:VAL:N	10	149.41	0.0	149.41
(1,28)	1:23:A:LYS:N	1:23:A:LYS:CA	1:23:A:LYS:C	1:24:A:THR:N	10	147.82	0.0	147.82
(1,42)	1:32:A:THR:N	1:32:A:THR:CA	1:32:A:THR:C	1:33:A:GLY:N	10	147.75	0.0	147.75
(1,46)	1:35:A:PHE:N	1:35:A:PHE:CA	1:35:A:PHE:C	1:36:A:GLU:N	10	145.15	0.0	145.15

¹ Number of violated models, ²Standard deviation, All angle values are in degree (°)

10.5 All violated dihedral-angle restraints [i](#)

10.5.1 Histogram : Distribution of violations [i](#)

The following histogram shows the distribution of the absolute value of the violation for all violated restraints in the ensemble.



10.5.2 Table: All violated dihedral-angle restraints [i](#)

The following table provides the list of violations for the 10 worst performing restraints, sorted by the violation value. The Key (restraint list ID, restraint ID) is the unique identifier for a given restraint.

Key	Atom-1	Atom-2	Atom-3	Atom-4	Model ID	Violation (°)
(1,82)	1:66:A:THR:N	1:66:A:THR:CA	1:66:A:THR:C	1:67:A:ALA:N	1	156.92
(1,82)	1:66:A:THR:N	1:66:A:THR:CA	1:66:A:THR:C	1:67:A:ALA:N	2	156.92
(1,82)	1:66:A:THR:N	1:66:A:THR:CA	1:66:A:THR:C	1:67:A:ALA:N	3	156.92
(1,82)	1:66:A:THR:N	1:66:A:THR:CA	1:66:A:THR:C	1:67:A:ALA:N	4	156.92
(1,82)	1:66:A:THR:N	1:66:A:THR:CA	1:66:A:THR:C	1:67:A:ALA:N	5	156.92
(1,82)	1:66:A:THR:N	1:66:A:THR:CA	1:66:A:THR:C	1:67:A:ALA:N	6	156.92
(1,82)	1:66:A:THR:N	1:66:A:THR:CA	1:66:A:THR:C	1:67:A:ALA:N	7	156.92
(1,82)	1:66:A:THR:N	1:66:A:THR:CA	1:66:A:THR:C	1:67:A:ALA:N	8	156.92
(1,82)	1:66:A:THR:N	1:66:A:THR:CA	1:66:A:THR:C	1:67:A:ALA:N	9	156.92
(1,82)	1:66:A:THR:N	1:66:A:THR:CA	1:66:A:THR:C	1:67:A:ALA:N	10	156.92